


802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.147G       | 64.79             | 74.00             | -9.21          | 5.11           | 3           | Vertical  | 43             | 2.19          | -       | 59.68         |
| AV   | 5.15G        | 49.04             | 54.00             | -4.96          | 5.09           | 3           | Vertical  | 43             | 2.19          | -       | 43.95         |
| PK   | 5.2436G      | 127.17            | Inf               | -Inf           | 4.67           | 3           | Vertical  | 43             | 2.19          | -       | 122.50        |
| AV   | 5.2442G      | 116.33            | Inf               | -Inf           | 4.66           | 3           | Vertical  | 43             | 2.19          | -       | 111.67        |
| PK   | 5.3582G      | 59.57             | 74.00             | -14.43         | 4.69           | 3           | Vertical  | 43             | 2.19          | -       | 54.88         |
| AV   | 5.36G        | 45.99             | 54.00             | -8.01          | 4.70           | 3           | Vertical  | 43             | 2.19          | -       | 41.29         |

802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1434G      | 60.89             | 74.00             | -13.11         | 5.11           | 3           | Horizontal | 278            | 2.59          | -       | 55.78         |
| AV   | 5.1422G      | 46.56             | 54.00             | -7.44          | 5.12           | 3           | Horizontal | 278            | 2.59          | -       | 41.44         |
| PK   | 5.2334G      | 119.91            | Inf               | -Inf           | 4.71           | 3           | Horizontal | 278            | 2.59          | -       | 115.20        |
| AV   | 5.2328G      | 109.47            | Inf               | -Inf           | 4.71           | 3           | Horizontal | 278            | 2.59          | -       | 104.76        |
| PK   | 5.351G       | 57.27             | 74.00             | -16.73         | 4.66           | 3           | Horizontal | 278            | 2.59          | -       | 52.61         |
| AV   | 5.3534G      | 44.86             | 54.00             | -9.14          | 4.67           | 3           | Horizontal | 278            | 2.59          | -       | 40.19         |

802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.48G       | 59.82             | 68.20             | -8.38          | 13.50          | 3           | Vertical  | 28             | 1.14          | -       | 46.32         |
| PK   | 15.72352G    | 61.65             | 74.00             | -12.35         | 13.86          | 3           | Vertical  | 36             | 2.55          | -       | 47.79         |
| AV   | 15.72306G    | 48.41             | 54.00             | -5.59          | 13.86          | 3           | Vertical  | 36             | 2.55          | -       | 34.55         |

802.11a\_Nss1,(6Mbps)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.48G       | 58.03             | 68.20             | -10.17         | 13.50          | 3           | Horizontal | 311            | 2.02          | -       | 44.53         |
| PK   | 15.72496G    | 61.20             | 74.00             | -12.80         | 13.85          | 3           | Horizontal | 217            | 1.99          | -       | 47.35         |
| AV   | 15.725G      | 47.79             | 54.00             | -6.21          | 13.85          | 3           | Horizontal | 217            | 1.99          | -       | 33.94         |

802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.641G       | 61.88             | 68.20             | -6.32          | 4.96           | 3           | Vertical  | 109            | 2.22          | -       | 56.92         |
| PK   | 5.746G       | 123.57            | Inf               | -Inf           | 5.25           | 3           | Vertical  | 109            | 2.22          | -       | 118.32        |
| AV   | 5.746G       | 113.45            | Inf               | -Inf           | 5.25           | 3           | Vertical  | 109            | 2.22          | -       | 108.20        |
| PK   | 5.944G       | 59.79             | 68.20             | -8.41          | 5.79           | 3           | Vertical  | 109            | 2.22          | -       | 54.00         |

802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.647G       | 59.55             | 68.20             | -8.65          | 4.98           | 3           | Horizontal | 112            | 2.33          | -       | 54.57         |
| PK   | 5.742G       | 122.19            | Inf               | -Inf           | 5.23           | 3           | Horizontal | 112            | 2.33          | -       | 116.96        |
| AV   | 5.742G       | 111.99            | Inf               | -Inf           | 5.23           | 3           | Horizontal | 112            | 2.33          | -       | 106.76        |
| PK   | 5.965G       | 58.32             | 68.20             | -9.88          | 5.79           | 3           | Horizontal | 112            | 2.33          | -       | 52.53         |

802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.48998G    | 58.14             | 74.00             | -15.86         | 13.31          | 3           | Vertical  | 27             | 1.02          | -       | 44.83         |
| AV   | 11.49002G    | 50.37             | 54.00             | -3.63          | 13.30          | 3           | Vertical  | 27             | 1.02          | -       | 37.07         |

802.11a\_Nss1,(6Mbps)\_8TX

5745MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.49014G    | 56.30             | 74.00             | -17.70         | 13.30          | 3           | Horizontal | 227            | 2.30          | -       | 43.00         |
| AV   | 11.49G       | 45.73             | 54.00             | -8.27          | 13.31          | 3           | Horizontal | 227            | 2.30          | -       | 32.42         |

802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.595G       | 58.66             | 68.20             | -9.54          | 4.92           | 3           | Vertical  | 120            | 2.53          | -       | 53.74         |
| PK   | 5.786G       | 126.83            | Inf               | -Inf           | 5.42           | 3           | Vertical  | 120            | 2.53          | -       | 121.41        |
| AV   | 5.786G       | 116.56            | Inf               | -Inf           | 5.42           | 3           | Vertical  | 120            | 2.53          | -       | 111.14        |
| PK   | 5.978G       | 59.35             | 68.20             | -8.85          | 5.79           | 3           | Vertical  | 120            | 2.53          | -       | 53.56         |

802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.587G       | 58.06             | 68.20             | -10.14         | 4.94           | 3           | Horizontal | 292            | 2.39          | -       | 53.12         |
| PK   | 5.782G       | 119.95            | Inf               | -Inf           | 5.41           | 3           | Horizontal | 292            | 2.39          | -       | 114.54        |
| AV   | 5.782G       | 109.82            | Inf               | -Inf           | 5.41           | 3           | Horizontal | 292            | 2.39          | -       | 104.41        |
| PK   | 5.988G       | 58.48             | 68.20             | -9.72          | 5.79           | 3           | Horizontal | 292            | 2.39          | -       | 52.69         |

802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.57012G    | 58.76             | 74.00             | -15.24         | 13.15          | 3           | Vertical  | 172            | 2.96          | -       | 45.61         |
| AV   | 11.57G       | 51.55             | 54.00             | -2.45          | 13.16          | 3           | Vertical  | 172            | 2.96          | -       | 38.39         |

802.11a\_Nss1,(6Mbps)\_8TX

5785MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.56962G    | 56.07             | 74.00             | -17.93         | 13.16          | 3           | Horizontal | 15             | 2.18          | -       | 42.91         |
| AV   | 11.56994G    | 44.88             | 54.00             | -9.12          | 13.16          | 3           | Horizontal | 15             | 2.18          | -       | 31.72         |

802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.635G       | 58.33             | 68.20             | -9.87          | 4.97           | 3           | Vertical  | 260            | 2.19          | -       | 53.36         |
| PK   | 5.832G       | 125.55            | Inf               | -Inf           | 5.59           | 3           | Vertical  | 260            | 2.19          | -       | 119.96        |
| AV   | 5.832G       | 114.41            | Inf               | -Inf           | 5.59           | 3           | Vertical  | 260            | 2.19          | -       | 108.82        |
| PK   | 5.922G       | 65.57             | 70.42             | -4.85          | 5.79           | 3           | Vertical  | 260            | 2.19          | -       | 59.78         |

802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.647G       | 56.66             | 68.20             | -11.54         | 4.98           | 3           | Horizontal | 153            | 2.99          | -       | 51.68         |
| PK   | 5.822G       | 119.48            | Inf               | -Inf           | 5.55           | 3           | Horizontal | 153            | 2.99          | -       | 113.93        |
| AV   | 5.822G       | 109.51            | Inf               | -Inf           | 5.55           | 3           | Horizontal | 153            | 2.99          | -       | 103.96        |
| PK   | 5.923G       | 63.08             | 69.68             | -6.60          | 5.79           | 3           | Horizontal | 153            | 2.99          | -       | 57.29         |

802.11a\_Nss1,(6Mbps)\_8TX

5825MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.65002G    | 59.42             | 74.00             | -14.58         | 13.02          | 3           | Vertical  | 14             | 2.99          | -       | 46.40         |
| AV   | 11.64998G    | 53.35             | 54.00             | -0.65          | 13.03          | 3           | Vertical  | 14             | 2.99          | -       | 40.32         |

## 802.11a\_Nss1,(6Mbps)\_8TX

## 5825MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 23  
06-5-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.64988G    | 57.43             | 74.00             | -16.57         | 13.03          | 3           | Horizontal | 12             | 2.26          | -       | 44.40         |
| AV   | 11.64996G    | 47.39             | 54.00             | -6.61          | 13.03          | 3           | Horizontal | 12             | 2.26          | -       | 34.36         |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 16.5  
06-5-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1492G      | 70.22             | 74.00             | -3.78          | 5.09           | 3           | Vertical  | 173            | 2.58          | -       | 65.13         |
| AV   | 5.1484G      | 53.64             | 54.00             | -0.36          | 5.10           | 3           | Vertical  | 173            | 2.58          | -       | 48.54         |
| PK   | 5.1748G      | 121.32            | Inf               | -Inf           | 4.97           | 3           | Vertical  | 173            | 2.58          | -       | 116.35        |
| AV   | 5.1748G      | 108.65            | Inf               | -Inf           | 4.97           | 3           | Vertical  | 173            | 2.58          | -       | 103.68        |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 16.5  
06-5-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 65.58             | 74.00             | -8.42          | 5.09           | 3           | Horizontal | 71             | 2.95          | -       | 60.49         |
| AV   | 5.15G        | 51.43             | 54.00             | -2.57          | 5.09           | 3           | Horizontal | 71             | 2.95          | -       | 46.34         |
| PK   | 5.1792G      | 115.62            | Inf               | -Inf           | 4.94           | 3           | Horizontal | 71             | 2.95          | -       | 110.68        |
| AV   | 5.1788G      | 102.36            | Inf               | -Inf           | 4.95           | 3           | Horizontal | 71             | 2.95          | -       | 97.41         |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 16.5  
06-5-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.53588G    | 58.66             | 74.00             | -15.34         | 14.48          | 3           | Vertical  | 89             | 1.70          | -       | 44.18         |
| AV   | 15.54524G    | 44.21             | 54.00             | -9.79          | 14.45          | 3           | Vertical  | 89             | 1.70          | -       | 29.76         |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 16.5  
06-5-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.54452G    | 58.38             | 74.00             | -15.62         | 14.45          | 3           | Horizontal | 300            | 2.04          | -       | 43.93         |
| AV   | 15.54608G    | 44.22             | 54.00             | -9.78          | 14.45          | 3           | Horizontal | 300            | 2.04          | -       | 29.77         |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 21  
06-5-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1396G      | 69.73             | 74.00             | -4.27          | 5.13           | 3           | Vertical  | 275            | 2.37          | -       | 64.60         |
| AV   | 5.1392G      | 53.79             | 54.00             | -0.21          | 5.13           | 3           | Vertical  | 275            | 2.37          | -       | 48.66         |
| PK   | 5.2072G      | 125.14            | Inf               | -Inf           | 4.82           | 3           | Vertical  | 275            | 2.37          | -       | 120.32        |
| AV   | 5.2068G      | 113.32            | Inf               | -Inf           | 4.82           | 3           | Vertical  | 275            | 2.37          | -       | 108.50        |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 21  
06-5-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1424G      | 60.67             | 74.00             | -13.33         | 5.12           | 3           | Horizontal | 295            | 1.06          | -       | 55.55         |
| AV   | 5.1436G      | 48.03             | 54.00             | -5.97          | 5.11           | 3           | Horizontal | 295            | 1.06          | -       | 42.92         |
| PK   | 5.202G       | 117.84            | Inf               | -Inf           | 4.84           | 3           | Horizontal | 295            | 1.06          | -       | 113.00        |
| AV   | 5.2024G      | 106.43            | Inf               | -Inf           | 4.84           | 3           | Horizontal | 295            | 1.06          | -       | 101.59        |

## 802.11ax HEW20\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

15/10/2019


EUT\_Z\_8TX  
Setting 21  
06-5-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.60868G    | 58.10             | 74.00             | -15.90         | 14.24          | 3           | Vertical  | 360            | 1.33          | -       | 43.86         |
| AV   | 15.59716G    | 45.39             | 54.00             | -8.61          | 14.28          | 3           | Vertical  | 360            | 1.33          | -       | 31.11         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5200MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 21  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.60368G    | 58.11             | 74.00             | -15.89         | 14.26          | 3           | Horizontal | 298            | 1.25          | -       | 43.85         |
| AV   | 15.59752G    | 45.12             | 54.00             | -8.88          | 14.28          | 3           | Horizontal | 298            | 1.25          | -       | 30.84         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1452G      | 60.96             | 74.00             | -13.04         | 5.11           | 3           | Vertical  | 176            | 2.78          | -       | 55.85         |
| AV   | 5.144G       | 46.77             | 54.00             | -7.23          | 5.12           | 3           | Vertical  | 176            | 2.78          | -       | 41.65         |
| PK   | 5.2406G      | 125.58            | Inf               | -Inf           | 4.68           | 3           | Vertical  | 176            | 2.78          | -       | 120.90        |
| AV   | 5.2412G      | 113.18            | Inf               | -Inf           | 4.68           | 3           | Vertical  | 176            | 2.78          | -       | 108.50        |
| PK   | 5.3504G      | 58.30             | 74.00             | -15.70         | 4.65           | 3           | Vertical  | 176            | 2.78          | -       | 53.65         |
| AV   | 5.3606G      | 45.30             | 54.00             | -8.70          | 4.70           | 3           | Vertical  | 176            | 2.78          | -       | 40.60         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.0936G      | 57.83             | 74.00             | -16.17         | 5.28           | 3           | Horizontal | 204            | 1.00          | -       | 52.55         |
| AV   | 5.1422G      | 44.79             | 54.00             | -9.21          | 5.12           | 3           | Horizontal | 204            | 1.00          | -       | 39.67         |
| PK   | 5.2394G      | 118.25            | Inf               | -Inf           | 4.68           | 3           | Horizontal | 204            | 1.00          | -       | 113.57        |
| AV   | 5.2388G      | 105.98            | Inf               | -Inf           | 4.68           | 3           | Horizontal | 204            | 1.00          | -       | 101.30        |
| PK   | 5.3798G      | 57.19             | 74.00             | -16.81         | 4.80           | 3           | Horizontal | 204            | 1.00          | -       | 52.39         |
| AV   | 5.35G        | 44.25             | 54.00             | -9.75          | 4.65           | 3           | Horizontal | 204            | 1.00          | -       | 39.60         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.71976G    | 56.69             | 74.00             | -17.31         | 13.87          | 3           | Vertical  | 89             | 1.39          | -       | 42.82         |
| AV   | 15.71756G    | 42.88             | 54.00             | -11.12         | 13.88          | 3           | Vertical  | 89             | 1.39          | -       | 29.00         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5240MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.71712G    | 56.83             | 74.00             | -17.17         | 13.88          | 3           | Horizontal | 174            | 1.39          | -       | 42.95         |
| AV   | 15.71712G    | 42.78             | 54.00             | -11.22         | 13.88          | 3           | Horizontal | 174            | 1.39          | -       | 28.90         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.65G        | 61.46             | 68.20             | -6.74          | 4.98           | 3           | Vertical  | 261            | 2.35          | -       | 56.48         |
| PK   | 5.751G       | 126.41            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 261            | 2.35          | -       | 121.15        |
| AV   | 5.751G       | 113.42            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 261            | 2.35          | -       | 108.16        |
| PK   | 5.932G       | 58.41             | 68.20             | -9.79          | 5.79           | 3           | Vertical  | 261            | 2.35          | -       | 52.62         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.553G       | 57.25             | 68.20             | -10.95         | 5.00           | 3           | Horizontal | 344            | 2.66          | -       | 52.25         |
| PK   | 5.75G        | 119.52            | Inf               | -Inf           | 5.27           | 3           | Horizontal | 344            | 2.66          | -       | 114.25        |
| AV   | 5.75G        | 107.35            | Inf               | -Inf           | 5.27           | 3           | Horizontal | 344            | 2.66          | -       | 102.08        |
| PK   | 5.931G       | 57.57             | 68.20             | -10.63         | 5.79           | 3           | Horizontal | 344            | 2.66          | -       | 51.78         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.48994G    | 58.65             | 74.00             | -15.35         | 13.31          | 3           | Vertical  | 27             | 1.01          | -       | 45.34         |
| AV   | 11.48996G    | 50.49             | 54.00             | -3.51          | 13.31          | 3           | Vertical  | 27             | 1.01          | -       | 37.18         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5745MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.49002G    | 56.83             | 74.00             | -17.17         | 13.30          | 3           | Horizontal | 179            | 2.55          | -       | 43.53         |
| AV   | 11.4899G     | 45.57             | 54.00             | -8.43          | 13.31          | 3           | Horizontal | 179            | 2.55          | -       | 32.26         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.588G       | 58.97             | 68.20             | -9.23          | 4.92           | 3           | Vertical  | 96             | 2.36          | -       | 54.05         |
| PK   | 5.78G        | 126.12            | Inf               | -Inf           | 5.39           | 3           | Vertical  | 96             | 2.36          | -       | 120.73        |
| AV   | 5.78G        | 113.55            | Inf               | -Inf           | 5.39           | 3           | Vertical  | 96             | 2.36          | -       | 108.16        |
| PK   | 5.956G       | 58.83             | 68.20             | -9.37          | 5.79           | 3           | Vertical  | 96             | 2.36          | -       | 53.04         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.544G       | 57.49             | 68.20             | -10.71         | 5.01           | 3           | Horizontal | 115            | 2.33          | -       | 52.48         |
| PK   | 5.787G       | 117.72            | Inf               | -Inf           | 5.43           | 3           | Horizontal | 115            | 2.33          | -       | 112.29        |
| AV   | 5.786G       | 105.85            | Inf               | -Inf           | 5.42           | 3           | Horizontal | 115            | 2.33          | -       | 100.43        |
| PK   | 5.97G        | 57.33             | 68.20             | -10.87         | 5.79           | 3           | Horizontal | 115            | 2.33          | -       | 51.54         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.5701G     | 57.70             | 74.00             | -16.30         | 13.15          | 3           | Vertical  | 170            | 2.96          | -       | 44.55         |
| AV   | 11.56992G    | 50.07             | 54.00             | -3.93          | 13.16          | 3           | Vertical  | 170            | 2.96          | -       | 36.91         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5785MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.56992G    | 55.60             | 74.00             | -18.40         | 13.16          | 3           | Horizontal | 12             | 2.26          | -       | 42.44         |
| AV   | 11.56994G    | 43.77             | 54.00             | -10.23         | 13.16          | 3           | Horizontal | 12             | 2.26          | -       | 30.61         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX

15/10/2019




EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.633G       | 58.78             | 68.20             | -9.42          | 4.96           | 3           | Vertical  | 248            | 2.39          | -       | 53.82         |
| PK   | 5.826G       | 124.96            | Inf               | -Inf           | 5.56           | 3           | Vertical  | 248            | 2.39          | -       | 119.40        |
| AV   | 5.824G       | 112.71            | Inf               | -Inf           | 5.55           | 3           | Vertical  | 248            | 2.39          | -       | 107.16        |
| PK   | 5.932G       | 61.40             | 68.20             | -6.80          | 5.79           | 3           | Vertical  | 248            | 2.39          | -       | 55.61         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX

15/10/2019



EUT\_Z\_8TX  
Setting 23  
06-S-5-10  
FSP


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.614G       | 56.88             | 68.20             | -11.32         | 4.92           | 3           | Horizontal | 261            | 2.27          | -       | 51.96         |
| PK   | 5.817G       | 118.69            | Inf               | -Inf           | 5.53           | 3           | Horizontal | 261            | 2.27          | -       | 113.16        |
| AV   | 5.817G       | 106.19            | Inf               | -Inf           | 5.53           | 3           | Horizontal | 261            | 2.27          | -       | 100.66        |
| PK   | 5.925G       | 58.15             | 68.20             | -10.05         | 5.79           | 3           | Horizontal | 261            | 2.27          | -       | 52.36         |



802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.65G       | 57.37             | 74.00             | -16.63         | 13.02          | 3           | Vertical  | 15             | 2.97          | -       | 44.35         |
| AV   | 11.64994G    | 49.18             | 54.00             | -4.82          | 13.03          | 3           | Vertical  | 15             | 2.97          | -       | 36.15         |

802.11ax HEW20\_Nss1,(MCS0)\_8TX

5825MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.64906G    | 56.13             | 74.00             | -17.87         | 13.03          | 3           | Horizontal | 12             | 2.23          | -       | 43.10         |
| AV   | 11.64996G    | 44.37             | 54.00             | -9.63          | 13.03          | 3           | Horizontal | 12             | 2.23          | -       | 31.34         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5190MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1498G      | 67.38             | 74.00             | -6.62          | 5.09           | 3           | Vertical  | 275            | 2.31          | -       | 62.29         |
| AV   | 5.1498G      | 53.77             | 54.00             | -0.23          | 5.09           | 3           | Vertical  | 275            | 2.31          | -       | 48.68         |
| PK   | 5.1918G      | 116.50            | Inf               | -Inf           | 4.88           | 3           | Vertical  | 275            | 2.31          | -       | 111.62        |
| AV   | 5.1912G      | 104.35            | Inf               | -Inf           | 4.88           | 3           | Vertical  | 275            | 2.31          | -       | 99.47         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5190MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1426G      | 61.25             | 74.00             | -12.75         | 5.12           | 3           | Horizontal | 125            | 2.46          | -       | 56.13         |
| AV   | 5.142G       | 46.15             | 54.00             | -7.85          | 5.12           | 3           | Horizontal | 125            | 2.46          | -       | 41.03         |
| PK   | 5.1954G      | 112.32            | Inf               | -Inf           | 4.87           | 3           | Horizontal | 125            | 2.46          | -       | 107.45        |
| AV   | 5.1954G      | 99.26             | Inf               | -Inf           | 4.87           | 3           | Horizontal | 125            | 2.46          | -       | 94.39         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5190MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.38006G    | 62.55             | 68.20             | -5.65          | 13.37          | 3           | Vertical  | 28             | 1.01          | -       | 49.18         |
| PK   | 15.57364G    | 57.07             | 74.00             | -16.93         | 14.36          | 3           | Vertical  | 42             | 1.50          | -       | 42.71         |
| AV   | 15.57154G    | 43.49             | 54.00             | -10.51         | 14.37          | 3           | Vertical  | 42             | 1.50          | -       | 29.12         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5190MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.38004G    | 59.31             | 68.20             | -8.89          | 13.37          | 3           | Horizontal | 265            | 1.01          | -       | 45.94         |
| PK   | 15.56846G    | 57.66             | 74.00             | -16.34         | 14.38          | 3           | Horizontal | 359            | 1.50          | -       | 43.28         |
| AV   | 15.57128G    | 44.01             | 54.00             | -9.99          | 14.37          | 3           | Horizontal | 359            | 1.50          | -       | 29.64         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5230MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 18.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 69.54             | 74.00             | -4.46          | 5.09           | 3           | Vertical  | 258            | 2.47          | -       | 64.45         |
| AV   | 5.15G        | 53.93             | 54.00             | -0.07          | 5.09           | 3           | Vertical  | 258            | 2.47          | -       | 48.84         |
| PK   | 5.2288G      | 119.99            | Inf               | -Inf           | 4.73           | 3           | Vertical  | 258            | 2.47          | -       | 115.26        |
| AV   | 5.2306G      | 107.57            | Inf               | -Inf           | 4.72           | 3           | Vertical  | 258            | 2.47          | -       | 102.85        |
| PK   | 5.3524G      | 57.93             | 74.00             | -16.07         | 4.66           | 3           | Vertical  | 258            | 2.47          | -       | 53.27         |
| AV   | 5.35G        | 45.13             | 54.00             | -8.87          | 4.65           | 3           | Vertical  | 258            | 2.47          | -       | 40.48         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5230MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 18.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 63.23             | 74.00             | -10.77         | 5.09           | 3           | Horizontal | 202            | 2.69          | -       | 58.14         |
| AV   | 5.1496G      | 48.84             | 54.00             | -5.16          | 5.09           | 3           | Horizontal | 202            | 2.69          | -       | 43.75         |
| PK   | 5.2294G      | 116.82            | Inf               | -Inf           | 4.73           | 3           | Horizontal | 202            | 2.69          | -       | 112.09        |
| AV   | 5.2282G      | 104.21            | Inf               | -Inf           | 4.74           | 3           | Horizontal | 202            | 2.69          | -       | 99.47         |
| PK   | 5.3506G      | 57.43             | 74.00             | -16.57         | 4.65           | 3           | Horizontal | 202            | 2.69          | -       | 52.78         |
| AV   | 5.35G        | 44.18             | 54.00             | -9.82          | 4.65           | 3           | Horizontal | 202            | 2.69          | -       | 39.53         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5230MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 18.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.45988G    | 59.37             | 68.20             | -8.83          | 13.48          | 3           | Vertical  | 24             | 2.02          | -       | 45.89         |
| PK   | 15.68926G    | 55.73             | 74.00             | -18.27         | 13.98          | 3           | Vertical  | 0              | 1.50          | -       | 41.75         |
| AV   | 15.68744G    | 42.07             | 54.00             | -11.93         | 13.98          | 3           | Vertical  | 0              | 1.50          | -       | 28.09         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5230MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 18.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.46004G    | 57.77             | 68.20             | -10.43         | 13.48          | 3           | Horizontal | 262            | 2.05          | -       | 44.29         |
| PK   | 15.69298G    | 55.69             | 74.00             | -18.31         | 13.96          | 3           | Horizontal | 359            | 1.50          | -       | 41.73         |
| AV   | 15.6874G     | 41.85             | 54.00             | -12.15         | 13.98          | 3           | Horizontal | 359            | 1.50          | -       | 27.87         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5755MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 19  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.641G       | 66.55             | 68.20             | -1.65          | 4.96           | 3           | Vertical  | 82             | 2.37          | -       | 61.59         |
| PK   | 5.748G       | 119.61            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 82             | 2.37          | -       | 114.35        |
| AV   | 5.747G       | 107.13            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 82             | 2.37          | -       | 101.87        |
| PK   | 5.931G       | 59.45             | 68.20             | -8.75          | 5.79           | 3           | Vertical  | 82             | 2.37          | -       | 53.66         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5755MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 19  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.65G        | 61.07             | 68.20             | -7.13          | 4.98           | 3           | Horizontal | 83             | 2.39          | -       | 56.09         |
| PK   | 5.748G       | 115.01            | Inf               | -Inf           | 5.26           | 3           | Horizontal | 83             | 2.39          | -       | 109.75        |
| AV   | 5.748G       | 102.68            | Inf               | -Inf           | 5.26           | 3           | Horizontal | 83             | 2.39          | -       | 97.42         |
| PK   | 5.939G       | 57.66             | 68.20             | -10.54         | 5.79           | 3           | Horizontal | 83             | 2.39          | -       | 51.87         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5755MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 19  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.51012G    | 58.90             | 74.00             | -15.10         | 13.26          | 3           | Vertical  | 26             | 1.08          | -       | 45.64         |
| AV   | 11.51008G    | 51.88             | 54.00             | -2.12          | 13.26          | 3           | Vertical  | 26             | 1.08          | -       | 38.62         |

## 802.11ax HEW40\_Nss1,(MCS0)\_8TX

## 5755MHz\_TX

16/10/2019


EUT\_Z\_8TX  
Setting 19  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.51046G    | 57.43             | 74.00             | -16.57         | 13.26          | 3           | Horizontal | 329            | 2.16          | -       | 44.17         |
| AV   | 11.51004G    | 44.91             | 54.00             | -9.09          | 13.26          | 3           | Horizontal | 329            | 2.16          | -       | 31.65         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 19.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.648G       | 65.37             | 68.20             | -2.83          | 4.98           | 3           | Vertical  | 84             | 2.54          | -       | 60.39         |
| PK   | 5.79G        | 123.68            | Inf               | -Inf           | 5.43           | 3           | Vertical  | 84             | 2.54          | -       | 118.25        |
| AV   | 5.791G       | 111.83            | Inf               | -Inf           | 5.43           | 3           | Vertical  | 84             | 2.54          | -       | 106.40        |
| PK   | 5.93G        | 67.81             | 68.20             | -0.39          | 5.79           | 3           | Vertical  | 84             | 2.54          | -       | 62.02         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 19.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.646G       | 58.67             | 68.20             | -9.53          | 4.98           | 3           | Horizontal | 105            | 2.71          | -       | 53.69         |
| PK   | 5.796G       | 116.32            | Inf               | -Inf           | 5.46           | 3           | Horizontal | 105            | 2.71          | -       | 110.86        |
| AV   | 5.797G       | 104.58            | Inf               | -Inf           | 5.47           | 3           | Horizontal | 105            | 2.71          | -       | 99.11         |
| PK   | 5.933G       | 63.00             | 68.20             | -5.20          | 5.79           | 3           | Horizontal | 105            | 2.71          | -       | 57.21         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 19.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.59002G    | 57.80             | 74.00             | -16.20         | 13.12          | 3           | Vertical  | 12             | 2.86          | -       | 44.68         |
| AV   | 11.59014G    | 51.08             | 54.00             | -2.92          | 13.12          | 3           | Vertical  | 12             | 2.86          | -       | 37.96         |

802.11ax HEW40\_Nss1,(MCS0)\_8TX

5795MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 19.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.58988G    | 55.99             | 74.00             | -18.01         | 13.13          | 3           | Horizontal | 13             | 2.27          | -       | 42.86         |
| AV   | 11.59014G    | 44.88             | 54.00             | -9.12          | 13.12          | 3           | Horizontal | 13             | 2.27          | -       | 31.76         |

802.11ax HEW80\_Nss1,(MCS0)\_8TX

5210MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.133G       | 69.05             | 74.00             | -4.95          | 5.17           | 3           | Vertical  | 39             | 2.41          | -       | 63.88         |
| AV   | 5.133G       | 53.68             | 54.00             | -0.32          | 5.17           | 3           | Vertical  | 39             | 2.41          | -       | 48.51         |
| PK   | 5.213G       | 115.74            | Inf               | -Inf           | 4.79           | 3           | Vertical  | 39             | 2.41          | -       | 110.95        |
| AV   | 5.213G       | 102.68            | Inf               | -Inf           | 4.79           | 3           | Vertical  | 39             | 2.41          | -       | 97.89         |
| PK   | 5.354G       | 59.20             | 74.00             | -14.80         | 4.67           | 3           | Vertical  | 39             | 2.41          | -       | 54.53         |
| AV   | 5.353G       | 46.01             | 54.00             | -7.99          | 4.67           | 3           | Vertical  | 39             | 2.41          | -       | 41.34         |

802.11ax HEW80\_Nss1,(MCS0)\_8TX

5210MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.148G       | 63.53             | 74.00             | -10.47         | 5.10           | 3           | Horizontal | 28             | 2.99          | -       | 58.43         |
| AV   | 5.15G        | 48.09             | 54.00             | -5.91          | 5.09           | 3           | Horizontal | 28             | 2.99          | -       | 43.00         |
| PK   | 5.206G       | 107.01            | Inf               | -Inf           | 4.83           | 3           | Horizontal | 28             | 2.99          | -       | 102.18        |
| AV   | 5.206G       | 95.54             | Inf               | -Inf           | 4.83           | 3           | Horizontal | 28             | 2.99          | -       | 90.71         |
| PK   | 5.431G       | 57.39             | 74.00             | -16.61         | 4.95           | 3           | Horizontal | 28             | 2.99          | -       | 52.44         |
| AV   | 5.354G       | 44.34             | 54.00             | -9.66          | 4.67           | 3           | Horizontal | 28             | 2.99          | -       | 39.67         |

802.11ax HEW80\_Nss1,(MCS0)\_8TX

5210MHz\_TX

16/10/2019




EUT\_Z\_8TX  
Setting 14.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.42002G    | 60.67             | 68.20             | -7.53          | 13.43          | 3           | Vertical  | 25             | 2.12          | -       | 47.24         |

802.11ax HEW80\_Nss1,(MCS0)\_8TX

5210MHz\_TX

16/10/2019



EUT\_Z\_8TX  
Setting 14.5  
06-P-2  
FSP(100142)


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.41992G    | 56.87             | 68.20             | -11.33         | 13.43          | 3           | Horizontal | 236            | 1.92          | -       | 43.44         |



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX


16/10/2019



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX


16/10/2019



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX


16/10/2019



802.11ax HEW80\_Nss1,(MCS0)\_8TX

5775MHz\_TX

16/10/2019






<SBS mode>  
Summary

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.725-5.85GHz                  | -      | -    | -            | -                 | -                 | -              | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass   | PK   | 5.634G       | 68.05             | 68.20             | -0.15          | 4.96           | 3           | Horizontal | 295            | 1.36          | -        |

802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 17.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 69.97             | 74.00             | -4.03          | 5.09           | 3           | Vertical  | 31             | 1.83          | -       | 64.88         |
| AV   | 5.15G        | 53.62             | 54.00             | -0.38          | 5.09           | 3           | Vertical  | 31             | 1.83          | -       | 48.53         |
| PK   | 5.1764G      | 115.60            | Inf               | -Inf           | 4.96           | 3           | Vertical  | 31             | 1.83          | -       | 110.64        |
| AV   | 5.1768G      | 106.07            | Inf               | -Inf           | 4.96           | 3           | Vertical  | 31             | 1.83          | -       | 101.11        |

802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 17.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 67.19             | 74.00             | -6.81          | 5.09           | 3           | Horizontal | 317            | 1.01          | -       | 62.10         |
| AV   | 5.15G        | 52.28             | 54.00             | -1.72          | 5.09           | 3           | Horizontal | 317            | 1.01          | -       | 47.19         |
| PK   | 5.1764G      | 117.80            | Inf               | -Inf           | 4.96           | 3           | Horizontal | 317            | 1.01          | -       | 112.84        |
| AV   | 5.1768G      | 107.84            | Inf               | -Inf           | 4.96           | 3           | Horizontal | 317            | 1.01          | -       | 102.88        |

802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 17.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.3597G     | 55.99             | 68.20             | -12.21         | 13.34          | 3           | Vertical  | 315            | 1.19          | -       | 42.65         |
| PK   | 15.54014G    | 58.56             | 74.00             | -15.44         | 14.47          | 3           | Vertical  | 5              | 1.50          | -       | 44.09         |
| AV   | 15.53746G    | 45.23             | 54.00             | -8.77          | 14.48          | 3           | Vertical  | 5              | 1.50          | -       | 30.75         |

802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 17.5  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.35999G    | 57.55             | 68.20             | -10.65         | 13.34          | 3           | Horizontal | 308            | 2.37          | -       | 44.21         |
| PK   | 15.53908G    | 58.63             | 74.00             | -15.37         | 14.47          | 3           | Horizontal | 283            | 1.51          | -       | 44.16         |
| AV   | 15.5344G     | 45.08             | 54.00             | -8.92          | 14.49          | 3           | Horizontal | 283            | 1.51          | -       | 30.59         |

802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 21  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1472G      | 68.06             | 74.00             | -5.94          | 5.10           | 3           | Vertical  | 18             | 2.15          | -       | 62.96         |
| AV   | 5.146G       | 50.99             | 54.00             | -3.01          | 5.11           | 3           | Vertical  | 18             | 2.15          | -       | 45.88         |
| PK   | 5.206G       | 118.03            | Inf               | -Inf           | 4.83           | 3           | Vertical  | 18             | 2.15          | -       | 113.20        |
| AV   | 5.2054G      | 108.22            | Inf               | -Inf           | 4.83           | 3           | Vertical  | 18             | 2.15          | -       | 103.39        |

802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 21  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1478G      | 68.58             | 74.00             | -5.42          | 5.10           | 3           | Horizontal | 323            | 1.99          | -       | 63.48         |
| AV   | 5.15G        | 51.24             | 54.00             | -2.76          | 5.09           | 3           | Horizontal | 323            | 1.99          | -       | 46.15         |
| PK   | 5.203G       | 120.09            | Inf               | -Inf           | 4.84           | 3           | Horizontal | 323            | 1.99          | -       | 115.25        |
| AV   | 5.203G       | 110.35            | Inf               | -Inf           | 4.84           | 3           | Horizontal | 323            | 1.99          | -       | 105.51        |

802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 21  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.39976G    | 57.07             | 68.20             | -11.13         | 13.40          | 3           | Vertical  | 357            | 2.31          | -       | 43.67         |
| PK   | 15.601G      | 58.98             | 74.00             | -15.02         | 14.27          | 3           | Vertical  | 348            | 2.99          | -       | 44.71         |
| AV   | 15.6026G     | 45.43             | 54.00             | -8.57          | 14.26          | 3           | Vertical  | 348            | 2.99          | -       | 31.17         |

802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 21  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.39999G    | 57.96             | 68.20             | -10.24         | 13.40          | 3           | Horizontal | 359            | 1.59          | -       | 44.56         |
| PK   | 15.5928G     | 59.91             | 74.00             | -14.09         | 14.30          | 3           | Horizontal | 111            | 1.70          | -       | 45.61         |
| AV   | 15.6002G     | 47.48             | 54.00             | -6.52          | 14.27          | 3           | Horizontal | 111            | 1.70          | -       | 33.21         |

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1458G      | 59.23             | 74.00             | -14.77         | 5.11           | 3           | Vertical  | 22             | 2.59          | -       | 54.12         |
| AV   | 5.147G       | 45.54             | 54.00             | -8.46          | 5.11           | 3           | Vertical  | 22             | 2.59          | -       | 40.43         |
| PK   | 5.246G       | 119.67            | Inf               | -Inf           | 4.66           | 3           | Vertical  | 22             | 2.59          | -       | 115.01        |
| AV   | 5.2466G      | 108.61            | Inf               | -Inf           | 4.65           | 3           | Vertical  | 22             | 2.59          | -       | 103.96        |
| PK   | 5.354G       | 56.64             | 74.00             | -17.36         | 4.67           | 3           | Vertical  | 22             | 2.59          | -       | 51.97         |
| AV   | 5.3552G      | 44.68             | 54.00             | -9.32          | 4.68           | 3           | Vertical  | 22             | 2.59          | -       | 40.00         |

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1422G      | 60.43             | 74.00             | -13.57         | 5.12           | 3           | Horizontal | 323            | 2.00          | -       | 55.31         |
| AV   | 5.141G       | 46.88             | 54.00             | -7.12          | 5.13           | 3           | Horizontal | 323            | 2.00          | -       | 41.75         |
| PK   | 5.2442G      | 122.55            | Inf               | -Inf           | 4.66           | 3           | Horizontal | 323            | 2.00          | -       | 117.89        |
| AV   | 5.243G       | 112.50            | Inf               | -Inf           | 4.67           | 3           | Horizontal | 323            | 2.00          | -       | 107.83        |
| PK   | 5.3594G      | 57.64             | 74.00             | -16.36         | 4.70           | 3           | Horizontal | 323            | 2.00          | -       | 52.94         |
| AV   | 5.35G        | 44.92             | 54.00             | -9.08          | 4.65           | 3           | Horizontal | 323            | 2.00          | -       | 40.27         |

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.47994G    | 58.37             | 68.20             | -9.83          | 13.50          | 3           | Vertical  | 345            | 1.97          | -       | 44.87         |
| PK   | 15.7244G     | 59.92             | 74.00             | -14.08         | 13.85          | 3           | Vertical  | 51             | 1.96          | -       | 46.07         |
| AV   | 15.724G      | 47.72             | 54.00             | -6.28          | 13.86          | 3           | Vertical  | 51             | 1.96          | -       | 33.86         |

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-3  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.4799G     | 57.04             | 68.20             | -11.16         | 13.50          | 3           | Horizontal | 331            | 1.41          | -       | 43.54         |
| PK   | 15.7244G     | 65.49             | 74.00             | -8.51          | 13.85          | 3           | Horizontal | 99             | 2.25          | -       | 51.64         |
| AV   | 15.724G      | 52.43             | 54.00             | -1.57          | 13.86          | 3           | Horizontal | 99             | 2.25          | -       | 38.57         |

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.65G        | 59.41             | 68.20             | -8.79          | 4.98           | 3           | Vertical  | 259            | 1.64          | -       | 54.43         |
| PK   | 5.748G       | 121.04            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 259            | 1.64          | -       | 115.78        |
| AV   | 5.748G       | 111.25            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 259            | 1.64          | -       | 105.99        |
| PK   | 5.933G       | 58.20             | 68.20             | -10.00         | 5.79           | 3           | Vertical  | 259            | 1.64          | -       | 52.41         |

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.639G       | 60.50             | 68.20             | -7.70          | 4.96           | 3           | Horizontal | 237            | 1.88          | -       | 55.54         |
| PK   | 5.748G       | 122.78            | Inf               | -Inf           | 5.26           | 3           | Horizontal | 237            | 1.88          | -       | 117.52        |
| AV   | 5.748G       | 112.53            | Inf               | -Inf           | 5.26           | 3           | Horizontal | 237            | 1.88          | -       | 107.27        |
| PK   | 5.984G       | 58.06             | 68.20             | -10.14         | 5.79           | 3           | Horizontal | 237            | 1.88          | -       | 52.27         |

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.48964G    | 56.69             | 74.00             | -17.31         | 13.31          | 3           | Vertical  | 303            | 2.10          | -       | 43.38         |
| AV   | 11.48992G    | 45.56             | 54.00             | -8.44          | 13.31          | 3           | Vertical  | 303            | 2.10          | -       | 32.25         |

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 11.49009G | 56.88          | 74.00          | -17.12      | 13.30       | 3        | Horizontal | 200         | 2.49       | -       | 43.58      |
| AV   | 11.48992G | 44.96          | 54.00          | -9.04       | 13.31       | 3        | Horizontal | 200         | 2.49       | -       | 31.65      |

802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 5.599G    | 57.68          | 68.20          | -10.52      | 4.91        | 3        | Vertical  | 226         | 1.89       | -       | 52.77      |
| PK   | 5.782G    | 120.78         | Inf            | -Inf        | 5.41        | 3        | Vertical  | 226         | 1.89       | -       | 115.37     |
| AV   | 5.782G    | 110.64         | Inf            | -Inf        | 5.41        | 3        | Vertical  | 226         | 1.89       | -       | 105.23     |
| PK   | 5.927G    | 58.06          | 68.20          | -10.14      | 5.79        | 3        | Vertical  | 226         | 1.89       | -       | 52.27      |

802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 5.6G      | 59.90          | 68.20          | -8.30       | 4.91        | 3        | Horizontal | 208         | 2.29       | -       | 54.99      |
| PK   | 5.792G    | 121.96         | Inf            | -Inf        | 5.44        | 3        | Horizontal | 208         | 2.29       | -       | 116.52     |
| AV   | 5.792G    | 111.01         | Inf            | -Inf        | 5.44        | 3        | Horizontal | 208         | 2.29       | -       | 105.57     |
| PK   | 5.925G    | 57.73          | 68.20          | -10.47      | 5.79        | 3        | Horizontal | 208         | 2.29       | -       | 51.94      |

802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 11.57444G | 57.31          | 74.00          | -16.69      | 13.15       | 3        | Vertical  | 353         | 2.46       | -       | 44.16      |
| AV   | 11.56988G | 45.99          | 54.00          | -8.01       | 13.16       | 3        | Vertical  | 353         | 2.46       | -       | 32.83      |

802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 11.57024G | 57.37          | 74.00          | -16.63      | 13.15       | 3        | Horizontal | 0           | 1.50       | -       | 44.22      |
| AV   | 11.56996G | 46.10          | 54.00          | -7.90       | 13.16       | 3        | Horizontal | 0           | 1.50       | -       | 32.94      |

802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 5.634G    | 58.56          | 68.20          | -9.64       | 4.96        | 3        | Vertical  | 198         | 2.14       | -       | 53.60      |
| PK   | 5.829G    | 121.36         | Inf            | -Inf        | 5.57        | 3        | Vertical  | 198         | 2.14       | -       | 115.79     |
| AV   | 5.828G    | 110.93         | Inf            | -Inf        | 5.56        | 3        | Vertical  | 198         | 2.14       | -       | 105.37     |
| PK   | 5.925G    | 60.56          | 68.20          | -7.64       | 5.79        | 3        | Vertical  | 198         | 2.14       | -       | 54.77      |

802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 5.63G     | 59.40          | 68.20          | -8.80       | 4.95        | 3        | Horizontal | 287         | 2.45       | -       | 54.45      |
| PK   | 5.823G    | 121.54         | Inf            | -Inf        | 5.55        | 3        | Horizontal | 287         | 2.45       | -       | 115.99     |
| AV   | 5.822G    | 111.20         | Inf            | -Inf        | 5.55        | 3        | Horizontal | 287         | 2.45       | -       | 105.65     |
| PK   | 5.926G    | 59.51          | 68.20          | -8.69       | 5.79        | 3        | Horizontal | 287         | 2.45       | -       | 53.72      |

802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX

20/10/2019



EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 11.64534G | 56.44          | 74.00          | -17.56      | 13.03       | 3        | Vertical  | 287         | 1.86       | -       | 43.41      |
| AV   | 11.6499G  | 43.98          | 54.00          | -10.02      | 13.03       | 3        | Vertical  | 287         | 1.86       | -       | 30.95      |



## 802.11a\_Nss1,(6Mbps)\_4TX

## 5825MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.65408G    | 56.44             | 74.00             | -17.56         | 13.02          | 3           | Horizontal | 4              | 1.50          | -       | 43.42         |
| AV   | 11.64996G    | 43.52             | 54.00             | -10.48         | 13.03          | 3           | Horizontal | 4              | 1.50          | -       | 30.49         |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 17  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 66.45             | 74.00             | -7.55          | 5.09           | 3           | Vertical  | 299            | 2.50          | -       | 61.36         |
| AV   | 5.15G        | 51.15             | 54.00             | -2.85          | 5.09           | 3           | Vertical  | 299            | 2.50          | -       | 46.06         |
| PK   | 5.1816G      | 117.29            | Inf               | -Inf           | 4.94           | 3           | Vertical  | 299            | 2.50          | -       | 112.35        |
| AV   | 5.1816G      | 104.22            | Inf               | -Inf           | 4.94           | 3           | Vertical  | 299            | 2.50          | -       | 99.28         |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 17  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 68.74             | 74.00             | -5.11          | 5.09           | 3           | Horizontal | 305            | 2.32          | -       | 63.80         |
| AV   | 5.15G        | 53.39             | 54.00             | -0.61          | 5.09           | 3           | Horizontal | 305            | 2.32          | -       | 48.30         |
| PK   | 5.1808G      | 120.82            | Inf               | -Inf           | 4.94           | 3           | Horizontal | 305            | 2.32          | -       | 115.88        |
| AV   | 5.1816G      | 107.19            | Inf               | -Inf           | 4.94           | 3           | Horizontal | 305            | 2.32          | -       | 102.25        |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

29/10/2019


EUT\_Y\_4TX  
Setting 17  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.36G       | 57.56             | 68.20             | -10.64         | 13.34          | 3           | Vertical  | 358            | 2.27          | -       | 44.22         |
| PK   | 15.5322G     | 58.42             | 74.00             | -15.58         | 14.50          | 3           | Vertical  | 220            | 1.50          | -       | 43.92         |
| AV   | 15.53332G    | 44.64             | 54.00             | -9.36          | 14.49          | 3           | Vertical  | 220            | 1.50          | -       | 30.15         |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

29/10/2019


EUT\_Y\_4TX  
Setting 17  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.35988G    | 58.20             | 68.20             | -10.00         | 13.34          | 3           | Horizontal | 307            | 2.37          | -       | 44.86         |
| PK   | 15.55G       | 58.83             | 74.00             | -15.17         | 14.45          | 3           | Horizontal | 120            | 1.50          | -       | 44.38         |
| AV   | 15.5532G     | 44.74             | 54.00             | -9.26          | 14.43          | 3           | Horizontal | 120            | 1.50          | -       | 30.31         |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

29/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1478G      | 65.27             | 74.00             | -8.73          | 5.10           | 3           | Vertical  | 26             | 1.65          | -       | 60.17         |
| AV   | 5.1466G      | 49.38             | 54.00             | -4.62          | 5.11           | 3           | Vertical  | 26             | 1.65          | -       | 44.27         |
| PK   | 5.1982G      | 120.67            | Inf               | -Inf           | 4.86           | 3           | Vertical  | 26             | 1.65          | -       | 115.81        |
| AV   | 5.1988G      | 108.35            | Inf               | -Inf           | 4.86           | 3           | Vertical  | 26             | 1.65          | -       | 103.49        |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

29/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1496G      | 68.74             | 74.00             | -5.26          | 5.09           | 3           | Horizontal | 325            | 2.00          | -       | 63.65         |
| AV   | 5.1496G      | 52.96             | 54.00             | -1.04          | 5.09           | 3           | Horizontal | 325            | 2.00          | -       | 47.87         |
| PK   | 5.209G       | 122.09            | Inf               | -Inf           | 4.81           | 3           | Horizontal | 325            | 2.00          | -       | 117.28        |
| AV   | 5.209G       | 109.06            | Inf               | -Inf           | 4.81           | 3           | Horizontal | 325            | 2.00          | -       | 104.25        |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

29/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.40002G    | 57.90             | 68.20             | -10.30         | 13.40          | 3           | Vertical  | 6              | 2.26          | -       | 44.50         |
| PK   | 15.60276G    | 58.41             | 74.00             | -15.59         | 14.26          | 3           | Vertical  | 0              | 2.01          | -       | 44.15         |
| AV   | 15.6102G     | 44.68             | 54.00             | -9.32          | 14.24          | 3           | Vertical  | 0              | 2.01          | -       | 30.44         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5200MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 20  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.39998G    | 57.93             | 68.20             | -10.27         | 13.40          | 3           | Horizontal | 359            | 1.71          | -       | 44.53         |
| PK   | 15.60354G    | 58.81             | 74.00             | -15.19         | 14.26          | 3           | Horizontal | 68             | 1.40          | -       | 44.55         |
| AV   | 15.60126G    | 45.15             | 54.00             | -8.85          | 14.27          | 3           | Horizontal | 68             | 1.40          | -       | 30.88         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 65.32             | 74.00             | -8.68          | 5.09           | 3           | Vertical  | 28             | 1.82          | -       | 60.23         |
| AV   | 5.1494G      | 48.69             | 54.00             | -5.31          | 5.09           | 3           | Vertical  | 28             | 1.82          | -       | 43.60         |
| PK   | 5.242G       | 122.27            | Inf               | -Inf           | 4.66           | 3           | Vertical  | 28             | 1.82          | -       | 117.61        |
| AV   | 5.243G       | 110.54            | Inf               | -Inf           | 4.67           | 3           | Vertical  | 28             | 1.82          | -       | 105.87        |
| PK   | 5.372G       | 57.50             | 74.00             | -16.50         | 4.75           | 3           | Vertical  | 28             | 1.82          | -       | 52.75         |
| AV   | 5.35G        | 44.75             | 54.00             | -9.25          | 4.65           | 3           | Vertical  | 28             | 1.82          | -       | 40.10         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1398G      | 61.54             | 74.00             | -12.46         | 5.13           | 3           | Horizontal | 320            | 2.19          | -       | 56.41         |
| AV   | 5.1416G      | 47.36             | 54.00             | -6.64          | 5.12           | 3           | Horizontal | 320            | 2.19          | -       | 42.24         |
| PK   | 5.2436G      | 124.55            | Inf               | -Inf           | 4.67           | 3           | Horizontal | 320            | 2.19          | -       | 119.88        |
| AV   | 5.2424G      | 112.10            | Inf               | -Inf           | 4.67           | 3           | Horizontal | 320            | 2.19          | -       | 107.43        |
| PK   | 5.35G        | 57.78             | 74.00             | -16.22         | 4.65           | 3           | Horizontal | 320            | 2.19          | -       | 53.13         |
| AV   | 5.363G       | 44.82             | 54.00             | -9.18          | 4.72           | 3           | Horizontal | 320            | 2.19          | -       | 40.10         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.47994G    | 57.00             | 68.20             | -11.20         | 13.50          | 3           | Vertical  | 14             | 2.06          | -       | 43.50         |
| PK   | 15.7115G     | 59.77             | 74.00             | -14.23         | 13.90          | 3           | Vertical  | 29             | 1.50          | -       | 45.87         |
| AV   | 15.7116G     | 46.90             | 54.00             | -7.10          | 13.90          | 3           | Vertical  | 29             | 1.50          | -       | 33.00         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX

29/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.47981G    | 59.03             | 68.20             | -9.17          | 13.50          | 3           | Horizontal | 304            | 2.56          | -       | 45.53         |
| PK   | 15.7144G     | 63.35             | 74.00             | -10.65         | 13.89          | 3           | Horizontal | 99             | 2.21          | -       | 49.46         |
| AV   | 15.715G      | 50.02             | 54.00             | -3.98          | 13.89          | 3           | Horizontal | 99             | 2.21          | -       | 36.13         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.65G        | 61.36             | 68.20             | -6.84          | 4.98           | 3           | Vertical  | 329            | 1.43          | -       | 56.38         |
| PK   | 5.748G       | 121.85            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 329            | 1.43          | -       | 116.59        |
| AV   | 5.748G       | 109.31            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 329            | 1.43          | -       | 104.05        |
| PK   | 5.929G       | 58.20             | 68.20             | -10.00         | 5.79           | 3           | Vertical  | 329            | 1.43          | -       | 52.41         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.645G       | 61.57             | 68.20             | -6.63          | 4.97           | 3           | Horizontal | 313            | 1.50          | -       | 56.60         |
| PK   | 5.744G       | 121.27            | Inf               | -Inf           | 5.25           | 3           | Horizontal | 313            | 1.50          | -       | 116.02        |
| AV   | 5.744G       | 109.74            | Inf               | -Inf           | 5.25           | 3           | Horizontal | 313            | 1.50          | -       | 104.49        |
| PK   | 5.976G       | 58.16             | 68.20             | -10.04         | 5.79           | 3           | Horizontal | 313            | 1.50          | -       | 52.37         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.48985G    | 57.72             | 74.00             | -16.28         | 13.31          | 3           | Vertical  | 345            | 1.60          | -       | 44.41         |
| AV   | 11.48994G    | 46.25             | 54.00             | -7.75          | 13.31          | 3           | Vertical  | 345            | 1.60          | -       | 32.94         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.48982G    | 56.79             | 74.00             | -17.21         | 13.31          | 3           | Horizontal | 0              | 2.83          | -       | 43.48         |
| AV   | 11.48992G    | 45.79             | 54.00             | -8.21          | 13.31          | 3           | Horizontal | 0              | 2.83          | -       | 32.48         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.587G       | 58.71             | 68.20             | -9.49          | 4.94           | 3           | Vertical  | 327            | 2.12          | -       | 53.77         |
| PK   | 5.783G       | 121.49            | Inf               | -Inf           | 5.41           | 3           | Vertical  | 327            | 2.12          | -       | 116.08        |
| AV   | 5.782G       | 109.58            | Inf               | -Inf           | 5.41           | 3           | Vertical  | 327            | 2.12          | -       | 104.17        |
| PK   | 5.938G       | 57.88             | 68.20             | -10.32         | 5.79           | 3           | Vertical  | 327            | 2.12          | -       | 52.09         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.597G       | 59.64             | 68.20             | -8.56          | 4.92           | 3           | Horizontal | 299            | 1.43          | -       | 54.72         |
| PK   | 5.79G        | 122.80            | Inf               | -Inf           | 5.43           | 3           | Horizontal | 299            | 1.43          | -       | 117.37        |
| AV   | 5.791G       | 110.95            | Inf               | -Inf           | 5.43           | 3           | Horizontal | 299            | 1.43          | -       | 105.52        |
| PK   | 5.99G        | 58.95             | 68.20             | -9.25          | 5.79           | 3           | Horizontal | 299            | 1.43          | -       | 53.16         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-3  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.56978G    | 58.48             | 74.00             | -15.52         | 13.16          | 3           | Vertical  | 349            | 1.00          | -       | 45.32         |
| AV   | 11.56988G    | 47.27             | 54.00             | -6.73          | 13.16          | 3           | Vertical  | 349            | 1.00          | -       | 34.11         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.56998G    | 57.86             | 74.00             | -16.14         | 13.16          | 3           | Horizontal | 1              | 1.50          | -       | 44.70         |
| AV   | 11.56997G    | 45.75             | 54.00             | -8.25          | 13.16          | 3           | Horizontal | 1              | 1.50          | -       | 32.59         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.635G       | 57.77             | 68.20             | -10.43         | 4.97           | 3           | Vertical  | 327            | 1.90          | -       | 52.80         |
| PK   | 5.824G       | 121.54            | Inf               | -Inf           | 5.56           | 3           | Vertical  | 327            | 1.90          | -       | 115.98        |
| AV   | 5.827G       | 109.05            | Inf               | -Inf           | 5.56           | 3           | Vertical  | 327            | 1.90          | -       | 103.49        |
| PK   | 5.924G       | 61.56             | 68.94             | -7.38          | 5.79           | 3           | Vertical  | 327            | 1.90          | -       | 55.77         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX

20/10/2019




EUT\_Y\_4TX  
Setting 23  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.633G       | 59.51             | 68.20             | -8.69          | 4.96           | 3           | Horizontal | 309            | 1.38          | -       | 54.55         |
| PK   | 5.824G       | 122.38            | Inf               | -Inf           | 5.55           | 3           | Horizontal | 309            | 1.38          | -       | 116.83        |
| AV   | 5.824G       | 110.12            | Inf               | -Inf           | 5.55           | 3           | Horizontal | 309            | 1.38          | -       | 104.57        |
| PK   | 5.929G       | 61.94             | 68.20             | -6.26          | 5.79           | 3           | Horizontal | 309            | 1.38          | -       | 56.15         |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX


20/10/2019



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX


20/10/2019



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX

19/10/2019



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX


19/10/2019



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX


19/10/2019



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX

19/10/2019



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX


19/10/2019



## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 18  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1472G      | 65.50             | 74.00             | -8.50          | 5.10           | 3           | Horizontal | 324            | 2.13          | -       | 60.40         |
| AV   | 5.1484G      | 51.36             | 54.00             | -2.64          | 5.10           | 3           | Horizontal | 324            | 2.13          | -       | 46.26         |
| PK   | 5.2384G      | 119.26            | Inf               | -Inf           | 4.69           | 3           | Horizontal | 324            | 2.13          | -       | 114.57        |
| AV   | 5.2378G      | 106.57            | Inf               | -Inf           | 4.69           | 3           | Horizontal | 324            | 2.13          | -       | 101.88        |
| PK   | 5.3578G      | 57.50             | 74.00             | -16.50         | 4.69           | 3           | Horizontal | 324            | 2.13          | -       | 52.81         |
| AV   | 5.3512G      | 45.03             | 54.00             | -8.97          | 4.66           | 3           | Horizontal | 324            | 2.13          | -       | 40.37         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 18  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.69064G    | 59.65             | 74.00             | -14.35         | 13.97          | 3           | Vertical  | 181            | 2.36          | -       | 45.68         |
| AV   | 15.69356G    | 45.04             | 54.00             | -8.96          | 13.96          | 3           | Vertical  | 181            | 2.36          | -       | 31.08         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 18  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.6889G     | 58.57             | 74.00             | -15.43         | 13.98          | 3           | Horizontal | 343            | 1.12          | -       | 44.59         |
| AV   | 15.69412G    | 44.93             | 54.00             | -9.07          | 13.96          | 3           | Horizontal | 343            | 1.12          | -       | 30.97         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.652G       | 67.61             | 69.68             | -2.07          | 4.98           | 3           | Vertical  | 350            | 2.21          | -       | 62.63         |
| PK   | 5.751G       | 118.52            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 350            | 2.21          | -       | 113.26        |
| AV   | 5.751G       | 105.82            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 350            | 2.21          | -       | 100.56        |
| PK   | 5.938G       | 58.71             | 68.20             | -9.49          | 5.79           | 3           | Vertical  | 350            | 2.21          | -       | 52.92         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.642G       | 66.04             | 68.20             | -2.16          | 4.96           | 3           | Horizontal | 293            | 1.52          | -       | 61.08         |
| PK   | 5.743G       | 118.68            | Inf               | -Inf           | 5.23           | 3           | Horizontal | 293            | 1.52          | -       | 113.45        |
| AV   | 5.762G       | 106.33            | Inf               | -Inf           | 5.32           | 3           | Horizontal | 293            | 1.52          | -       | 101.01        |
| PK   | 5.964G       | 59.40             | 68.20             | -8.80          | 5.79           | 3           | Horizontal | 293            | 1.52          | -       | 53.61         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.50978G    | 57.31             | 74.00             | -16.69         | 13.27          | 3           | Vertical  | 344            | 1.58          | -       | 44.04         |
| AV   | 11.50992G    | 45.50             | 54.00             | -8.50          | 13.27          | 3           | Vertical  | 344            | 1.58          | -       | 32.23         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 20  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.50985G    | 57.32             | 74.00             | -16.68         | 13.27          | 3           | Horizontal | 1              | 2.82          | -       | 44.05         |
| AV   | 11.50993G    | 44.58             | 54.00             | -9.42          | 13.27          | 3           | Horizontal | 1              | 2.82          | -       | 31.31         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX

20/10/2019

EUT\_Y\_4TX  
Setting 21  
06-P-2-10  
FSP(100142)


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.647G       | 67.62             | 68.20             | -0.58          | 4.98           | 3           | Vertical  | 330            | 2.03          | -       | 62.64         |
| PK   | 5.791G       | 119.60            | Inf               | -Inf           | 5.43           | 3           | Vertical  | 330            | 2.03          | -       | 114.17        |
| AV   | 5.792G       | 106.99            | Inf               | -Inf           | 5.44           | 3           | Vertical  | 330            | 2.03          | -       | 101.55        |
| PK   | 5.933G       | 66.18             | 68.20             | -2.02          | 5.79           | 3           | Vertical  | 330            | 2.03          | -       | 60.39         |



## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 21  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.642G       | 67.08             | 68.20             | -1.12          | 4.96           | 3           | Horizontal | 299            | 1.27          | -       | 62.12         |
| PK   | 5.8G         | 120.54            | Inf               | -Inf           | 5.48           | 3           | Horizontal | 299            | 1.27          | -       | 115.06        |
| AV   | 5.801G       | 108.39            | Inf               | -Inf           | 5.48           | 3           | Horizontal | 299            | 1.27          | -       | 102.91        |
| PK   | 5.928G       | 65.59             | 68.20             | -2.61          | 5.79           | 3           | Horizontal | 299            | 1.27          | -       | 59.80         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 21  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.5897G     | 58.02             | 74.00             | -15.98         | 13.13          | 3           | Vertical  | 346            | 1.48          | -       | 44.89         |
| AV   | 11.58987G    | 45.29             | 54.00             | -8.71          | 13.13          | 3           | Vertical  | 346            | 1.48          | -       | 32.16         |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX

20/10/2019


EUT\_Y\_4TX  
Setting 21  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.58994G    | 58.58             | 74.00             | -15.42         | 13.13          | 3           | Horizontal | 3              | 1.50          | -       | 45.45         |
| AV   | 11.58983G    | 45.98             | 54.00             | -8.02          | 13.13          | 3           | Horizontal | 3              | 1.50          | -       | 32.85         |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 14  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.149G       | 67.52             | 74.00             | -6.48          | 5.09           | 3           | Vertical  | 25             | 1.66          | -       | 62.43         |
| AV   | 5.149G       | 51.44             | 54.00             | -2.56          | 5.09           | 3           | Vertical  | 25             | 1.66          | -       | 46.35         |
| PK   | 5.209G       | 110.71            | Inf               | -Inf           | 4.81           | 3           | Vertical  | 25             | 1.66          | -       | 105.90        |
| AV   | 5.209G       | 98.04             | Inf               | -Inf           | 4.81           | 3           | Vertical  | 25             | 1.66          | -       | 93.23         |
| PK   | 5.39G        | 57.84             | 74.00             | -16.16         | 4.84           | 3           | Vertical  | 25             | 1.66          | -       | 53.00         |
| AV   | 5.35G        | 45.23             | 54.00             | -8.77          | 4.65           | 3           | Vertical  | 25             | 1.66          | -       | 40.58         |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 14  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.138G       | 66.94             | 74.00             | -7.06          | 5.14           | 3           | Horizontal | 326            | 2.04          | -       | 61.80         |
| AV   | 5.136G       | 52.24             | 54.00             | -1.76          | 5.15           | 3           | Horizontal | 326            | 2.04          | -       | 47.09         |
| PK   | 5.217G       | 112.07            | Inf               | -Inf           | 4.77           | 3           | Horizontal | 326            | 2.04          | -       | 107.30        |
| AV   | 5.219G       | 99.49             | Inf               | -Inf           | 4.76           | 3           | Horizontal | 326            | 2.04          | -       | 94.73         |
| PK   | 5.358G       | 57.93             | 74.00             | -16.07         | 4.69           | 3           | Horizontal | 326            | 2.04          | -       | 53.24         |
| AV   | 5.358G       | 45.24             | 54.00             | -8.76          | 4.69           | 3           | Horizontal | 326            | 2.04          | -       | 40.55         |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 14  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.62566G    | 60.23             | 74.00             | -13.77         | 14.19          | 3           | Vertical  | 116            | 1.32          | -       | 46.04         |
| AV   | 15.62962G    | 45.30             | 54.00             | -8.70          | 14.18          | 3           | Vertical  | 116            | 1.32          | -       | 31.12         |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX

19/10/2019


EUT\_Y\_4TX  
Setting 14  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.62874G    | 59.22             | 74.00             | -14.78         | 14.18          | 3           | Horizontal | 62             | 1.72          | -       | 45.04         |
| AV   | 15.62548G    | 46.02             | 54.00             | -7.98          | 14.19          | 3           | Horizontal | 62             | 1.72          | -       | 31.83         |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5775MHz\_TX

20/10/2019

EUT\_Y\_4TX  
Setting 17.5  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.653G       | 65.65             | 70.42             | -4.77          | 4.98           | 3           | Vertical  | 345            | 1.43          | -       | 60.67         |
| PK   | 5.772G       | 112.53            | Inf               | -Inf           | 5.36           | 3           | Vertical  | 345            | 1.43          | -       | 107.17        |
| AV   | 5.773G       | 100.01            | Inf               | -Inf           | 5.36           | 3           | Vertical  | 345            | 1.43          | -       | 94.65         |
| PK   | 5.935G       | 60.95             | 68.20             | -7.25          | 5.79           | 3           | Vertical  | 345            | 1.43          | -       | 55.16         |






802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX


20/10/2019



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX


20/10/2019



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX

20/10/2019






<Scan Radio>  
Summary

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -              | -           | -          | -              | -             | -        |
| 802.11ac VHT80_Nss1,(MCS0)_1TX | Pass   | AV   | 5.1499G      | 53.86             | 54.00             | -0.14          | 5.09           | 3           | Horizontal | 15             | 1.76          | -        |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 63.45             | 74.00             | -10.55         | 5.09           | 3           | Vertical  | 347            | 1.98          | -       | 58.36         |
| AV   | 5.15G        | 50.24             | 54.00             | -3.76          | 5.09           | 3           | Vertical  | 347            | 1.98          | -       | 45.15         |
| PK   | 5.186G       | 107.91            | Inf               | -Inf           | 4.92           | 3           | Vertical  | 347            | 1.98          | -       | 102.99        |
| AV   | 5.186G       | 97.79             | Inf               | -Inf           | 4.92           | 3           | Vertical  | 347            | 1.98          | -       | 92.87         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1492G      | 66.65             | 74.00             | -7.35          | 5.09           | 3           | Horizontal | 337            | 1.75          | -       | 61.56         |
| AV   | 5.15G        | 52.64             | 54.00             | -1.36          | 5.09           | 3           | Horizontal | 337            | 1.75          | -       | 47.55         |
| PK   | 5.186G       | 109.99            | Inf               | -Inf           | 4.92           | 3           | Horizontal | 337            | 1.75          | -       | 105.07        |
| AV   | 5.186G       | 100.13            | Inf               | -Inf           | 4.92           | 3           | Horizontal | 337            | 1.75          | -       | 95.21         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.35394G    | 58.21             | 68.20             | -9.99          | 13.34          | 3           | Vertical  | 2              | 2.99          | -       | 44.87         |
| PK   | 15.54474G    | 59.37             | 74.00             | -14.63         | 14.45          | 3           | Vertical  | 10             | 1.82          | -       | 44.92         |
| AV   | 15.53376G    | 45.75             | 54.00             | -8.25          | 14.49          | 3           | Vertical  | 10             | 1.82          | -       | 31.26         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.35874G    | 58.20             | 68.20             | -10.00         | 13.34          | 3           | Horizontal | 8              | 1.87          | -       | 44.86         |
| PK   | 15.5283G     | 60.49             | 74.00             | -13.51         | 14.51          | 3           | Horizontal | 325            | 1.67          | -       | 45.98         |
| AV   | 15.53808G    | 46.30             | 54.00             | -7.70          | 14.48          | 3           | Horizontal | 325            | 1.67          | -       | 31.82         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.146G       | 60.70             | 74.00             | -13.30         | 5.11           | 3           | Vertical  | 344            | 2.16          | -       | 55.59         |
| AV   | 5.15G        | 47.81             | 54.00             | -6.19          | 5.09           | 3           | Vertical  | 344            | 2.16          | -       | 42.72         |
| PK   | 5.2072G      | 112.03            | Inf               | -Inf           | 4.82           | 3           | Vertical  | 344            | 2.16          | -       | 107.21        |
| AV   | 5.2066G      | 101.24            | Inf               | -Inf           | 4.82           | 3           | Vertical  | 344            | 2.16          | -       | 96.42         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1484G      | 66.14             | 74.00             | -7.86          | 5.10           | 3           | Horizontal | 339            | 1.71          | -       | 61.04         |
| AV   | 5.1496G      | 50.77             | 54.00             | -3.23          | 5.09           | 3           | Horizontal | 339            | 1.71          | -       | 45.68         |
| PK   | 5.1982G      | 113.79            | Inf               | -Inf           | 4.86           | 3           | Horizontal | 339            | 1.71          | -       | 108.93        |
| AV   | 5.1976G      | 103.17            | Inf               | -Inf           | 4.86           | 3           | Horizontal | 339            | 1.71          | -       | 98.31         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.40138G    | 57.51             | 68.20             | -10.69         | 13.40          | 3           | Vertical  | 314            | 1.48          | -       | 44.11         |
| PK   | 15.60642G    | 60.38             | 74.00             | -13.62         | 14.25          | 3           | Vertical  | 8              | 1.96          | -       | 46.13         |
| AV   | 15.59982G    | 47.22             | 54.00             | -6.78          | 14.27          | 3           | Vertical  | 8              | 1.96          | -       | 32.95         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.39844G    | 60.23             | 68.20             | -7.97          | 13.40          | 3           | Horizontal | 8              | 1.46          | -       | 46.83         |
| PK   | 15.59676G    | 63.78             | 74.00             | -10.22         | 14.28          | 3           | Horizontal | 326            | 1.69          | -       | 49.50         |
| AV   | 15.59994G    | 50.26             | 54.00             | -3.74          | 14.27          | 3           | Horizontal | 326            | 1.69          | -       | 35.99         |

802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1194G      | 57.60             | 74.00             | -16.40         | 5.23           | 3           | Vertical  | 326            | 1.50          | -       | 52.37         |
| AV   | 5.099G       | 44.93             | 54.00             | -9.07          | 5.32           | 3           | Vertical  | 326            | 1.50          | -       | 39.61         |
| PK   | 5.2448G      | 110.09            | Inf               | -Inf           | 4.66           | 3           | Vertical  | 326            | 1.50          | -       | 105.43        |
| AV   | 5.2448G      | 99.01             | Inf               | -Inf           | 4.66           | 3           | Vertical  | 326            | 1.50          | -       | 94.35         |
| PK   | 5.3702G      | 57.03             | 74.00             | -16.97         | 4.74           | 3           | Vertical  | 326            | 1.50          | -       | 52.29         |
| AV   | 5.357G       | 44.65             | 54.00             | -9.35          | 4.69           | 3           | Vertical  | 326            | 1.50          | -       | 39.96         |

802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-P-2-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1092G      | 57.81             | 74.00             | -16.19         | 5.28           | 3           | Horizontal | 12             | 1.80          | -       | 52.53         |
| AV   | 5.1026G      | 45.25             | 54.00             | -8.75          | 5.31           | 3           | Horizontal | 12             | 1.80          | -       | 39.94         |
| PK   | 5.2406G      | 114.23            | Inf               | -Inf           | 4.68           | 3           | Horizontal | 12             | 1.80          | -       | 109.55        |
| AV   | 5.2448G      | 103.73            | Inf               | -Inf           | 4.66           | 3           | Horizontal | 12             | 1.80          | -       | 99.07         |
| PK   | 5.3522G      | 57.39             | 74.00             | -16.61         | 4.66           | 3           | Horizontal | 12             | 1.80          | -       | 52.73         |
| AV   | 5.357G       | 44.63             | 54.00             | -9.37          | 4.69           | 3           | Horizontal | 12             | 1.80          | -       | 39.94         |

802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-P-2  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.48192G    | 57.14             | 68.20             | -11.06         | 13.51          | 3           | Vertical  | 323            | 1.50          | -       | 43.63         |
| PK   | 15.71736G    | 61.00             | 74.00             | -13.00         | 13.88          | 3           | Vertical  | 42             | 2.01          | -       | 47.12         |
| AV   | 15.72534G    | 46.99             | 54.00             | -7.01          | 13.85          | 3           | Vertical  | 42             | 2.01          | -       | 33.14         |

802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-P-3  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.48012G    | 59.39             | 68.20             | -8.81          | 13.50          | 3           | Horizontal | 359            | 1.75          | -       | 45.89         |
| PK   | 15.72648G    | 64.19             | 74.00             | -9.81          | 13.85          | 3           | Horizontal | 326            | 1.71          | -       | 50.34         |
| AV   | 15.72114G    | 50.27             | 54.00             | -3.73          | 13.87          | 3           | Horizontal | 326            | 1.71          | -       | 36.40         |

802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.522G       | 58.06             | 68.20             | -10.14         | 5.06           | 3           | Vertical  | 358            | 1.69          | -       | 53.00         |
| PK   | 5.751G       | 109.73            | Inf               | -Inf           | 5.26           | 3           | Vertical  | 358            | 1.69          | -       | 104.47        |
| AV   | 5.751G       | 99.45             | Inf               | -Inf           | 5.26           | 3           | Vertical  | 358            | 1.69          | -       | 94.19         |
| PK   | 5.959G       | 58.28             | 68.20             | -9.92          | 5.79           | 3           | Vertical  | 358            | 1.69          | -       | 52.49         |

802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.541G       | 58.32             | 68.20             | -9.88          | 5.02           | 3           | Horizontal | 348            | 1.78          | -       | 53.30         |
| PK   | 5.743G       | 111.06            | Inf               | -Inf           | 5.23           | 3           | Horizontal | 348            | 1.78          | -       | 105.83        |
| AV   | 5.741G       | 100.85            | Inf               | -Inf           | 5.22           | 3           | Horizontal | 348            | 1.78          | -       | 95.63         |
| PK   | 5.952G       | 58.02             | 68.20             | -10.18         | 5.79           | 3           | Horizontal | 348            | 1.78          | -       | 52.23         |

802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.4884G     | 60.07             | 74.00             | -13.93         | 13.31          | 3           | Vertical  | 346            | 1.31          | -       | 46.76         |
| AV   | 11.4893G     | 47.40             | 54.00             | -6.60          | 13.31          | 3           | Vertical  | 346            | 1.31          | -       | 34.09         |
| PK   | 17.2558G     | 63.42             | 68.20             | -4.78          | 19.10          | 3           | Vertical  | 327            | 1.50          | -       | 44.32         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5745MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.4902G     | 64.70             | 74.00             | -9.30          | 13.30          | 3           | Horizontal | 26             | 1.37          | -       | 51.40         |
| AV   | 11.4891G     | 50.50             | 54.00             | -3.50          | 13.31          | 3           | Horizontal | 26             | 1.37          | -       | 37.19         |
| PK   | 17.2506G     | 66.32             | 68.20             | -1.88          | 19.05          | 3           | Horizontal | 47             | 1.73          | -       | 47.27         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.5703G     | 63.73             | 74.00             | -10.27         | 13.15          | 3           | Horizontal | 25             | 1.35          | -       | 50.58         |
| AV   | 11.569G      | 50.50             | 54.00             | -3.50          | 13.16          | 3           | Horizontal | 25             | 1.35          | -       | 37.34         |
| PK   | 17.3687G     | 65.02             | 68.20             | -3.18          | 20.30          | 3           | Horizontal | 50             | 1.50          | -       | 44.72         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.551G       | 57.64             | 68.20             | -10.56         | 5.01           | 3           | Vertical  | 359            | 1.63          | -       | 52.63         |
| PK   | 5.787G       | 110.40            | Inf               | -Inf           | 5.43           | 3           | Vertical  | 359            | 1.63          | -       | 104.97        |
| AV   | 5.79G        | 99.96             | Inf               | -Inf           | 5.43           | 3           | Vertical  | 359            | 1.63          | -       | 94.53         |
| PK   | 5.937G       | 57.51             | 68.20             | -10.69         | 5.79           | 3           | Vertical  | 359            | 1.63          | -       | 51.72         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.585G       | 57.48             | 68.20             | -10.72         | 4.94           | 3           | Vertical  | 359            | 1.67          | -       | 52.54         |
| PK   | 5.819G       | 111.58            | Inf               | -Inf           | 5.54           | 3           | Vertical  | 359            | 1.67          | -       | 106.04        |
| AV   | 5.82G        | 101.22            | Inf               | -Inf           | 5.54           | 3           | Vertical  | 359            | 1.67          | -       | 95.68         |
| PK   | 5.99G        | 58.08             | 68.20             | -10.12         | 5.79           | 3           | Vertical  | 359            | 1.67          | -       | 52.29         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.554G       | 57.24             | 68.20             | -10.96         | 5.00           | 3           | Horizontal | 348            | 1.66          | -       | 52.24         |
| PK   | 5.784G       | 112.29            | Inf               | -Inf           | 5.42           | 3           | Horizontal | 348            | 1.66          | -       | 106.87        |
| AV   | 5.792G       | 101.45            | Inf               | -Inf           | 5.44           | 3           | Horizontal | 348            | 1.66          | -       | 96.01         |
| PK   | 5.947G       | 57.99             | 68.20             | -10.21         | 5.79           | 3           | Horizontal | 348            | 1.66          | -       | 52.20         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.614G       | 58.42             | 68.20             | -9.78          | 4.92           | 3           | Horizontal | 350            | 1.74          | -       | 53.50         |
| PK   | 5.818G       | 113.40            | Inf               | -Inf           | 5.53           | 3           | Horizontal | 350            | 1.74          | -       | 107.87        |
| AV   | 5.819G       | 102.81            | Inf               | -Inf           | 5.54           | 3           | Horizontal | 350            | 1.74          | -       | 97.27         |
| PK   | 5.948G       | 57.60             | 68.20             | -10.60         | 5.79           | 3           | Horizontal | 350            | 1.74          | -       | 51.81         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.57008G    | 59.28             | 74.00             | -14.72         | 13.15          | 3           | Vertical  | 3              | 1.50          | -       | 46.13         |
| AV   | 11.5702G     | 45.64             | 54.00             | -8.36          | 13.15          | 3           | Vertical  | 3              | 1.50          | -       | 32.49         |
| PK   | 17.34616G    | 65.25             | 68.20             | -2.95          | 20.06          | 3           | Vertical  | 17             | 1.50          | -       | 45.19         |

## 802.11a\_Nss1,(6Mbps)\_1TX

## 5825MHz\_TX

18/10/2019

EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.647G      | 57.04             | 74.00             | -16.96         | 13.03          | 3           | Vertical  | 344            | 1.50          | -       | 44.01         |
| AV   | 11.6487G     | 44.18             | 54.00             | -9.82          | 13.03          | 3           | Vertical  | 344            | 1.50          | -       | 31.15         |
| PK   | 17.47236G    | 66.59             | 68.20             | -1.61          | 21.39          | 3           | Vertical  | 217            | 1.50          | -       | 45.20         |



## 802.11a\_Nss1,(6Mbps)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.6504G     | 62.97             | 74.00             | -11.03         | 13.02          | 3           | Horizontal | 25             | 1.36          | -       | 49.95         |
| AV   | 11.64952G    | 49.31             | 54.00             | -4.69          | 13.03          | 3           | Horizontal | 25             | 1.36          | -       | 36.28         |
| PK   | 17.46228G    | 67.43             | 68.20             | -0.77          | 21.29          | 3           | Horizontal | 48             | 1.28          | -       | 46.14         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.36456G    | 58.34             | 68.20             | -9.86          | 13.34          | 3           | Horizontal | 9              | 1.28          | -       | 45.00         |
| PK   | 15.53108G    | 60.34             | 74.00             | -13.66         | 14.50          | 3           | Horizontal | 326            | 1.41          | -       | 45.84         |
| AV   | 15.542G      | 46.24             | 54.00             | -7.76          | 14.46          | 3           | Horizontal | 326            | 1.41          | -       | 31.78         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1484G      | 62.92             | 74.00             | -11.08         | 5.10           | 3           | Vertical  | 324            | 1.38          | -       | 57.82         |
| AV   | 5.15G        | 49.78             | 54.00             | -4.22          | 5.09           | 3           | Vertical  | 324            | 1.38          | -       | 44.69         |
| PK   | 5.1856G      | 105.23            | Inf               | -Inf           | 4.92           | 3           | Vertical  | 324            | 1.38          | -       | 100.31        |
| AV   | 5.1862G      | 95.28             | Inf               | -Inf           | 4.92           | 3           | Vertical  | 324            | 1.38          | -       | 90.36         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1464G      | 61.87             | 74.00             | -12.13         | 5.11           | 3           | Vertical  | 325            | 1.50          | -       | 56.76         |
| AV   | 5.1496G      | 48.37             | 54.00             | -5.63          | 5.09           | 3           | Vertical  | 325            | 1.50          | -       | 43.28         |
| PK   | 5.2064G      | 108.99            | Inf               | -Inf           | 4.82           | 3           | Vertical  | 325            | 1.50          | -       | 104.17        |
| AV   | 5.2052G      | 98.35             | Inf               | -Inf           | 4.83           | 3           | Vertical  | 325            | 1.50          | -       | 93.52         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1484G      | 68.13             | 74.00             | -5.87          | 5.10           | 3           | Horizontal | 335            | 1.76          | -       | 63.03         |
| AV   | 5.1498G      | 53.60             | 54.00             | -0.40          | 5.09           | 3           | Horizontal | 335            | 1.76          | -       | 48.51         |
| PK   | 5.1852G      | 109.76            | Inf               | -Inf           | 4.92           | 3           | Horizontal | 335            | 1.76          | -       | 104.84        |
| AV   | 5.187G       | 99.66             | Inf               | -Inf           | 4.92           | 3           | Horizontal | 335            | 1.76          | -       | 94.74         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 68.27             | 74.00             | -5.73          | 5.09           | 3           | Horizontal | 336            | 1.68          | -       | 63.18         |
| AV   | 5.15G        | 52.18             | 54.00             | -1.82          | 5.09           | 3           | Horizontal | 336            | 1.68          | -       | 47.09         |
| PK   | 5.196G       | 113.52            | Inf               | -Inf           | 4.87           | 3           | Horizontal | 336            | 1.68          | -       | 108.65        |
| AV   | 5.1956G      | 102.55            | Inf               | -Inf           | 4.87           | 3           | Horizontal | 336            | 1.68          | -       | 97.68         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5180MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 26  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.35968G    | 56.99             | 68.20             | -11.21         | 13.34          | 3           | Vertical  | 23             | 1.45          | -       | 43.65         |
| PK   | 15.54476G    | 58.96             | 74.00             | -15.04         | 14.45          | 3           | Vertical  | 7              | 1.50          | -       | 44.51         |
| AV   | 15.53412G    | 45.62             | 54.00             | -8.38          | 14.49          | 3           | Vertical  | 7              | 1.50          | -       | 31.13         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5200MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.38974G    | 57.97             | 68.20             | -10.23         | 13.39          | 3           | Vertical  | 317            | 2.99          | -       | 44.58         |
| PK   | 15.5902G     | 58.84             | 74.00             | -15.16         | 14.30          | 3           | Vertical  | 207            | 2.34          | -       | 44.54         |
| AV   | 15.59272G    | 45.28             | 54.00             | -8.72          | 14.30          | 3           | Vertical  | 207            | 2.34          | -       | 30.98         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5200MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.40056G    | 59.72             | 68.20             | -8.48          | 13.40          | 3           | Horizontal | 7              | 1.70          | -       | 46.32         |
| PK   | 15.60048G    | 60.21             | 74.00             | -13.79         | 14.27          | 3           | Horizontal | 318            | 1.44          | -       | 45.94         |
| AV   | 15.60424G    | 47.06             | 54.00             | -6.94          | 14.26          | 3           | Horizontal | 318            | 1.44          | -       | 32.80         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5240MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 10.48056G    | 56.88             | 68.20             | -11.32         | 13.51          | 3           | Vertical  | 320            | 1.48          | -       | 43.37         |
| PK   | 15.716G      | 58.82             | 74.00             | -15.18         | 13.88          | 3           | Vertical  | 308            | 1.50          | -       | 44.94         |
| AV   | 15.717G      | 45.31             | 54.00             | -8.69          | 13.88          | 3           | Vertical  | 308            | 1.50          | -       | 31.43         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5240MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1062G      | 57.74             | 74.00             | -16.26         | 5.29           | 3           | Vertical  | 324            | 1.58          | -       | 52.45         |
| AV   | 5.0906G      | 45.10             | 54.00             | -8.90          | 5.26           | 3           | Vertical  | 324            | 1.58          | -       | 39.84         |
| PK   | 5.2448G      | 109.34            | Inf               | -Inf           | 4.66           | 3           | Vertical  | 324            | 1.58          | -       | 104.68        |
| AV   | 5.2454G      | 98.79             | Inf               | -Inf           | 4.66           | 3           | Vertical  | 324            | 1.58          | -       | 94.13         |
| PK   | 5.3558G      | 57.38             | 74.00             | -16.62         | 4.68           | 3           | Vertical  | 324            | 1.58          | -       | 52.70         |
| AV   | 5.366G       | 44.60             | 54.00             | -9.40          | 4.73           | 3           | Vertical  | 324            | 1.58          | -       | 39.87         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5240MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 10.48056G    | 58.40             | 68.20             | -9.80          | 13.50          | 3           | Horizontal | 0              | 1.50          | -       | 44.90         |
| PK   | 15.71932G    | 61.75             | 74.00             | -12.25         | 13.87          | 3           | Horizontal | 327            | 1.95          | -       | 47.88         |
| AV   | 15.71976G    | 48.15             | 54.00             | -5.85          | 13.87          | 3           | Horizontal | 327            | 1.95          | -       | 34.28         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5240MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1098G      | 58.02             | 74.00             | -15.98         | 5.28           | 3           | Horizontal | 16             | 1.64          | -       | 52.74         |
| AV   | 5.0966G      | 45.28             | 54.00             | -8.72          | 5.30           | 3           | Horizontal | 16             | 1.64          | -       | 39.98         |
| PK   | 5.2454G      | 113.43            | Inf               | -Inf           | 4.66           | 3           | Horizontal | 16             | 1.64          | -       | 108.77        |
| AV   | 5.2448G      | 103.29            | Inf               | -Inf           | 4.66           | 3           | Horizontal | 16             | 1.64          | -       | 98.63         |
| PK   | 5.3726G      | 57.22             | 74.00             | -16.78         | 4.75           | 3           | Horizontal | 16             | 1.64          | -       | 52.47         |
| AV   | 5.3606G      | 44.70             | 54.00             | -9.30          | 4.70           | 3           | Horizontal | 16             | 1.64          | -       | 40.00         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5745MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.553G       | 57.19             | 68.20             | -11.01         | 5.00           | 3           | Vertical  | 360            | 1.77          | -       | 52.19         |
| PK   | 5.749G       | 108.22            | Inf               | -Inf           | 5.27           | 3           | Vertical  | 360            | 1.77          | -       | 102.95        |
| AV   | 5.75G        | 97.71             | Inf               | -Inf           | 5.27           | 3           | Vertical  | 360            | 1.77          | -       | 92.44         |
| PK   | 5.96G        | 58.26             | 68.20             | -9.94          | 5.79           | 3           | Vertical  | 360            | 1.77          | -       | 52.47         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5745MHz\_TX

18/10/2019


EUT Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.54G        | 57.81             | 68.20             | -10.39         | 5.02           | 3           | Horizontal | 348            | 1.63          | -       | 52.79         |
| PK   | 5.749G       | 110.18            | Inf               | -Inf           | 5.27           | 3           | Horizontal | 348            | 1.63          | -       | 104.91        |
| AV   | 5.739G       | 99.37             | Inf               | -Inf           | 5.22           | 3           | Horizontal | 348            | 1.63          | -       | 94.15         |
| PK   | 5.988G       | 57.47             | 68.20             | -10.73         | 5.79           | 3           | Horizontal | 348            | 1.63          | -       | 51.68         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5745MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.4848G     | 59.76             | 74.00             | -14.24         | 13.31          | 3           | Vertical  | 347            | 1.37          | -       | 46.45         |
| AV   | 11.4893G     | 46.43             | 54.00             | -7.57          | 13.31          | 3           | Vertical  | 347            | 1.37          | -       | 33.12         |
| PK   | 17.23824G    | 63.52             | 68.20             | -4.68          | 18.91          | 3           | Vertical  | 78             | 1.50          | -       | 44.61         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5745MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.4889G     | 60.59             | 74.00             | -13.41         | 13.31          | 3           | Horizontal | 23             | 1.50          | -       | 47.28         |
| AV   | 11.4912G     | 47.74             | 54.00             | -6.26          | 13.30          | 3           | Horizontal | 23             | 1.50          | -       | 34.44         |
| PK   | 17.228G      | 64.35             | 68.20             | -3.85          | 18.81          | 3           | Horizontal | 47             | 1.69          | -       | 45.54         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.547G       | 58.36             | 68.20             | -9.84          | 5.01           | 3           | Vertical  | 357            | 1.74          | -       | 53.35         |
| PK   | 5.791G       | 109.55            | Inf               | -Inf           | 5.43           | 3           | Vertical  | 357            | 1.74          | -       | 104.12        |
| AV   | 5.79G        | 99.30             | Inf               | -Inf           | 5.43           | 3           | Vertical  | 357            | 1.74          | -       | 93.87         |
| PK   | 5.971G       | 57.98             | 68.20             | -10.22         | 5.79           | 3           | Vertical  | 357            | 1.74          | -       | 52.19         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.554G       | 57.93             | 68.20             | -10.27         | 5.00           | 3           | Horizontal | 349            | 1.67          | -       | 52.93         |
| PK   | 5.789G       | 111.86            | Inf               | -Inf           | 5.44           | 3           | Horizontal | 349            | 1.67          | -       | 106.42        |
| AV   | 5.792G       | 101.30            | Inf               | -Inf           | 5.44           | 3           | Horizontal | 349            | 1.67          | -       | 95.86         |
| PK   | 5.957G       | 57.55             | 68.20             | -10.65         | 5.79           | 3           | Horizontal | 349            | 1.67          | -       | 51.76         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.56574G    | 58.68             | 74.00             | -15.32         | 13.17          | 3           | Vertical  | 347            | 1.29          | -       | 45.51         |
| AV   | 11.56934G    | 45.72             | 54.00             | -8.28          | 13.16          | 3           | Vertical  | 347            | 1.29          | -       | 32.56         |
| PK   | 17.3568G     | 65.16             | 68.20             | -3.04          | 20.17          | 3           | Vertical  | 130            | 1.50          | -       | 44.99         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5785MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-J-1  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.56958G     | 62.98             | 74.00             | -11.02         | 13.16          | 3           | Horizontal | 24             | 1.36          | -       | 49.82         |
| AV   | 5.56982G     | 49.48             | 54.00             | -4.52          | 13.16          | 3           | Horizontal | 24             | 1.36          | -       | 36.32         |
| PK   | 17.35932G    | 65.56             | 68.20             | -2.64          | 20.19          | 3           | Horizontal | 48             | 1.50          | -       | 45.37         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.604G       | 57.04             | 68.20             | -11.16         | 4.91           | 3           | Vertical  | 359            | 1.68          | -       | 52.13         |
| PK   | 5.82G        | 111.47            | Inf               | -Inf           | 5.54           | 3           | Vertical  | 359            | 1.68          | -       | 105.93        |
| AV   | 5.82G        | 100.85            | Inf               | -Inf           | 5.54           | 3           | Vertical  | 359            | 1.68          | -       | 95.31         |
| PK   | 5.927G       | 57.77             | 68.20             | -10.43         | 5.79           | 3           | Vertical  | 359            | 1.68          | -       | 51.98         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.592G       | 57.52             | 68.20             | -10.68         | 4.93           | 3           | Horizontal | 349            | 1.71          | -       | 52.59         |
| PK   | 5.82G        | 113.05            | Inf               | -Inf           | 5.54           | 3           | Horizontal | 349            | 1.71          | -       | 107.51        |
| AV   | 5.82G        | 102.40            | Inf               | -Inf           | 5.54           | 3           | Horizontal | 349            | 1.71          | -       | 96.86         |
| PK   | 5.971G       | 57.80             | 68.20             | -10.40         | 5.79           | 3           | Horizontal | 349            | 1.71          | -       | 52.01         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.64404G    | 59.70             | 74.00             | -14.30         | 13.03          | 3           | Vertical  | 1              | 1.68          | -       | 46.67         |
| AV   | 11.65244G    | 46.44             | 54.00             | -7.56          | 13.02          | 3           | Vertical  | 1              | 1.68          | -       | 33.42         |
| PK   | 17.46708G    | 65.53             | 68.20             | -2.67          | 21.34          | 3           | Vertical  | 44             | 1.50          | -       | 44.19         |

## 802.11ac VHT20\_Nss1,(MCS0)\_1TX

## 5825MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.64804G    | 64.79             | 74.00             | -9.21          | 13.03          | 3           | Horizontal | 350            | 1.83          | -       | 51.76         |
| AV   | 11.651G      | 50.95             | 54.00             | -3.05          | 13.02          | 3           | Horizontal | 350            | 1.83          | -       | 37.93         |
| PK   | 17.479G      | 66.43             | 68.20             | -1.77          | 21.46          | 3           | Horizontal | 237            | 2.95          | -       | 44.97         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5190MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 21  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.1464G      | 61.60             | 74.00             | -12.40         | 5.11           | 3           | Vertical  | 322            | 1.42          | -       | 56.49         |
| AV   | 5.15G        | 49.48             | 54.00             | -4.52          | 5.09           | 3           | Vertical  | 322            | 1.42          | -       | 44.39         |
| PK   | 5.1988G      | 97.71             | Inf               | -Inf           | 4.86           | 3           | Vertical  | 322            | 1.42          | -       | 92.85         |
| AV   | 5.2024G      | 88.01             | Inf               | -Inf           | 4.84           | 3           | Vertical  | 322            | 1.42          | -       | 83.17         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5190MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 21  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 66.39             | 74.00             | -7.61          | 5.09           | 3           | Horizontal | 337            | 1.66          | -       | 61.30         |
| AV   | 5.15G        | 53.33             | 54.00             | -0.67          | 5.09           | 3           | Horizontal | 337            | 1.66          | -       | 48.24         |
| PK   | 5.2G         | 102.49            | Inf               | -Inf           | 4.85           | 3           | Horizontal | 337            | 1.66          | -       | 97.64         |
| AV   | 5.2G         | 92.71             | Inf               | -Inf           | 4.85           | 3           | Horizontal | 337            | 1.66          | -       | 87.86         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5190MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 21  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.56308G    | 58.69             | 74.00             | -15.31         | 14.40          | 3           | Vertical  | 263            | 1.66          | -       | 44.29         |
| AV   | 15.56448G    | 46.30             | 54.00             | -7.70          | 14.39          | 3           | Vertical  | 263            | 1.66          | -       | 31.91         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5190MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 21  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.57128G    | 59.86             | 74.00             | -14.14         | 14.37          | 3           | Horizontal | 21             | 2.96          | -       | 45.49         |
| AV   | 15.56044G    | 46.41             | 54.00             | -7.59          | 14.41          | 3           | Horizontal | 21             | 2.96          | -       | 32.00         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5230MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 61.40             | 74.00             | -12.60         | 5.09           | 3           | Vertical  | 325            | 1.56          | -       | 56.31         |
| AV   | 5.15G        | 49.45             | 54.00             | -4.55          | 5.09           | 3           | Vertical  | 325            | 1.56          | -       | 44.36         |
| PK   | 5.2432G      | 106.28            | Inf               | -Inf           | 4.67           | 3           | Vertical  | 325            | 1.56          | -       | 101.61        |
| AV   | 5.239G       | 96.31             | Inf               | -Inf           | 4.68           | 3           | Vertical  | 325            | 1.56          | -       | 91.63         |
| PK   | 5.3554G      | 57.52             | 74.00             | -16.48         | 4.68           | 3           | Vertical  | 325            | 1.56          | -       | 52.84         |
| AV   | 5.3584G      | 45.97             | 54.00             | -8.03          | 4.69           | 3           | Vertical  | 325            | 1.56          | -       | 41.28         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.1484G      | 65.32             | 74.00             | -8.68          | 5.10           | 3           | Horizontal | 16             | 1.74          | -       | 60.22         |
| AV   | 5.1496G      | 52.27             | 54.00             | -1.73          | 5.09           | 3           | Horizontal | 16             | 1.74          | -       | 47.18         |
| PK   | 5.2432G      | 110.70            | Inf               | -Inf           | 4.67           | 3           | Horizontal | 16             | 1.74          | -       | 106.03        |
| AV   | 5.242G       | 100.46            | Inf               | -Inf           | 4.67           | 3           | Horizontal | 16             | 1.74          | -       | 95.79         |
| PK   | 5.3656G      | 58.54             | 74.00             | -15.46         | 4.73           | 3           | Horizontal | 16             | 1.74          | -       | 53.81         |
| AV   | 5.35G        | 46.29             | 54.00             | -7.71          | 4.65           | 3           | Horizontal | 16             | 1.74          | -       | 41.64         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.698G      | 58.94             | 74.00             | -15.06         | 13.94          | 3           | Vertical  | 6              | 1.21          | -       | 45.00         |
| AV   | 15.69772G    | 45.82             | 54.00             | -8.18          | 13.94          | 3           | Vertical  | 6              | 1.21          | -       | 31.88         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5230MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.68516G    | 58.26             | 74.00             | -15.74         | 13.99          | 3           | Horizontal | 320            | 1.01          | -       | 44.27         |
| AV   | 15.69676G    | 46.10             | 54.00             | -7.90          | 13.94          | 3           | Horizontal | 320            | 1.01          | -       | 32.16         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.642G       | 58.37             | 68.20             | -9.83          | 4.96           | 3           | Vertical  | 357            | 1.58          | -       | 53.41         |
| PK   | 5.763G       | 105.87            | Inf               | -Inf           | 5.32           | 3           | Vertical  | 357            | 1.58          | -       | 100.55        |
| AV   | 5.765G       | 96.12             | Inf               | -Inf           | 5.33           | 3           | Vertical  | 357            | 1.58          | -       | 90.79         |
| PK   | 5.957G       | 57.54             | 68.20             | -10.66         | 5.79           | 3           | Vertical  | 357            | 1.58          | -       | 51.75         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.637G       | 58.02             | 68.20             | -10.18         | 4.97           | 3           | Horizontal | 346            | 1.50          | -       | 53.05         |
| PK   | 5.766G       | 106.64            | Inf               | -Inf           | 5.33           | 3           | Horizontal | 346            | 1.50          | -       | 101.31        |
| AV   | 5.765G       | 96.52             | Inf               | -Inf           | 5.33           | 3           | Horizontal | 346            | 1.50          | -       | 91.19         |
| PK   | 5.943G       | 57.25             | 68.20             | -10.95         | 5.79           | 3           | Horizontal | 346            | 1.50          | -       | 51.46         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.50892G    | 56.84             | 74.00             | -17.16         | 13.27          | 3           | Vertical  | 338            | 2.97          | -       | 43.57         |
| AV   | 11.50896G    | 44.19             | 54.00             | -9.81          | 13.27          | 3           | Vertical  | 338            | 2.97          | -       | 30.92         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX

18/10/2019




EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.51132G    | 56.58             | 74.00             | -17.42         | 13.26          | 3           | Horizontal | 324            | 2.60          | -       | 43.32         |
| AV   | 11.50536G    | 44.00             | 54.00             | -10.00         | 13.27          | 3           | Horizontal | 324            | 2.60          | -       | 30.73         |

802.11ac VHT40\_Nss1,(MCS0)\_1TX

5795MHz\_TX

18/10/2019



EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.592G       | 57.12             | 68.20             | -11.08         | 4.93           | 3           | Vertical  | 359            | 1.71          | -       | 52.19         |
| PK   | 5.802G       | 107.34            | Inf               | -Inf           | 5.49           | 3           | Vertical  | 359            | 1.71          | -       | 101.85        |
| AV   | 5.799G       | 97.56             | Inf               | -Inf           | 5.48           | 3           | Vertical  | 359            | 1.71          | -       | 92.08         |
| PK   | 5.938G       | 57.55             | 68.20             | -10.65         | 5.79           | 3           | Vertical  | 359            | 1.71          | -       | 51.76         |



## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5795MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.548G       | 57.67             | 68.20             | -10.53         | 5.00           | 3           | Horizontal | 349            | 1.80          | -       | 52.67         |
| PK   | 5.809G       | 108.74            | Inf               | -Inf           | 5.51           | 3           | Horizontal | 349            | 1.80          | -       | 103.23        |
| AV   | 5.804G       | 98.83             | Inf               | -Inf           | 5.49           | 3           | Horizontal | 349            | 1.80          | -       | 93.34         |
| PK   | 5.938G       | 58.37             | 68.20             | -9.83          | 5.79           | 3           | Horizontal | 349            | 1.80          | -       | 52.58         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5795MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 11.58792G    | 56.45             | 74.00             | -17.55         | 13.13          | 3           | Vertical  | 271            | 1.63          | -       | 43.32         |
| AV   | 11.58028G    | 43.84             | 54.00             | -10.16         | 13.14          | 3           | Vertical  | 271            | 1.63          | -       | 30.70         |

## 802.11ac VHT40\_Nss1,(MCS0)\_1TX

## 5795MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 32  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 11.58156G    | 56.95             | 74.00             | -17.05         | 13.14          | 3           | Horizontal | 344            | 2.74          | -       | 43.81         |
| AV   | 11.58328G    | 43.75             | 54.00             | -10.25         | 13.14          | 3           | Horizontal | 344            | 2.74          | -       | 30.61         |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5210MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 20.5  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.15G        | 60.39             | 74.00             | -13.61         | 5.09           | 3           | Vertical  | 322            | 1.73          | -       | 55.30         |
| AV   | 5.148G       | 48.63             | 54.00             | -5.37          | 5.10           | 3           | Vertical  | 322            | 1.73          | -       | 43.53         |
| PK   | 5.24G        | 93.90             | Inf               | -Inf           | 4.68           | 3           | Vertical  | 322            | 1.73          | -       | 89.22         |
| AV   | 5.241G       | 84.37             | Inf               | -Inf           | 4.68           | 3           | Vertical  | 322            | 1.73          | -       | 79.69         |
| PK   | 5.435G       | 57.26             | 74.00             | -16.74         | 4.96           | 3           | Vertical  | 322            | 1.73          | -       | 52.30         |
| AV   | 5.446G       | 45.53             | 54.00             | -8.47          | 4.99           | 3           | Vertical  | 322            | 1.73          | -       | 40.54         |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5210MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 20.5  
06-S-5-10  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 5.149G       | 64.68             | 74.00             | -9.32          | 5.09           | 3           | Horizontal | 15             | 1.76          | -       | 59.59         |
| AV   | 5.1499G      | 53.86             | 54.00             | -0.14          | 5.09           | 3           | Horizontal | 15             | 1.76          | -       | 48.77         |
| PK   | 5.199G       | 99.20             | Inf               | -Inf           | 4.85           | 3           | Horizontal | 15             | 1.76          | -       | 94.35         |
| AV   | 5.245G       | 88.79             | Inf               | -Inf           | 4.66           | 3           | Horizontal | 15             | 1.76          | -       | 84.13         |
| PK   | 5.358G       | 57.25             | 74.00             | -16.75         | 4.69           | 3           | Horizontal | 15             | 1.76          | -       | 52.56         |
| AV   | 5.429G       | 45.46             | 54.00             | -8.54          | 4.96           | 3           | Horizontal | 15             | 1.76          | -       | 40.50         |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5210MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 20.5  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 15.63548G    | 58.20             | 74.00             | -15.80         | 14.16          | 3           | Vertical  | 81             | 2.57          | -       | 44.04         |
| AV   | 15.62284G    | 45.62             | 54.00             | -8.38          | 14.20          | 3           | Vertical  | 81             | 2.57          | -       | 31.42         |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5210MHz\_TX

18/10/2019


EUT\_Y\_1TX  
Setting 20.5  
06-S-5  
FSP(100142)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 15.62328G    | 57.94             | 74.00             | -16.06         | 14.20          | 3           | Horizontal | 74             | 2.12          | -       | 43.74         |
| AV   | 15.62092G    | 45.82             | 54.00             | -8.18          | 14.21          | 3           | Horizontal | 74             | 2.12          | -       | 31.61         |

## 802.11ac VHT80\_Nss1,(MCS0)\_1TX

## 5775MHz\_TX

18/10/2019

EUT\_Y\_1TX  
Setting 32  
06-S-5-10  
FSP(100142)


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 5.651G       | 65.08             | 68.94             | -3.86          | 4.98           | 3           | Vertical  | 358            | 1.65          | -       | 60.10         |
| PK   | 5.764G       | 104.47            | Inf               | -Inf           | 5.33           | 3           | Vertical  | 358            | 1.65          | -       | 99.14         |
| AV   | 5.799G       | 93.41             | Inf               | -Inf           | 5.48           | 3           | Vertical  | 358            | 1.65          | -       | 87.93         |
| PK   | 5.925G       | 60.85             | 68.20             | -7.35          | 5.79           | 3           | Vertical  | 358            | 1.65          | -       | 55.06         |



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX


18/10/2019



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX


18/10/2019



802.11ac VHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX

18/10/2019





For beamforming mode:

<DBS mode>


Summary

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.15-5.25GHz                      | -      | -    | -            | -                 | -                 | -              | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_8TX | Pass   | AV   | 15.7279G     | 53.69             | 54.00             | -0.31          | 15.48          | 3           | Vertical  | 274            | 2.89          | -        |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 24  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1488G      | 66.58             | 74.00             | -7.42          | 9.14           | 3           | Vertical  | 89             | 2.00          | -       |
| AV   | 5.1496G      | 52.16             | 54.00             | -1.84          | 9.14           | 3           | Vertical  | 89             | 2.00          | -       |
| PK   | 5.1808G      | 121.79            | Inf               | -Inf           | 9.18           | 3           | Vertical  | 89             | 2.00          | -       |
| AV   | 5.1812G      | 109.31            | Inf               | -Inf           | 9.18           | 3           | Vertical  | 89             | 2.00          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 27  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1454G      | 67.26             | 74.00             | -6.74          | 9.14           | 3           | Vertical  | 80             | 2.08          | -       |
| AV   | 5.1454G      | 52.50             | 54.00             | -1.50          | 9.14           | 3           | Vertical  | 80             | 2.08          | -       |
| PK   | 5.2048G      | 126.14            | Inf               | -Inf           | 9.21           | 3           | Vertical  | 80             | 2.08          | -       |
| AV   | 5.2054G      | 113.11            | Inf               | -Inf           | 9.21           | 3           | Vertical  | 80             | 2.08          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 24  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1448G      | 65.40             | 74.00             | -8.60          | 9.13           | 3           | Horizontal | 292            | 2.90          | -       |
| AV   | 5.1452G      | 50.68             | 54.00             | -3.32          | 9.14           | 3           | Horizontal | 292            | 2.90          | -       |
| PK   | 5.1848G      | 118.09            | Inf               | -Inf           | 9.17           | 3           | Horizontal | 292            | 2.90          | -       |
| AV   | 5.1848G      | 105.82            | Inf               | -Inf           | 9.17           | 3           | Horizontal | 292            | 2.90          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 27  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.146G       | 62.89             | 74.00             | -11.11         | 9.14           | 3           | Horizontal | 193            | 2.87          | -       |
| AV   | 5.146G       | 49.35             | 54.00             | -4.65          | 9.14           | 3           | Horizontal | 193            | 2.87          | -       |
| PK   | 5.206G       | 124.00            | Inf               | -Inf           | 9.21           | 3           | Horizontal | 193            | 2.87          | -       |
| AV   | 5.2066G      | 111.84            | Inf               | -Inf           | 9.21           | 3           | Horizontal | 193            | 2.87          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 24  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.36G       | 59.70             | 68.20             | -8.50          | 15.87          | 3           | Vertical  | 229            | 2.95          | -       |
| PK   | 15.5344G     | 59.52             | 74.00             | -14.48         | 16.02          | 3           | Vertical  | 107            | 2.17          | -       |
| AV   | 15.5337G     | 46.23             | 54.00             | -7.77          | 16.02          | 3           | Vertical  | 107            | 2.17          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 27  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.39998G    | 59.73             | 68.20             | -8.47          | 15.85          | 3           | Vertical  | 260            | 2.26          | -       |
| PK   | 15.6038G     | 67.46             | 74.00             | -6.54          | 15.83          | 3           | Vertical  | 188            | 2.57          | -       |
| AV   | 15.6035G     | 53.41             | 54.00             | -0.59          | 15.83          | 3           | Vertical  | 188            | 2.57          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5180MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 24  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.36016G    | 55.99             | 68.20             | -12.21         | 15.87          | 3           | Horizontal | 146            | 1.90          | -       |
| PK   | 15.54246G    | 59.08             | 74.00             | -14.92         | 16.00          | 3           | Horizontal | 242            | 2.87          | -       |
| AV   | 15.53718G    | 45.83             | 54.00             | -8.17          | 16.01          | 3           | Horizontal | 242            | 2.87          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5200MHz\_TX

06/01/2020


EUT\_Z\_8TX  
Setting 27  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.39996G    | 56.54             | 68.20             | -11.66         | 15.85          | 3           | Horizontal | 146            | 2.25          | -       |
| PK   | 15.6049G     | 61.10             | 74.00             | -12.90         | 15.83          | 3           | Horizontal | 154            | 2.35          | -       |
| AV   | 15.6043G     | 47.33             | 54.00             | -6.67          | 15.83          | 3           | Horizontal | 154            | 2.35          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5240MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 27  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1452G      | 60.97             | 74.00             | -13.03         | 9.14           | 3           | Vertical  | 93             | 2.73          | -       |
| AV   | 5.1068G      | 48.16             | 54.00             | -5.84          | 9.09           | 3           | Vertical  | 93             | 2.73          | -       |
| PK   | 5.2424G      | 124.41            | Inf               | -Inf           | 9.28           | 3           | Vertical  | 93             | 2.73          | -       |
| AV   | 5.2358G      | 112.34            | Inf               | -Inf           | 9.28           | 3           | Vertical  | 93             | 2.73          | -       |
| PK   | 5.375G       | 61.43             | 74.00             | -12.57         | 9.50           | 3           | Vertical  | 93             | 2.73          | -       |
| AV   | 5.3876G      | 48.63             | 54.00             | -5.37          | 9.51           | 3           | Vertical  | 93             | 2.73          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5240MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 27  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1032G      | 60.45             | 74.00             | -13.55         | 9.08           | 3           | Horizontal | 32             | 2.59          | -       |
| AV   | 5.1062G      | 47.54             | 54.00             | -6.46          | 9.09           | 3           | Horizontal | 32             | 2.59          | -       |
| PK   | 5.2454G      | 121.27            | Inf               | -Inf           | 9.29           | 3           | Horizontal | 32             | 2.59          | -       |
| AV   | 5.246G       | 108.58            | Inf               | -Inf           | 9.29           | 3           | Horizontal | 32             | 2.59          | -       |
| PK   | 5.3726G      | 61.47             | 74.00             | -12.53         | 9.50           | 3           | Horizontal | 32             | 2.59          | -       |
| AV   | 5.3528G      | 48.04             | 54.00             | -5.96          | 9.47           | 3           | Horizontal | 32             | 2.59          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5240MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 27  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.48007G    | 57.26             | 68.20             | -10.94         | 15.82          | 3           | Vertical  | 171            | 1.50          | -       |
| PK   | 15.7275G     | 70.10             | 74.00             | -3.90          | 15.48          | 3           | Vertical  | 274            | 2.89          | -       |
| AV   | 15.7279G     | 53.69             | 54.00             | -0.31          | 15.48          | 3           | Vertical  | 274            | 2.89          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5240MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 27  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.47989G    | 56.98             | 68.20             | -11.22         | 15.82          | 3           | Horizontal | 131            | 1.94          | -       |
| PK   | 15.7207G     | 57.93             | 74.00             | -16.07         | 15.50          | 3           | Horizontal | 98             | 1.50          | -       |
| AV   | 15.71738G    | 44.56             | 54.00             | -9.44          | 15.51          | 3           | Horizontal | 98             | 1.50          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5745MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 30  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.645G       | 64.84             | 68.20             | -3.36          | 9.69           | 3           | Vertical  | 207            | 2.44          | -       |
| PK   | 5.742G       | 128.93            | Inf               | -Inf           | 9.60           | 3           | Vertical  | 207            | 2.44          | -       |
| AV   | 5.741G       | 117.27            | Inf               | -Inf           | 9.60           | 3           | Vertical  | 207            | 2.44          | -       |
| PK   | 5.974G       | 61.56             | 68.20             | -6.64          | 9.84           | 3           | Vertical  | 207            | 2.44          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5745MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 30  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.566G       | 61.73             | 68.20             | -6.47          | 9.72           | 3           | Horizontal | 12             | 2.47          | -       |
| PK   | 5.742G       | 123.46            | Inf               | -Inf           | 9.60           | 3           | Horizontal | 12             | 2.47          | -       |
| AV   | 5.743G       | 111.72            | Inf               | -Inf           | 9.60           | 3           | Horizontal | 12             | 2.47          | -       |
| PK   | 5.938G       | 61.10             | 68.20             | -7.10          | 9.79           | 3           | Horizontal | 12             | 2.47          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

5745MHz\_TX

06/01/2020




EUT\_Z\_8TX  
Setting 30  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 11.4817G     | 56.76             | 74.00             | -17.24         | 16.04          | 3           | Vertical  | 273            | 1.90          | -       |
| AV   | 11.4901G     | 44.24             | 54.00             | -9.76          | 16.04          | 3           | Vertical  | 273            | 1.90          | -       |
| PK   | 17.2353G     | 65.34             | 68.20             | -2.86          | 20.79          | 3           | Vertical  | 253            | 2.43          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5745MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-P-2 |              |                   |                   |                |                |             |            |                |               |         |
|-------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| Type                                | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                  | 11.49006G    | 56.42             | 74.00             | -17.58         | 16.04          | 3           | Horizontal | 271            | 1.87          | -       |
| AV                                  | 11.49014G    | 43.88             | 54.00             | -10.12         | 16.04          | 3           | Horizontal | 271            | 1.87          | -       |
| PK                                  | 17.2387G     | 64.50             | 68.20             | -3.70          | 20.81          | 3           | Horizontal | 233            | 2.83          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5785MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5-10 |              |                   |                   |                |                |             |           |                |               |         |
|----------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| Type                                   | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                     | 5.587G       | 63.35             | 68.20             | -4.85          | 9.75           | 3           | Vertical  | 30             | 2.36          | -       |
| PK                                     | 5.777G       | 129.29            | Inf               | -Inf           | 9.61           | 3           | Vertical  | 30             | 2.36          | -       |
| AV                                     | 5.777G       | 117.36            | Inf               | -Inf           | 9.61           | 3           | Vertical  | 30             | 2.36          | -       |
| PK                                     | 5.945G       | 62.59             | 68.20             | -5.61          | 9.80           | 3           | Vertical  | 30             | 2.36          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5785MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5-10 |              |                   |                   |                |                |             |            |                |               |         |
|----------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| Type                                   | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                     | 5.595G       | 61.84             | 68.20             | -6.36          | 9.76           | 3           | Horizontal | 351            | 2.96          | -       |
| PK                                     | 5.787G       | 120.93            | Inf               | -Inf           | 9.61           | 3           | Horizontal | 351            | 2.96          | -       |
| AV                                     | 5.787G       | 109.44            | Inf               | -Inf           | 9.61           | 3           | Horizontal | 351            | 2.96          | -       |
| PK                                     | 5.965G       | 61.47             | 68.20             | -6.73          | 9.83           | 3           | Horizontal | 351            | 2.96          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5785MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5 |              |                   |                   |                |                |             |           |                |               |         |
|-------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| Type                                | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                  | 11.5699G     | 56.83             | 74.00             | -17.17         | 16.11          | 3           | Vertical  | 283            | 2.77          | -       |
| AV                                  | 11.57G       | 46.39             | 54.00             | -7.61          | 16.11          | 3           | Vertical  | 283            | 2.77          | -       |
| PK                                  | 17.3651G     | 65.42             | 68.20             | -2.78          | 21.53          | 3           | Vertical  | 193            | 2.05          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5785MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5 |              |                   |                   |                |                |             |            |                |               |         |
|-------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| Type                                | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                  | 11.57025G    | 56.29             | 74.00             | -17.71         | 16.11          | 3           | Horizontal | 25             | 1.94          | -       |
| AV                                  | 11.56993G    | 43.11             | 54.00             | -10.89         | 16.11          | 3           | Horizontal | 25             | 1.94          | -       |
| PK                                  | 17.3732G     | 65.44             | 68.20             | -2.76          | 21.57          | 3           | Horizontal | 173            | 1.50          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5825MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5-10 |              |                   |                   |                |                |             |           |                |               |         |
|----------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| Type                                   | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                     | 5.637G       | 63.12             | 68.20             | -5.08          | 9.71           | 3           | Vertical  | 14             | 2.25          | -       |
| PK                                     | 5.823G       | 129.65            | Inf               | -Inf           | 9.65           | 3           | Vertical  | 14             | 2.25          | -       |
| AV                                     | 5.823G       | 117.60            | Inf               | -Inf           | 9.65           | 3           | Vertical  | 14             | 2.25          | -       |
| PK                                     | 5.929G       | 66.30             | 68.20             | -1.90          | 9.78           | 3           | Vertical  | 14             | 2.25          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5825MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5-10 |              |                   |                   |                |                |             |            |                |               |         |
|----------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| Type                                   | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                     | 5.628G       | 61.74             | 68.20             | -6.46          | 9.71           | 3           | Horizontal | 205            | 2.42          | -       |
| PK                                     | 5.834G       | 124.37            | Inf               | -Inf           | 9.66           | 3           | Horizontal | 205            | 2.42          | -       |
| AV                                     | 5.833G       | 111.66            | Inf               | -Inf           | 9.66           | 3           | Horizontal | 205            | 2.42          | -       |
| PK                                     | 5.933G       | 62.28             | 68.20             | -5.92          | 9.78           | 3           | Horizontal | 205            | 2.42          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5825MHz\_TX

06/01/2020




| EUT_Z_8TX<br>Setting 30<br>02-A-C-5 |              |                   |                   |                |                |             |           |                |               |         |
|-------------------------------------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| Type                                | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
| PK                                  | 11.65016G    | 57.39             | 74.00             | -16.61         | 16.17          | 3           | Vertical  | 271            | 2.91          | -       |
| AV                                  | 11.64998G    | 46.88             | 54.00             | -7.12          | 16.17          | 3           | Vertical  | 271            | 2.91          | -       |
| PK                                  | 17.4713G     | 66.12             | 68.20             | -2.08          | 22.12          | 3           | Vertical  | 313            | 2.94          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_8TX

## 5825MHz\_TX

06/01/2020


EUT\_Z,8TX  
Setting 30  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 11.65019G    | 56.60             | 74.00             | -17.40         | 16.17          | 3           | Horizontal | 100            | 2.73          | -       |
| AV   | 11.64995G    | 43.79             | 54.00             | -10.21         | 16.17          | 3           | Horizontal | 100            | 2.73          | -       |
| PK   | 17.4997G     | 65.70             | 68.20             | -2.50          | 22.27          | 3           | Horizontal | 329            | 1.50          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5190MHz\_TX

07/01/2020


EUT\_Z,8TX  
Setting 22  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1492G      | 67.58             | 74.00             | -6.42          | 9.14           | 3           | Vertical  | 328            | 2.63          | -       |
| AV   | 5.1488G      | 51.00             | 54.00             | -3.00          | 9.14           | 3           | Vertical  | 328            | 2.63          | -       |
| PK   | 5.1992G      | 116.47            | Inf               | -Inf           | 9.20           | 3           | Vertical  | 328            | 2.63          | -       |
| AV   | 5.2032G      | 106.06            | Inf               | -Inf           | 9.21           | 3           | Vertical  | 328            | 2.63          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5190MHz\_TX

07/01/2020


EUT\_Z,8TX  
Setting 22  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.142G       | 64.47             | 74.00             | -9.53          | 9.13           | 3           | Horizontal | 18             | 2.95          | -       |
| AV   | 5.142G       | 49.15             | 54.00             | -4.85          | 9.13           | 3           | Horizontal | 18             | 2.95          | -       |
| PK   | 5.186G       | 109.38            | Inf               | -Inf           | 9.18           | 3           | Horizontal | 18             | 2.95          | -       |
| AV   | 5.1932G      | 97.28             | Inf               | -Inf           | 9.19           | 3           | Horizontal | 18             | 2.95          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5190MHz\_TX

07/01/2020


EUT\_Z,8TX  
Setting 22  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.3801G     | 59.83             | 68.20             | -8.37          | 15.86          | 3           | Vertical  | 260            | 2.05          | -       |
| PK   | 15.5842G     | 59.97             | 74.00             | -14.03         | 15.88          | 3           | Vertical  | 251            | 2.23          | -       |
| AV   | 15.5474G     | 46.61             | 54.00             | -7.39          | 15.98          | 3           | Vertical  | 251            | 2.23          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5190MHz\_TX

07/01/2020


EUT\_Z,8TX  
Setting 22  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.37966G    | 56.43             | 68.20             | -11.77         | 15.86          | 3           | Horizontal | 148            | 1.86          | -       |
| PK   | 15.5662G     | 59.90             | 74.00             | -14.10         | 15.94          | 3           | Horizontal | 102            | 1.50          | -       |
| AV   | 15.5452G     | 46.64             | 54.00             | -7.36          | 15.99          | 3           | Horizontal | 102            | 1.50          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5230MHz\_TX

07/01/2020


EUT\_Z,8TX  
Setting 26  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1424G      | 68.62             | 74.00             | -5.38          | 9.13           | 3           | Vertical  | 39             | 2.87          | -       |
| AV   | 5.1418G      | 53.17             | 54.00             | -0.83          | 9.13           | 3           | Vertical  | 39             | 2.87          | -       |
| PK   | 5.2234G      | 121.19            | Inf               | -Inf           | 9.25           | 3           | Vertical  | 39             | 2.87          | -       |
| AV   | 5.2246G      | 109.82            | Inf               | -Inf           | 9.25           | 3           | Vertical  | 39             | 2.87          | -       |
| PK   | 5.3518G      | 61.88             | 74.00             | -12.12         | 9.47           | 3           | Vertical  | 39             | 2.87          | -       |
| AV   | 5.3506G      | 49.17             | 54.00             | -4.83          | 9.47           | 3           | Vertical  | 39             | 2.87          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5230MHz\_TX

07/01/2020

EUT\_Z,8TX  
Setting 26  
02-A-C-5-10


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.15G        | 68.38             | 74.00             | -5.62          | 9.14           | 3           | Horizontal | 259            | 2.72          | -       |
| AV   | 5.15G        | 52.90             | 54.00             | -1.10          | 9.14           | 3           | Horizontal | 259            | 2.72          | -       |
| PK   | 5.2222G      | 116.70            | Inf               | -Inf           | 9.24           | 3           | Horizontal | 259            | 2.72          | -       |
| AV   | 5.2192G      | 105.26            | Inf               | -Inf           | 9.24           | 3           | Horizontal | 259            | 2.72          | -       |
| PK   | 5.3668G      | 61.09             | 74.00             | -12.91         | 9.49           | 3           | Horizontal | 259            | 2.72          | -       |
| AV   | 5.3668G      | 48.89             | 54.00             | -5.11          | 9.49           | 3           | Horizontal | 259            | 2.72          | -       |



802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5230MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 26  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.46012G    | 57.81             | 68.20             | -10.39         | 15.83          | 3           | Vertical  | 276            | 1.01          | -       |
| PK   | 15.68844G    | 65.00             | 74.00             | -9.00          | 15.59          | 3           | Vertical  | 293            | 2.69          | -       |
| AV   | 15.68916G    | 51.28             | 54.00             | -2.72          | 15.59          | 3           | Vertical  | 293            | 2.69          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5230MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 26  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.46G       | 56.59             | 68.20             | -11.61         | 15.83          | 3           | Horizontal | 218            | 1.91          | -       |
| PK   | 15.6958G     | 61.12             | 74.00             | -12.88         | 15.57          | 3           | Horizontal | 122            | 2.21          | -       |
| AV   | 15.6991G     | 47.24             | 54.00             | -6.76          | 15.64          | 3           | Horizontal | 122            | 2.21          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5755MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 19  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.651G       | 66.33             | 68.94             | -2.61          | 9.68           | 3           | Vertical  | 88             | 2.82          | -       |
| PK   | 5.748G       | 119.69            | Inf               | -Inf           | 9.60           | 3           | Vertical  | 88             | 2.82          | -       |
| AV   | 5.749G       | 107.37            | Inf               | -Inf           | 9.60           | 3           | Vertical  | 88             | 2.82          | -       |
| PK   | 5.973G       | 62.07             | 68.20             | -6.13          | 9.84           | 3           | Vertical  | 88             | 2.82          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5755MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 19  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.623G       | 62.60             | 68.20             | -5.60          | 9.72           | 3           | Horizontal | 264            | 2.50          | -       |
| PK   | 5.754G       | 113.58            | Inf               | -Inf           | 9.61           | 3           | Horizontal | 264            | 2.50          | -       |
| AV   | 5.753G       | 102.02            | Inf               | -Inf           | 9.61           | 3           | Horizontal | 264            | 2.50          | -       |
| PK   | 5.959G       | 61.58             | 68.20             | -6.62          | 9.82           | 3           | Horizontal | 264            | 2.50          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5755MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 19  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 11.51008G    | 56.42             | 74.00             | -17.58         | 16.06          | 3           | Vertical  | 251            | 1.50          | -       |
| AV   | 11.50996G    | 44.93             | 54.00             | -9.07          | 16.06          | 3           | Vertical  | 251            | 1.50          | -       |
| PK   | 17.26048G    | 64.91             | 68.20             | -3.29          | 20.93          | 3           | Vertical  | 52             | 1.59          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5755MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 19  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 11.50985G    | 57.53             | 74.00             | -16.47         | 16.06          | 3           | Horizontal | 272            | 1.94          | -       |
| AV   | 11.50998G    | 44.42             | 54.00             | -9.58          | 16.06          | 3           | Horizontal | 272            | 1.94          | -       |
| PK   | 17.26544G    | 65.26             | 68.20             | -2.94          | 20.97          | 3           | Horizontal | 169            | 2.34          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5795MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 26  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.642G       | 63.45             | 68.20             | -4.75          | 9.70           | 3           | Vertical  | 19             | 2.33          | -       |
| PK   | 5.803G       | 124.34            | Inf               | -Inf           | 9.63           | 3           | Vertical  | 19             | 2.33          | -       |
| AV   | 5.803G       | 112.31            | Inf               | -Inf           | 9.63           | 3           | Vertical  | 19             | 2.33          | -       |
| PK   | 5.927G       | 64.35             | 68.20             | -3.85          | 9.77           | 3           | Vertical  | 19             | 2.33          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

5795MHz\_TX

07/01/2020




EUT\_Z\_8TX  
Setting 26  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.579G       | 62.18             | 68.20             | -6.02          | 9.73           | 3           | Horizontal | 276            | 2.93          | -       |
| PK   | 5.794G       | 115.69            | Inf               | -Inf           | 9.62           | 3           | Horizontal | 276            | 2.93          | -       |
| AV   | 5.783G       | 108.99            | Inf               | -Inf           | 9.61           | 3           | Horizontal | 276            | 2.93          | -       |
| PK   | 5.928G       | 62.14             | 68.20             | -6.06          | 9.78           | 3           | Horizontal | 276            | 2.93          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5795MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 26  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 11.59032G    | 56.52             | 74.00             | -17.48         | 16.12          | 3           | Vertical  | 151            | 2.51          | -       |
| AV   | 11.59012G    | 45.99             | 54.00             | -8.01          | 16.12          | 3           | Vertical  | 151            | 2.51          | -       |
| PK   | 17.385G      | 64.98             | 68.20             | -3.22          | 21.63          | 3           | Vertical  | 288            | 1.82          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_8TX

## 5795MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 26  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 11.59432G    | 56.06             | 74.00             | -17.94         | 16.13          | 3           | Horizontal | 340            | 1.50          | -       |
| AV   | 11.59288G    | 42.81             | 54.00             | -11.19         | 16.12          | 3           | Horizontal | 340            | 1.50          | -       |
| PK   | 17.38306G    | 65.79             | 68.20             | -2.41          | 21.62          | 3           | Horizontal | 291            | 1.85          | -       |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

## 5210MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 21  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1188G      | 65.80             | 74.00             | -8.20          | 9.10           | 3           | Vertical  | 311            | 2.41          | -       |
| AV   | 5.1196G      | 53.09             | 54.00             | -0.91          | 9.10           | 3           | Vertical  | 311            | 2.41          | -       |
| PK   | 5.198G       | 115.32            | Inf               | -Inf           | 9.20           | 3           | Vertical  | 311            | 2.41          | -       |
| AV   | 5.1836G      | 103.97            | Inf               | -Inf           | 9.17           | 3           | Vertical  | 311            | 2.41          | -       |
| PK   | 5.3972G      | 61.38             | 74.00             | -12.62         | 9.53           | 3           | Vertical  | 311            | 2.41          | -       |
| AV   | 5.4012G      | 48.92             | 54.00             | -5.08          | 9.53           | 3           | Vertical  | 311            | 2.41          | -       |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

## 5210MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 21  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1196G      | 63.22             | 74.00             | -10.78         | 9.10           | 3           | Horizontal | 219            | 2.95          | -       |
| AV   | 5.138G       | 50.05             | 54.00             | -3.95          | 9.13           | 3           | Horizontal | 219            | 2.95          | -       |
| PK   | 5.1988G      | 110.38            | Inf               | -Inf           | 9.20           | 3           | Horizontal | 219            | 2.95          | -       |
| AV   | 5.1996G      | 98.07             | Inf               | -Inf           | 9.20           | 3           | Horizontal | 219            | 2.95          | -       |
| PK   | 5.3996G      | 62.00             | 74.00             | -12.00         | 9.53           | 3           | Horizontal | 219            | 2.95          | -       |
| AV   | 5.4084G      | 48.66             | 54.00             | -5.34          | 9.54           | 3           | Horizontal | 219            | 2.95          | -       |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

## 5210MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 21  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.42012G    | 58.77             | 68.20             | -9.43          | 15.85          | 3           | Vertical  | 261            | 2.36          | -       |
| PK   | 15.62164G    | 60.06             | 74.00             | -13.94         | 15.78          | 3           | Vertical  | 69             | 1.50          | -       |
| AV   | 15.62484G    | 46.02             | 54.00             | -7.98          | 15.77          | 3           | Vertical  | 69             | 1.50          | -       |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

## 5210MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 21  
02-A-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.41989G    | 57.24             | 68.20             | -10.96         | 15.85          | 3           | Horizontal | 145            | 2.20          | -       |
| PK   | 15.62974G    | 59.41             | 74.00             | -14.59         | 15.75          | 3           | Horizontal | 105            | 1.81          | -       |
| AV   | 15.6277G     | 46.22             | 54.00             | -7.78          | 15.76          | 3           | Horizontal | 105            | 1.81          | -       |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

## 5775MHz\_TX

07/01/2020


EUT\_Z\_8TX  
Setting 21  
02-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.645G       | 62.10             | 68.20             | -6.10          | 9.69           | 3           | Vertical  | 313            | 2.21          | -       |
| PK   | 5.763G       | 115.40            | Inf               | -Inf           | 9.61           | 3           | Vertical  | 313            | 2.21          | -       |
| AV   | 5.763G       | 103.18            | Inf               | -Inf           | 9.61           | 3           | Vertical  | 313            | 2.21          | -       |
| PK   | 5.963G       | 61.94             | 68.20             | -6.26          | 9.83           | 3           | Vertical  | 313            | 2.21          | -       |

802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

07/01/2020


5775MHz\_TX



802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

07/01/2020


5775MHz\_TX



802.11ax HEW80-BF\_Nss1,(MCS0)\_8TX

07/01/2020

5775MHz\_TX






<SBS mode>  
Summary

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.15-5.25GHz                      | -      | -    | -            | -                 | -                 | -              | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 5.146G       | 53.97             | 54.00             | -0.03          | 9.14           | 3           | Horizontal | 312            | 2.10          | -        |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 20  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.15G        | 66.13             | 74.00             | -7.87          | 9.14           | 3           | Vertical  | 30             | 2.07          | -       |
| AV   | 5.1494G      | 50.72             | 54.00             | -3.28          | 9.14           | 3           | Vertical  | 30             | 2.07          | -       |
| PK   | 5.1846G      | 119.17            | Inf               | -Inf           | 9.17           | 3           | Vertical  | 30             | 2.07          | -       |
| AV   | 5.1846G      | 106.59            | Inf               | -Inf           | 9.17           | 3           | Vertical  | 30             | 2.07          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 25  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1472G      | 66.69             | 74.00             | -7.31          | 9.14           | 3           | Vertical  | 28             | 2.86          | -       |
| AV   | 5.1468G      | 51.43             | 54.00             | -2.57          | 9.14           | 3           | Vertical  | 28             | 2.86          | -       |
| PK   | 5.1992G      | 122.67            | Inf               | -Inf           | 9.20           | 3           | Vertical  | 28             | 2.86          | -       |
| AV   | 5.1992G      | 110.66            | Inf               | -Inf           | 9.20           | 3           | Vertical  | 28             | 2.86          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 20  
02-A-P-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1492G      | 68.22             | 74.00             | -5.78          | 9.14           | 3           | Horizontal | 314            | 2.25          | -       |
| AV   | 5.1474G      | 52.53             | 54.00             | -1.47          | 9.14           | 3           | Horizontal | 314            | 2.25          | -       |
| PK   | 5.1858G      | 120.79            | Inf               | -Inf           | 9.18           | 3           | Horizontal | 314            | 2.25          | -       |
| AV   | 5.1858G      | 108.04            | Inf               | -Inf           | 9.18           | 3           | Horizontal | 314            | 2.25          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 25  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1456G      | 69.21             | 74.00             | -4.79          | 9.14           | 3           | Horizontal | 312            | 2.10          | -       |
| AV   | 5.146G       | 53.97             | 54.00             | -0.03          | 9.14           | 3           | Horizontal | 312            | 2.10          | -       |
| PK   | 5.2068G      | 123.29            | Inf               | -Inf           | 9.21           | 3           | Horizontal | 312            | 2.10          | -       |
| AV   | 5.206G       | 111.21            | Inf               | -Inf           | 9.21           | 3           | Horizontal | 312            | 2.10          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 20  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.35992G    | 55.15             | 68.20             | -13.05         | 15.87          | 3           | Vertical  | 13             | 2.57          | -       |
| PK   | 15.5459G     | 59.60             | 74.00             | -14.40         | 15.99          | 3           | Vertical  | 0              | 1.88          | -       |
| AV   | 15.5417G     | 46.52             | 54.00             | -7.48          | 16.00          | 3           | Vertical  | 0              | 1.88          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 25  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.39766G    | 57.73             | 68.20             | -10.47         | 15.85          | 3           | Vertical  | 344            | 2.65          | -       |
| PK   | 15.60492G    | 58.87             | 74.00             | -15.13         | 15.83          | 3           | Vertical  | 345            | 2.13          | -       |
| AV   | 15.60308G    | 45.75             | 54.00             | -8.25          | 15.83          | 3           | Vertical  | 345            | 2.13          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 20  
02-A-P-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.36034G    | 57.90             | 68.20             | -10.30         | 15.87          | 3           | Horizontal | 282            | 1.60          | -       |
| PK   | 15.54278G    | 59.29             | 74.00             | -14.71         | 16.00          | 3           | Horizontal | 151            | 1.50          | -       |
| AV   | 15.53922G    | 45.89             | 54.00             | -8.11          | 16.01          | 3           | Horizontal | 151            | 1.50          | -       |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5200MHz\_TX

16/01/2020


EUT Y\_4TX  
Setting 25  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.40438G    | 59.84             | 68.20             | -8.36          | 15.86          | 3           | Horizontal | 286            | 1.63          | -       |
| PK   | 15.60222G    | 62.69             | 74.00             | -11.31         | 15.83          | 3           | Horizontal | 25             | 1.46          | -       |
| AV   | 15.60222G    | 47.86             | 54.00             | -6.14          | 15.83          | 3           | Horizontal | 25             | 1.46          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX

16/01/2020




EUT\_Y\_4TX  
Setting 27  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.141G       | 61.99             | 74.00             | -12.01         | 9.13           | 3           | Vertical  | 28             | 1.86          | -       |
| AV   | 5.141G       | 48.64             | 54.00             | -5.36          | 9.13           | 3           | Vertical  | 28             | 1.86          | -       |
| PK   | 5.2412G      | 123.92            | Inf               | -Inf           | 9.28           | 3           | Vertical  | 28             | 1.86          | -       |
| AV   | 5.2406G      | 111.52            | Inf               | -Inf           | 9.28           | 3           | Vertical  | 28             | 1.86          | -       |
| PK   | 5.3552G      | 60.23             | 74.00             | -13.77         | 9.48           | 3           | Vertical  | 28             | 1.86          | -       |
| AV   | 5.3546G      | 48.08             | 54.00             | -5.92          | 9.47           | 3           | Vertical  | 28             | 1.86          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX

16/01/2020




EUT\_Y\_4TX  
Setting 27  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.15G        | 63.59             | 74.00             | -10.41         | 9.14           | 3           | Horizontal | 310            | 2.14          | -       |
| AV   | 5.1482G      | 49.67             | 54.00             | -4.33          | 9.14           | 3           | Horizontal | 310            | 2.14          | -       |
| PK   | 5.2478G      | 125.92            | Inf               | -Inf           | 9.30           | 3           | Horizontal | 310            | 2.14          | -       |
| AV   | 5.2484G      | 113.01            | Inf               | -Inf           | 9.30           | 3           | Horizontal | 310            | 2.14          | -       |
| PK   | 5.354G       | 61.13             | 74.00             | -12.87         | 9.47           | 3           | Horizontal | 310            | 2.14          | -       |
| AV   | 5.351G       | 48.25             | 54.00             | -5.75          | 9.47           | 3           | Horizontal | 310            | 2.14          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX

16/01/2020




EUT\_Y\_4TX  
Setting 27  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 10.48216G    | 58.12             | 68.20             | -10.08         | 15.82          | 3           | Vertical  | 3              | 2.99          | -       |
| PK   | 15.71664G    | 60.93             | 74.00             | -13.07         | 15.51          | 3           | Vertical  | 36             | 1.50          | -       |
| AV   | 15.71598G    | 48.06             | 54.00             | -5.94          | 15.51          | 3           | Vertical  | 36             | 1.50          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TX

16/01/2020




EUT\_Y\_4TX  
Setting 27  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 10.48168G    | 60.32             | 68.20             | -7.88          | 15.82          | 3           | Horizontal | 305            | 1.46          | -       |
| PK   | 15.72374G    | 64.94             | 74.00             | -9.06          | 15.49          | 3           | Horizontal | 23             | 1.42          | -       |
| AV   | 15.72382G    | 51.26             | 54.00             | -2.74          | 15.49          | 3           | Horizontal | 23             | 1.42          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX

16/01/2020




EUT\_Y\_4TX  
Setting 27  
02-A-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.65G        | 62.81             | 68.20             | -5.39          | 9.67           | 3           | Vertical  | 351            | 1.45          | -       |
| PK   | 5.747G       | 122.23            | Inf               | -Inf           | 9.60           | 3           | Vertical  | 351            | 1.45          | -       |
| AV   | 5.748G       | 110.84            | Inf               | -Inf           | 9.60           | 3           | Vertical  | 351            | 1.45          | -       |
| PK   | 5.971G       | 61.47             | 68.20             | -6.73          | 9.83           | 3           | Vertical  | 351            | 1.45          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX

16/01/2020




EUT\_Y\_4TX  
Setting 27  
02-A-N-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.643G       | 64.95             | 68.20             | -3.25          | 9.69           | 3           | Horizontal | 20             | 1.36          | -       |
| PK   | 5.744G       | 124.29            | Inf               | -Inf           | 9.60           | 3           | Horizontal | 20             | 1.36          | -       |
| AV   | 5.743G       | 112.01            | Inf               | -Inf           | 9.60           | 3           | Horizontal | 20             | 1.36          | -       |
| PK   | 5.928G       | 60.64             | 68.20             | -7.56          | 9.78           | 3           | Horizontal | 20             | 1.36          | -       |

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX

16/01/2020



EUT\_Y\_4TX  
Setting 27  
02-A-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 11.48372G    | 55.99             | 74.00             | -18.01         | 16.04          | 3           | Vertical  | 360            | 1.65          | -       |
| AV   | 11.48856G    | 42.53             | 54.00             | -11.47         | 16.04          | 3           | Vertical  | 360            | 1.65          | -       |



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5745MHz\_TX


16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX


16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX


16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX

16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX


16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX


16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX


16/01/2020



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX


16/01/2020



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5825MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 27  
02-A-N-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 11.65376G    | 58.46             | 74.00             | -15.54         | 16.17          | 3           | Horizontal | 72             | 1.75          | -       |
| AV   | 11.65668G    | 44.24             | 54.00             | -9.76          | 16.18          | 3           | Horizontal | 72             | 1.75          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 18  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 15.5553G     | 59.72             | 74.00             | -14.28         | 15.96          | 3           | Horizontal | 15             | 1.61          | -       |
| AV   | 15.56412G    | 45.77             | 54.00             | -8.23          | 15.94          | 3           | Horizontal | 15             | 1.61          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 18  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1436G      | 65.70             | 74.00             | -8.30          | 9.13           | 3           | Vertical  | 26             | 2.17          | -       |
| AV   | 5.15G        | 49.57             | 54.00             | -4.43          | 9.14           | 3           | Vertical  | 26             | 2.17          | -       |
| PK   | 5.198G       | 112.79            | Inf               | -Inf           | 9.20           | 3           | Vertical  | 26             | 2.17          | -       |
| AV   | 5.1792G      | 101.68            | Inf               | -Inf           | 9.18           | 3           | Vertical  | 26             | 2.17          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 23  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 5.1424G      | 66.43             | 74.00             | -7.57          | 9.13           | 3           | Vertical  | 30             | 2.25          | -       |
| AV   | 5.1484G      | 52.09             | 54.00             | -1.91          | 9.14           | 3           | Vertical  | 30             | 2.25          | -       |
| PK   | 5.2348G      | 119.23            | Inf               | -Inf           | 9.28           | 3           | Vertical  | 30             | 2.25          | -       |
| AV   | 5.2252G      | 106.76            | Inf               | -Inf           | 9.25           | 3           | Vertical  | 30             | 2.25          | -       |
| PK   | 5.3632G      | 60.64             | 74.00             | -13.36         | 9.48           | 3           | Vertical  | 30             | 2.25          | -       |
| AV   | 5.359G       | 48.04             | 54.00             | -5.96          | 9.48           | 3           | Vertical  | 30             | 2.25          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 18  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1412G      | 68.93             | 74.00             | -5.07          | 9.13           | 3           | Horizontal | 44             | 2.43          | -       |
| AV   | 5.1492G      | 53.89             | 54.00             | -0.11          | 9.14           | 3           | Horizontal | 44             | 2.43          | -       |
| PK   | 5.1892G      | 112.62            | Inf               | -Inf           | 9.18           | 3           | Horizontal | 44             | 2.43          | -       |
| AV   | 5.1892G      | 100.38            | Inf               | -Inf           | 9.18           | 3           | Horizontal | 44             | 2.43          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 23  
02-A-B-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|
| PK   | 5.1478G      | 66.04             | 74.00             | -7.96          | 9.14           | 3           | Horizontal | 313            | 2.74          | -       |
| AV   | 5.1484G      | 52.36             | 54.00             | -1.64          | 9.14           | 3           | Horizontal | 313            | 2.74          | -       |
| PK   | 5.227G       | 118.32            | Inf               | -Inf           | 9.25           | 3           | Horizontal | 313            | 2.74          | -       |
| AV   | 5.227G       | 106.19            | Inf               | -Inf           | 9.25           | 3           | Horizontal | 313            | 2.74          | -       |
| PK   | 5.3716G      | 60.71             | 74.00             | -13.29         | 9.50           | 3           | Horizontal | 313            | 2.74          | -       |
| AV   | 5.3554G      | 48.12             | 54.00             | -5.88          | 9.48           | 3           | Horizontal | 313            | 2.74          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 18  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 15.57258G    | 59.13             | 74.00             | -14.87         | 15.91          | 3           | Vertical  | 2              | 2.91          | -       |
| AV   | 15.57798G    | 45.74             | 54.00             | -8.26          | 15.89          | 3           | Vertical  | 2              | 2.91          | -       |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX

16/01/2020




EUT Y\_4TX  
Setting 23  
02-A-B-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|
| PK   | 15.68124G    | 58.48             | 74.00             | -15.52         | 15.60          | 3           | Vertical  | 59             | 1.69          | -       |
| AV   | 15.675G      | 45.03             | 54.00             | -8.97          | 15.62          | 3           | Vertical  | 59             | 1.69          | -       |

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5230MHz\_TX

16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX


16/01/2020



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX


16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX


16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX


16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX


16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TX

16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX


16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX


16/01/2020



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/01/2020

5775MHz\_TX



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/01/2020

5775MHz\_TX

