



Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	31.94M	35.49	40.00	-4.51	-20.13	3	Vertical	286	1.00	"Worst"	55.62	23.14	1.18	44.45		
PK	48.43M	32.67	40.00	-7.33	-28.66	3	Vertical	27	1.50	-	61.33	14.71	1.41	44.78		
PK	70.74M	31.32	40.00	-8.68	-30.95	3	Vertical	260	1.00	-	62.27	11.90	1.69	44.54		
PK	888.45M	36.70	46.00	-9.30	-11.18	3	Vertical	270	1.50	-	47.88	26.28	6.09	43.55		
PK	932.1M	35.73	46.00	-10.27	-11.40	3	Vertical	360	1.25	-	47.13	26.05	6.24	43.69		
PK	952.47M	36.27	46.00	-9.73	-11.21	3	Vertical	360	1.25	-	47.48	26.25	6.30	43.76		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	497.54M	37.03	46.00	-8.97	-16.74	3	Horizontal	164	2.00	"Worst"	53.77	22.53	4.51	43.78		
PK	863.23M	36.29	46.00	-9.71	-11.89	3	Horizontal	90	2.00	-	48.18	25.72	5.99	43.60		
PK	890.39M	36.30	46.00	-9.70	-11.30	3	Horizontal	216	1.50	-	47.60	26.15	6.10	43.55		
PK	896.21M	36.59	46.00	-9.41	-11.53	3	Horizontal	338	1.00	-	48.12	25.89	6.12	43.54		
PK	927.25M	36.25	46.00	-9.75	-11.45	3	Horizontal	20	1.00	-	47.70	26.00	6.22	43.67		
PK	952.47M	36.16	46.00	-9.84	-11.21	3	Horizontal	338	1.00	-	47.37	26.25	6.30	43.76		

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1477G	53.97	54.00	-0.03	3	Horizontal	159	1.01	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.1486G	53.97	54.00	-0.03	3	Horizontal	166	1.06	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1492G	53.89	54.00	-0.11	3	Horizontal	188	2.10	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.99	54.00	-0.01	3	Horizontal	134	1.12	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.97	54.00	-0.03	3	Horizontal	170	3.00	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	127	3.00	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.72	54.00	-0.28	3	Horizontal	120	1.29	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.3588G	53.54	54.00	-0.46	3	Horizontal	166	1.01	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3525G	53.97	54.00	-0.03	3	Horizontal	167	1.80	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.354G	53.90	54.00	-0.10	3	Horizontal	166	1.02	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	260	1.45	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3544G	53.91	54.00	-0.09	3	Horizontal	162	1.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Horizontal	176	1.51	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.354G	53.77	54.00	-0.23	3	Horizontal	163	1.05	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3525G	53.62	54.00	-0.38	3	Horizontal	143	3.00	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.138G	73.80	74.00	-0.20	3	Horizontal	178	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	16.7373G	67.92	68.20	-0.28	3	Horizontal	135	1.97	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	16.74972G	68.17	68.20	-0.03	3	Horizontal	134	1.95	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	16.74225G	68.18	68.20	-0.02	3	Horizontal	132	1.95	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.4568G	53.98	54.00	-0.02	3	Horizontal	4	1.80	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.8548G	68.14	68.20	-0.06	3	Horizontal	0	1.80	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.456G	53.98	54.00	-0.02	3	Vertical	8	2.12	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.8538G	67.98	68.20	-0.22	3	Horizontal	358	3.00	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.4564G	53.57	54.00	-0.43	3	Vertical	25	2.97	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.786G	67.99	68.20	-0.21	3	Horizontal	360	1.99	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.2359G	67.99	68.20	-0.21	3	Vertical	322	1.84	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.48403G	68.18	68.20	-0.02	3	Vertical	322	1.82	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.22846G	68.17	68.20	-0.03	3	Vertical	355	1.87	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.923G	69.54	69.68	-0.14	3	Horizontal	0	1.80	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.647G	68.05	68.20	-0.15	3	Horizontal	358	1.80	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6455G	68.16	68.20	-0.04	3	Horizontal	25	2.09	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6485G	68.18	68.20	-0.02	3	Horizontal	360	1.82	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	PK	5.1385G	61.86	74.00	-12.14	3	Vertical	319	2.62	-
5180MHz	Pass	AV	5.1476G	50.68	54.00	-3.32	3	Vertical	319	2.62	-
5180MHz	Pass	PK	5.1813G	112.59	Inf	-Inf	3	Vertical	319	2.62	-
5180MHz	Pass	AV	5.1811G	104.37	Inf	-Inf	3	Vertical	319	2.62	-
5180MHz	Pass	PK	5.149G	66.64	74.00	-7.36	3	Horizontal	159	1.01	-
5180MHz	Pass	AV	5.1477G	53.97	54.00	-0.03	3	Horizontal	159	1.01	-
5180MHz	Pass	PK	5.1863G	120.87	Inf	-Inf	3	Horizontal	159	1.01	-
5180MHz	Pass	AV	5.1872G	111.80	Inf	-Inf	3	Horizontal	159	1.01	-
5180MHz	Pass	PK	10.37218G	58.22	68.20	-9.98	3	Vertical	118	1.74	-
5180MHz	Pass	PK	15.54138G	59.75	74.00	-14.25	3	Vertical	25	1.40	-
5180MHz	Pass	AV	15.55257G	47.21	54.00	-6.79	3	Vertical	25	1.40	-
5180MHz	Pass	PK	10.37431G	57.58	68.20	-10.62	3	Horizontal	339	1.66	-
5180MHz	Pass	PK	15.53148G	60.01	74.00	-13.99	3	Horizontal	274	1.74	-
5180MHz	Pass	AV	15.5448G	47.19	54.00	-6.81	3	Horizontal	274	1.74	-
5200MHz	Pass	PK	5.1326G	61.38	74.00	-12.62	3	Vertical	87	2.96	-
5200MHz	Pass	AV	5.1494G	49.96	54.00	-4.04	3	Vertical	87	2.96	-
5200MHz	Pass	PK	5.1942G	117.48	Inf	-Inf	3	Vertical	87	2.96	-
5200MHz	Pass	AV	5.1936G	108.31	Inf	-Inf	3	Vertical	87	2.96	-
5200MHz	Pass	PK	5.1486G	67.17	74.00	-6.83	3	Horizontal	177	1.06	-
5200MHz	Pass	AV	5.1488G	53.77	54.00	-0.23	3	Horizontal	177	1.06	-
5200MHz	Pass	PK	5.2076G	122.97	Inf	-Inf	3	Horizontal	177	1.06	-
5200MHz	Pass	AV	5.2076G	114.64	Inf	-Inf	3	Horizontal	177	1.06	-
5200MHz	Pass	PK	10.41455G	58.33	68.20	-9.87	3	Vertical	0	1.42	-
5200MHz	Pass	PK	15.60774G	60.81	74.00	-13.19	3	Vertical	353	1.36	-
5200MHz	Pass	AV	15.59841G	47.17	54.00	-6.83	3	Vertical	353	1.36	-
5200MHz	Pass	PK	10.40105G	58.37	68.20	-9.83	3	Horizontal	299	2.30	-
5200MHz	Pass	PK	15.59604G	59.57	74.00	-14.43	3	Horizontal	303	1.60	-
5200MHz	Pass	AV	15.59724G	47.05	54.00	-6.95	3	Horizontal	303	1.60	-
5240MHz	Pass	PK	5.1324G	61.32	74.00	-12.68	3	Vertical	327	2.95	-
5240MHz	Pass	AV	5.1128G	49.77	54.00	-4.23	3	Vertical	327	2.95	-
5240MHz	Pass	PK	5.2476G	119.72	Inf	-Inf	3	Vertical	327	2.95	-
5240MHz	Pass	AV	5.248G	111.55	Inf	-Inf	3	Vertical	327	2.95	-
5240MHz	Pass	PK	5.3552G	61.65	74.00	-12.35	3	Vertical	327	2.95	-
5240MHz	Pass	AV	5.354G	50.33	54.00	-3.67	3	Vertical	327	2.95	-
5240MHz	Pass	PK	5.122G	62.49	74.00	-11.51	3	Horizontal	137	2.35	-
5240MHz	Pass	AV	5.15G	51.67	54.00	-2.33	3	Horizontal	137	2.35	-
5240MHz	Pass	PK	5.2328G	126.08	Inf	-Inf	3	Horizontal	137	2.35	-
5240MHz	Pass	AV	5.2328G	117.34	Inf	-Inf	3	Horizontal	137	2.35	-
5240MHz	Pass	PK	5.352G	63.66	74.00	-10.34	3	Horizontal	137	2.35	-
5240MHz	Pass	AV	5.3512G	51.56	54.00	-2.44	3	Horizontal	137	2.35	-
5240MHz	Pass	PK	10.47253G	57.65	68.20	-10.55	3	Vertical	238	2.65	-
5240MHz	Pass	PK	15.72012G	61.67	74.00	-12.33	3	Vertical	168	1.80	-
5240MHz	Pass	AV	15.72189G	48.89	54.00	-5.11	3	Vertical	168	1.80	-
5240MHz	Pass	PK	10.47802G	57.70	68.20	-10.50	3	Horizontal	115	2.23	-
5240MHz	Pass	PK	15.71622G	59.90	74.00	-14.10	3	Horizontal	256	1.80	-
5240MHz	Pass	AV	15.72105G	47.27	54.00	-6.73	3	Horizontal	256	1.80	-
5260MHz	Pass	PK	5.1388G	61.37	74.00	-12.63	3	Vertical	326	2.53	-
5260MHz	Pass	AV	5.146G	50.12	54.00	-3.88	3	Vertical	326	2.53	-
5260MHz	Pass	PK	5.2676G	120.63	Inf	-Inf	3	Vertical	326	2.53	-
5260MHz	Pass	AV	5.2672G	112.24	Inf	-Inf	3	Vertical	326	2.53	-
5260MHz	Pass	PK	5.35G	62.20	74.00	-11.80	3	Vertical	326	2.53	-
5260MHz	Pass	AV	5.3528G	50.51	54.00	-3.49	3	Vertical	326	2.53	-
5260MHz	Pass	PK	5.0652G	63.34	74.00	-10.66	3	Horizontal	156	1.00	-
5260MHz	Pass	AV	5.0648G	53.24	54.00	-0.76	3	Horizontal	156	1.00	-
5260MHz	Pass	PK	5.2664G	127.34	Inf	-Inf	3	Horizontal	156	1.00	-
5260MHz	Pass	AV	5.266G	118.54	Inf	-Inf	3	Horizontal	156	1.00	-
5260MHz	Pass	PK	5.3652G	63.90	74.00	-10.10	3	Horizontal	156	1.00	-
5260MHz	Pass	AV	5.35G	53.08	54.00	-0.92	3	Horizontal	156	1.00	-
5260MHz	Pass	PK	10.52714G	58.29	68.20	-9.91	3	Vertical	320	2.78	-
5260MHz	Pass	PK	15.77745G	62.70	74.00	-11.30	3	Vertical	153	1.58	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	15.77877G	48.98	54.00	-5.02	3	Vertical	153	1.58	-
5260MHz	Pass	PK	10.52324G	57.80	68.20	-10.40	3	Horizontal	225	2.77	-
5260MHz	Pass	PK	15.7659G	61.47	74.00	-12.53	3	Horizontal	258	2.36	-
5260MHz	Pass	AV	15.77787G	48.34	54.00	-5.66	3	Horizontal	258	2.36	-
5300MHz	Pass	PK	5.15G	59.59	74.00	-14.41	3	Vertical	330	2.78	-
5300MHz	Pass	AV	5.15G	49.38	54.00	-4.62	3	Vertical	330	2.78	-
5300MHz	Pass	PK	5.3075G	116.90	Inf	-Inf	3	Vertical	330	2.78	-
5300MHz	Pass	AV	5.3078G	108.86	Inf	-Inf	3	Vertical	330	2.78	-
5300MHz	Pass	PK	5.35G	62.11	74.00	-11.89	3	Vertical	330	2.78	-
5300MHz	Pass	AV	5.35G	50.86	54.00	-3.14	3	Vertical	330	2.78	-
5300MHz	Pass	PK	5.15G	59.59	74.00	-14.41	3	Horizontal	167	1.80	-
5300MHz	Pass	AV	5.15G	50.15	54.00	-3.85	3	Horizontal	167	1.80	-
5300MHz	Pass	PK	5.2925G	121.88	Inf	-Inf	3	Horizontal	167	1.80	-
5300MHz	Pass	AV	5.2925G	113.67	Inf	-Inf	3	Horizontal	167	1.80	-
5300MHz	Pass	PK	5.3525G	65.00	74.00	-9.00	3	Horizontal	167	1.80	-
5300MHz	Pass	AV	5.3525G	53.97	54.00	-0.03	3	Horizontal	167	1.80	-
5300MHz	Pass	PK	10.5961G	57.22	68.20	-10.98	3	Vertical	204	2.92	-
5300MHz	Pass	PK	15.91053G	58.94	74.00	-15.06	3	Vertical	81	1.28	-
5300MHz	Pass	AV	15.89757G	46.16	54.00	-7.84	3	Vertical	81	1.28	-
5300MHz	Pass	PK	10.59055G	57.28	68.20	-10.92	3	Horizontal	247	2.95	-
5300MHz	Pass	PK	15.91083G	59.09	74.00	-14.91	3	Horizontal	232	1.24	-
5300MHz	Pass	AV	15.89709G	46.19	54.00	-7.81	3	Horizontal	232	1.24	-
5320MHz	Pass	PK	5.3276G	113.54	Inf	-Inf	3	Vertical	323	2.79	-
5320MHz	Pass	AV	5.3274G	105.64	Inf	-Inf	3	Vertical	323	2.79	-
5320MHz	Pass	PK	5.3508G	62.49	74.00	-11.51	3	Vertical	323	2.79	-
5320MHz	Pass	AV	5.35G	51.55	54.00	-2.45	3	Vertical	323	2.79	-
5320MHz	Pass	PK	5.324G	120.96	Inf	-Inf	3	Horizontal	148	1.02	-
5320MHz	Pass	AV	5.325G	112.12	Inf	-Inf	3	Horizontal	148	1.02	-
5320MHz	Pass	PK	5.35G	64.69	74.00	-9.31	3	Horizontal	148	1.02	-
5320MHz	Pass	AV	5.35G	53.88	54.00	-0.12	3	Horizontal	148	1.02	-
5320MHz	Pass	PK	10.65455G	57.38	74.00	-16.62	3	Vertical	110	1.49	-
5320MHz	Pass	AV	10.65482G	44.49	54.00	-9.51	3	Vertical	110	1.49	-
5320MHz	Pass	PK	15.97332G	58.85	74.00	-15.15	3	Vertical	123	2.01	-
5320MHz	Pass	AV	15.95592G	45.59	54.00	-8.41	3	Vertical	123	2.01	-
5320MHz	Pass	PK	10.65008G	56.73	74.00	-17.27	3	Horizontal	326	1.43	-
5320MHz	Pass	AV	10.62743G	44.50	54.00	-9.50	3	Horizontal	326	1.43	-
5320MHz	Pass	PK	15.97476G	58.70	74.00	-15.30	3	Horizontal	40	1.79	-
5320MHz	Pass	AV	15.96108G	45.55	54.00	-8.45	3	Horizontal	40	1.79	-
5500MHz	Pass	PK	5.45575G	63.72	74.00	-10.28	3	Vertical	12	2.50	-
5500MHz	Pass	AV	5.45755G	52.20	54.00	-1.80	3	Vertical	12	2.50	-
5500MHz	Pass	PK	5.46415G	67.34	68.20	-0.86	3	Vertical	12	2.50	-
5500MHz	Pass	PK	5.5048G	120.15	Inf	-Inf	3	Vertical	12	2.50	-
5500MHz	Pass	AV	5.50525G	111.35	Inf	-Inf	3	Vertical	12	2.50	-
5500MHz	Pass	PK	5.4559G	64.28	74.00	-9.72	3	Horizontal	1	1.80	-
5500MHz	Pass	AV	5.4562G	52.71	54.00	-1.29	3	Horizontal	1	1.80	-
5500MHz	Pass	PK	5.4658G	67.90	68.20	-0.30	3	Horizontal	1	1.80	-
5500MHz	Pass	PK	5.4931G	119.78	Inf	-Inf	3	Horizontal	1	1.80	-
5500MHz	Pass	AV	5.494G	111.55	Inf	-Inf	3	Horizontal	1	1.80	-
5500MHz	Pass	PK	11.01212G	60.01	74.00	-13.99	3	Vertical	310	1.03	-
5500MHz	Pass	AV	10.99562G	47.06	54.00	-6.94	3	Vertical	310	1.03	-
5500MHz	Pass	PK	16.50849G	62.55	68.20	-5.65	3	Vertical	293	2.65	-
5500MHz	Pass	PK	10.98644G	59.46	74.00	-14.54	3	Horizontal	5	1.80	-
5500MHz	Pass	AV	10.98791G	47.05	54.00	-6.95	3	Horizontal	5	1.80	-
5500MHz	Pass	PK	16.49325G	62.79	68.20	-5.41	3	Horizontal	138	1.45	-
5580MHz	Pass	PK	5.4532G	62.69	74.00	-11.31	3	Vertical	3	2.43	-
5580MHz	Pass	PK	5.466G	62.63	68.20	-5.57	3	Vertical	3	2.43	-
5580MHz	Pass	AV	5.46G	51.46	54.00	-2.54	3	Vertical	3	2.43	-
5580MHz	Pass	PK	5.5724G	123.56	Inf	-Inf	3	Vertical	3	2.43	-
5580MHz	Pass	AV	5.5724G	115.46	Inf	-Inf	3	Vertical	3	2.43	-
5580MHz	Pass	PK	5.748G	65.20	68.20	-3.00	3	Vertical	3	2.43	-
5580MHz	Pass	PK	5.4368G	62.77	74.00	-11.23	3	Horizontal	358	1.80	-
5580MHz	Pass	PK	5.4656G	63.40	68.20	-4.80	3	Horizontal	358	1.80	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	5.4588G	51.64	54.00	-2.36	3	Horizontal	358	1.80	-
5580MHz	Pass	PK	5.5736G	124.01	Inf	-Inf	3	Horizontal	358	1.80	-
5580MHz	Pass	AV	5.5732G	115.71	Inf	-Inf	3	Horizontal	358	1.80	-
5580MHz	Pass	PK	5.7756G	67.48	68.20	-0.72	3	Horizontal	358	1.80	-
5580MHz	Pass	PK	11.1609G	60.26	74.00	-13.74	3	Vertical	100	1.04	-
5580MHz	Pass	AV	11.16597G	47.28	54.00	-6.72	3	Vertical	100	1.04	-
5580MHz	Pass	PK	16.74072G	67.82	68.20	-0.38	3	Vertical	318	1.90	-
5580MHz	Pass	PK	11.1849G	58.79	74.00	-15.21	3	Horizontal	123	1.80	-
5580MHz	Pass	AV	11.18536G	46.94	54.00	-7.06	3	Horizontal	123	1.80	-
5580MHz	Pass	PK	16.7373G	67.92	68.20	-0.28	3	Horizontal	135	1.97	-
5700MHz	Pass	PK	5.70135G	115.40	Inf	-Inf	3	Vertical	25	2.21	-
5700MHz	Pass	AV	5.7015G	107.00	Inf	-Inf	3	Vertical	25	2.21	-
5700MHz	Pass	PK	5.72535G	64.61	68.20	-3.59	3	Vertical	25	2.21	-
5700MHz	Pass	PK	5.703G	115.76	Inf	-Inf	3	Horizontal	360	1.80	-
5700MHz	Pass	AV	5.6943G	107.35	Inf	-Inf	3	Horizontal	360	1.80	-
5700MHz	Pass	PK	5.7324G	67.78	68.20	-0.42	3	Horizontal	360	1.80	-
5700MHz	Pass	PK	11.37924G	58.10	74.00	-15.90	3	Vertical	187	1.82	-
5700MHz	Pass	AV	11.39442G	46.51	54.00	-7.49	3	Vertical	187	1.82	-
5700MHz	Pass	PK	17.09502G	64.31	68.20	-3.89	3	Vertical	54	1.69	-
5700MHz	Pass	PK	11.39628G	58.54	74.00	-15.46	3	Horizontal	1	1.78	-
5700MHz	Pass	AV	11.37852G	46.45	54.00	-7.55	3	Horizontal	1	1.78	-
5700MHz	Pass	PK	17.0919G	64.43	68.20	-3.77	3	Horizontal	107	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4302G	61.57	74.00	-12.43	3	Vertical	26	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4673G	61.89	68.20	-6.31	3	Vertical	26	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	51.05	54.00	-2.95	3	Vertical	26	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7221G	123.40	Inf	-Inf	3	Vertical	26	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7221G	115.05	Inf	-Inf	3	Vertical	26	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.888G	64.89	68.20	-3.31	3	Vertical	26	2.32	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	61.59	74.00	-12.41	3	Horizontal	352	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4519G	50.79	54.00	-3.21	3	Horizontal	352	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4645G	61.20	68.20	-7.00	3	Horizontal	352	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7193G	123.58	Inf	-Inf	3	Horizontal	352	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7186G	115.35	Inf	-Inf	3	Horizontal	352	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8789G	65.60	68.20	-2.60	3	Horizontal	352	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.41012G	57.75	74.00	-16.25	3	Vertical	301	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.41354G	46.19	54.00	-7.81	3	Vertical	301	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15934G	67.15	68.20	-1.05	3	Vertical	323	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.41234G	57.80	74.00	-16.20	3	Horizontal	230	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.41624G	46.15	54.00	-7.85	3	Horizontal	230	1.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16084G	67.91	68.20	-0.29	3	Horizontal	139	1.90	-
5745MHz	Pass	PK	5.595G	64.09	68.20	-4.11	3	Vertical	27	1.04	-
5745MHz	Pass	PK	5.7435G	123.47	Inf	-Inf	3	Vertical	27	1.04	-
5745MHz	Pass	AV	5.743G	115.24	Inf	-Inf	3	Vertical	27	1.04	-
5745MHz	Pass	PK	5.9435G	65.23	68.20	-2.97	3	Vertical	27	1.04	-
5745MHz	Pass	PK	5.5385G	65.30	68.20	-2.90	3	Horizontal	8	1.80	-
5745MHz	Pass	PK	5.7485G	123.20	Inf	-Inf	3	Horizontal	8	1.80	-
5745MHz	Pass	AV	5.7475G	114.94	Inf	-Inf	3	Horizontal	8	1.80	-
5745MHz	Pass	PK	5.96G	64.82	68.20	-3.38	3	Horizontal	8	1.80	-
5745MHz	Pass	PK	11.51574G	58.14	74.00	-15.86	3	Vertical	149	1.76	-
5745MHz	Pass	AV	11.51664G	46.21	54.00	-7.79	3	Vertical	149	1.76	-
5745MHz	Pass	PK	17.2359G	67.99	68.20	-0.21	3	Vertical	322	1.84	-
5745MHz	Pass	PK	11.47374G	58.38	74.00	-15.62	3	Horizontal	239	1.80	-
5745MHz	Pass	AV	11.51856G	46.40	54.00	-7.60	3	Horizontal	239	1.80	-
5745MHz	Pass	PK	17.23872G	65.01	68.20	-3.19	3	Horizontal	90	1.80	-
5785MHz	Pass	PK	5.6255G	65.54	68.20	-2.66	3	Vertical	23	2.04	-
5785MHz	Pass	PK	5.786G	124.48	Inf	-Inf	3	Vertical	23	2.04	-
5785MHz	Pass	AV	5.786G	116.22	Inf	-Inf	3	Vertical	23	2.04	-
5785MHz	Pass	PK	5.9445G	65.51	68.20	-2.69	3	Vertical	23	2.04	-
5785MHz	Pass	PK	5.628G	65.27	68.20	-2.93	3	Horizontal	16	1.80	-
5785MHz	Pass	PK	5.789G	123.68	Inf	-Inf	3	Horizontal	16	1.80	-
5785MHz	Pass	AV	5.789G	115.36	Inf	-Inf	3	Horizontal	16	1.80	-
5785MHz	Pass	PK	5.9795G	65.51	68.20	-2.69	3	Horizontal	16	1.80	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	11.5826G	58.49	74.00	-15.51	3	Vertical	57	1.80	-
5785MHz	Pass	AV	11.56142G	46.58	54.00	-7.42	3	Vertical	57	1.80	-
5785MHz	Pass	PK	17.35224G	67.95	68.20	-0.25	3	Vertical	302	1.91	-
5785MHz	Pass	PK	11.58122G	58.68	74.00	-15.32	3	Horizontal	152	1.55	-
5785MHz	Pass	AV	11.57942G	46.63	54.00	-7.37	3	Horizontal	152	1.55	-
5785MHz	Pass	PK	17.35482G	65.42	68.20	-2.78	3	Horizontal	40	1.84	-
5825MHz	Pass	PK	5.624G	64.63	68.20	-3.57	3	Vertical	30	1.05	-
5825MHz	Pass	PK	5.8235G	125.21	Inf	-Inf	3	Vertical	30	1.05	-
5825MHz	Pass	AV	5.824G	117.15	Inf	-Inf	3	Vertical	30	1.05	-
5825MHz	Pass	PK	5.953G	66.04	68.20	-2.16	3	Vertical	30	1.05	-
5825MHz	Pass	PK	5.6295G	65.65	68.20	-2.55	3	Horizontal	11	1.80	-
5825MHz	Pass	PK	5.8295G	124.07	Inf	-Inf	3	Horizontal	11	1.80	-
5825MHz	Pass	AV	5.829G	115.57	Inf	-Inf	3	Horizontal	11	1.80	-
5825MHz	Pass	PK	5.9595G	65.59	68.20	-2.61	3	Horizontal	11	1.80	-
5825MHz	Pass	PK	11.6062G	57.88	74.00	-16.12	3	Vertical	338	1.50	-
5825MHz	Pass	AV	11.6648G	46.44	54.00	-7.56	3	Vertical	338	1.50	-
5825MHz	Pass	PK	17.47428G	67.71	68.20	-0.49	3	Vertical	323	1.80	-
5825MHz	Pass	PK	11.65186G	57.98	74.00	-16.02	3	Horizontal	196	1.48	-
5825MHz	Pass	AV	11.62048G	46.43	54.00	-7.57	3	Horizontal	196	1.48	-
5825MHz	Pass	PK	17.47506G	66.46	68.20	-1.74	3	Horizontal	37	1.87	-
802.11ax HEW20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	PK	5.1451G	60.98	74.00	-13.02	3	Vertical	94	2.69	-
5180MHz	Pass	AV	5.1495G	49.77	54.00	-4.23	3	Vertical	94	2.69	-
5180MHz	Pass	PK	5.185G	114.05	Inf	-Inf	3	Vertical	94	2.69	-
5180MHz	Pass	AV	5.185G	102.84	Inf	-Inf	3	Vertical	94	2.69	-
5180MHz	Pass	PK	5.15G	65.07	74.00	-8.93	3	Horizontal	126	3.00	-
5180MHz	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	126	3.00	-
5180MHz	Pass	PK	5.1851G	121.08	Inf	-Inf	3	Horizontal	126	3.00	-
5180MHz	Pass	AV	5.1851G	109.03	Inf	-Inf	3	Horizontal	126	3.00	-
5180MHz	Pass	PK	10.35997G	57.05	68.20	-11.15	3	Vertical	63	2.98	-
5180MHz	Pass	PK	15.54021G	59.56	74.00	-14.44	3	Vertical	339	2.96	-
5180MHz	Pass	AV	15.54313G	45.77	54.00	-8.23	3	Vertical	339	2.96	-
5180MHz	Pass	PK	10.35678G	57.99	68.20	-10.21	3	Horizontal	63	1.05	-
5180MHz	Pass	PK	15.53527G	59.64	74.00	-14.36	3	Horizontal	42	2.24	-
5180MHz	Pass	AV	15.54177G	45.79	54.00	-8.21	3	Horizontal	42	2.24	-
5200MHz	Pass	PK	5.1432G	62.06	74.00	-11.94	3	Vertical	325	2.92	-
5200MHz	Pass	AV	5.1482G	49.96	54.00	-4.04	3	Vertical	325	2.92	-
5200MHz	Pass	PK	5.2004G	118.08	Inf	-Inf	3	Vertical	325	2.92	-
5200MHz	Pass	AV	5.1956G	107.53	Inf	-Inf	3	Vertical	325	2.92	-
5200MHz	Pass	PK	5.1484G	66.72	74.00	-7.28	3	Horizontal	166	1.06	-
5200MHz	Pass	AV	5.1486G	53.97	54.00	-0.03	3	Horizontal	166	1.06	-
5200MHz	Pass	PK	5.2092G	125.34	Inf	-Inf	3	Horizontal	166	1.06	-
5200MHz	Pass	AV	5.204G	113.62	Inf	-Inf	3	Horizontal	166	1.06	-
5200MHz	Pass	PK	10.39714G	57.82	68.20	-10.38	3	Vertical	124	2.65	-
5200MHz	Pass	PK	15.59942G	60.79	74.00	-13.21	3	Vertical	45	1.07	-
5200MHz	Pass	AV	15.59728G	45.96	54.00	-8.04	3	Vertical	45	1.07	-
5200MHz	Pass	PK	10.40432G	57.73	68.20	-10.47	3	Horizontal	147	2.73	-
5200MHz	Pass	PK	15.60024G	60.40	74.00	-13.60	3	Horizontal	214	1.42	-
5200MHz	Pass	AV	15.60426G	45.94	54.00	-8.06	3	Horizontal	214	1.42	-
5240MHz	Pass	PK	5.1107G	61.66	74.00	-12.34	3	Vertical	325	3.00	-
5240MHz	Pass	AV	5.1497G	50.15	54.00	-3.85	3	Vertical	325	3.00	-
5240MHz	Pass	PK	5.2406G	120.79	Inf	-Inf	3	Vertical	325	3.00	-
5240MHz	Pass	AV	5.2406G	109.93	Inf	-Inf	3	Vertical	325	3.00	-
5240MHz	Pass	PK	5.3567G	62.02	74.00	-11.98	3	Vertical	325	3.00	-
5240MHz	Pass	AV	5.3513G	49.92	54.00	-4.08	3	Vertical	325	3.00	-
5240MHz	Pass	PK	5.1485G	64.59	74.00	-9.41	3	Horizontal	162	1.00	-
5240MHz	Pass	AV	5.1482G	52.27	54.00	-1.73	3	Horizontal	162	1.00	-
5240MHz	Pass	PK	5.2388G	129.15	Inf	-Inf	3	Horizontal	162	1.00	-
5240MHz	Pass	AV	5.2388G	117.27	Inf	-Inf	3	Horizontal	162	1.00	-
5240MHz	Pass	PK	5.3597G	63.26	74.00	-10.74	3	Horizontal	162	1.00	-
5240MHz	Pass	AV	5.35G	52.04	54.00	-1.96	3	Horizontal	162	1.00	-
5240MHz	Pass	PK	10.47709G	57.29	68.20	-10.91	3	Vertical	334	2.46	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	15.72615G	61.49	74.00	-12.51	3	Vertical	168	1.80	-
5240MHz	Pass	AV	15.72057G	48.29	54.00	-5.71	3	Vertical	168	1.80	-
5240MHz	Pass	PK	10.49074G	57.06	68.20	-11.14	3	Horizontal	284	2.72	-
5240MHz	Pass	PK	15.71949G	60.97	74.00	-13.03	3	Horizontal	258	2.28	-
5240MHz	Pass	AV	15.72486G	46.80	54.00	-7.20	3	Horizontal	258	2.28	-
5260MHz	Pass	PK	5.2656G	121.49	Inf	-Inf	3	Vertical	317	2.70	-
5260MHz	Pass	AV	5.2654G	109.93	Inf	-Inf	3	Vertical	317	2.70	-
5260MHz	Pass	PK	5.354G	61.09	74.00	-12.91	3	Vertical	317	2.70	-
5260MHz	Pass	AV	5.35G	50.21	54.00	-3.79	3	Vertical	317	2.70	-
5260MHz	Pass	PK	5.264G	128.05	Inf	-Inf	3	Horizontal	163	1.00	-
5260MHz	Pass	AV	5.2588G	116.94	Inf	-Inf	3	Horizontal	163	1.00	-
5260MHz	Pass	PK	5.35G	64.67	74.00	-9.33	3	Horizontal	163	1.00	-
5260MHz	Pass	AV	5.35G	53.73	54.00	-0.27	3	Horizontal	163	1.00	-
5260MHz	Pass	PK	10.51934G	57.48	68.20	-10.72	3	Vertical	248	1.00	-
5260MHz	Pass	PK	15.77979G	62.58	74.00	-11.42	3	Vertical	168	1.80	-
5260MHz	Pass	AV	15.78042G	49.20	54.00	-4.80	3	Vertical	168	1.80	-
5260MHz	Pass	PK	10.52465G	57.58	68.20	-10.62	3	Horizontal	93	2.37	-
5260MHz	Pass	PK	15.79494G	60.47	74.00	-13.53	3	Horizontal	258	2.35	-
5260MHz	Pass	AV	15.77475G	46.97	54.00	-7.03	3	Horizontal	258	2.35	-
5300MHz	Pass	PK	5.2954G	117.96	Inf	-Inf	3	Vertical	326	3.00	-
5300MHz	Pass	AV	5.2956G	107.29	Inf	-Inf	3	Vertical	326	3.00	-
5300MHz	Pass	PK	5.3554G	63.47	74.00	-10.53	3	Vertical	326	3.00	-
5300MHz	Pass	AV	5.3506G	51.19	54.00	-2.81	3	Vertical	326	3.00	-
5300MHz	Pass	PK	5.2992G	124.71	Inf	-Inf	3	Horizontal	166	1.02	-
5300MHz	Pass	AV	5.299G	113.91	Inf	-Inf	3	Horizontal	166	1.02	-
5300MHz	Pass	PK	5.3544G	66.09	74.00	-7.91	3	Horizontal	166	1.02	-
5300MHz	Pass	AV	5.354G	53.90	54.00	-0.10	3	Horizontal	166	1.02	-
5300MHz	Pass	PK	10.59864G	58.02	68.20	-10.18	3	Vertical	254	1.55	-
5300MHz	Pass	PK	15.89295G	59.85	74.00	-14.15	3	Vertical	170	1.67	-
5300MHz	Pass	AV	15.8952G	45.73	54.00	-8.27	3	Vertical	170	1.67	-
5300MHz	Pass	PK	10.5871G	57.32	68.20	-10.88	3	Horizontal	21	1.92	-
5300MHz	Pass	PK	15.89619G	58.85	74.00	-15.15	3	Horizontal	332	2.65	-
5300MHz	Pass	AV	15.90042G	45.72	54.00	-8.28	3	Horizontal	332	2.65	-
5320MHz	Pass	PK	5.3238G	113.19	Inf	-Inf	3	Vertical	324	3.00	-
5320MHz	Pass	AV	5.3154G	102.46	Inf	-Inf	3	Vertical	324	3.00	-
5320MHz	Pass	PK	5.4166G	62.45	74.00	-11.55	3	Vertical	324	3.00	-
5320MHz	Pass	AV	5.3508G	50.81	54.00	-3.19	3	Vertical	324	3.00	-
5320MHz	Pass	PK	5.3138G	120.27	Inf	-Inf	3	Horizontal	160	1.02	-
5320MHz	Pass	AV	5.3138G	109.26	Inf	-Inf	3	Horizontal	160	1.02	-
5320MHz	Pass	PK	5.3536G	66.00	74.00	-8.00	3	Horizontal	160	1.02	-
5320MHz	Pass	AV	5.3538G	53.76	54.00	-0.24	3	Horizontal	160	1.02	-
5320MHz	Pass	PK	10.65212G	57.70	74.00	-16.30	3	Vertical	117	2.56	-
5320MHz	Pass	AV	10.62686G	43.57	54.00	-10.43	3	Vertical	117	2.56	-
5320MHz	Pass	PK	15.95073G	58.88	74.00	-15.12	3	Vertical	227	2.10	-
5320MHz	Pass	AV	15.9453G	44.75	54.00	-9.25	3	Vertical	227	2.10	-
5320MHz	Pass	PK	10.63421G	57.48	74.00	-16.52	3	Horizontal	113	2.91	-
5320MHz	Pass	AV	10.62638G	43.60	54.00	-10.40	3	Horizontal	113	2.91	-
5320MHz	Pass	PK	15.95649G	58.41	74.00	-15.59	3	Horizontal	74	2.01	-
5320MHz	Pass	AV	15.94509G	44.76	54.00	-9.24	3	Horizontal	74	2.01	-
5500MHz	Pass	PK	5.457G	65.01	74.00	-8.99	3	Vertical	6	2.27	-
5500MHz	Pass	AV	5.4578G	53.22	54.00	-0.78	3	Vertical	6	2.27	-
5500MHz	Pass	PK	5.4666G	66.35	68.20	-1.85	3	Vertical	6	2.27	-
5500MHz	Pass	PK	5.4962G	122.42	Inf	-Inf	3	Vertical	6	2.27	-
5500MHz	Pass	AV	5.5014G	111.41	Inf	-Inf	3	Vertical	6	2.27	-
5500MHz	Pass	PK	5.4562G	64.76	74.00	-9.24	3	Horizontal	358	1.80	-
5500MHz	Pass	AV	5.4576G	53.69	54.00	-0.31	3	Horizontal	358	1.80	-
5500MHz	Pass	PK	5.4676G	67.40	68.20	-0.80	3	Horizontal	358	1.80	-
5500MHz	Pass	PK	5.5018G	122.29	Inf	-Inf	3	Horizontal	358	1.80	-
5500MHz	Pass	AV	5.4964G	111.61	Inf	-Inf	3	Horizontal	358	1.80	-
5500MHz	Pass	PK	11.0096G	59.58	74.00	-14.42	3	Vertical	276	1.59	-
5500MHz	Pass	AV	10.98806G	46.20	54.00	-7.80	3	Vertical	276	1.59	-
5500MHz	Pass	PK	16.49094G	62.61	68.20	-5.59	3	Vertical	275	1.37	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	11.01452G	59.21	74.00	-14.79	3	Horizontal	171	1.85	-
5500MHz	Pass	AV	10.98503G	46.28	54.00	-7.72	3	Horizontal	171	1.85	-
5500MHz	Pass	PK	16.49076G	62.71	68.20	-5.49	3	Horizontal	24	1.83	-
5580MHz	Pass	PK	5.446G	62.23	74.00	-11.77	3	Vertical	7	2.03	-
5580MHz	Pass	PK	5.466G	63.01	68.20	-5.19	3	Vertical	7	2.03	-
5580MHz	Pass	AV	5.4588G	51.04	54.00	-2.96	3	Vertical	7	2.03	-
5580MHz	Pass	PK	5.576G	126.18	Inf	-Inf	3	Vertical	7	2.03	-
5580MHz	Pass	AV	5.586G	114.78	Inf	-Inf	3	Vertical	7	2.03	-
5580MHz	Pass	PK	5.7792G	64.98	68.20	-3.22	3	Vertical	7	2.03	-
5580MHz	Pass	PK	5.4444G	62.60	74.00	-11.40	3	Horizontal	0	1.80	-
5580MHz	Pass	PK	5.4684G	63.33	68.20	-4.87	3	Horizontal	0	1.80	-
5580MHz	Pass	AV	5.46G	51.06	54.00	-2.94	3	Horizontal	0	1.80	-
5580MHz	Pass	PK	5.572G	125.20	Inf	-Inf	3	Horizontal	0	1.80	-
5580MHz	Pass	AV	5.5816G	114.93	Inf	-Inf	3	Horizontal	0	1.80	-
5580MHz	Pass	PK	5.7712G	66.54	68.20	-1.66	3	Horizontal	0	1.80	-
5580MHz	Pass	PK	11.13492G	59.65	74.00	-14.35	3	Vertical	236	1.76	-
5580MHz	Pass	AV	11.13282G	46.27	54.00	-7.73	3	Vertical	236	1.76	-
5580MHz	Pass	PK	16.73958G	65.29	68.20	-2.91	3	Vertical	317	1.88	-
5580MHz	Pass	PK	11.1312G	59.40	74.00	-14.60	3	Horizontal	91	1.80	-
5580MHz	Pass	AV	11.13348G	46.34	54.00	-7.66	3	Horizontal	91	1.80	-
5580MHz	Pass	PK	16.74972G	68.17	68.20	-0.03	3	Horizontal	134	1.95	-
5700MHz	Pass	PK	5.7052G	115.54	Inf	-Inf	3	Vertical	26	1.97	-
5700MHz	Pass	AV	5.7052G	104.57	Inf	-Inf	3	Vertical	26	1.97	-
5700MHz	Pass	PK	5.7254G	66.30	68.20	-1.90	3	Vertical	26	1.97	-
5700MHz	Pass	PK	5.6918G	116.97	Inf	-Inf	3	Horizontal	360	1.80	-
5700MHz	Pass	AV	5.6972G	105.66	Inf	-Inf	3	Horizontal	360	1.80	-
5700MHz	Pass	PK	5.7276G	68.03	68.20	-0.17	3	Horizontal	360	1.80	-
5700MHz	Pass	PK	11.4045G	58.28	74.00	-15.72	3	Vertical	24	1.67	-
5700MHz	Pass	AV	11.40364G	45.91	54.00	-8.09	3	Vertical	24	1.67	-
5700MHz	Pass	PK	17.10717G	64.14	68.20	-4.06	3	Vertical	126	1.45	-
5700MHz	Pass	PK	11.39382G	57.90	74.00	-16.10	3	Horizontal	55	1.57	-
5700MHz	Pass	AV	11.40003G	45.83	54.00	-8.17	3	Horizontal	55	1.57	-
5700MHz	Pass	PK	17.0922G	64.17	68.20	-4.03	3	Horizontal	95	1.53	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4309G	62.63	74.00	-11.37	3	Vertical	24	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4673G	61.71	68.20	-6.49	3	Vertical	24	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.63	54.00	-3.37	3	Vertical	24	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7179G	124.39	Inf	-Inf	3	Vertical	24	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7179G	114.21	Inf	-Inf	3	Vertical	24	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8887G	64.77	68.20	-3.43	3	Vertical	24	2.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	61.84	74.00	-12.16	3	Horizontal	345	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	50.41	54.00	-3.59	3	Horizontal	345	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4638G	61.87	68.20	-6.33	3	Horizontal	345	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7249G	125.16	Inf	-Inf	3	Horizontal	345	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7249G	114.66	Inf	-Inf	3	Horizontal	345	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	65.96	68.20	-2.24	3	Horizontal	345	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15028G	68.02	68.20	-0.18	3	Vertical	325	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15025G	65.10	68.20	-3.10	3	Horizontal	133	1.80	-
5745MHz	Pass	PK	5.589G	64.88	68.20	-3.32	3	Vertical	23	2.09	-
5745MHz	Pass	PK	5.75G	125.50	Inf	-Inf	3	Vertical	23	2.09	-
5745MHz	Pass	AV	5.75G	114.29	Inf	-Inf	3	Vertical	23	2.09	-
5745MHz	Pass	PK	5.95G	65.03	68.20	-3.17	3	Vertical	23	2.09	-
5745MHz	Pass	PK	5.5475G	65.58	68.20	-2.62	3	Horizontal	360	1.80	-
5745MHz	Pass	PK	5.7425G	123.93	Inf	-Inf	3	Horizontal	360	1.80	-
5745MHz	Pass	AV	5.7425G	113.77	Inf	-Inf	3	Horizontal	360	1.80	-
5745MHz	Pass	PK	5.9475G	65.77	68.20	-2.43	3	Horizontal	360	1.80	-
5745MHz	Pass	PK	11.50137G	58.34	74.00	-15.66	3	Vertical	274	1.45	-
5745MHz	Pass	AV	11.50017G	45.54	54.00	-8.46	3	Vertical	274	1.45	-
5745MHz	Pass	PK	17.23011G	67.88	68.20	-0.32	3	Vertical	325	1.80	-
5745MHz	Pass	PK	11.50452G	57.80	74.00	-16.20	3	Horizontal	271	1.80	-
5745MHz	Pass	AV	11.50401G	45.53	54.00	-8.47	3	Horizontal	271	1.80	-
5745MHz	Pass	PK	17.23446G	66.49	68.20	-1.71	3	Horizontal	37	1.80	-
5785MHz	Pass	PK	5.623G	65.70	68.20	-2.50	3	Vertical	23	2.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.78G	125.53	Inf	-Inf	3	Vertical	23	2.05	-
5785MHz	Pass	AV	5.79G	114.59	Inf	-Inf	3	Vertical	23	2.05	-
5785MHz	Pass	PK	5.945G	65.34	68.20	-2.86	3	Vertical	23	2.05	-
5785MHz	Pass	PK	5.625G	66.45	68.20	-1.75	3	Horizontal	0	1.91	-
5785MHz	Pass	PK	5.793G	124.73	Inf	-Inf	3	Horizontal	0	1.91	-
5785MHz	Pass	AV	5.7875G	114.18	Inf	-Inf	3	Horizontal	0	1.91	-
5785MHz	Pass	PK	5.9555G	66.34	68.20	-1.86	3	Horizontal	0	1.91	-
5785MHz	Pass	PK	11.57597G	57.98	74.00	-16.02	3	Vertical	52	1.64	-
5785MHz	Pass	AV	11.57372G	46.00	54.00	-8.00	3	Vertical	52	1.64	-
5785MHz	Pass	PK	17.34966G	67.48	68.20	-0.72	3	Vertical	322	1.80	-
5785MHz	Pass	PK	11.55989G	58.31	74.00	-15.69	3	Horizontal	20	1.68	-
5785MHz	Pass	AV	11.58095G	46.01	54.00	-7.99	3	Horizontal	20	1.68	-
5785MHz	Pass	PK	17.3526G	66.22	68.20	-1.98	3	Horizontal	40	1.87	-
5825MHz	Pass	PK	5.6305G	65.34	68.20	-2.86	3	Vertical	161	2.34	-
5825MHz	Pass	PK	5.8325G	125.41	Inf	-Inf	3	Vertical	161	2.34	-
5825MHz	Pass	AV	5.8225G	114.76	Inf	-Inf	3	Vertical	161	2.34	-
5825MHz	Pass	PK	5.9335G	65.53	68.20	-2.67	3	Vertical	161	2.34	-
5825MHz	Pass	PK	5.622G	66.12	68.20	-2.08	3	Horizontal	0	1.80	-
5825MHz	Pass	PK	5.833G	125.95	Inf	-Inf	3	Horizontal	0	1.80	-
5825MHz	Pass	AV	5.8275G	114.74	Inf	-Inf	3	Horizontal	0	1.80	-
5825MHz	Pass	PK	5.9335G	65.89	68.20	-2.31	3	Horizontal	0	1.80	-
5825MHz	Pass	PK	11.64247G	58.50	74.00	-15.50	3	Vertical	111	1.51	-
5825MHz	Pass	AV	11.65255G	45.75	54.00	-8.25	3	Vertical	111	1.51	-
5825MHz	Pass	PK	17.48403G	68.18	68.20	-0.02	3	Vertical	322	1.82	-
5825MHz	Pass	PK	11.63962G	59.33	74.00	-14.67	3	Horizontal	74	1.98	-
5825MHz	Pass	AV	11.6443G	45.78	54.00	-8.22	3	Horizontal	74	1.98	-
5825MHz	Pass	PK	17.47014G	67.38	68.20	-0.82	3	Horizontal	40	1.88	-
802.11ax HEW40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	PK	5.1486G	61.37	74.00	-12.63	3	Vertical	332	2.88	-
5190MHz	Pass	AV	5.1488G	50.47	54.00	-3.53	3	Vertical	332	2.88	-
5190MHz	Pass	PK	5.1936G	107.59	Inf	-Inf	3	Vertical	332	2.88	-
5190MHz	Pass	AV	5.1988G	96.33	Inf	-Inf	3	Vertical	332	2.88	-
5190MHz	Pass	PK	5.1488G	66.69	74.00	-7.31	3	Horizontal	165	1.01	-
5190MHz	Pass	AV	5.1488G	53.87	54.00	-0.13	3	Horizontal	165	1.01	-
5190MHz	Pass	PK	5.1886G	115.77	Inf	-Inf	3	Horizontal	165	1.01	-
5190MHz	Pass	AV	5.1988G	104.34	Inf	-Inf	3	Horizontal	165	1.01	-
5190MHz	Pass	PK	10.3935G	57.34	68.20	-10.86	3	Vertical	190	1.88	-
5190MHz	Pass	PK	15.56958G	59.33	74.00	-14.67	3	Vertical	7	2.68	-
5190MHz	Pass	AV	15.56258G	47.25	54.00	-6.75	3	Vertical	7	2.68	-
5190MHz	Pass	PK	10.37504G	57.60	68.20	-10.60	3	Horizontal	51	2.93	-
5190MHz	Pass	PK	15.56098G	59.66	74.00	-14.34	3	Horizontal	135	2.94	-
5190MHz	Pass	AV	15.56634G	47.37	54.00	-6.63	3	Horizontal	135	2.94	-
5230MHz	Pass	PK	5.1434G	62.94	74.00	-11.06	3	Vertical	325	2.90	-
5230MHz	Pass	AV	5.1486G	50.84	54.00	-3.16	3	Vertical	325	2.90	-
5230MHz	Pass	PK	5.2204G	113.10	Inf	-Inf	3	Vertical	325	2.90	-
5230MHz	Pass	AV	5.2256G	103.02	Inf	-Inf	3	Vertical	325	2.90	-
5230MHz	Pass	PK	5.1492G	65.03	74.00	-8.97	3	Horizontal	134	1.12	-
5230MHz	Pass	AV	5.149G	53.99	54.00	-0.01	3	Horizontal	134	1.12	-
5230MHz	Pass	PK	5.2146G	120.53	Inf	-Inf	3	Horizontal	134	1.12	-
5230MHz	Pass	AV	5.2244G	109.70	Inf	-Inf	3	Horizontal	134	1.12	-
5230MHz	Pass	PK	10.45408G	57.38	68.20	-10.82	3	Vertical	73	1.38	-
5230MHz	Pass	PK	15.69628G	60.33	74.00	-13.67	3	Vertical	91	1.45	-
5230MHz	Pass	AV	15.69542G	47.58	54.00	-6.42	3	Vertical	91	1.45	-
5230MHz	Pass	PK	10.45824G	57.31	68.20	-10.89	3	Horizontal	267	2.88	-
5230MHz	Pass	PK	15.68084G	59.24	74.00	-14.76	3	Horizontal	12	2.21	-
5230MHz	Pass	AV	15.69134G	47.45	54.00	-6.55	3	Horizontal	12	2.21	-
5270MHz	Pass	PK	5.2606G	113.56	Inf	-Inf	3	Vertical	320	2.69	-
5270MHz	Pass	AV	5.2654G	102.92	Inf	-Inf	3	Vertical	320	2.69	-
5270MHz	Pass	PK	5.3612G	62.91	74.00	-11.09	3	Vertical	320	2.69	-
5270MHz	Pass	AV	5.3504G	51.37	54.00	-2.63	3	Vertical	320	2.69	-
5270MHz	Pass	PK	5.259G	121.07	Inf	-Inf	3	Horizontal	162	1.00	-
5270MHz	Pass	AV	5.2636G	110.88	Inf	-Inf	3	Horizontal	162	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	5.3596G	64.16	74.00	-9.84	3	Horizontal	162	1.00	-
5270MHz	Pass	AV	5.3544G	53.91	54.00	-0.09	3	Horizontal	162	1.00	-
5270MHz	Pass	PK	10.5433G	57.48	68.20	-10.72	3	Vertical	133	1.19	-
5270MHz	Pass	PK	15.80346G	58.70	74.00	-15.30	3	Vertical	48	2.64	-
5270MHz	Pass	AV	15.80398G	46.84	54.00	-7.16	3	Vertical	48	2.64	-
5270MHz	Pass	PK	10.53582G	57.34	68.20	-10.86	3	Horizontal	77	2.44	-
5270MHz	Pass	PK	15.81456G	58.57	74.00	-15.43	3	Horizontal	211	2.74	-
5270MHz	Pass	AV	15.81114G	46.81	54.00	-7.19	3	Horizontal	211	2.74	-
5310MHz	Pass	PK	5.3064G	105.65	Inf	-Inf	3	Vertical	324	3.00	-
5310MHz	Pass	AV	5.3246G	95.12	Inf	-Inf	3	Vertical	324	3.00	-
5310MHz	Pass	PK	5.3586G	61.86	74.00	-12.14	3	Vertical	324	3.00	-
5310MHz	Pass	AV	5.3514G	50.82	54.00	-3.18	3	Vertical	324	3.00	-
5310MHz	Pass	PK	5.3138G	114.67	Inf	-Inf	3	Horizontal	167	1.04	-
5310MHz	Pass	AV	5.304G	103.90	Inf	-Inf	3	Horizontal	167	1.04	-
5310MHz	Pass	PK	5.35G	64.19	74.00	-9.81	3	Horizontal	167	1.04	-
5310MHz	Pass	AV	5.354G	53.76	54.00	-0.24	3	Horizontal	167	1.04	-
5310MHz	Pass	PK	10.61408G	57.05	74.00	-16.95	3	Vertical	112	1.87	-
5310MHz	Pass	AV	10.61016G	45.02	54.00	-8.98	3	Vertical	112	1.87	-
5310MHz	Pass	PK	15.93564G	58.96	74.00	-15.04	3	Vertical	60	2.22	-
5310MHz	Pass	AV	15.92742G	46.54	54.00	-7.46	3	Vertical	60	2.22	-
5310MHz	Pass	PK	10.6117G	58.73	74.00	-15.27	3	Horizontal	79	1.65	-
5310MHz	Pass	AV	10.61172G	45.13	54.00	-8.87	3	Horizontal	79	1.65	-
5310MHz	Pass	PK	15.93192G	58.65	74.00	-15.35	3	Horizontal	286	2.47	-
5310MHz	Pass	AV	15.93066G	46.66	54.00	-7.34	3	Horizontal	286	2.47	-
5510MHz	Pass	PK	5.4574G	64.19	74.00	-9.81	3	Vertical	7	2.39	-
5510MHz	Pass	AV	5.4582G	53.69	54.00	-0.31	3	Vertical	7	2.39	-
5510MHz	Pass	PK	5.4678G	65.74	68.20	-2.46	3	Vertical	7	2.39	-
5510MHz	Pass	PK	5.521G	116.81	Inf	-Inf	3	Vertical	7	2.39	-
5510MHz	Pass	AV	5.5212G	106.90	Inf	-Inf	3	Vertical	7	2.39	-
5510MHz	Pass	PK	5.456G	65.68	74.00	-8.32	3	Horizontal	358	1.80	-
5510MHz	Pass	AV	5.4578G	53.84	54.00	-0.16	3	Horizontal	358	1.80	-
5510MHz	Pass	PK	5.468G	66.98	68.20	-1.22	3	Horizontal	358	1.80	-
5510MHz	Pass	PK	5.5116G	117.44	Inf	-Inf	3	Horizontal	358	1.80	-
5510MHz	Pass	AV	5.5216G	106.96	Inf	-Inf	3	Horizontal	358	1.80	-
5510MHz	Pass	PK	11.0377G	59.63	74.00	-14.37	3	Vertical	94	1.68	-
5510MHz	Pass	AV	11.02366G	47.59	54.00	-6.41	3	Vertical	94	1.68	-
5510MHz	Pass	PK	16.50102G	63.72	68.20	-4.48	3	Vertical	149	1.59	-
5510MHz	Pass	PK	11.00476G	58.71	74.00	-15.29	3	Horizontal	141	1.73	-
5510MHz	Pass	AV	11.0164G	47.90	54.00	-6.10	3	Horizontal	141	1.73	-
5510MHz	Pass	PK	16.5264G	63.17	68.20	-5.03	3	Horizontal	98	1.88	-
5550MHz	Pass	PK	5.456G	63.87	74.00	-10.13	3	Vertical	7	2.13	-
5550MHz	Pass	AV	5.456G	53.21	54.00	-0.79	3	Vertical	7	2.13	-
5550MHz	Pass	PK	5.466G	65.05	68.20	-3.15	3	Vertical	7	2.13	-
5550MHz	Pass	PK	5.546G	121.52	Inf	-Inf	3	Vertical	7	2.13	-
5550MHz	Pass	AV	5.5412G	111.40	Inf	-Inf	3	Vertical	7	2.13	-
5550MHz	Pass	PK	5.7464G	64.72	68.20	-3.48	3	Vertical	7	2.13	-
5550MHz	Pass	PK	5.4568G	65.84	74.00	-8.16	3	Horizontal	4	1.80	-
5550MHz	Pass	AV	5.4568G	53.98	54.00	-0.02	3	Horizontal	4	1.80	-
5550MHz	Pass	PK	5.4664G	67.20	68.20	-1.00	3	Horizontal	4	1.80	-
5550MHz	Pass	PK	5.5624G	121.36	Inf	-Inf	3	Horizontal	4	1.80	-
5550MHz	Pass	AV	5.5568G	111.28	Inf	-Inf	3	Horizontal	4	1.80	-
5550MHz	Pass	PK	5.7284G	65.21	68.20	-2.99	3	Horizontal	4	1.80	-
5550MHz	Pass	PK	11.09112G	59.44	74.00	-14.56	3	Vertical	116	1.82	-
5550MHz	Pass	AV	11.09064G	47.70	54.00	-6.30	3	Vertical	116	1.82	-
5550MHz	Pass	PK	16.67394G	66.44	68.20	-1.76	3	Vertical	109	1.62	-
5550MHz	Pass	PK	11.1273G	58.96	74.00	-15.04	3	Horizontal	20	1.58	-
5550MHz	Pass	AV	11.11476G	47.72	54.00	-6.28	3	Horizontal	20	1.58	-
5550MHz	Pass	PK	16.65354G	65.15	68.20	-3.05	3	Horizontal	186	1.36	-
5670MHz	Pass	PK	5.6835G	115.67	Inf	-Inf	3	Vertical	3	1.02	-
5670MHz	Pass	AV	5.679G	104.47	Inf	-Inf	3	Vertical	3	1.02	-
5670MHz	Pass	PK	5.7264G	67.17	68.20	-1.03	3	Vertical	3	1.02	-
5670MHz	Pass	PK	5.667G	116.90	Inf	-Inf	3	Horizontal	2	1.80	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	AV	5.667G	105.56	Inf	-Inf	3	Horizontal	2	1.80	-
5670MHz	Pass	PK	5.7264G	68.02	68.20	-0.18	3	Horizontal	2	1.80	-
5670MHz	Pass	PK	11.35128G	58.67	74.00	-15.33	3	Vertical	317	1.93	-
5670MHz	Pass	AV	11.35332G	47.48	54.00	-6.52	3	Vertical	317	1.93	-
5670MHz	Pass	PK	16.9971G	64.96	68.20	-3.24	3	Vertical	19	1.93	-
5670MHz	Pass	PK	11.36256G	58.04	74.00	-15.96	3	Horizontal	286	1.94	-
5670MHz	Pass	AV	11.3604G	47.66	54.00	-6.34	3	Horizontal	286	1.94	-
5670MHz	Pass	PK	17.03478G	63.98	68.20	-4.22	3	Horizontal	224	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4566G	61.87	74.00	-12.13	3	Vertical	24	2.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4629G	61.87	68.20	-6.33	3	Vertical	24	2.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	51.65	54.00	-2.35	3	Vertical	24	2.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7226G	122.17	Inf	-Inf	3	Vertical	24	2.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.703G	111.51	Inf	-Inf	3	Vertical	24	2.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	67.22	68.20	-0.98	3	Vertical	24	2.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4587G	62.89	74.00	-11.11	3	Horizontal	360	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4594G	52.03	54.00	-1.97	3	Horizontal	360	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4615G	62.15	68.20	-6.05	3	Horizontal	360	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7121G	123.61	Inf	-Inf	3	Horizontal	360	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7121G	112.87	Inf	-Inf	3	Horizontal	360	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	67.87	68.20	-0.33	3	Horizontal	360	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40038G	58.58	74.00	-15.42	3	Vertical	207	2.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39108G	47.40	54.00	-6.60	3	Vertical	207	2.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13108G	68.12	68.20	-0.08	3	Vertical	324	1.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40716G	58.10	74.00	-15.90	3	Horizontal	67	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4075G	47.31	54.00	-6.69	3	Horizontal	67	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13162G	67.40	68.20	-0.80	3	Horizontal	135	1.79	-
5755MHz	Pass	PK	5.653G	69.03	70.42	-1.39	3	Vertical	22	2.90	-
5755MHz	Pass	PK	5.758G	122.37	Inf	-Inf	3	Vertical	22	2.90	-
5755MHz	Pass	AV	5.7425G	112.09	Inf	-Inf	3	Vertical	22	2.90	-
5755MHz	Pass	PK	5.961G	65.48	68.20	-2.72	3	Vertical	22	2.90	-
5755MHz	Pass	PK	5.651G	68.75	68.94	-0.19	3	Horizontal	360	1.80	-
5755MHz	Pass	PK	5.7525G	122.29	Inf	-Inf	3	Horizontal	360	1.80	-
5755MHz	Pass	AV	5.7475G	111.34	Inf	-Inf	3	Horizontal	360	1.80	-
5755MHz	Pass	PK	5.937G	65.59	68.20	-2.61	3	Horizontal	360	1.80	-
5755MHz	Pass	PK	11.52608G	58.69	74.00	-15.31	3	Vertical	52	1.99	-
5755MHz	Pass	AV	11.52752G	47.53	54.00	-6.47	3	Vertical	52	1.99	-
5755MHz	Pass	PK	17.26704G	67.41	68.20	-0.79	3	Vertical	322	1.80	-
5755MHz	Pass	PK	11.5166G	58.13	74.00	-15.87	3	Horizontal	142	1.74	-
5755MHz	Pass	AV	11.51604G	47.38	54.00	-6.62	3	Horizontal	142	1.74	-
5755MHz	Pass	PK	17.24646G	68.02	68.20	-0.18	3	Horizontal	140	1.90	-
5795MHz	Pass	PK	5.635G	66.93	68.20	-1.27	3	Vertical	21	2.05	-
5795MHz	Pass	PK	5.7995G	123.31	Inf	-Inf	3	Vertical	21	2.05	-
5795MHz	Pass	AV	5.8G	113.11	Inf	-Inf	3	Vertical	21	2.05	-
5795MHz	Pass	PK	5.925G	67.76	68.20	-0.44	3	Vertical	21	2.05	-
5795MHz	Pass	PK	5.6465G	67.27	68.20	-0.93	3	Horizontal	0	1.80	-
5795MHz	Pass	PK	5.792G	122.71	Inf	-Inf	3	Horizontal	0	1.80	-
5795MHz	Pass	AV	5.7975G	112.62	Inf	-Inf	3	Horizontal	0	1.80	-
5795MHz	Pass	PK	5.923G	69.54	69.68	-0.14	3	Horizontal	0	1.80	-
5795MHz	Pass	PK	11.60404G	58.28	74.00	-15.72	3	Vertical	22	1.63	-
5795MHz	Pass	AV	11.59514G	47.66	54.00	-6.34	3	Vertical	22	1.63	-
5795MHz	Pass	PK	17.385G	68.03	68.20	-0.17	3	Vertical	321	1.80	-
5795MHz	Pass	PK	11.61904G	58.22	74.00	-15.78	3	Horizontal	325	1.73	-
5795MHz	Pass	AV	11.61106G	47.59	54.00	-6.41	3	Horizontal	325	1.73	-
5795MHz	Pass	PK	17.39244G	66.33	68.20	-1.87	3	Horizontal	44	1.88	-
802.11ax HEW80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	PK	5.1335G	60.89	74.00	-13.11	3	Vertical	314	2.45	-
5210MHz	Pass	AV	5.15G	50.84	54.00	-3.16	3	Vertical	314	2.45	-
5210MHz	Pass	PK	5.22G	103.49	Inf	-Inf	3	Vertical	314	2.45	-
5210MHz	Pass	AV	5.2205G	93.67	Inf	-Inf	3	Vertical	314	2.45	-
5210MHz	Pass	PK	5.455G	61.49	74.00	-12.51	3	Vertical	314	2.45	-
5210MHz	Pass	AV	5.458G	50.92	54.00	-3.08	3	Vertical	314	2.45	-
5210MHz	Pass	PK	5.15G	63.83	74.00	-10.17	3	Horizontal	127	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	127	3.00	-
5210MHz	Pass	PK	5.2255G	110.72	Inf	-Inf	3	Horizontal	127	3.00	-
5210MHz	Pass	AV	5.22G	100.72	Inf	-Inf	3	Horizontal	127	3.00	-
5210MHz	Pass	PK	5.441G	62.13	74.00	-11.87	3	Horizontal	127	3.00	-
5210MHz	Pass	AV	5.447G	51.26	54.00	-2.74	3	Horizontal	127	3.00	-
5210MHz	Pass	PK	10.4159G	57.56	68.20	-10.64	3	Vertical	354	1.89	-
5210MHz	Pass	PK	15.62846G	59.84	74.00	-14.16	3	Vertical	322	1.56	-
5210MHz	Pass	AV	15.62152G	47.29	54.00	-6.71	3	Vertical	322	1.56	-
5210MHz	Pass	PK	10.42694G	57.02	68.20	-11.18	3	Horizontal	11	2.92	-
5210MHz	Pass	PK	15.62732G	60.31	74.00	-13.69	3	Horizontal	148	2.11	-
5210MHz	Pass	AV	15.63274G	47.46	54.00	-6.54	3	Horizontal	148	2.11	-
5290MHz	Pass	PK	5.1445G	60.25	74.00	-13.75	3	Vertical	326	2.97	-
5290MHz	Pass	AV	5.1245G	50.15	54.00	-3.85	3	Vertical	326	2.97	-
5290MHz	Pass	PK	5.32G	104.10	Inf	-Inf	3	Vertical	326	2.97	-
5290MHz	Pass	AV	5.3195G	92.69	Inf	-Inf	3	Vertical	326	2.97	-
5290MHz	Pass	PK	5.4325G	61.60	74.00	-12.40	3	Vertical	326	2.97	-
5290MHz	Pass	PK	5.4785G	62.81	68.20	-5.39	3	Vertical	326	2.97	-
5290MHz	Pass	AV	5.459G	50.92	54.00	-3.08	3	Vertical	326	2.97	-
5290MHz	Pass	PK	5.144G	61.06	74.00	-12.94	3	Horizontal	163	1.05	-
5290MHz	Pass	AV	5.145G	50.62	54.00	-3.38	3	Horizontal	163	1.05	-
5290MHz	Pass	PK	5.2835G	112.65	Inf	-Inf	3	Horizontal	163	1.05	-
5290MHz	Pass	AV	5.279G	101.99	Inf	-Inf	3	Horizontal	163	1.05	-
5290MHz	Pass	PK	5.3535G	62.88	74.00	-11.12	3	Horizontal	163	1.05	-
5290MHz	Pass	AV	5.354G	53.77	54.00	-0.23	3	Horizontal	163	1.05	-
5290MHz	Pass	PK	5.538G	61.86	68.20	-6.34	3	Horizontal	163	1.05	-
5290MHz	Pass	PK	10.57752G	57.59	68.20	-10.61	3	Vertical	247	1.87	-
5290MHz	Pass	PK	15.8749G	58.69	74.00	-15.31	3	Vertical	62	1.03	-
5290MHz	Pass	AV	15.86538G	46.82	54.00	-7.18	3	Vertical	62	1.03	-
5290MHz	Pass	PK	10.58498G	57.41	68.20	-10.79	3	Horizontal	107	1.72	-
5290MHz	Pass	PK	15.87174G	58.92	74.00	-15.08	3	Horizontal	286	2.03	-
5290MHz	Pass	AV	15.87006G	46.76	54.00	-7.24	3	Horizontal	286	2.03	-
5530MHz	Pass	PK	5.4525G	63.79	74.00	-10.21	3	Vertical	8	2.12	-
5530MHz	Pass	AV	5.456G	53.98	54.00	-0.02	3	Vertical	8	2.12	-
5530MHz	Pass	PK	5.4625G	64.68	68.20	-3.52	3	Vertical	8	2.12	-
5530MHz	Pass	PK	5.546G	114.09	Inf	-Inf	3	Vertical	8	2.12	-
5530MHz	Pass	AV	5.541G	104.59	Inf	-Inf	3	Vertical	8	2.12	-
5530MHz	Pass	PK	5.735G	64.55	68.20	-3.65	3	Vertical	8	2.12	-
5530MHz	Pass	PK	5.455G	64.75	74.00	-9.25	3	Horizontal	4	1.80	-
5530MHz	Pass	AV	5.4575G	53.21	54.00	-0.79	3	Horizontal	4	1.80	-
5530MHz	Pass	PK	5.4645G	65.32	68.20	-2.88	3	Horizontal	4	1.80	-
5530MHz	Pass	PK	5.5365G	114.88	Inf	-Inf	3	Horizontal	4	1.80	-
5530MHz	Pass	AV	5.542G	103.97	Inf	-Inf	3	Horizontal	4	1.80	-
5530MHz	Pass	PK	5.7265G	64.48	68.20	-3.72	3	Horizontal	4	1.80	-
5530MHz	Pass	PK	11.08406G	58.79	74.00	-15.21	3	Vertical	127	1.90	-
5530MHz	Pass	AV	11.0847G	47.78	54.00	-6.22	3	Vertical	127	1.90	-
5530MHz	Pass	PK	16.5705G	63.13	68.20	-5.07	3	Vertical	257	1.40	-
5530MHz	Pass	PK	11.08112G	58.77	74.00	-15.23	3	Horizontal	240	1.79	-
5530MHz	Pass	AV	11.06972G	47.72	54.00	-6.28	3	Horizontal	240	1.79	-
5530MHz	Pass	PK	16.60806G	62.69	68.20	-5.51	3	Horizontal	298	1.77	-
5610MHz	Pass	PK	5.45G	63.09	74.00	-10.91	3	Vertical	2	2.42	-
5610MHz	Pass	AV	5.458G	52.20	54.00	-1.80	3	Vertical	2	2.42	-
5610MHz	Pass	PK	5.4665G	63.21	68.20	-4.99	3	Vertical	2	2.42	-
5610MHz	Pass	PK	5.6215G	115.28	Inf	-Inf	3	Vertical	2	2.42	-
5610MHz	Pass	AV	5.596G	105.32	Inf	-Inf	3	Vertical	2	2.42	-
5610MHz	Pass	PK	5.7315G	67.59	68.20	-0.61	3	Vertical	2	2.42	-
5610MHz	Pass	PK	5.457G	62.98	74.00	-11.02	3	Horizontal	360	1.80	-
5610MHz	Pass	AV	5.4575G	52.37	54.00	-1.63	3	Horizontal	360	1.80	-
5610MHz	Pass	PK	5.467G	63.37	68.20	-4.83	3	Horizontal	360	1.80	-
5610MHz	Pass	PK	5.5965G	116.65	Inf	-Inf	3	Horizontal	360	1.80	-
5610MHz	Pass	AV	5.6215G	105.56	Inf	-Inf	3	Horizontal	360	1.80	-
5610MHz	Pass	PK	5.7425G	67.52	68.20	-0.68	3	Horizontal	360	1.80	-
5610MHz	Pass	PK	11.2242G	58.83	74.00	-15.17	3	Vertical	277	1.83	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	11.21436G	47.76	54.00	-6.24	3	Vertical	277	1.83	-
5610MHz	Pass	PK	16.83426G	64.49	68.20	-3.71	3	Vertical	121	1.40	-
5610MHz	Pass	PK	11.20026G	58.61	74.00	-15.39	3	Horizontal	199	1.82	-
5610MHz	Pass	AV	11.20338G	47.86	54.00	-6.14	3	Horizontal	199	1.82	-
5610MHz	Pass	PK	16.8537G	63.48	68.20	-4.72	3	Horizontal	195	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3484G	59.94	68.20	-8.26	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4583G	62.17	74.00	-11.83	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4583G	52.02	54.00	-1.98	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4618G	61.98	68.20	-6.22	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6676G	115.55	Inf	-Inf	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6781G	105.43	Inf	-Inf	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	64.97	68.20	-3.23	3	Vertical	23	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3449G	61.52	68.20	-6.68	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4415G	61.67	74.00	-12.33	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4611G	62.21	68.20	-5.99	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4569G	52.19	54.00	-1.81	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6669G	117.46	Inf	-Inf	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.697G	106.30	Inf	-Inf	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8881G	67.06	68.20	-1.14	3	Horizontal	0	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35942G	58.23	74.00	-15.77	3	Vertical	261	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36236G	47.55	54.00	-6.45	3	Vertical	261	1.70	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08488G	64.52	68.20	-3.68	3	Vertical	360	1.98	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36614G	58.28	74.00	-15.72	3	Horizontal	231	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37466G	47.61	54.00	-6.39	3	Horizontal	231	1.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06832G	65.63	68.20	-2.57	3	Horizontal	15	1.51	-
5775MHz	Pass	PK	5.65G	65.89	68.20	-2.31	3	Vertical	29	1.18	-
5775MHz	Pass	PK	5.7495G	117.88	Inf	-Inf	3	Vertical	29	1.18	-
5775MHz	Pass	AV	5.77G	107.53	Inf	-Inf	3	Vertical	29	1.18	-
5775MHz	Pass	PK	5.939G	67.88	68.20	-0.32	3	Vertical	29	1.18	-
5775MHz	Pass	PK	5.6455G	68.16	68.20	-0.04	3	Horizontal	25	2.09	-
5775MHz	Pass	PK	5.78G	117.58	Inf	-Inf	3	Horizontal	25	2.09	-
5775MHz	Pass	AV	5.745G	107.15	Inf	-Inf	3	Horizontal	25	2.09	-
5775MHz	Pass	PK	5.9255G	66.81	68.20	-1.39	3	Horizontal	25	2.09	-
5775MHz	Pass	PK	11.56764G	58.54	74.00	-15.46	3	Vertical	38	1.60	-
5775MHz	Pass	AV	11.54802G	47.63	54.00	-6.37	3	Vertical	38	1.60	-
5775MHz	Pass	PK	17.295G	65.32	68.20	-2.88	3	Vertical	0	1.62	-
5775MHz	Pass	PK	11.57718G	59.27	74.00	-14.73	3	Horizontal	104	1.80	-
5775MHz	Pass	AV	11.56746G	47.51	54.00	-6.49	3	Horizontal	104	1.80	-
5775MHz	Pass	PK	17.35374G	65.48	68.20	-2.72	3	Horizontal	331	2.38	-
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1364G	60.85	74.00	-13.15	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1356G	53.12	54.00	-0.88	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2236G	100.71	Inf	-Inf	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2172G	91.62	Inf	-Inf	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4492G	62.64	74.00	-11.36	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4276G	52.51	54.00	-1.49	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.566G	62.39	68.20	-5.81	3	Vertical	326	2.44	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1356G	62.35	74.00	-11.65	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1364G	53.26	54.00	-0.74	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2292G	107.54	Inf	-Inf	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2188G	97.59	Inf	-Inf	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.362G	62.53	74.00	-11.47	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3588G	53.54	54.00	-0.46	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4772G	61.79	68.20	-6.41	3	Horizontal	166	1.01	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.49146G	56.86	68.20	-11.34	3	Vertical	130	2.73	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.7547G	59.34	74.00	-14.66	3	Vertical	236	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.7426G	48.76	54.00	-5.24	3	Vertical	236	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5007G	57.14	68.20	-11.06	3	Horizontal	275	2.85	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	15.75328G	59.25	74.00	-14.75	3	Horizontal	84	2.58	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	15.74734G	48.51	54.00	-5.49	3	Horizontal	84	2.58	-
5570MHz	Pass	PK	5.2716G	60.26	68.20	-7.94	3	Vertical	25	2.97	-
5570MHz	Pass	AV	5.35G	48.77	54.00	-5.23	3	Vertical	25	2.97	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	PK	5.4564G	62.97	74.00	-11.03	3	Vertical	25	2.97	-
5570MHz	Pass	AV	5.4564G	53.57	54.00	-0.43	3	Vertical	25	2.97	-
5570MHz	Pass	PK	5.4684G	62.79	68.20	-5.41	3	Vertical	25	2.97	-
5570MHz	Pass	PK	5.598G	106.84	Inf	-Inf	3	Vertical	25	2.97	-
5570MHz	Pass	AV	5.598G	97.25	Inf	-Inf	3	Vertical	25	2.97	-
5570MHz	Pass	PK	5.7732G	63.77	68.20	-4.43	3	Vertical	25	2.97	-
5570MHz	Pass	PK	5.2868G	59.93	68.20	-8.27	3	Horizontal	-0	2.74	-
5570MHz	Pass	AV	5.35G	48.81	54.00	-5.19	3	Horizontal	-0	2.74	-
5570MHz	Pass	PK	5.4564G	63.13	74.00	-10.87	3	Horizontal	-0	2.74	-
5570MHz	Pass	AV	5.4564G	52.55	54.00	-1.45	3	Horizontal	-0	2.74	-
5570MHz	Pass	PK	5.4676G	61.02	68.20	-7.18	3	Horizontal	-0	2.74	-
5570MHz	Pass	PK	5.5892G	106.46	Inf	-Inf	3	Horizontal	-0	2.74	-
5570MHz	Pass	AV	5.594G	96.80	Inf	-Inf	3	Horizontal	-0	2.74	-
5570MHz	Pass	PK	5.7388G	64.38	68.20	-3.82	3	Horizontal	-0	2.74	-
5570MHz	Pass	PK	11.3928G	58.97	74.00	-15.03	3	Vertical	157	1.52	-
5570MHz	Pass	AV	11.4864G	48.56	54.00	-5.44	3	Vertical	157	1.52	-
5570MHz	Pass	PK	17.0588G	63.21	68.20	-4.99	3	Vertical	264	1.80	-
5570MHz	Pass	AV	10.8544G	48.11	54.00	-5.89	3	Horizontal	314	1.05	-
5570MHz	Pass	PK	11.4096G	58.58	74.00	-15.42	3	Horizontal	314	1.05	-
5570MHz	Pass	PK	17.0188G	63.46	68.20	-4.74	3	Horizontal	357	1.80	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	PK	5.1454G	61.47	74.00	-12.53	3	Vertical	193	2.65	-
5180MHz	Pass	AV	5.148G	48.95	54.00	-5.05	3	Vertical	193	2.65	-
5180MHz	Pass	PK	5.1886G	120.01	Inf	-Inf	3	Vertical	193	2.65	-
5180MHz	Pass	AV	5.189G	109.44	Inf	-Inf	3	Vertical	193	2.65	-
5180MHz	Pass	PK	5.1454G	67.82	74.00	-6.18	3	Horizontal	188	2.10	-
5180MHz	Pass	AV	5.1492G	53.89	54.00	-0.11	3	Horizontal	188	2.10	-
5180MHz	Pass	PK	5.1844G	124.67	Inf	-Inf	3	Horizontal	188	2.10	-
5180MHz	Pass	AV	5.1884G	113.18	Inf	-Inf	3	Horizontal	188	2.10	-
5180MHz	Pass	PK	10.35258G	57.42	68.20	-10.78	3	Vertical	180	1.67	-
5180MHz	Pass	PK	15.53144G	62.04	74.00	-11.96	3	Vertical	212	1.80	-
5180MHz	Pass	AV	15.53838G	49.77	54.00	-4.23	3	Vertical	212	1.80	-
5180MHz	Pass	PK	10.3503G	57.37	68.20	-10.83	3	Horizontal	191	2.38	-
5180MHz	Pass	PK	15.54754G	62.02	74.00	-11.98	3	Horizontal	332	1.80	-
5180MHz	Pass	AV	15.54178G	49.87	54.00	-4.13	3	Horizontal	332	1.80	-
5200MHz	Pass	PK	5.1145G	61.16	74.00	-12.84	3	Vertical	272	1.83	-
5200MHz	Pass	AV	5.1493G	49.11	54.00	-4.89	3	Vertical	272	1.83	-
5200MHz	Pass	PK	5.1961G	119.37	Inf	-Inf	3	Vertical	272	1.83	-
5200MHz	Pass	AV	5.1955G	107.83	Inf	-Inf	3	Vertical	272	1.83	-
5200MHz	Pass	PK	5.146G	70.57	74.00	-3.43	3	Horizontal	245	2.53	-
5200MHz	Pass	AV	5.1493G	53.71	54.00	-0.29	3	Horizontal	245	2.53	-
5200MHz	Pass	PK	5.1961G	125.92	Inf	-Inf	3	Horizontal	245	2.53	-
5200MHz	Pass	AV	5.1943G	112.90	Inf	-Inf	3	Horizontal	245	2.53	-
5200MHz	Pass	PK	10.3946G	58.21	68.20	-9.99	3	Vertical	245	1.80	-
5200MHz	Pass	PK	15.59794G	62.25	74.00	-11.75	3	Vertical	154	1.77	-
5200MHz	Pass	AV	15.59862G	50.25	54.00	-3.75	3	Vertical	154	1.77	-
5200MHz	Pass	PK	10.39984G	57.32	68.20	-10.88	3	Horizontal	349	1.89	-
5200MHz	Pass	PK	15.60276G	62.35	74.00	-11.65	3	Horizontal	88	1.92	-
5200MHz	Pass	AV	15.59952G	50.16	54.00	-3.84	3	Horizontal	88	1.92	-
5240MHz	Pass	PK	5.138G	60.13	74.00	-13.87	3	Vertical	287	3.00	-
5240MHz	Pass	AV	5.111G	47.98	54.00	-6.02	3	Vertical	287	3.00	-
5240MHz	Pass	PK	5.2424G	117.98	Inf	-Inf	3	Vertical	287	3.00	-
5240MHz	Pass	AV	5.2493G	106.43	Inf	-Inf	3	Vertical	287	3.00	-
5240MHz	Pass	PK	5.3582G	60.86	74.00	-13.14	3	Vertical	287	3.00	-
5240MHz	Pass	AV	5.3582G	48.33	54.00	-5.67	3	Vertical	287	3.00	-
5240MHz	Pass	PK	5.1449G	61.28	74.00	-12.72	3	Horizontal	264	1.80	-
5240MHz	Pass	AV	5.15G	49.82	54.00	-4.18	3	Horizontal	264	1.80	-
5240MHz	Pass	PK	5.2358G	123.09	Inf	-Inf	3	Horizontal	264	1.80	-
5240MHz	Pass	AV	5.2337G	111.44	Inf	-Inf	3	Horizontal	264	1.80	-
5240MHz	Pass	PK	5.3528G	61.15	74.00	-12.85	3	Horizontal	264	1.80	-
5240MHz	Pass	AV	5.3504G	48.98	54.00	-5.02	3	Horizontal	264	1.80	-
5240MHz	Pass	PK	10.48522G	58.09	68.20	-10.11	3	Vertical	230	1.80	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	15.71674G	62.81	74.00	-11.19	3	Vertical	169	2.05	-
5240MHz	Pass	AV	15.71138G	50.43	54.00	-3.57	3	Vertical	169	2.05	-
5240MHz	Pass	PK	10.47484G	58.72	68.20	-9.48	3	Horizontal	13	1.03	-
5240MHz	Pass	PK	15.73077G	61.16	74.00	-12.84	3	Horizontal	327	1.79	-
5240MHz	Pass	AV	15.72162G	49.02	54.00	-4.98	3	Horizontal	327	1.79	-
5260MHz	Pass	PK	5.1481G	61.43	74.00	-12.57	3	Vertical	261	2.88	-
5260MHz	Pass	AV	5.1466G	48.07	54.00	-5.93	3	Vertical	261	2.88	-
5260MHz	Pass	PK	5.2609G	118.45	Inf	-Inf	3	Vertical	261	2.88	-
5260MHz	Pass	AV	5.2579G	107.77	Inf	-Inf	3	Vertical	261	2.88	-
5260MHz	Pass	PK	5.3692G	61.27	74.00	-12.73	3	Vertical	261	2.88	-
5260MHz	Pass	AV	5.35G	48.68	54.00	-5.32	3	Vertical	261	2.88	-
5260MHz	Pass	PK	5.14G	62.36	74.00	-11.64	3	Horizontal	228	2.15	-
5260MHz	Pass	AV	5.1385G	49.31	54.00	-4.69	3	Horizontal	228	2.15	-
5260MHz	Pass	PK	5.2681G	126.60	Inf	-Inf	3	Horizontal	228	2.15	-
5260MHz	Pass	AV	5.2675G	115.21	Inf	-Inf	3	Horizontal	228	2.15	-
5260MHz	Pass	PK	5.35G	64.55	74.00	-9.45	3	Horizontal	228	2.15	-
5260MHz	Pass	AV	5.35G	52.64	54.00	-1.36	3	Horizontal	228	2.15	-
5260MHz	Pass	PK	10.51364G	58.54	68.20	-9.66	3	Vertical	26	1.80	-
5260MHz	Pass	PK	15.78342G	63.24	74.00	-10.76	3	Vertical	189	1.82	-
5260MHz	Pass	AV	15.78684G	51.81	54.00	-2.19	3	Vertical	189	1.82	-
5260MHz	Pass	PK	10.53425G	58.26	68.20	-9.94	3	Horizontal	24	2.92	-
5260MHz	Pass	PK	15.79224G	62.10	74.00	-11.90	3	Horizontal	187	1.80	-
5260MHz	Pass	AV	15.78648G	49.43	54.00	-4.57	3	Horizontal	187	1.80	-
5300MHz	Pass	PK	5.3024G	122.58	Inf	-Inf	3	Vertical	233	2.31	-
5300MHz	Pass	AV	5.3014G	110.26	Inf	-Inf	3	Vertical	233	2.31	-
5300MHz	Pass	PK	5.3506G	66.12	74.00	-7.88	3	Vertical	233	2.31	-
5300MHz	Pass	AV	5.35G	52.13	54.00	-1.87	3	Vertical	233	2.31	-
5300MHz	Pass	PK	5.2932G	126.50	Inf	-Inf	3	Horizontal	2	2.06	-
5300MHz	Pass	AV	5.293G	115.86	Inf	-Inf	3	Horizontal	2	2.06	-
5300MHz	Pass	PK	5.3514G	66.62	74.00	-7.38	3	Horizontal	2	2.06	-
5300MHz	Pass	AV	5.3504G	53.51	54.00	-0.49	3	Horizontal	2	2.06	-
5300MHz	Pass	PK	10.59949G	58.75	68.20	-9.45	3	Vertical	211	1.11	-
5300MHz	Pass	PK	15.89838G	66.31	74.00	-7.69	3	Vertical	191	1.95	-
5300MHz	Pass	AV	15.8992G	53.26	54.00	-0.74	3	Vertical	191	1.95	-
5300MHz	Pass	PK	10.59932G	58.35	68.20	-9.85	3	Horizontal	98	1.80	-
5300MHz	Pass	PK	15.9084G	63.02	74.00	-10.98	3	Horizontal	231	1.91	-
5300MHz	Pass	AV	15.90836G	51.11	54.00	-2.89	3	Horizontal	231	1.91	-
5320MHz	Pass	PK	5.3188G	114.87	Inf	-Inf	3	Vertical	245	2.39	-
5320MHz	Pass	AV	5.321G	102.97	Inf	-Inf	3	Vertical	245	2.39	-
5320MHz	Pass	PK	5.3506G	61.47	74.00	-12.53	3	Vertical	245	2.39	-
5320MHz	Pass	AV	5.351G	49.36	54.00	-4.64	3	Vertical	245	2.39	-
5320MHz	Pass	PK	5.3288G	119.79	Inf	-Inf	3	Horizontal	260	1.45	-
5320MHz	Pass	AV	5.3292G	109.81	Inf	-Inf	3	Horizontal	260	1.45	-
5320MHz	Pass	PK	5.3592G	64.46	74.00	-9.54	3	Horizontal	260	1.45	-
5320MHz	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	260	1.45	-
5320MHz	Pass	PK	10.64898G	58.38	74.00	-15.62	3	Vertical	318	1.46	-
5320MHz	Pass	AV	10.64594G	46.45	54.00	-7.55	3	Vertical	318	1.46	-
5320MHz	Pass	PK	15.962G	61.83	74.00	-12.17	3	Vertical	224	1.80	-
5320MHz	Pass	AV	15.96226G	49.40	54.00	-4.60	3	Vertical	224	1.80	-
5320MHz	Pass	PK	10.64834G	58.59	74.00	-15.41	3	Horizontal	42	1.54	-
5320MHz	Pass	AV	10.6443G	46.38	54.00	-7.62	3	Horizontal	42	1.54	-
5320MHz	Pass	PK	15.96304G	61.36	74.00	-12.64	3	Horizontal	181	1.77	-
5320MHz	Pass	AV	15.9522G	49.56	54.00	-4.44	3	Horizontal	181	1.77	-
5500MHz	Pass	PK	5.455G	64.61	74.00	-9.39	3	Vertical	174	1.00	-
5500MHz	Pass	AV	5.46G	53.15	54.00	-0.85	3	Vertical	174	1.00	-
5500MHz	Pass	PK	5.4668G	66.54	68.20	-1.66	3	Vertical	174	1.00	-
5500MHz	Pass	PK	5.4988G	122.66	Inf	-Inf	3	Vertical	174	1.00	-
5500MHz	Pass	AV	5.4992G	111.73	Inf	-Inf	3	Vertical	174	1.00	-
5500MHz	Pass	PK	5.4584G	64.81	74.00	-9.19	3	Horizontal	7	1.80	-
5500MHz	Pass	AV	5.4598G	53.76	54.00	-0.24	3	Horizontal	7	1.80	-
5500MHz	Pass	PK	5.47G	67.38	68.20	-0.82	3	Horizontal	7	1.80	-
5500MHz	Pass	PK	5.4938G	123.18	Inf	-Inf	3	Horizontal	7	1.80	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.492G	112.83	Inf	-Inf	3	Horizontal	7	1.80	-
5500MHz	Pass	PK	10.99982G	59.10	74.00	-14.90	3	Vertical	104	1.97	-
5500MHz	Pass	AV	10.991G	46.79	54.00	-7.21	3	Vertical	104	1.97	-
5500MHz	Pass	PK	16.49664G	65.24	68.20	-2.96	3	Vertical	24	1.86	-
5500MHz	Pass	PK	11.00117G	58.02	74.00	-15.98	3	Horizontal	3	1.55	-
5500MHz	Pass	AV	11.00723G	46.80	54.00	-7.20	3	Horizontal	3	1.55	-
5500MHz	Pass	PK	16.51272G	66.84	68.20	-1.36	3	Horizontal	321	2.00	-
5580MHz	Pass	PK	5.4576G	62.14	74.00	-11.86	3	Vertical	1	2.10	-
5580MHz	Pass	AV	5.4585G	51.35	54.00	-2.65	3	Vertical	1	2.10	-
5580MHz	Pass	PK	5.463G	62.35	68.20	-5.85	3	Vertical	1	2.10	-
5580MHz	Pass	PK	5.571G	124.44	Inf	-Inf	3	Vertical	1	2.10	-
5580MHz	Pass	AV	5.57235G	114.26	Inf	-Inf	3	Vertical	1	2.10	-
5580MHz	Pass	PK	5.7393G	65.38	68.20	-2.82	3	Vertical	1	2.10	-
5580MHz	Pass	PK	5.4342G	61.71	74.00	-12.29	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	5.463G	62.46	68.20	-5.74	3	Horizontal	6	1.50	-
5580MHz	Pass	AV	5.45805G	51.35	54.00	-2.65	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	5.5719G	124.10	Inf	-Inf	3	Horizontal	6	1.50	-
5580MHz	Pass	AV	5.5737G	114.38	Inf	-Inf	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	5.73795G	65.49	68.20	-2.71	3	Horizontal	6	1.50	-
5580MHz	Pass	PK	11.15283G	58.63	74.00	-15.37	3	Vertical	351	1.80	-
5580MHz	Pass	AV	11.15722G	46.66	54.00	-7.34	3	Vertical	351	1.80	-
5580MHz	Pass	PK	16.74816G	67.34	68.20	-0.86	3	Vertical	327	2.58	-
5580MHz	Pass	PK	11.16537G	58.96	74.00	-15.04	3	Horizontal	360	1.80	-
5580MHz	Pass	AV	11.17407G	46.74	54.00	-7.26	3	Horizontal	360	1.80	-
5580MHz	Pass	PK	16.74225G	68.18	68.20	-0.02	3	Horizontal	132	1.95	-
5700MHz	Pass	PK	5.704G	115.92	Inf	-Inf	3	Vertical	40	1.02	-
5700MHz	Pass	AV	5.6938G	104.44	Inf	-Inf	3	Vertical	40	1.02	-
5700MHz	Pass	PK	5.725G	65.68	68.20	-2.52	3	Vertical	40	1.02	-
5700MHz	Pass	PK	5.6972G	117.40	Inf	-Inf	3	Horizontal	169	1.51	-
5700MHz	Pass	AV	5.6988G	106.25	Inf	-Inf	3	Horizontal	169	1.51	-
5700MHz	Pass	PK	5.772G	64.54	68.20	-3.66	3	Horizontal	169	1.51	-
5700MHz	Pass	PK	11.41068G	57.77	74.00	-16.23	3	Vertical	12	1.88	-
5700MHz	Pass	AV	11.42956G	46.29	54.00	-7.71	3	Vertical	12	1.88	-
5700MHz	Pass	PK	17.09133G	63.63	68.20	-4.57	3	Vertical	143	1.53	-
5700MHz	Pass	PK	11.40029G	58.13	74.00	-15.87	3	Horizontal	187	1.93	-
5700MHz	Pass	AV	11.39965G	46.22	54.00	-7.78	3	Horizontal	187	1.93	-
5700MHz	Pass	PK	17.09337G	64.02	68.20	-4.18	3	Horizontal	277	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4526G	62.49	74.00	-11.51	3	Vertical	0	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4582G	51.15	54.00	-2.85	3	Vertical	0	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4687G	62.04	68.20	-6.16	3	Vertical	0	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.727G	125.05	Inf	-Inf	3	Vertical	0	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7242G	114.80	Inf	-Inf	3	Vertical	0	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8551G	65.15	68.20	-3.05	3	Vertical	0	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4575G	62.07	74.00	-11.93	3	Horizontal	360	1.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	50.96	54.00	-3.04	3	Horizontal	360	1.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4631G	61.72	68.20	-6.48	3	Horizontal	360	1.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7242G	126.21	Inf	-Inf	3	Horizontal	360	1.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7249G	117.57	Inf	-Inf	3	Horizontal	360	1.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8852G	65.85	68.20	-2.35	3	Horizontal	360	1.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43226G	57.83	74.00	-16.17	3	Vertical	331	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42575G	46.01	54.00	-7.99	3	Vertical	331	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16279G	65.86	68.20	-2.34	3	Vertical	44	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43124G	57.70	74.00	-16.30	3	Horizontal	51	2.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.425G	45.80	54.00	-8.20	3	Horizontal	51	2.59	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14623G	68.06	68.20	-0.14	3	Horizontal	141	1.89	-
5745MHz	Pass	PK	5.589G	66.50	68.20	-1.70	3	Vertical	25	2.19	-
5745MHz	Pass	PK	5.7385G	123.80	Inf	-Inf	3	Vertical	25	2.19	-
5745MHz	Pass	AV	5.74G	113.86	Inf	-Inf	3	Vertical	25	2.19	-
5745MHz	Pass	PK	5.9835G	65.63	68.20	-2.57	3	Vertical	25	2.19	-
5745MHz	Pass	PK	5.5805G	66.24	68.20	-1.96	3	Horizontal	360	1.80	-
5745MHz	Pass	PK	5.7385G	125.72	Inf	-Inf	3	Horizontal	360	1.80	-
5745MHz	Pass	AV	5.738G	116.56	Inf	-Inf	3	Horizontal	360	1.80	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.939G	65.86	68.20	-2.34	3	Horizontal	360	1.80	-
5745MHz	Pass	PK	11.5134G	57.71	74.00	-16.29	3	Vertical	250	1.41	-
5745MHz	Pass	AV	11.51886G	46.20	54.00	-7.80	3	Vertical	250	1.41	-
5745MHz	Pass	PK	17.22846G	68.17	68.20	-0.03	3	Vertical	355	1.87	-
5745MHz	Pass	PK	11.48892G	58.21	74.00	-15.79	3	Horizontal	206	1.65	-
5745MHz	Pass	AV	11.52G	46.20	54.00	-7.80	3	Horizontal	206	1.65	-
5745MHz	Pass	PK	17.22042G	67.11	68.20	-1.09	3	Horizontal	140	1.80	-
5785MHz	Pass	PK	5.588G	67.42	68.20	-0.78	3	Vertical	13	1.80	-
5785MHz	Pass	PK	5.7905G	124.58	Inf	-Inf	3	Vertical	13	1.80	-
5785MHz	Pass	AV	5.7875G	113.85	Inf	-Inf	3	Vertical	13	1.80	-
5785MHz	Pass	PK	5.9875G	64.46	68.20	-3.74	3	Vertical	13	1.80	-
5785MHz	Pass	PK	5.649G	65.29	68.20	-2.91	3	Horizontal	354	1.78	-
5785MHz	Pass	PK	5.783G	125.30	Inf	-Inf	3	Horizontal	354	1.78	-
5785MHz	Pass	AV	5.787G	115.57	Inf	-Inf	3	Horizontal	354	1.78	-
5785MHz	Pass	PK	5.9445G	66.22	68.20	-1.98	3	Horizontal	354	1.78	-
5785MHz	Pass	PK	11.58263G	58.28	74.00	-15.72	3	Vertical	179	1.77	-
5785MHz	Pass	AV	11.55827G	46.54	54.00	-7.46	3	Vertical	179	1.77	-
5785MHz	Pass	PK	17.36409G	65.70	68.20	-2.50	3	Vertical	51	1.80	-
5785MHz	Pass	PK	11.58671G	58.46	74.00	-15.54	3	Horizontal	122	1.80	-
5785MHz	Pass	AV	11.58164G	46.41	54.00	-7.59	3	Horizontal	122	1.80	-
5785MHz	Pass	PK	17.34834G	66.36	68.20	-1.84	3	Horizontal	44	1.94	-
5825MHz	Pass	PK	5.618G	65.08	68.20	-3.12	3	Vertical	17	2.98	-
5825MHz	Pass	PK	5.83G	124.05	Inf	-Inf	3	Vertical	17	2.98	-
5825MHz	Pass	AV	5.8315G	113.86	Inf	-Inf	3	Vertical	17	2.98	-
5825MHz	Pass	PK	5.9405G	65.29	68.20	-2.91	3	Vertical	17	2.98	-
5825MHz	Pass	PK	5.628G	65.39	68.20	-2.81	3	Horizontal	356	1.80	-
5825MHz	Pass	PK	5.816G	125.77	Inf	-Inf	3	Horizontal	356	1.80	-
5825MHz	Pass	AV	5.8185G	117.54	Inf	-Inf	3	Horizontal	356	1.80	-
5825MHz	Pass	PK	6.018G	66.06	68.20	-2.14	3	Horizontal	356	1.80	-
5825MHz	Pass	PK	11.64446G	59.06	74.00	-14.94	3	Vertical	15	2.81	-
5825MHz	Pass	AV	11.65112G	46.37	54.00	-7.63	3	Vertical	15	2.81	-
5825MHz	Pass	PK	17.4724G	66.68	68.20	-1.52	3	Vertical	312	2.52	-
5825MHz	Pass	PK	11.65471G	58.78	74.00	-15.22	3	Horizontal	256	2.07	-
5825MHz	Pass	AV	11.6549G	46.26	54.00	-7.74	3	Horizontal	256	2.07	-
5825MHz	Pass	PK	17.48241G	67.53	68.20	-0.67	3	Horizontal	42	1.87	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	PK	5.1471G	66.92	74.00	-7.08	3	Vertical	274	2.84	-
5190MHz	Pass	AV	5.1486G	49.88	54.00	-4.12	3	Vertical	274	2.84	-
5190MHz	Pass	PK	5.1846G	114.07	Inf	-Inf	3	Vertical	274	2.84	-
5190MHz	Pass	AV	5.1945G	100.92	Inf	-Inf	3	Vertical	274	2.84	-
5190MHz	Pass	PK	5.1498G	67.05	74.00	-6.95	3	Horizontal	170	3.00	-
5190MHz	Pass	AV	5.15G	53.97	54.00	-0.03	3	Horizontal	170	3.00	-
5190MHz	Pass	PK	5.2065G	119.57	Inf	-Inf	3	Horizontal	170	3.00	-
5190MHz	Pass	AV	5.2083G	107.40	Inf	-Inf	3	Horizontal	170	3.00	-
5190MHz	Pass	PK	10.39278G	57.41	68.20	-10.79	3	Vertical	207	1.45	-
5190MHz	Pass	PK	15.56439G	62.50	74.00	-11.50	3	Vertical	282	2.37	-
5190MHz	Pass	AV	15.5601G	49.50	54.00	-4.50	3	Vertical	282	2.37	-
5190MHz	Pass	PK	10.36653G	57.71	68.20	-10.49	3	Horizontal	360	2.57	-
5190MHz	Pass	PK	15.56811G	61.98	74.00	-12.02	3	Horizontal	170	1.08	-
5190MHz	Pass	AV	15.56907G	49.49	54.00	-4.51	3	Horizontal	170	1.08	-
5230MHz	Pass	PK	5.1487G	62.49	74.00	-11.51	3	Vertical	321	2.07	-
5230MHz	Pass	AV	5.1463G	50.77	54.00	-3.23	3	Vertical	321	2.07	-
5230MHz	Pass	PK	5.2147G	114.88	Inf	-Inf	3	Vertical	321	2.07	-
5230MHz	Pass	AV	5.2189G	104.13	Inf	-Inf	3	Vertical	321	2.07	-
5230MHz	Pass	PK	5.3572G	61.29	74.00	-12.71	3	Vertical	321	2.07	-
5230MHz	Pass	AV	5.35G	50.01	54.00	-3.99	3	Vertical	321	2.07	-
5230MHz	Pass	PK	5.1472G	65.07	74.00	-8.93	3	Horizontal	182	1.01	-
5230MHz	Pass	AV	5.1475G	53.71	54.00	-0.29	3	Horizontal	182	1.01	-
5230MHz	Pass	PK	5.2129G	119.64	Inf	-Inf	3	Horizontal	182	1.01	-
5230MHz	Pass	AV	5.2264G	109.52	Inf	-Inf	3	Horizontal	182	1.01	-
5230MHz	Pass	PK	5.3512G	62.42	74.00	-11.58	3	Horizontal	182	1.01	-
5230MHz	Pass	AV	5.3515G	50.98	54.00	-3.02	3	Horizontal	182	1.01	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	10.45982G	58.20	68.20	-10.00	3	Vertical	121	1.06	-
5230MHz	Pass	PK	15.69999G	60.96	74.00	-13.04	3	Vertical	360	1.80	-
5230MHz	Pass	AV	15.67503G	48.67	54.00	-5.33	3	Vertical	360	1.80	-
5230MHz	Pass	PK	10.47356G	58.49	68.20	-9.71	3	Horizontal	60	1.76	-
5230MHz	Pass	PK	15.68442G	60.84	74.00	-13.16	3	Horizontal	313	1.80	-
5230MHz	Pass	AV	15.67593G	48.74	54.00	-5.26	3	Horizontal	313	1.80	-
5270MHz	Pass	PK	5.1401G	60.97	74.00	-13.03	3	Vertical	319	2.72	-
5270MHz	Pass	AV	5.1377G	49.62	54.00	-4.38	3	Vertical	319	2.72	-
5270MHz	Pass	PK	5.2862G	115.08	Inf	-Inf	3	Vertical	319	2.72	-
5270MHz	Pass	AV	5.2616G	104.21	Inf	-Inf	3	Vertical	319	2.72	-
5270MHz	Pass	PK	5.3531G	62.90	74.00	-11.10	3	Vertical	319	2.72	-
5270MHz	Pass	AV	5.35G	50.97	54.00	-3.03	3	Vertical	319	2.72	-
5270MHz	Pass	PK	5.1437G	62.76	74.00	-11.24	3	Horizontal	176	1.51	-
5270MHz	Pass	AV	5.1491G	51.63	54.00	-2.37	3	Horizontal	176	1.51	-
5270MHz	Pass	PK	5.2868G	123.04	Inf	-Inf	3	Horizontal	176	1.51	-
5270MHz	Pass	AV	5.2874G	112.74	Inf	-Inf	3	Horizontal	176	1.51	-
5270MHz	Pass	PK	5.351G	65.91	74.00	-8.09	3	Horizontal	176	1.51	-
5270MHz	Pass	AV	5.35G	53.99	54.00	-0.01	3	Horizontal	176	1.51	-
5270MHz	Pass	PK	10.52512G	58.74	68.20	-9.46	3	Vertical	207	1.77	-
5270MHz	Pass	PK	15.8025G	61.66	74.00	-12.34	3	Vertical	243	2.50	-
5270MHz	Pass	AV	15.79569G	48.49	54.00	-5.51	3	Vertical	243	2.50	-
5270MHz	Pass	PK	10.55323G	58.62	68.20	-9.58	3	Horizontal	87	1.80	-
5270MHz	Pass	PK	15.7953G	60.60	74.00	-13.40	3	Horizontal	0	1.82	-
5270MHz	Pass	AV	15.7995G	48.33	54.00	-5.67	3	Horizontal	0	1.82	-
5310MHz	Pass	PK	5.3282G	116.25	Inf	-Inf	3	Vertical	322	2.54	-
5310MHz	Pass	AV	5.3282G	105.04	Inf	-Inf	3	Vertical	322	2.54	-
5310MHz	Pass	PK	5.3506G	65.20	74.00	-8.80	3	Vertical	322	2.54	-
5310MHz	Pass	AV	5.3542G	53.78	54.00	-0.22	3	Vertical	322	2.54	-
5310MHz	Pass	PK	5.3278G	116.85	Inf	-Inf	3	Horizontal	319	2.49	-
5310MHz	Pass	AV	5.3282G	104.79	Inf	-Inf	3	Horizontal	319	2.49	-
5310MHz	Pass	PK	5.3568G	65.67	74.00	-8.33	3	Horizontal	319	2.49	-
5310MHz	Pass	AV	5.3566G	53.40	54.00	-0.60	3	Horizontal	319	2.49	-
5310MHz	Pass	PK	10.62362G	58.92	74.00	-15.08	3	Vertical	144	1.78	-
5310MHz	Pass	AV	10.61444G	46.00	54.00	-8.00	3	Vertical	144	1.78	-
5310MHz	Pass	PK	15.92858G	61.74	74.00	-12.26	3	Vertical	0	1.33	-
5310MHz	Pass	AV	15.93292G	49.04	54.00	-4.96	3	Vertical	0	1.33	-
5310MHz	Pass	PK	10.60842G	58.43	74.00	-15.57	3	Horizontal	37	1.80	-
5310MHz	Pass	AV	10.60743G	46.00	54.00	-8.00	3	Horizontal	37	1.80	-
5310MHz	Pass	PK	15.93903G	61.93	74.00	-12.07	3	Horizontal	170	1.00	-
5310MHz	Pass	AV	15.92557G	49.08	54.00	-4.92	3	Horizontal	170	1.00	-
5510MHz	Pass	PK	5.456G	65.78	74.00	-8.22	3	Vertical	18	3.00	-
5510MHz	Pass	AV	5.4599G	52.12	54.00	-1.88	3	Vertical	18	3.00	-
5510MHz	Pass	PK	5.4668G	67.58	68.20	-0.62	3	Vertical	18	3.00	-
5510MHz	Pass	PK	5.5178G	114.68	Inf	-Inf	3	Vertical	18	3.00	-
5510MHz	Pass	AV	5.5067G	107.39	Inf	-Inf	3	Vertical	18	3.00	-
5510MHz	Pass	PK	5.4572G	64.10	74.00	-9.90	3	Horizontal	6	1.79	-
5510MHz	Pass	AV	5.4599G	53.30	54.00	-0.70	3	Horizontal	6	1.79	-
5510MHz	Pass	PK	5.4653G	67.54	68.20	-0.66	3	Horizontal	6	1.79	-
5510MHz	Pass	PK	5.5253G	119.47	Inf	-Inf	3	Horizontal	6	1.79	-
5510MHz	Pass	AV	5.5247G	110.05	Inf	-Inf	3	Horizontal	6	1.79	-
5510MHz	Pass	PK	11.02488G	58.82	74.00	-15.18	3	Vertical	0	1.80	-
5510MHz	Pass	AV	11.02228G	46.40	54.00	-7.60	3	Vertical	0	1.80	-
5510MHz	Pass	PK	16.53688G	63.22	68.20	-4.98	3	Vertical	318	1.65	-
5510MHz	Pass	PK	11.01968G	58.88	74.00	-15.12	3	Horizontal	174	1.80	-
5510MHz	Pass	AV	11.02042G	46.38	54.00	-7.62	3	Horizontal	174	1.80	-
5510MHz	Pass	PK	16.53228G	63.09	68.20	-5.11	3	Horizontal	354	2.71	-
5550MHz	Pass	PK	5.46G	63.52	74.00	-10.48	3	Vertical	10	2.59	-
5550MHz	Pass	AV	5.46G	51.76	54.00	-2.24	3	Vertical	10	2.59	-
5550MHz	Pass	PK	5.4699G	64.24	68.20	-3.96	3	Vertical	10	2.59	-
5550MHz	Pass	PK	5.535G	118.92	Inf	-Inf	3	Vertical	10	2.59	-
5550MHz	Pass	AV	5.5449G	111.41	Inf	-Inf	3	Vertical	10	2.59	-
5550MHz	Pass	PK	5.4585G	63.74	74.00	-10.26	3	Horizontal	360	1.74	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	5.4591G	52.63	54.00	-1.37	3	Horizontal	360	1.74	-
5550MHz	Pass	PK	5.4627G	68.06	68.20	-0.14	3	Horizontal	360	1.74	-
5550MHz	Pass	PK	5.5323G	125.01	Inf	-Inf	3	Horizontal	360	1.74	-
5550MHz	Pass	AV	5.5326G	114.41	Inf	-Inf	3	Horizontal	360	1.74	-
5550MHz	Pass	PK	11.10564G	59.52	74.00	-14.48	3	Vertical	286	2.85	-
5550MHz	Pass	AV	11.10544G	46.36	54.00	-7.64	3	Vertical	286	2.85	-
5550MHz	Pass	PK	16.6446G	63.40	68.20	-4.80	3	Vertical	13	1.80	-
5550MHz	Pass	PK	11.0961G	59.00	74.00	-15.00	3	Horizontal	30	1.60	-
5550MHz	Pass	AV	11.10202G	46.30	54.00	-7.70	3	Horizontal	30	1.60	-
5550MHz	Pass	PK	16.65272G	63.25	68.20	-4.95	3	Horizontal	208	1.77	-
5670MHz	Pass	PK	5.6754G	114.62	Inf	-Inf	3	Vertical	19	3.00	-
5670MHz	Pass	AV	5.6805G	102.01	Inf	-Inf	3	Vertical	19	3.00	-
5670MHz	Pass	PK	5.7273G	65.57	68.20	-2.63	3	Vertical	19	3.00	-
5670MHz	Pass	PK	5.6814G	117.19	Inf	-Inf	3	Horizontal	0	2.99	-
5670MHz	Pass	AV	5.6685G	106.62	Inf	-Inf	3	Horizontal	0	2.99	-
5670MHz	Pass	PK	5.7255G	67.94	68.20	-0.26	3	Horizontal	0	2.99	-
5670MHz	Pass	PK	11.34158G	58.12	74.00	-15.88	3	Vertical	126	1.80	-
5670MHz	Pass	AV	11.3451G	46.03	54.00	-7.97	3	Vertical	126	1.80	-
5670MHz	Pass	PK	17.01178G	64.70	68.20	-3.50	3	Vertical	235	1.68	-
5670MHz	Pass	PK	11.34328G	58.66	74.00	-15.34	3	Horizontal	343	2.40	-
5670MHz	Pass	AV	11.34506G	46.03	54.00	-7.97	3	Horizontal	343	2.40	-
5670MHz	Pass	PK	17.01034G	64.79	68.20	-3.41	3	Horizontal	270	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	121.67	Inf	-Inf	3	Vertical	32	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7012G	109.38	Inf	-Inf	3	Vertical	32	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8776G	67.12	68.20	-1.08	3	Vertical	32	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7024G	111.16	Inf	-Inf	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8548G	68.14	68.20	-0.06	3	Horizontal	0	1.80	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4204G	58.21	74.00	-15.79	3	Vertical	335	1.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42114G	45.92	54.00	-8.08	3	Vertical	335	1.96	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13916G	67.78	68.20	-0.42	3	Vertical	326	1.86	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41642G	58.16	74.00	-15.84	3	Horizontal	322	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41808G	45.81	54.00	-8.19	3	Horizontal	322	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13148G	68.08	68.20	-0.12	3	Horizontal	135	1.80	-
5755MHz	Pass	PK	5.642G	65.01	68.20	-3.19	3	Vertical	21	1.03	-
5755MHz	Pass	PK	5.745G	122.30	Inf	-Inf	3	Vertical	21	1.03	-
5755MHz	Pass	AV	5.7565G	109.80	Inf	-Inf	3	Vertical	21	1.03	-
5755MHz	Pass	PK	5.937G	65.17	68.20	-3.03	3	Vertical	21	1.03	-
5755MHz	Pass	PK	5.647G	68.05	68.20	-0.15	3	Horizontal	358	1.80	-
5755MHz	Pass	PK	5.773G	123.17	Inf	-Inf	3	Horizontal	358	1.80	-
5755MHz	Pass	AV	5.773G	112.22	Inf	-Inf	3	Horizontal	358	1.80	-
5755MHz	Pass	PK	5.9475G	65.30	68.20	-2.90	3	Horizontal	358	1.80	-
5755MHz	Pass	PK	11.50832G	59.35	74.00	-14.65	3	Vertical	129	1.80	-
5755MHz	Pass	AV	11.51874G	45.93	54.00	-8.07	3	Vertical	129	1.80	-
5755MHz	Pass	PK	17.2683G	66.61	68.20	-1.59	3	Vertical	45	1.88	-
5755MHz	Pass	PK	11.50058G	58.45	74.00	-15.55	3	Horizontal	188	1.28	-
5755MHz	Pass	AV	11.51918G	45.99	54.00	-8.01	3	Horizontal	188	1.28	-
5755MHz	Pass	PK	17.25874G	67.57	68.20	-0.63	3	Horizontal	297	3.00	-
5795MHz	Pass	PK	5.634G	66.07	68.20	-2.13	3	Vertical	10	1.00	-
5795MHz	Pass	PK	5.8015G	121.80	Inf	-Inf	3	Vertical	10	1.00	-
5795MHz	Pass	AV	5.796G	109.54	Inf	-Inf	3	Vertical	10	1.00	-
5795MHz	Pass	PK	5.943G	65.72	68.20	-2.48	3	Vertical	10	1.00	-
5795MHz	Pass	PK	5.6495G	66.50	68.20	-1.70	3	Horizontal	360	1.79	-
5795MHz	Pass	PK	5.7825G	123.52	Inf	-Inf	3	Horizontal	360	1.79	-
5795MHz	Pass	AV	5.779G	112.34	Inf	-Inf	3	Horizontal	360	1.79	-
5795MHz	Pass	PK	5.925G	67.94	68.20	-0.26	3	Horizontal	360	1.79	-
5795MHz	Pass	PK	11.58056G	58.70	74.00	-15.30	3	Vertical	124	2.27	-
5795MHz	Pass	AV	11.58764G	46.12	54.00	-7.88	3	Vertical	124	2.27	-
5795MHz	Pass	PK	17.37646G	66.04	68.20	-2.16	3	Vertical	314	2.46	-
5795MHz	Pass	PK	11.58666G	58.65	74.00	-15.35	3	Horizontal	78	1.80	-
5795MHz	Pass	AV	11.58452G	46.17	54.00	-7.83	3	Horizontal	78	1.80	-
5795MHz	Pass	PK	17.384G	67.32	68.20	-0.88	3	Horizontal	287	3.00	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.1395G	62.43	74.00	-11.57	3	Vertical	51	2.69	-
5210MHz	Pass	AV	5.1455G	52.49	54.00	-1.51	3	Vertical	51	2.69	-
5210MHz	Pass	PK	5.2205G	109.73	Inf	-Inf	3	Vertical	51	2.69	-
5210MHz	Pass	AV	5.2215G	99.14	Inf	-Inf	3	Vertical	51	2.69	-
5210MHz	Pass	PK	5.4155G	61.47	74.00	-12.53	3	Vertical	51	2.69	-
5210MHz	Pass	AV	5.46G	49.87	54.00	-4.13	3	Vertical	51	2.69	-
5210MHz	Pass	PK	5.1345G	67.50	74.00	-6.50	3	Horizontal	120	1.29	-
5210MHz	Pass	AV	5.15G	53.72	54.00	-0.28	3	Horizontal	120	1.29	-
5210MHz	Pass	PK	5.183G	116.32	Inf	-Inf	3	Horizontal	120	1.29	-
5210MHz	Pass	AV	5.176G	100.62	Inf	-Inf	3	Horizontal	120	1.29	-
5210MHz	Pass	PK	5.3625G	63.13	74.00	-10.87	3	Horizontal	120	1.29	-
5210MHz	Pass	AV	5.35G	51.15	54.00	-2.85	3	Horizontal	120	1.29	-
5210MHz	Pass	PK	10.42015G	57.91	68.20	-10.29	3	Vertical	17	2.63	-
5210MHz	Pass	PK	15.61977G	61.98	74.00	-12.02	3	Vertical	310	1.57	-
5210MHz	Pass	AV	15.61674G	49.47	54.00	-4.53	3	Vertical	310	1.57	-
5210MHz	Pass	PK	10.41073G	58.39	68.20	-9.81	3	Horizontal	160	1.83	-
5210MHz	Pass	PK	15.61959G	62.71	74.00	-11.29	3	Horizontal	49	1.80	-
5210MHz	Pass	AV	15.61644G	49.47	54.00	-4.53	3	Horizontal	49	1.80	-
5290MHz	Pass	PK	5.1245G	61.26	74.00	-12.74	3	Vertical	305	3.00	-
5290MHz	Pass	AV	5.1485G	49.28	54.00	-4.72	3	Vertical	305	3.00	-
5290MHz	Pass	PK	5.257G	110.02	Inf	-Inf	3	Vertical	305	3.00	-
5290MHz	Pass	AV	5.2555G	100.03	Inf	-Inf	3	Vertical	305	3.00	-
5290MHz	Pass	PK	5.3595G	63.11	74.00	-10.89	3	Vertical	305	3.00	-
5290MHz	Pass	AV	5.354G	52.34	54.00	-1.66	3	Vertical	305	3.00	-
5290MHz	Pass	PK	5.5275G	62.12	68.20	-6.08	3	Vertical	305	3.00	-
5290MHz	Pass	PK	5.1295G	61.63	74.00	-12.37	3	Horizontal	143	3.00	-
5290MHz	Pass	AV	5.1435G	50.40	54.00	-3.60	3	Horizontal	143	3.00	-
5290MHz	Pass	PK	5.2645G	112.34	Inf	-Inf	3	Horizontal	143	3.00	-
5290MHz	Pass	AV	5.2555G	107.10	Inf	-Inf	3	Horizontal	143	3.00	-
5290MHz	Pass	PK	5.3605G	65.33	74.00	-8.67	3	Horizontal	143	3.00	-
5290MHz	Pass	AV	5.3525G	53.62	54.00	-0.38	3	Horizontal	143	3.00	-
5290MHz	Pass	PK	5.54G	62.05	68.20	-6.15	3	Horizontal	143	3.00	-
5290MHz	Pass	PK	10.59338G	58.55	68.20	-9.65	3	Vertical	205	1.01	-
5290MHz	Pass	PK	15.87657G	61.79	74.00	-12.21	3	Vertical	73	2.64	-
5290MHz	Pass	AV	15.88422G	48.97	54.00	-5.03	3	Vertical	73	2.64	-
5290MHz	Pass	PK	10.59068G	59.13	68.20	-9.07	3	Horizontal	342	1.80	-
5290MHz	Pass	PK	15.88149G	61.65	74.00	-12.35	3	Horizontal	190	2.74	-
5290MHz	Pass	AV	15.8838G	48.91	54.00	-5.09	3	Horizontal	190	2.74	-
5530MHz	Pass	PK	5.3482G	61.17	68.20	-7.03	3	Vertical	155	1.39	-
5530MHz	Pass	PK	5.4586G	63.45	74.00	-10.55	3	Vertical	155	1.39	-
5530MHz	Pass	AV	5.4598G	52.98	54.00	-1.02	3	Vertical	155	1.39	-
5530MHz	Pass	PK	5.4646G	66.56	68.20	-1.64	3	Vertical	155	1.39	-
5530MHz	Pass	PK	5.56G	115.21	Inf	-Inf	3	Vertical	155	1.39	-
5530MHz	Pass	AV	5.5192G	103.77	Inf	-Inf	3	Vertical	155	1.39	-
5530MHz	Pass	PK	5.818G	64.18	68.20	-4.02	3	Vertical	155	1.39	-
5530MHz	Pass	PK	5.3194G	60.85	68.20	-7.35	3	Horizontal	185.8	1.06	-
5530MHz	Pass	PK	5.4574G	65.36	74.00	-8.64	3	Horizontal	185.8	1.06	-
5530MHz	Pass	AV	5.4592G	53.76	54.00	-0.24	3	Horizontal	185.8	1.06	-
5530MHz	Pass	PK	5.4676G	66.89	68.20	-1.31	3	Horizontal	185.8	1.06	-
5530MHz	Pass	PK	5.5324G	118.71	Inf	-Inf	3	Horizontal	185.8	1.06	-
5530MHz	Pass	AV	5.5336G	108.35	Inf	-Inf	3	Horizontal	185.8	1.06	-
5530MHz	Pass	PK	5.7358G	66.27	68.20	-1.93	3	Horizontal	185.8	1.06	-
5530MHz	Pass	PK	11.06564G	58.94	74.00	-15.06	3	Vertical	167	1.05	-
5530MHz	Pass	AV	11.06782G	46.29	54.00	-7.71	3	Vertical	167	1.05	-
5530MHz	Pass	PK	16.59724G	63.32	68.20	-4.88	3	Vertical	170	1.80	-
5530MHz	Pass	PK	11.06452G	58.97	74.00	-15.03	3	Horizontal	360	1.77	-
5530MHz	Pass	AV	11.06442G	46.30	54.00	-7.70	3	Horizontal	360	1.77	-
5530MHz	Pass	PK	16.5874G	63.37	68.20	-4.83	3	Horizontal	29	1.66	-
5610MHz	Pass	PK	5.4464G	62.85	74.00	-11.15	3	Vertical	2	1.85	-
5610MHz	Pass	PK	5.4684G	62.33	68.20	-5.87	3	Vertical	2	1.85	-
5610MHz	Pass	AV	5.46G	51.17	54.00	-2.83	3	Vertical	2	1.85	-
5610MHz	Pass	PK	5.6412G	117.09	Inf	-Inf	3	Vertical	2	1.85	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	5.6068G	105.04	Inf	-Inf	3	Vertical	2	1.85	-
5610MHz	Pass	PK	5.7356G	67.32	68.20	-0.88	3	Vertical	2	1.85	-
5610MHz	Pass	PK	5.4504G	63.20	74.00	-10.80	3	Horizontal	0	1.80	-
5610MHz	Pass	PK	5.4684G	63.03	68.20	-5.17	3	Horizontal	0	1.80	-
5610MHz	Pass	AV	5.46G	51.37	54.00	-2.63	3	Horizontal	0	1.80	-
5610MHz	Pass	PK	5.6052G	120.02	Inf	-Inf	3	Horizontal	0	1.80	-
5610MHz	Pass	AV	5.6044G	108.91	Inf	-Inf	3	Horizontal	0	1.80	-
5610MHz	Pass	PK	5.7344G	67.97	68.20	-0.23	3	Horizontal	0	1.80	-
5610MHz	Pass	PK	11.21688G	59.42	74.00	-14.58	3	Vertical	152	2.08	-
5610MHz	Pass	AV	11.21282G	46.49	54.00	-7.51	3	Vertical	152	2.08	-
5610MHz	Pass	PK	16.83266G	63.71	68.20	-4.49	3	Vertical	360	1.80	-
5610MHz	Pass	PK	11.21824G	58.61	74.00	-15.39	3	Horizontal	120	1.00	-
5610MHz	Pass	AV	11.21958G	46.42	54.00	-7.58	3	Horizontal	120	1.00	-
5610MHz	Pass	PK	16.8316G	64.10	68.20	-4.10	3	Horizontal	139	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4554G	61.83	74.00	-12.17	3	Vertical	1	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	51.16	54.00	-2.84	3	Vertical	1	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4686G	61.87	68.20	-6.33	3	Vertical	1	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6912G	116.94	Inf	-Inf	3	Vertical	1	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6594G	106.01	Inf	-Inf	3	Vertical	1	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	67.66	68.20	-0.54	3	Vertical	1	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	61.96	74.00	-12.04	3	Horizontal	358	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.75	54.00	-3.25	3	Horizontal	358	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	62.26	68.20	-5.94	3	Horizontal	358	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7104G	118.85	Inf	-Inf	3	Horizontal	358	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6588G	107.79	Inf	-Inf	3	Horizontal	358	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8538G	67.98	68.20	-0.22	3	Horizontal	358	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37316G	57.88	74.00	-16.12	3	Vertical	222	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37084G	45.92	54.00	-8.08	3	Vertical	222	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06306G	64.96	68.20	-3.24	3	Vertical	145	1.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38222G	58.31	74.00	-15.69	3	Horizontal	126	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37714G	46.00	54.00	-8.00	3	Horizontal	126	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07654G	64.44	68.20	-3.76	3	Horizontal	246	1.85	-
5775MHz	Pass	PK	5.644G	66.63	68.20	-1.57	3	Vertical	19	1.00	-
5775MHz	Pass	PK	5.745G	117.89	Inf	-Inf	3	Vertical	19	1.00	-
5775MHz	Pass	AV	5.745G	107.67	Inf	-Inf	3	Vertical	19	1.00	-
5775MHz	Pass	PK	5.9285G	66.41	68.20	-1.79	3	Vertical	19	1.00	-
5775MHz	Pass	PK	5.6485G	68.18	68.20	-0.02	3	Horizontal	360	1.82	-
5775MHz	Pass	PK	5.813G	119.11	Inf	-Inf	3	Horizontal	360	1.82	-
5775MHz	Pass	AV	5.812G	109.14	Inf	-Inf	3	Horizontal	360	1.82	-
5775MHz	Pass	PK	5.9245G	68.02	68.57	-0.55	3	Horizontal	360	1.82	-
5775MHz	Pass	PK	11.55652G	58.47	74.00	-15.53	3	Vertical	54	1.02	-
5775MHz	Pass	AV	11.55828G	46.11	54.00	-7.89	3	Vertical	54	1.02	-
5775MHz	Pass	PK	17.33308G	66.03	68.20	-2.17	3	Vertical	310	3.00	-
5775MHz	Pass	PK	11.5536G	58.56	74.00	-15.44	3	Horizontal	58	1.88	-
5775MHz	Pass	AV	11.55426G	46.16	54.00	-7.84	3	Horizontal	58	1.88	-
5775MHz	Pass	PK	17.3272G	65.41	68.20	-2.79	3	Horizontal	294	1.01	-
802.11ax HEW160-BF_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1484G	68.03	74.00	-5.97	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1372G	50.18	54.00	-3.82	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.186G	108.15	Inf	-Inf	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3588G	63.54	74.00	-10.46	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2804G	95.09	Inf	-Inf	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	50.24	54.00	-3.76	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5204G	62.76	68.20	-5.44	3	Vertical	321	2.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.138G	73.80	74.00	-0.20	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.94	54.00	-2.06	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1876G	114.43	Inf	-Inf	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1876G	103.01	Inf	-Inf	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3612G	66.32	74.00	-7.68	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	51.50	54.00	-2.50	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5508G	62.84	68.20	-5.36	3	Horizontal	178	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49766G	58.35	68.20	-9.85	3	Vertical	242	1.65	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75078G	61.23	74.00	-12.77	3	Vertical	101	1.94	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.73635G	48.33	54.00	-5.67	3	Vertical	101	1.94	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50852G	58.75	68.20	-9.45	3	Horizontal	253	1.84	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75354G	61.10	74.00	-12.90	3	Horizontal	3	1.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.73788G	48.26	54.00	-5.74	3	Horizontal	3	1.77	-
5570MHz	Pass	PK	5.2156G	61.24	68.20	-6.96	3	Vertical	55.6	2.92	-
5570MHz	Pass	PK	5.4596G	65.25	74.00	-8.75	3	Vertical	55.6	2.92	-
5570MHz	Pass	AV	5.35G	49.48	54.00	-4.52	3	Vertical	55.6	2.92	-
5570MHz	Pass	AV	5.458G	51.72	54.00	-2.28	3	Vertical	55.6	2.92	-
5570MHz	Pass	PK	5.4604G	67.67	68.20	-0.53	3	Vertical	55.6	2.92	-
5570MHz	Pass	AV	5.494G	100.03	Inf	-Inf	3	Vertical	55.6	2.92	-
5570MHz	Pass	PK	5.5476G	106.41	Inf	-Inf	3	Vertical	55.6	2.92	-
5570MHz	Pass	PK	5.7716G	65.63	68.20	-2.57	3	Vertical	55.6	2.92	-
5570MHz	Pass	PK	5.31G	61.10	68.20	-7.10	3	Horizontal	360	1.99	-
5570MHz	Pass	AV	5.35G	49.48	54.00	-4.52	3	Horizontal	360	1.99	-
5570MHz	Pass	PK	5.4556G	63.70	74.00	-10.30	3	Horizontal	360	1.99	-
5570MHz	Pass	AV	5.4572G	52.49	54.00	-1.51	3	Horizontal	360	1.99	-
5570MHz	Pass	PK	5.47G	64.65	68.20	-3.55	3	Horizontal	360	1.99	-
5570MHz	Pass	AV	5.5052G	106.01	Inf	-Inf	3	Horizontal	360	1.99	-
5570MHz	Pass	PK	5.542G	111.84	Inf	-Inf	3	Horizontal	360	1.99	-
5570MHz	Pass	PK	5.786G	67.99	68.20	-0.21	3	Horizontal	360	1.99	-
5570MHz	Pass	PK	10.9112G	59.26	74.00	-14.74	3	Vertical	248	2.49	-
5570MHz	Pass	AV	10.9208G	47.82	54.00	-6.18	3	Vertical	248	2.49	-
5570MHz	Pass	PK	17.0052G	64.22	68.20	-3.98	3	Vertical	195	1.80	-
5570MHz	Pass	PK	10.9304G	58.99	74.00	-15.01	3	Horizontal	305	2.10	-
5570MHz	Pass	AV	10.8536G	47.45	54.00	-6.55	3	Horizontal	305	2.10	-
5570MHz	Pass	PK	16.9508G	64.57	68.20	-3.63	3	Horizontal	338	1.00	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1385G	61.86	74.00	-12.14	54.60	3	Vertical	319	2.62	-	32.58	7.23	32.55			
AV	5.1476G	50.68	54.00	-3.32	43.38	3	Vertical	319	2.62	-	32.60	7.24	32.54			
PK	5.1813G	112.59	Inf	-Inf	105.21	3	Vertical	319	2.62	-	32.66	7.26	32.54			
AV	5.1811G	104.37	Inf	-Inf	96.99	3	Vertical	319	2.62	-	32.66	7.26	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX

EUT_Z_4TX
Setting 80
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.64	74.00	-7.36	59.34	3	Horizontal	159	1.01	-	32.60	7.24	32.54			
AV	5.1477G	53.97	54.00	-0.03	46.67	3	Horizontal	159	1.01	-	32.60	7.24	32.54			
PK	5.1863G	120.87	Inf	-Inf	113.47	3	Horizontal	159	1.01	-	32.67	7.27	32.54			
AV	5.1872G	111.80	Inf	-Inf	104.40	3	Horizontal	159	1.01	-	32.67	7.27	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37218G	58.22	68.20	-9.98	39.13	3	Vertical	118	1.74	-	38.56	11.05	30.52			
PK	15.54138G	59.75	74.00	-14.25	41.82	3	Vertical	25	1.40	-	38.02	11.85	31.94			
AV	15.55257G	47.21	54.00	-6.79	29.31	3	Vertical	25	1.40	-	37.99	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 80
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37431G	57.58	68.20	-10.62	38.50	3	Horizontal	339	1.66	-	38.55	11.05	30.52			
PK	15.53148G	60.01	74.00	-13.99	42.05	3	Horizontal	274	1.74	-	38.04	11.85	31.93			
AV	15.5448G	47.19	54.00	-6.81	29.27	3	Horizontal	274	1.74	-	38.01	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 97
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1326G	61.38	74.00	-12.62	54.14	3	Vertical	87	2.96	-	32.57	7.22	32.55			
AV	5.1494G	49.96	54.00	-4.04	42.66	3	Vertical	87	2.96	-	32.60	7.24	32.54			
PK	5.1942G	117.48	Inf	-Inf	110.04	3	Vertical	87	2.96	-	32.69	7.28	32.53			
AV	5.1936G	108.31	Inf	-Inf	100.88	3	Vertical	87	2.96	-	32.69	7.27	32.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 97
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	67.17	74.00	-6.83	59.87	3	Horizontal	177	1.06	-	32.60	7.24	32.54			
AV	5.1488G	53.77	54.00	-0.23	46.47	3	Horizontal	177	1.06	-	32.60	7.24	32.54			
PK	5.2076G	122.97	Inf	-Inf	115.52	3	Horizontal	177	1.06	-	32.70	7.28	32.53			
AV	5.2076G	114.64	Inf	-Inf	107.19	3	Horizontal	177	1.06	-	32.70	7.28	32.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 97
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41455G	58.33	68.20	-9.87	39.30	3	Vertical	0	1.42	-	38.47	11.07	30.51			
PK	15.60774G	60.81	74.00	-13.19	43.07	3	Vertical	353	1.36	-	37.87	11.85	31.98			
AV	15.59841G	47.17	54.00	-6.83	29.39	3	Vertical	353	1.36	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 97
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40105G	58.37	68.20	-9.83	39.32	3	Horizontal	299	2.30	-	38.50	11.06	30.51			
PK	15.59604G	59.57	74.00	-14.43	41.78	3	Horizontal	303	1.60	-	37.91	11.85	31.97			
AV	15.59724G	47.05	54.00	-6.95	29.26	3	Horizontal	303	1.60	-	37.91	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	61.32	74.00	-12.68	54.09	3	Vertical	327	2.95	-	32.56	7.22	32.55			
AV	5.1128G	49.77	54.00	-4.23	42.58	3	Vertical	327	2.95	-	32.53	7.21	32.55			
PK	5.2476G	119.72	Inf	-Inf	112.24	3	Vertical	327	2.95	-	32.70	7.30	32.52			
AV	5.248G	111.55	Inf	-Inf	104.07	3	Vertical	327	2.95	-	32.70	7.30	32.52			
PK	5.3552G	61.65	74.00	-12.35	53.87	3	Vertical	327	2.95	-	32.92	7.35	32.49			
AV	5.354G	50.33	54.00	-3.67	42.56	3	Vertical	327	2.95	-	32.92	7.35	32.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	62.49	74.00	-11.51	55.29	3	Horizontal	137	2.35	-	32.54	7.21	32.55			
AV	5.15G	51.67	54.00	-2.33	44.37	3	Horizontal	137	2.35	-	32.60	7.24	32.54			
PK	5.2328G	126.08	Inf	-Inf	118.61	3	Horizontal	137	2.35	-	32.70	7.29	32.52			
AV	5.2328G	117.34	Inf	-Inf	109.87	3	Horizontal	137	2.35	-	32.70	7.29	32.52			
PK	5.352G	63.66	74.00	-10.34	55.90	3	Horizontal	137	2.35	-	32.91	7.35	32.50			
AV	5.3512G	51.56	54.00	-2.44	43.81	3	Horizontal	137	2.35	-	32.90	7.35	32.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47253G	57.65	68.20	-10.55	38.59	3	Vertical	238	2.65	-	38.45	11.11	30.50			
PK	15.72012G	61.67	74.00	-12.33	44.30	3	Vertical	168	1.80	-	37.56	11.86	32.05			
AV	15.72189G	48.89	54.00	-5.11	31.52	3	Vertical	168	1.80	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47802G	57.70	68.20	-10.50	38.63	3	Horizontal	115	2.23	-	38.46	11.11	30.50			
PK	15.71622G	59.90	74.00	-14.10	42.52	3	Horizontal	256	1.80	-	37.57	11.86	32.05			
AV	15.72105G	47.27	54.00	-6.73	29.90	3	Horizontal	256	1.80	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5180MHz_TX

EUT_Z_4TX
Setting 76
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1451G	60.98	74.00	-13.02	53.71	3	Vertical	94	2.69	-	32.59	7.23	32.55			
AV	5.1495G	49.77	54.00	-4.23	42.47	3	Vertical	94	2.69	-	32.60	7.24	32.54			
PK	5.185G	114.05	Inf	-Inf	106.65	3	Vertical	94	2.69	-	32.67	7.27	32.54			
AV	5.185G	102.84	Inf	-Inf	95.44	3	Vertical	94	2.69	-	32.67	7.27	32.54			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 76
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.07	74.00	-8.93	57.77	3	Horizontal	126	3.00	-	32.60	7.24	32.54			
AV	5.15G	53.81	54.00	-0.19	46.51	3	Horizontal	126	3.00	-	32.60	7.24	32.54			
PK	5.1851G	121.08	Inf	-Inf	113.68	3	Horizontal	126	3.00	-	32.67	7.27	32.54			
AV	5.1851G	109.03	Inf	-Inf	101.63	3	Horizontal	126	3.00	-	32.67	7.27	32.54			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5180MHz_TX

EUT_Z_4TX
Setting 76
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35997G	57.05	68.20	-11.15	37.95	3	Vertical	63	2.98	-	38.58	11.04	30.52			
PK	15.54021G	59.56	74.00	-14.44	41.63	3	Vertical	339	2.96	-	38.02	11.85	31.94			
AV	15.54313G	45.77	54.00	-8.23	27.85	3	Vertical	339	2.96	-	38.01	11.85	31.94			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 76
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35678G	57.99	68.20	-10.21	38.88	3	Horizontal	63	1.05	-	38.59	11.04	30.52			
PK	15.53527G	59.64	74.00	-14.36	41.69	3	Horizontal	42	2.24	-	38.03	11.85	31.93			
AV	15.54177G	45.79	54.00	-8.21	27.86	3	Horizontal	42	2.24	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	62.06	74.00	-11.94	54.79	3	Vertical	325	2.92	-	32.59	7.23	32.55			
AV	5.1482G	49.96	54.00	-4.04	42.66	3	Vertical	325	2.92	-	32.60	7.24	32.54			
PK	5.2004G	118.08	Inf	-Inf	110.63	3	Vertical	325	2.92	-	32.70	7.28	32.53			
AV	5.1956G	107.53	Inf	-Inf	100.09	3	Vertical	325	2.92	-	32.69	7.28	32.53			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 94
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	66.72	74.00	-7.28	59.42	3	Horizontal	166	1.06	-	32.60	7.24	32.54			
AV	5.1486G	53.97	54.00	-0.03	46.67	3	Horizontal	166	1.06	-	32.60	7.24	32.54			
PK	5.2092G	125.34	Inf	-Inf	117.89	3	Horizontal	166	1.06	-	32.70	7.28	32.53			
AV	5.204G	113.62	Inf	-Inf	106.17	3	Horizontal	166	1.06	-	32.70	7.28	32.53			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Z_4TX
Setting 94
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39714G	57.82	68.20	-10.38	38.76	3	Vertical	124	2.65	-	38.51	11.06	30.51			
PK	15.59942G	60.79	74.00	-13.21	43.01	3	Vertical	45	1.07	-	37.90	11.85	31.97			
AV	15.59728G	45.96	54.00	-8.04	28.17	3	Vertical	45	1.07	-	37.91	11.85	31.97			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Z_4TX
Setting 94
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40432G	57.73	68.20	-10.47	38.68	3	Horizontal	147	2.73	-	38.49	11.07	30.51			
PK	15.60024G	60.40	74.00	-13.60	42.62	3	Horizontal	214	1.42	-	37.90	11.85	31.97			
AV	15.60426G	45.94	54.00	-8.06	28.19	3	Horizontal	214	1.42	-	37.88	11.85	31.98			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1107G	61.66	74.00	-12.34	54.49	3	Vertical	325	3.00	-	32.52	7.20	32.55			
AV	5.1497G	50.15	54.00	-3.85	42.85	3	Vertical	325	3.00	-	32.60	7.24	32.54			
PK	5.2406G	120.79	Inf	-Inf	113.31	3	Vertical	325	3.00	-	32.70	7.30	32.52			
AV	5.2406G	109.93	Inf	-Inf	102.45	3	Vertical	325	3.00	-	32.70	7.30	32.52			
PK	5.3567G	62.02	74.00	-11.98	54.23	3	Vertical	325	3.00	-	32.93	7.35	32.49			
AV	5.3513G	49.92	54.00	-4.08	42.16	3	Vertical	325	3.00	-	32.91	7.35	32.50			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5240MHz_TX

EUT_Z_4TX
Setting 108
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	64.59	74.00	-9.41	57.29	3	Horizontal	162	1.00	-	32.60	7.24	32.54			
AV	5.1482G	52.27	54.00	-1.73	44.97	3	Horizontal	162	1.00	-	32.60	7.24	32.54			
PK	5.2388G	129.15	Inf	-Inf	121.67	3	Horizontal	162	1.00	-	32.70	7.30	32.52			
AV	5.2388G	117.27	Inf	-Inf	109.79	3	Horizontal	162	1.00	-	32.70	7.30	32.52			
PK	5.3597G	63.26	74.00	-10.74	55.46	3	Horizontal	162	1.00	-	32.94	7.35	32.49			
AV	5.35G	52.04	54.00	-1.96	44.29	3	Horizontal	162	1.00	-	32.90	7.35	32.50			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5240MHz_TX

EUT_Z_4TX
Setting 108
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47709G	57.29	68.20	-10.91	38.23	3	Vertical	334	2.46	-	38.45	11.11	30.50			
PK	15.72615G	61.49	74.00	-12.51	44.13	3	Vertical	168	1.80	-	37.55	11.86	32.05			
AV	15.72057G	48.29	54.00	-5.71	30.92	3	Vertical	168	1.80	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5240MHz_TX

EUT_Z_4TX
Setting 108
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49074G	57.06	68.20	-11.14	37.95	3	Horizontal	284	2.72	-	38.48	11.12	30.49			
PK	15.71949G	60.97	74.00	-13.03	43.60	3	Horizontal	258	2.28	-	37.56	11.86	32.05			
AV	15.72486G	46.80	54.00	-7.20	29.44	3	Horizontal	258	2.28	-	37.55	11.86	32.05			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX

EUT_Z_4TX
Setting 93
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	61.47	74.00	-12.53	51.83	3	Vertical	193	2.65	-	33.60	6.97	30.93			
AV	5.148G	48.95	54.00	-5.05	39.30	3	Vertical	193	2.65	-	33.60	6.98	30.93			
PK	5.1886G	120.01	Inf	-Inf	110.23	3	Vertical	193	2.65	-	33.68	7.00	30.90			
AV	5.189G	109.44	Inf	-Inf	99.66	3	Vertical	193	2.65	-	33.68	7.00	30.90			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	67.82	74.00	-6.18	58.18	3	Horizontal	188	2.10	-	33.60	6.97	30.93			
AV	5.1492G	53.89	54.00	-0.11	44.24	3	Horizontal	188	2.10	-	33.60	6.98	30.93			
PK	5.1844G	124.67	Inf	-Inf	114.91	3	Horizontal	188	2.10	-	33.67	7.00	30.91			
AV	5.1884G	113.18	Inf	-Inf	103.40	3	Horizontal	188	2.10	-	33.68	7.00	30.90			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35258G	57.42	68.20	-10.78	41.16	3	Vertical	180	1.67	-	38.60	10.21	32.55			
PK	15.53144G	62.04	74.00	-11.96	43.89	3	Vertical	212	1.80	-	38.30	12.58	32.73			
AV	15.53838G	49.77	54.00	-4.23	31.61	3	Vertical	212	1.80	-	38.30	12.59	32.73			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Z_4TX
Setting 93
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3503G	57.37	68.20	-10.83	41.11	3	Horizontal	191	2.38	-	38.60	10.21	32.55			
PK	15.54754G	62.02	74.00	-11.98	43.86	3	Horizontal	332	1.80	-	38.30	12.59	32.73			
AV	15.54178G	49.87	54.00	-4.13	31.71	3	Horizontal	332	1.80	-	38.30	12.59	32.73			

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Z_4TX
Setting 99
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1145G	61.16	74.00	-12.84	51.56	3	Vertical	272	1.83	-	33.60	6.95	30.95			
AV	5.1493G	49.11	54.00	-4.89	39.46	3	Vertical	272	1.83	-	33.60	6.98	30.93			
PK	5.1961G	119.37	Inf	-Inf	109.57	3	Vertical	272	1.83	-	33.69	7.01	30.90			
AV	5.1955G	107.83	Inf	-Inf	98.03	3	Vertical	272	1.83	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Z_4TX
Setting 99
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	70.57	74.00	-3.43	60.93	3	Horizontal	245	2.53	-	33.60	6.97	30.93			
AV	5.1493G	53.71	54.00	-0.29	44.06	3	Horizontal	245	2.53	-	33.60	6.98	30.93			
PK	5.1961G	125.92	Inf	-Inf	116.12	3	Horizontal	245	2.53	-	33.69	7.01	30.90			
AV	5.1943G	112.90	Inf	-Inf	103.10	3	Horizontal	245	2.53	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 99
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3946G	58.21	68.20	-9.99	41.88	3	Vertical	245	1.80	-	38.60	10.24	32.51			
PK	15.59794G	62.25	74.00	-11.75	43.97	3	Vertical	154	1.77	-	38.40	12.62	32.74			
AV	15.59862G	50.25	54.00	-3.75	31.97	3	Vertical	154	1.77	-	38.40	12.62	32.74			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Z_4TX
Setting 99
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39984G	57.32	68.20	-10.88	40.98	3	Horizontal	349	1.89	-	38.60	10.24	32.50			
PK	15.60276G	62.35	74.00	-11.65	44.09	3	Horizontal	88	1.92	-	38.38	12.62	32.74			
AV	15.59952G	50.16	54.00	-3.84	31.88	3	Horizontal	88	1.92	-	38.40	12.62	32.74			

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX

EUT_Z_4TX
Setting 108
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	60.13	74.00	-13.87	50.49	3	Vertical	287	3.00	-	33.60	6.97	30.93			
AV	5.111G	47.98	54.00	-6.02	38.38	3	Vertical	287	3.00	-	33.60	6.95	30.95			
PK	5.2424G	117.98	Inf	-Inf	108.07	3	Vertical	287	3.00	-	33.78	7.00	30.87			
AV	5.2493G	106.43	Inf	-Inf	96.50	3	Vertical	287	3.00	-	33.80	7.00	30.87			
PK	5.3582G	60.86	74.00	-13.14	50.78	3	Vertical	287	3.00	-	33.92	6.97	30.81			
AV	5.3582G	48.33	54.00	-5.67	38.25	3	Vertical	287	3.00	-	33.92	6.97	30.81			

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1449G	61.28	74.00	-12.72	51.64	3	Horizontal	264	1.80	-	33.60	6.97	30.93			
AV	5.15G	49.82	54.00	-4.18	40.17	3	Horizontal	264	1.80	-	33.60	6.98	30.93			
PK	5.2358G	123.09	Inf	-Inf	113.20	3	Horizontal	264	1.80	-	33.77	7.00	30.88			
AV	5.2337G	111.44	Inf	-Inf	101.55	3	Horizontal	264	1.80	-	33.77	7.00	30.88			
PK	5.3528G	61.15	74.00	-12.85	51.08	3	Horizontal	264	1.80	-	33.91	6.97	30.81			
AV	5.3504G	48.98	54.00	-5.02	38.92	3	Horizontal	264	1.80	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48522G	58.09	68.20	-10.11	41.55	3	Vertical	230	1.80	-	38.67	10.29	32.42			
PK	15.71674G	62.81	74.00	-11.19	44.99	3	Vertical	169	2.05	-	37.90	12.67	32.75			
AV	15.71138G	50.43	54.00	-3.57	32.64	3	Vertical	169	2.05	-	37.87	12.67	32.75			

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47484G	58.72	68.20	-9.48	42.22	3	Horizontal	13	1.03	-	38.65	10.28	32.43			
PK	15.73077G	61.16	74.00	-12.84	43.26	3	Horizontal	327	1.79	-	37.98	12.68	32.76			
AV	15.72162G	49.02	54.00	-4.98	31.18	3	Horizontal	327	1.79	-	37.93	12.67	32.76			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 66
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	61.37	74.00	-12.63	54.07	3	Vertical	332	2.88	-	32.60	7.24	32.54			
AV	5.1488G	50.47	54.00	-3.53	43.17	3	Vertical	332	2.88	-	32.60	7.24	32.54			
PK	5.1936G	107.59	Inf	-Inf	100.16	3	Vertical	332	2.88	-	32.69	7.27	32.53			
AV	5.1988G	96.33	Inf	-Inf	88.88	3	Vertical	332	2.88	-	32.70	7.28	32.53			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 66
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	66.69	74.00	-7.31	59.39	3	Horizontal	165	1.01	-	32.60	7.24	32.54			
AV	5.1488G	53.87	54.00	-0.13	46.57	3	Horizontal	165	1.01	-	32.60	7.24	32.54			
PK	5.1886G	115.77	Inf	-Inf	108.35	3	Horizontal	165	1.01	-	32.68	7.27	32.53			
AV	5.1988G	104.34	Inf	-Inf	96.89	3	Horizontal	165	1.01	-	32.70	7.28	32.53			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 66
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3935G	57.34	68.20	-10.86	38.29	3	Vertical	190	1.88	-	38.51	11.06	30.52			
PK	15.56958G	59.33	74.00	-14.67	41.47	3	Vertical	7	2.68	-	37.96	11.85	31.95			
AV	15.56258G	47.25	54.00	-6.75	29.38	3	Vertical	7	2.68	-	37.97	11.85	31.95			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 66
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37504G	57.60	68.20	-10.60	38.52	3	Horizontal	51	2.93	-	38.55	11.05	30.52			
PK	15.56098G	59.66	74.00	-14.34	41.78	3	Horizontal	135	2.94	-	37.98	11.85	31.95			
AV	15.56634G	47.37	54.00	-6.63	29.50	3	Horizontal	135	2.94	-	37.97	11.85	31.95			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 85
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1434G	62.94	74.00	-11.06	55.67	3	Vertical	325	2.90	-	32.59	7.23	32.55			
AV	5.1486G	50.84	54.00	-3.16	43.54	3	Vertical	325	2.90	-	32.60	7.24	32.54			
PK	5.2204G	113.10	Inf	-Inf	105.64	3	Vertical	325	2.90	-	32.70	7.29	32.53			
AV	5.2256G	103.02	Inf	-Inf	95.56	3	Vertical	325	2.90	-	32.70	7.29	32.53			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 85
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	65.03	74.00	-8.97	57.73	3	Horizontal	134	1.12	-	32.60	7.24	32.54			
AV	5.149G	53.99	54.00	-0.01	46.69	3	Horizontal	134	1.12	-	32.60	7.24	32.54			
PK	5.2146G	120.53	Inf	-Inf	113.07	3	Horizontal	134	1.12	-	32.70	7.29	32.53			
AV	5.2244G	109.70	Inf	-Inf	102.24	3	Horizontal	134	1.12	-	32.70	7.29	32.53			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 85
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45408G	57.38	68.20	-10.82	38.37	3	Vertical	73	1.38	-	38.41	11.10	30.50			
PK	15.69628G	60.33	74.00	-13.67	42.90	3	Vertical	91	1.45	-	37.61	11.86	32.04			
AV	15.69542G	47.58	54.00	-6.42	30.15	3	Vertical	91	1.45	-	37.61	11.86	32.04			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 85
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45824G	57.31	68.20	-10.89	38.29	3	Horizontal	267	2.88	-	38.42	11.10	30.50			
PK	15.69084G	59.24	74.00	-14.76	41.77	3	Horizontal	12	2.21	-	37.64	11.86	32.03			
AV	15.69134G	47.45	54.00	-6.55	30.00	3	Horizontal	12	2.21	-	37.62	11.86	32.03			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 84
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1471G	66.92	74.00	-7.08	57.27	3	Vertical	274	2.84	-	33.60	6.98	30.93			
AV	5.1486G	49.88	54.00	-4.12	40.23	3	Vertical	274	2.84	-	33.60	6.98	30.93			
PK	5.1846G	114.07	Inf	-Inf	104.31	3	Vertical	274	2.84	-	33.67	7.00	30.91			
AV	5.1945G	100.92	Inf	-Inf	91.12	3	Vertical	274	2.84	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 84
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	67.05	74.00	-6.95	57.40	3	Horizontal	170	3.00	-	33.60	6.98	30.93			
AV	5.15G	53.97	54.00	-0.03	44.32	3	Horizontal	170	3.00	-	33.60	6.98	30.93			
PK	5.2065G	119.57	Inf	-Inf	109.74	3	Horizontal	170	3.00	-	33.71	7.01	30.89			
AV	5.2083G	107.40	Inf	-Inf	97.56	3	Horizontal	170	3.00	-	33.72	7.01	30.89			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 84
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39278G	57.41	68.20	-10.79	41.08	3	Vertical	207	1.45	-	38.60	10.24	32.51			
PK	15.56439G	62.50	74.00	-11.50	44.30	3	Vertical	282	2.37	-	38.33	12.60	32.73			
AV	15.5601G	49.50	54.00	-4.50	31.31	3	Vertical	282	2.37	-	38.32	12.60	32.73			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Z_4TX
Setting 84
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36653G	57.71	68.20	-10.49	41.42	3	Horizontal	360	2.57	-	38.60	10.22	32.53			
PK	15.56811G	61.98	74.00	-12.02	43.77	3	Horizontal	170	1.08	-	38.34	12.60	32.73			
AV	15.56907G	49.49	54.00	-4.51	31.28	3	Horizontal	170	1.08	-	38.34	12.60	32.73			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	62.49	74.00	-11.51	55.19	3	Vertical	321	2.07	-	32.60	7.24	32.54			
AV	5.1463G	50.77	54.00	-3.23	43.49	3	Vertical	321	2.07	-	32.59	7.23	32.54			
PK	5.2147G	114.88	Inf	-Inf	107.42	3	Vertical	321	2.07	-	32.70	7.29	32.53			
AV	5.2189G	104.13	Inf	-Inf	96.67	3	Vertical	321	2.07	-	32.70	7.29	32.53			
PK	5.3572G	61.29	74.00	-12.71	53.50	3	Vertical	321	2.07	-	32.93	7.35	32.49			
AV	5.35G	50.01	54.00	-3.99	42.26	3	Vertical	321	2.07	-	32.90	7.35	32.50			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	65.07	74.00	-8.93	57.78	3	Horizontal	182	1.01	-	32.59	7.24	32.54			
AV	5.1475G	53.71	54.00	-0.29	46.42	3	Horizontal	182	1.01	-	32.59	7.24	32.54			
PK	5.2129G	119.64	Inf	-Inf	112.18	3	Horizontal	182	1.01	-	32.70	7.29	32.53			
AV	5.2264G	109.52	Inf	-Inf	102.06	3	Horizontal	182	1.01	-	32.70	7.29	32.53			
PK	5.3512G	62.42	74.00	-11.58	54.67	3	Horizontal	182	1.01	-	32.90	7.35	32.50			
AV	5.3515G	50.98	54.00	-3.02	43.22	3	Horizontal	182	1.01	-	32.91	7.35	32.50			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45982G	58.20	68.20	-10.00	41.76	3	Vertical	121	1.06	-	38.62	10.27	32.45			
PK	15.69999G	60.96	74.00	-13.04	43.25	3	Vertical	360	1.80	-	37.80	12.66	32.75			
AV	15.67503G	48.67	54.00	-5.33	30.87	3	Vertical	360	1.80	-	37.90	12.65	32.75			

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Z_4TX
Setting 95
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47356G	58.49	68.20	-9.71	41.99	3	Horizontal	60	1.76	-	38.65	10.28	32.43			
PK	15.68442G	60.84	74.00	-13.16	43.08	3	Horizontal	313	1.80	-	37.86	12.65	32.75			
AV	15.67593G	48.74	54.00	-5.26	30.94	3	Horizontal	313	1.80	-	37.90	12.65	32.75			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1335G	60.89	74.00	-13.11	53.65	3	Vertical	314	2.45	-	32.57	7.22	32.55			
AV	5.15G	50.84	54.00	-3.16	43.54	3	Vertical	314	2.45	-	32.60	7.24	32.54			
PK	5.22G	103.49	Inf	-Inf	96.03	3	Vertical	314	2.45	-	32.70	7.29	32.53			
AV	5.2205G	93.67	Inf	-Inf	86.21	3	Vertical	314	2.45	-	32.70	7.29	32.53			
PK	5.455G	61.49	74.00	-12.51	53.22	3	Vertical	314	2.45	-	33.33	7.41	32.47			
AV	5.458G	50.92	54.00	-3.08	42.63	3	Vertical	314	2.45	-	33.35	7.41	32.47			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.83	74.00	-10.17	56.53	3	Horizontal	127	3.00	-	32.60	7.24	32.54			
AV	5.15G	53.61	54.00	-0.39	46.31	3	Horizontal	127	3.00	-	32.60	7.24	32.54			
PK	5.225G	110.72	Inf	-Inf	103.26	3	Horizontal	127	3.00	-	32.70	7.29	32.53			
AV	5.22G	100.72	Inf	-Inf	93.26	3	Horizontal	127	3.00	-	32.70	7.29	32.53			
PK	5.441G	62.13	74.00	-11.87	53.94	3	Horizontal	127	3.00	-	33.26	7.40	32.47			
AV	5.447G	51.26	54.00	-2.74	43.03	3	Horizontal	127	3.00	-	33.29	7.41	32.47			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX


5210MHz_TX

EUT_Z_4TX
Setting 62
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4159G	57.56	68.20	-10.64	38.53	3	Vertical	354	1.89	-	38.47	11.07	30.51			
PK	15.62846G	59.84	74.00	-14.16	42.19	3	Vertical	322	1.56	-	37.79	11.85	31.99			
AV	15.62152G	47.29	54.00	-6.71	29.62	3	Vertical	322	1.56	-	37.81	11.85	31.99			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 62
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42694G	57.02	68.20	-11.18	38.00	3	Horizontal	11	2.92	-	38.45	11.08	30.51			
PK	15.62732G	60.31	74.00	-13.69	42.66	3	Horizontal	148	2.11	-	37.79	11.85	31.99			
AV	15.63274G	47.46	54.00	-6.54	29.83	3	Horizontal	148	2.11	-	37.77	11.85	31.99			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 83
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	62.43	74.00	-11.57	55.17	3	Vertical	51	2.69	-	32.58	7.23	32.55			
AV	5.1455G	52.49	54.00	-1.51	45.22	3	Vertical	51	2.69	-	32.59	7.23	32.55			
PK	5.2205G	109.73	Inf	-Inf	102.27	3	Vertical	51	2.69	-	32.70	7.29	32.53			
AV	5.2215G	99.14	Inf	-Inf	91.68	3	Vertical	51	2.69	-	32.70	7.29	32.53			
PK	5.4155G	61.47	74.00	-12.53	53.41	3	Vertical	51	2.69	-	33.16	7.38	32.48			
AV	5.46G	49.87	54.00	-4.13	41.56	3	Vertical	51	2.69	-	33.36	7.42	32.47			

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 83
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1345G	67.50	74.00	-6.50	60.26	3	Horizontal	120	1.29	-	32.57	7.22	32.55			
AV	5.15G	53.72	54.00	-0.28	46.42	3	Horizontal	120	1.29	-	32.60	7.24	32.54			
PK	5.183G	116.32	Inf	-Inf	108.92	3	Horizontal	120	1.29	-	32.67	7.27	32.54			
AV	5.176G	100.62	Inf	-Inf	93.25	3	Horizontal	120	1.29	-	32.65	7.26	32.54			
PK	5.3625G	63.13	74.00	-10.87	55.32	3	Horizontal	120	1.29	-	32.95	7.35	32.49			
AV	5.35G	51.15	54.00	-2.85	43.40	3	Horizontal	120	1.29	-	32.90	7.35	32.50			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 83
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42015G	57.91	68.20	-10.29	41.54	3	Vertical	17	2.63	-	38.60	10.25	32.48			
PK	15.61977G	61.98	74.00	-12.02	43.85	3	Vertical	310	1.57	-	38.24	12.63	32.74			
AV	15.61674G	49.47	54.00	-4.53	31.32	3	Vertical	310	1.57	-	38.27	12.62	32.74			

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 83
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41073G	58.39	68.20	-9.81	42.03	3	Horizontal	160	1.83	-	38.60	10.25	32.49			
PK	15.61959G	62.71	74.00	-11.29	44.58	3	Horizontal	49	1.80	-	38.24	12.63	32.74			
AV	15.61644G	49.47	54.00	-4.53	31.32	3	Horizontal	49	1.80	-	38.27	12.62	32.74			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 56
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	60.85	74.00	-13.15	53.60	3	Vertical	326	2.44	-	32.57	7.23	32.55			
AV	5.1356G	53.12	54.00	-0.88	45.87	3	Vertical	326	2.44	-	32.57	7.23	32.55			
PK	5.2236G	100.71	Inf	-Inf	93.25	3	Vertical	326	2.44	-	32.70	7.29	32.53			
AV	5.2172G	91.62	Inf	-Inf	84.16	3	Vertical	326	2.44	-	32.70	7.29	32.53			
PK	5.4492G	62.64	74.00	-11.36	54.40	3	Vertical	326	2.44	-	33.30	7.41	32.47			
AV	5.4276G	52.51	54.00	-1.49	44.39	3	Vertical	326	2.44	-	33.21	7.39	32.48			
PK	5.566G	62.39	68.20	-5.81	53.66	3	Vertical	326	2.44	-	33.70	7.49	32.46			

5.15-5.25GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 56
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1356G	62.35	74.00	-11.65	55.10	3	Horizontal	166	1.01	-	32.57	7.23	32.55			
AV	5.1364G	53.26	54.00	-0.74	46.01	3	Horizontal	166	1.01	-	32.57	7.23	32.55			
PK	5.2292G	107.54	Inf	-Inf	100.07	3	Horizontal	166	1.01	-	32.70	7.29	32.52			
AV	5.2188G	97.59	Inf	-Inf	90.13	3	Horizontal	166	1.01	-	32.70	7.29	32.53			
PK	5.362G	62.53	74.00	-11.47	54.72	3	Horizontal	166	1.01	-	32.95	7.35	32.49			
AV	5.3588G	53.54	54.00	-0.46	45.74	3	Horizontal	166	1.01	-	32.94	7.35	32.49			
PK	5.4772G	61.79	68.20	-6.41	53.37	3	Horizontal	166	1.01	-	33.46	7.43	32.47			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 56
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49146G	56.86	68.20	-11.34	37.75	3	Vertical	130	2.73	-	38.48	11.12	30.49			
PK	15.7547G	59.34	74.00	-14.66	42.06	3	Vertical	236	2.03	-	37.49	11.86	32.07			
AV	15.7426G	48.76	54.00	-5.24	31.46	3	Vertical	236	2.03	-	37.51	11.86	32.07			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 56
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5007G	57.14	68.20	-11.06	38.00	3	Horizontal	275	2.85	-	38.50	11.13	30.49			
PK	15.75328G	59.25	74.00	-14.75	41.97	3	Horizontal	84	2.58	-	37.49	11.86	32.07			
AV	15.74734G	48.51	54.00	-5.49	31.21	3	Horizontal	84	2.58	-	37.51	11.86	32.07			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	61.37	74.00	-12.63	54.11	3	Vertical	326	2.53	-	32.58	7.23	32.55			
AV	5.146G	50.12	54.00	-3.88	42.84	3	Vertical	326	2.53	-	32.59	7.23	32.54			
PK	5.2676G	120.63	Inf	-Inf	113.10	3	Vertical	326	2.53	-	32.74	7.31	32.52			
AV	5.2672G	112.24	Inf	-Inf	104.72	3	Vertical	326	2.53	-	32.73	7.31	32.52			
PK	5.35G	62.20	74.00	-11.80	54.45	3	Vertical	326	2.53	-	32.90	7.35	32.50			
AV	5.3528G	50.51	54.00	-3.49	42.75	3	Vertical	326	2.53	-	32.91	7.35	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0652G	63.34	74.00	-10.66	56.16	3	Horizontal	156	1.00	-	32.57	7.17	32.56			
AV	5.0648G	53.24	54.00	-0.76	46.06	3	Horizontal	156	1.00	-	32.57	7.17	32.56			
PK	5.2664G	127.34	Inf	-Inf	119.82	3	Horizontal	156	1.00	-	32.73	7.31	32.52			
AV	5.266G	118.54	Inf	-Inf	111.02	3	Horizontal	156	1.00	-	32.73	7.31	32.52			
PK	5.3652G	63.90	74.00	-10.10	56.08	3	Horizontal	156	1.00	-	32.96	7.35	32.49			
AV	5.35G	53.08	54.00	-0.92	45.33	3	Horizontal	156	1.00	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52714G	58.29	68.20	-9.91	39.09	3	Vertical	320	2.78	-	38.55	11.14	30.49			
PK	15.77745G	62.70	74.00	-11.30	45.48	3	Vertical	153	1.58	-	37.45	11.86	32.09			
AV	15.77877G	48.98	54.00	-5.02	31.77	3	Vertical	153	1.58	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52324G	57.80	68.20	-10.40	38.60	3	Horizontal	225	2.77	-	38.55	11.14	30.49			
PK	15.7659G	61.47	74.00	-12.53	44.22	3	Horizontal	258	2.36	-	37.47	11.86	32.08			
AV	15.77787G	48.34	54.00	-5.66	31.13	3	Horizontal	258	2.36	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 97
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.59	74.00	-14.41	52.29	3	Vertical	330	2.78	-	32.60	7.24	32.54			
AV	5.15G	49.38	54.00	-4.62	42.08	3	Vertical	330	2.78	-	32.60	7.24	32.54			
PK	5.3075G	116.90	Inf	-Inf	109.27	3	Vertical	330	2.78	-	32.81	7.33	32.51			
AV	5.3078G	108.86	Inf	-Inf	101.22	3	Vertical	330	2.78	-	32.82	7.33	32.51			
PK	5.35G	62.11	74.00	-11.89	54.36	3	Vertical	330	2.78	-	32.90	7.35	32.50			
AV	5.35G	50.86	54.00	-3.14	43.11	3	Vertical	330	2.78	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 97
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.59	74.00	-14.41	52.29	3	Horizontal	167	1.80	-	32.60	7.24	32.54			
AV	5.15G	50.15	54.00	-3.85	42.85	3	Horizontal	167	1.80	-	32.60	7.24	32.54			
PK	5.2925G	121.88	Inf	-Inf	114.29	3	Horizontal	167	1.80	-	32.78	7.32	32.51			
AV	5.2925G	113.67	Inf	-Inf	106.08	3	Horizontal	167	1.80	-	32.78	7.32	32.51			
PK	5.3525G	65.00	74.00	-9.00	57.24	3	Horizontal	167	1.80	-	32.91	7.35	32.50			
AV	5.3525G	53.97	54.00	-0.03	46.21	3	Horizontal	167	1.80	-	32.91	7.35	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 97
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5961G	57.22	68.20	-10.98	37.92	3	Vertical	204	2.92	-	38.60	11.19	30.49			
PK	15.91053G	58.94	74.00	-15.06	41.58	3	Vertical	81	1.28	-	37.66	11.87	32.17			
AV	15.89757G	46.16	54.00	-7.84	28.76	3	Vertical	81	1.28	-	37.69	11.87	32.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 97
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59055G	57.28	68.20	-10.92	37.99	3	Horizontal	247	2.95	-	38.60	11.18	30.49			
PK	15.91083G	59.09	74.00	-14.91	41.73	3	Horizontal	232	1.24	-	37.66	11.87	32.17			
AV	15.89709G	46.19	54.00	-7.81	28.79	3	Horizontal	232	1.24	-	37.69	11.87	32.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 82
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3276G	113.54	Inf	-Inf	105.84	3	Vertical	323	2.79	-	32.86	7.34	32.50			
AV	5.3274G	105.64	Inf	-Inf	97.95	3	Vertical	323	2.79	-	32.85	7.34	32.50			
PK	5.3508G	62.49	74.00	-11.51	54.74	3	Vertical	323	2.79	-	32.90	7.35	32.50			
AV	5.35G	51.55	54.00	-2.45	43.80	3	Vertical	323	2.79	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 82
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.324G	120.96	Inf	-Inf	113.27	3	Horizontal	148	1.02	-	32.85	7.34	32.50			
AV	5.325G	112.12	Inf	-Inf	104.43	3	Horizontal	148	1.02	-	32.85	7.34	32.50			
PK	5.35G	64.69	74.00	-9.31	56.94	3	Horizontal	148	1.02	-	32.90	7.35	32.50			
AV	5.35G	53.88	54.00	-0.12	46.13	3	Horizontal	148	1.02	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 82
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65455G	57.38	74.00	-16.62	38.14	3	Vertical	110	1.49	-	38.50	11.23	30.49			
AV	10.65482G	44.49	54.00	-9.51	25.25	3	Vertical	110	1.49	-	38.50	11.23	30.49			
PK	15.97332G	58.85	74.00	-15.15	41.69	3	Vertical	123	2.01	-	37.50	11.87	32.21			
AV	15.95592G	45.59	54.00	-8.41	28.42	3	Vertical	123	2.01	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 82
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65008G	56.73	74.00	-17.27	37.50	3	Horizontal	326	1.43	-	38.50	11.22	30.49			
AV	10.62743G	44.50	54.00	-9.50	25.23	3	Horizontal	326	1.43	-	38.55	11.21	30.49			
PK	15.97476G	58.70	74.00	-15.30	41.54	3	Horizontal	40	1.79	-	37.50	11.87	32.21			
AV	15.96108G	45.55	54.00	-8.45	28.39	3	Horizontal	40	1.79	-	37.50	11.87	32.21			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 106
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2656G	121.49	Inf	-Inf	113.97	3	Vertical	317	2.70	-	32.73	7.31	32.52			
AV	5.2654G	109.93	Inf	-Inf	102.41	3	Vertical	317	2.70	-	32.73	7.31	32.52			
PK	5.354G	61.09	74.00	-12.91	53.32	3	Vertical	317	2.70	-	32.92	7.35	32.50			
AV	5.35G	50.21	54.00	-3.79	42.46	3	Vertical	317	2.70	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 106
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.264G	128.05	Inf	-Inf	120.53	3	Horizontal	163	1.00	-	32.73	7.31	32.52			
AV	5.2588G	116.94	Inf	-Inf	109.43	3	Horizontal	163	1.00	-	32.72	7.31	32.52			
PK	5.35G	64.67	74.00	-9.33	56.92	3	Horizontal	163	1.00	-	32.90	7.35	32.50			
AV	5.35G	53.73	54.00	-0.27	45.98	3	Horizontal	163	1.00	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Z_4TX
Setting 106
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51934G	57.48	68.20	-10.72	38.29	3	Vertical	248	1.00	-	38.54	11.14	30.49			
PK	15.77979G	62.58	74.00	-11.42	45.37	3	Vertical	168	1.80	-	37.44	11.86	32.09			
AV	15.78042G	49.20	54.00	-4.80	31.99	3	Vertical	168	1.80	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Z_4TX
Setting 106
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52465G	57.58	68.20	-10.62	38.38	3	Horizontal	93	2.37	-	38.55	11.14	30.49			
PK	15.79494G	60.47	74.00	-13.53	43.30	3	Horizontal	258	2.35	-	37.41	11.86	32.10			
AV	15.77475G	46.97	54.00	-7.03	29.75	3	Horizontal	258	2.35	-	37.45	11.86	32.09			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 96
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2954G	117.96	Inf	-Inf	110.36	3	Vertical	326	3.00	-	32.79	7.32	32.51				
AV	5.2956G	107.29	Inf	-Inf	99.69	3	Vertical	326	3.00	-	32.79	7.32	32.51				
PK	5.3554G	63.47	74.00	-10.53	55.69	3	Vertical	326	3.00	-	32.92	7.35	32.49				
AV	5.3506G	51.19	54.00	-2.81	43.44	3	Vertical	326	3.00	-	32.90	7.35	32.50				

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 96
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2992G	124.71	Inf	-Inf	117.10	3	Horizontal	166	1.02	-	32.80	7.32	32.51			
AV	5.299G	113.91	Inf	-Inf	106.30	3	Horizontal	166	1.02	-	32.80	7.32	32.51			
PK	5.3544G	66.09	74.00	-7.91	58.31	3	Horizontal	166	1.02	-	32.92	7.35	32.49			
AV	5.354G	53.90	54.00	-0.10	46.13	3	Horizontal	166	1.02	-	32.92	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Z_4TX
Setting 96
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59864G	58.02	68.20	-10.18	38.72	3	Vertical	254	1.55	-	38.60	11.19	30.49			
PK	15.89295G	59.85	74.00	-14.15	42.47	3	Vertical	170	1.67	-	37.67	11.87	32.16			
AV	15.8952G	45.73	54.00	-8.27	28.34	3	Vertical	170	1.67	-	37.68	11.87	32.16			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Z_4TX
Setting 96
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5871G	57.32	68.20	-10.88	38.03	3	Horizontal	21	1.92	-	38.60	11.18	30.49			
PK	15.89619G	58.85	74.00	-15.15	41.46	3	Horizontal	332	2.65	-	37.68	11.87	32.16			
AV	15.90042G	45.72	54.00	-8.28	28.32	3	Horizontal	332	2.65	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 75
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3238G	113.19	Inf	-Inf	105.50	3	Vertical	324	3.00	-	32.85	7.34	32.50			
AV	5.3154G	102.46	Inf	-Inf	94.80	3	Vertical	324	3.00	-	32.83	7.33	32.50			
PK	5.4166G	62.45	74.00	-11.55	54.38	3	Vertical	324	3.00	-	33.17	7.38	32.48			
AV	5.3508G	50.81	54.00	-3.19	43.06	3	Vertical	324	3.00	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 75
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3138G	120.27	Inf	-Inf	112.61	3	Horizontal	160	1.02	-	32.83	7.33	32.50			
AV	5.3138G	109.26	Inf	-Inf	101.60	3	Horizontal	160	1.02	-	32.83	7.33	32.50			
PK	5.3536G	66.00	74.00	-8.00	58.24	3	Horizontal	160	1.02	-	32.91	7.35	32.50			
AV	5.3538G	53.76	54.00	-0.24	45.99	3	Horizontal	160	1.02	-	32.92	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 75
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65212G	57.70	74.00	-16.30	38.47	3	Vertical	117	2.56	-	38.50	11.22	30.49			
AV	10.62686G	43.57	54.00	-10.43	24.30	3	Vertical	117	2.56	-	38.55	11.21	30.49			
PK	15.95073G	58.88	74.00	-15.12	41.71	3	Vertical	227	2.10	-	37.50	11.87	32.20			
AV	15.9453G	44.75	54.00	-9.25	27.55	3	Vertical	227	2.10	-	37.52	11.87	32.19			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 75
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63421G	57.48	74.00	-16.52	38.23	3	Horizontal	113	2.91	-	38.53	11.21	30.49			
AV	10.62638G	43.60	54.00	-10.40	24.33	3	Horizontal	113	2.91	-	38.55	11.21	30.49			
PK	15.95649G	58.41	74.00	-15.59	41.24	3	Horizontal	74	2.01	-	37.50	11.87	32.20			
AV	15.94509G	44.76	54.00	-9.24	27.56	3	Horizontal	74	2.01	-	37.52	11.87	32.19			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Z_4TX
Setting 108
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	61.43	74.00	-12.57	51.78	3	Vertical	261	2.88	-	33.60	6.98	30.93			
AV	5.1466G	48.07	54.00	-5.93	38.42	3	Vertical	261	2.88	-	33.60	6.98	30.93			
PK	5.2609G	118.45	Inf	-Inf	108.50	3	Vertical	261	2.88	-	33.82	6.99	30.86			
AV	5.2579G	107.77	Inf	-Inf	97.82	3	Vertical	261	2.88	-	33.82	7.00	30.87			
PK	5.3692G	61.27	74.00	-12.73	51.16	3	Vertical	261	2.88	-	33.94	6.97	30.80			
AV	5.35G	48.68	54.00	-5.32	38.62	3	Vertical	261	2.88	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	62.36	74.00	-11.64	52.72	3	Horizontal	228	2.15	-	33.60	6.97	30.93			
AV	5.1385G	49.31	54.00	-4.69	39.67	3	Horizontal	228	2.15	-	33.60	6.97	30.93			
PK	5.2681G	126.60	Inf	-Inf	116.63	3	Horizontal	228	2.15	-	33.84	6.99	30.86			
AV	5.2675G	115.21	Inf	-Inf	105.25	3	Horizontal	228	2.15	-	33.83	6.99	30.86			
PK	5.35G	64.55	74.00	-9.45	54.49	3	Horizontal	228	2.15	-	33.90	6.97	30.81			
AV	5.35G	52.64	54.00	-1.36	42.58	3	Horizontal	228	2.15	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51364G	58.54	68.20	-9.66	41.92	3	Vertical	26	1.80	-	38.73	10.30	32.41			
PK	15.78342G	63.24	74.00	-10.76	45.14	3	Vertical	189	1.82	-	38.17	12.70	32.77			
AV	15.78684G	51.81	54.00	-2.19	33.71	3	Vertical	189	1.82	-	38.17	12.70	32.77			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53425G	58.26	68.20	-9.94	41.59	3	Horizontal	24	2.92	-	38.77	10.31	32.41			
PK	15.79224G	62.10	74.00	-11.90	43.99	3	Horizontal	187	1.80	-	38.18	12.70	32.77			
AV	15.78648G	49.43	54.00	-4.57	31.33	3	Horizontal	187	1.80	-	38.17	12.70	32.77			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Z_4TX
Setting 107
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	122.58	Inf	-Inf	112.54	3	Vertical	233	2.31	-	33.90	6.98	30.84			
AV	5.3014G	110.26	Inf	-Inf	100.22	3	Vertical	233	2.31	-	33.90	6.98	30.84			
PK	5.3506G	66.12	74.00	-7.88	56.06	3	Vertical	233	2.31	-	33.90	6.97	30.81			
AV	5.35G	52.13	54.00	-1.87	42.07	3	Vertical	233	2.31	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Z_4TX
Setting 107
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2932G	126.50	Inf	-Inf	116.47	3	Horizontal	2	2.06	-	33.89	6.99	30.85			
AV	5.293G	115.86	Inf	-Inf	105.83	3	Horizontal	2	2.06	-	33.89	6.99	30.85			
PK	5.3514G	66.62	74.00	-7.38	56.56	3	Horizontal	2	2.06	-	33.90	6.97	30.81			
AV	5.3504G	53.51	54.00	-0.49	43.45	3	Horizontal	2	2.06	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 107
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59949G	58.75	68.20	-9.45	41.91	3	Vertical	211	1.11	-	38.90	10.35	32.41			
PK	15.89838G	66.31	74.00	-7.69	48.14	3	Vertical	191	1.95	-	38.20	12.75	32.78			
AV	15.8992G	53.26	54.00	-0.74	35.09	3	Vertical	191	1.95	-	38.20	12.75	32.78			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 107
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59932G	58.35	68.20	-9.85	41.51	3	Horizontal	98	1.80	-	38.90	10.35	32.41			
PK	15.9084G	63.02	74.00	-10.98	44.82	3	Horizontal	231	1.91	-	38.23	12.76	32.79			
AV	15.90836G	51.11	54.00	-2.89	32.91	3	Horizontal	231	1.91	-	38.23	12.76	32.79			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 90
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3188G	114.87	Inf	-Inf	104.82	3	Vertical	245	2.39	-	33.90	6.98	30.83			
AV	5.321G	102.97	Inf	-Inf	92.92	3	Vertical	245	2.39	-	33.90	6.98	30.83			
PK	5.3506G	61.47	74.00	-12.53	51.41	3	Vertical	245	2.39	-	33.90	6.97	30.81			
AV	5.351G	49.36	54.00	-4.64	39.30	3	Vertical	245	2.39	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 90
02-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3288G	119.79	Inf	-Inf	109.74	3	Horizontal	260	1.45	-	33.90	6.98	30.83			
AV	5.3292G	109.81	Inf	-Inf	99.76	3	Horizontal	260	1.45	-	33.90	6.98	30.83			
PK	5.3592G	64.46	74.00	-9.54	54.38	3	Horizontal	260	1.45	-	33.92	6.97	30.81			
AV	5.35G	53.64	54.00	-0.36	43.58	3	Horizontal	260	1.45	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 90
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64898G	58.38	74.00	-15.62	41.52	3	Vertical	318	1.46	-	38.90	10.38	32.42			
AV	10.64594G	46.45	54.00	-7.55	29.59	3	Vertical	318	1.46	-	38.90	10.38	32.42			
PK	15.962G	61.83	74.00	-12.17	43.44	3	Vertical	224	1.80	-	38.40	12.78	32.79			
AV	15.96226G	49.40	54.00	-4.60	31.01	3	Vertical	224	1.80	-	38.40	12.78	32.79			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 90
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64834G	58.59	74.00	-15.41	41.73	3	Horizontal	42	1.54	-	38.90	10.38	32.42			
AV	10.6443G	46.38	54.00	-7.62	29.53	3	Horizontal	42	1.54	-	38.90	10.37	32.42			
PK	15.96304G	61.36	74.00	-12.64	42.97	3	Horizontal	181	1.77	-	38.40	12.78	32.79			
AV	15.9522G	49.56	54.00	-4.44	31.17	3	Horizontal	181	1.77	-	38.40	12.78	32.79			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 85
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2606G	113.56	Inf	-Inf	106.05	3	Vertical	320	2.69	-	32.72	7.31	32.52			
AV	5.2654G	102.92	Inf	-Inf	95.40	3	Vertical	320	2.69	-	32.73	7.31	32.52			
PK	5.3612G	62.91	74.00	-11.09	55.11	3	Vertical	320	2.69	-	32.94	7.35	32.49			
AV	5.3504G	51.37	54.00	-2.63	43.62	3	Vertical	320	2.69	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 85
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.259G	121.07	Inf	-Inf	113.56	3	Horizontal	162	1.00	-	32.72	7.31	32.52			
AV	5.2636G	110.88	Inf	-Inf	103.36	3	Horizontal	162	1.00	-	32.73	7.31	32.52			
PK	5.3596G	64.16	74.00	-9.84	56.36	3	Horizontal	162	1.00	-	32.94	7.35	32.49			
AV	5.3544G	53.91	54.00	-0.09	46.13	3	Horizontal	162	1.00	-	32.92	7.35	32.49			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 85
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5433G	57.48	68.20	-10.72	38.23	3	Vertical	133	1.19	-	38.59	11.15	30.49			
PK	15.80346G	58.70	74.00	-15.30	41.53	3	Vertical	48	2.64	-	37.41	11.86	32.10			
AV	15.80398G	46.84	54.00	-7.16	29.67	3	Vertical	48	2.64	-	37.41	11.86	32.10			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 85
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53582G	57.34	68.20	-10.86	38.11	3	Horizontal	77	2.44	-	38.57	11.15	30.49			
PK	15.81456G	58.57	74.00	-15.43	41.39	3	Horizontal	211	2.74	-	37.43	11.86	32.11			
AV	15.81114G	46.81	54.00	-7.19	29.64	3	Horizontal	211	2.74	-	37.42	11.86	32.11			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 63
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3064G	105.65	Inf	-Inf	98.02	3	Vertical	324	3.00	-	32.81	7.33	32.51			
AV	5.3246G	95.12	Inf	-Inf	87.43	3	Vertical	324	3.00	-	32.85	7.34	32.50			
PK	5.3586G	61.86	74.00	-12.14	54.07	3	Vertical	324	3.00	-	32.93	7.35	32.49			
AV	5.3514G	50.82	54.00	-3.18	43.06	3	Vertical	324	3.00	-	32.91	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 63
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3138G	114.67	Inf	-Inf	107.01	3	Horizontal	167	1.04	-	32.83	7.33	32.50			
AV	5.304G	103.90	Inf	-Inf	96.27	3	Horizontal	167	1.04	-	32.81	7.33	32.51			
PK	5.35G	64.19	74.00	-9.81	56.44	3	Horizontal	167	1.04	-	32.90	7.35	32.50			
AV	5.354G	53.76	54.00	-0.24	45.99	3	Horizontal	167	1.04	-	32.92	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 63
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61408G	57.05	74.00	-16.95	37.77	3	Vertical	112	1.87	-	38.57	11.20	30.49			
AV	10.61016G	45.02	54.00	-8.98	25.73	3	Vertical	112	1.87	-	38.58	11.20	30.49			
PK	15.93564G	58.96	74.00	-15.04	41.72	3	Vertical	60	2.22	-	37.56	11.87	32.19			
AV	15.92742G	46.54	54.00	-7.46	29.26	3	Vertical	60	2.22	-	37.59	11.87	32.18			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 63
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6117G	58.73	74.00	-15.27	39.44	3	Horizontal	79	1.65	-	38.58	11.20	30.49			
AV	10.61172G	45.13	54.00	-8.87	25.84	3	Horizontal	79	1.65	-	38.58	11.20	30.49			
PK	15.93192G	58.65	74.00	-15.35	41.40	3	Horizontal	286	2.47	-	37.57	11.87	32.19			
AV	15.93066G	46.66	54.00	-7.34	29.40	3	Horizontal	286	2.47	-	37.58	11.87	32.19			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1401G	60.97	74.00	-13.03	53.71	3	Vertical	319	2.72	-	32.58	7.23	32.55			
AV	5.1377G	49.62	54.00	-4.38	42.36	3	Vertical	319	2.72	-	32.58	7.23	32.55			
PK	5.2862G	115.08	Inf	-Inf	107.50	3	Vertical	319	2.72	-	32.77	7.32	32.51			
AV	5.2616G	104.21	Inf	-Inf	96.70	3	Vertical	319	2.72	-	32.72	7.31	32.52			
PK	5.3531G	62.90	74.00	-11.10	55.14	3	Vertical	319	2.72	-	32.91	7.35	32.50			
AV	5.35G	50.97	54.00	-3.03	43.22	3	Vertical	319	2.72	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1437G	62.76	74.00	-11.24	55.49	3	Horizontal	176	1.51	-	32.59	7.23	32.55			
AV	5.1491G	51.63	54.00	-2.37	44.33	3	Horizontal	176	1.51	-	32.60	7.24	32.54			
PK	5.2868G	123.04	Inf	-Inf	115.46	3	Horizontal	176	1.51	-	32.77	7.32	32.51			
AV	5.2874G	112.74	Inf	-Inf	105.16	3	Horizontal	176	1.51	-	32.77	7.32	32.51			
PK	5.351G	65.91	74.00	-8.09	58.16	3	Horizontal	176	1.51	-	32.90	7.35	32.50			
AV	5.35G	53.99	54.00	-0.01	46.24	3	Horizontal	176	1.51	-	32.90	7.35	32.50			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52512G	58.74	68.20	-9.46	42.09	3	Vertical	207	1.77	-	38.75	10.31	32.41			
PK	15.8025G	61.66	74.00	-12.34	43.52	3	Vertical	243	2.50	-	38.20	12.71	32.77			
AV	15.79569G	48.49	54.00	-5.51	30.36	3	Vertical	243	2.50	-	38.19	12.71	32.77			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 94
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55323G	58.62	68.20	-9.58	41.90	3	Horizontal	87	1.80	-	38.81	10.32	32.41			
PK	15.7953G	60.60	74.00	-13.40	42.47	3	Horizontal	0	1.82	-	38.19	12.71	32.77			
AV	15.7995G	48.33	54.00	-5.67	30.19	3	Horizontal	0	1.82	-	38.20	12.71	32.77			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX

EUT_Z_4TX
Setting 84
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3282G	116.25	Inf	-Inf	108.55	3	Vertical	322	2.54	-	32.86	7.34	32.50			
AV	5.3282G	105.04	Inf	-Inf	97.34	3	Vertical	322	2.54	-	32.86	7.34	32.50			
PK	5.3506G	65.20	74.00	-8.80	57.45	3	Vertical	322	2.54	-	32.90	7.35	32.50			
AV	5.3542G	53.78	54.00	-0.22	46.00	3	Vertical	322	2.54	-	32.92	7.35	32.49			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 84
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3278G	116.85	Inf	-Inf	109.15	3	Horizontal	319	2.49	-	32.86	7.34	32.50			
AV	5.3282G	104.79	Inf	-Inf	97.09	3	Horizontal	319	2.49	-	32.86	7.34	32.50			
PK	5.3568G	65.67	74.00	-8.33	57.88	3	Horizontal	319	2.49	-	32.93	7.35	32.49			
AV	5.3566G	53.40	54.00	-0.60	45.61	3	Horizontal	319	2.49	-	32.93	7.35	32.49			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 84
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62362G	58.92	74.00	-15.08	42.07	3	Vertical	144	1.78	-	38.90	10.36	32.41			
AV	10.61444G	46.00	54.00	-8.00	29.15	3	Vertical	144	1.78	-	38.90	10.36	32.41			
PK	15.92858G	61.74	74.00	-12.26	43.45	3	Vertical	0	1.33	-	38.31	12.77	32.79			
AV	15.93292G	49.04	54.00	-4.96	30.73	3	Vertical	0	1.33	-	38.33	12.77	32.79			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 84
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60842G	58.43	74.00	-15.57	41.59	3	Horizontal	37	1.80	-	38.90	10.35	32.41			
AV	10.60743G	46.00	54.00	-8.00	29.16	3	Horizontal	37	1.80	-	38.90	10.35	32.41			
PK	15.93903G	61.93	74.00	-12.07	43.59	3	Horizontal	170	1.00	-	38.36	12.77	32.79			
AV	15.92557G	49.08	54.00	-4.92	30.80	3	Horizontal	170	1.00	-	38.30	12.77	32.79			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 65
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	60.25	74.00	-13.75	52.98	3	Vertical	326	2.97	-	32.59	7.23	32.55			
AV	5.1245G	50.15	54.00	-3.85	42.93	3	Vertical	326	2.97	-	32.55	7.22	32.55			
PK	5.32G	104.10	Inf	-Inf	96.43	3	Vertical	326	2.97	-	32.84	7.33	32.50			
AV	5.3195G	92.69	Inf	-Inf	85.02	3	Vertical	326	2.97	-	32.84	7.33	32.50			
PK	5.4325G	61.60	74.00	-12.40	53.46	3	Vertical	326	2.97	-	33.23	7.39	32.48			
PK	5.4785G	62.81	68.20	-5.39	54.38	3	Vertical	326	2.97	-	33.47	7.43	32.47			
AV	5.459G	50.92	54.00	-3.08	42.63	3	Vertical	326	2.97	-	33.35	7.41	32.47			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 65
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	61.06	74.00	-12.94	53.79	3	Horizontal	163	1.05	-	32.59	7.23	32.55			
AV	5.145G	50.62	54.00	-3.38	43.35	3	Horizontal	163	1.05	-	32.59	7.23	32.55			
PK	5.2835G	112.65	Inf	-Inf	105.07	3	Horizontal	163	1.05	-	32.77	7.32	32.51			
AV	5.279G	101.99	Inf	-Inf	94.42	3	Horizontal	163	1.05	-	32.76	7.32	32.51			
PK	5.3535G	62.88	74.00	-11.12	55.12	3	Horizontal	163	1.05	-	32.91	7.35	32.50			
AV	5.354G	53.77	54.00	-0.23	46.00	3	Horizontal	163	1.05	-	32.92	7.35	32.50			
PK	5.538G	61.86	68.20	-6.34	53.17	3	Horizontal	163	1.05	-	33.68	7.47	32.46			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Z_4TX
Setting 65
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57752G	57.59	68.20	-10.61	38.30	3	Vertical	247	1.87	-	38.60	11.18	30.49			
PK	15.8749G	58.69	74.00	-15.31	41.38	3	Vertical	62	1.03	-	37.60	11.86	32.15			
AV	15.86538G	46.82	54.00	-7.18	29.54	3	Vertical	62	1.03	-	37.56	11.86	32.14			

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Z_4TX
Setting 65
02-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58498G	57.41	68.20	-10.79	38.12	3	Horizontal	107	1.72	-	38.60	11.18	30.49			
PK	15.87174G	58.92	74.00	-15.08	41.62	3	Horizontal	286	2.03	-	37.59	11.86	32.15			
AV	15.87006G	46.76	54.00	-7.24	29.47	3	Horizontal	286	2.03	-	37.58	11.86	32.15			

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 82
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1245G	61.26	74.00	-12.74	54.04	3	Vertical	305	3.00	-	32.55	7.22	32.55			
AV	5.1485G	49.28	54.00	-4.72	41.98	3	Vertical	305	3.00	-	32.60	7.24	32.54			
PK	5.257G	110.02	Inf	-Inf	102.52	3	Vertical	305	3.00	-	32.71	7.31	32.52			
AV	5.2555G	100.03	Inf	-Inf	92.54	3	Vertical	305	3.00	-	32.71	7.30	32.52			
PK	5.3595G	63.11	74.00	-10.89	55.31	3	Vertical	305	3.00	-	32.94	7.35	32.49			
AV	5.354G	52.34	54.00	-1.66	44.57	3	Vertical	305	3.00	-	32.92	7.35	32.50			
PK	5.5275G	62.12	68.20	-6.08	53.45	3	Vertical	305	3.00	-	33.66	7.47	32.46			

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Z_4TX
Setting 82
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1295G	61.63	74.00	-12.37	54.40	3	Horizontal	143	3.00	-	32.56	7.22	32.55			
AV	5.1435G	50.40	54.00	-3.60	43.13	3	Horizontal	143	3.00	-	32.59	7.23	32.55			
PK	5.2645G	112.34	Inf	-Inf	104.82	3	Horizontal	143	3.00	-	32.73	7.31	32.52			
AV	5.2555G	107.10	Inf	-Inf	99.61	3	Horizontal	143	3.00	-	32.71	7.30	32.52			
PK	5.3605G	65.33	74.00	-8.67	57.53	3	Horizontal	143	3.00	-	32.94	7.35	32.49			
AV	5.3525G	53.62	54.00	-0.38	45.86	3	Horizontal	143	3.00	-	32.91	7.35	32.50			
PK	5.54G	62.05	68.20	-6.15	53.36	3	Horizontal	143	3.00	-	33.68	7.47	32.46			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 82
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59338G	58.55	68.20	-9.65	41.72	3	Vertical	205	1.01	-	38.89	10.35	32.41			
PK	15.87657G	61.79	74.00	-12.21	43.68	3	Vertical	73	2.64	-	38.15	12.74	32.78			
AV	15.88422G	48.97	54.00	-5.03	30.83	3	Vertical	73	2.64	-	38.17	12.75	32.78			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Z_4TX
Setting 82
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59068G	59.13	68.20	-9.07	42.32	3	Horizontal	342	1.80	-	38.88	10.34	32.41			
PK	15.88149G	61.65	74.00	-12.35	43.52	3	Horizontal	190	2.74	-	38.16	12.75	32.78			
AV	15.8838G	48.91	54.00	-5.09	30.77	3	Horizontal	190	2.74	-	38.17	12.75	32.78			

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 67
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	68.03	74.00	-5.97	60.73	3	Vertical	321	2.30	-	32.60	7.24	32.54			
AV	5.1372G	50.18	54.00	-3.82	42.93	3	Vertical	321	2.30	-	32.57	7.23	32.55			
PK	5.186G	108.15	Inf	-Inf	100.75	3	Vertical	321	2.30	-	32.67	7.27	32.54			
PK	5.3588G	63.54	74.00	-10.46	55.74	3	Vertical	321	2.30	-	32.94	7.35	32.49			
AV	5.2804G	95.09	Inf	-Inf	87.52	3	Vertical	321	2.30	-	32.76	7.32	32.51			
AV	5.3532G	50.24	54.00	-3.76	42.48	3	Vertical	321	2.30	-	32.91	7.35	32.50			
PK	5.5204G	62.76	68.20	-5.44	54.12	3	Vertical	321	2.30	-	33.64	7.46	32.46			

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 67
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	73.80	74.00	-0.20	66.54	3	Horizontal	178	1.00	-	32.58	7.23	32.55			
AV	5.1492G	51.94	54.00	-2.06	44.64	3	Horizontal	178	1.00	-	32.60	7.24	32.54			
PK	5.1876G	114.43	Inf	-Inf	107.01	3	Horizontal	178	1.00	-	32.68	7.27	32.53			
AV	5.1876G	103.01	Inf	-Inf	95.59	3	Horizontal	178	1.00	-	32.68	7.27	32.53			
PK	5.3612G	66.32	74.00	-7.68	58.52	3	Horizontal	178	1.00	-	32.94	7.35	32.49			
AV	5.3508G	51.50	54.00	-2.50	43.75	3	Horizontal	178	1.00	-	32.90	7.35	32.50			
PK	5.5508G	62.84	68.20	-5.36	54.12	3	Horizontal	178	1.00	-	33.70	7.48	32.46			

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 67
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49766G	58.35	68.20	-9.85	41.77	3	Vertical	242	1.65	-	38.70	10.29	32.41			
PK	15.75078G	61.23	74.00	-12.77	43.20	3	Vertical	101	1.94	-	38.10	12.69	32.76			
AV	15.73635G	48.33	54.00	-5.67	30.39	3	Vertical	101	1.94	-	38.02	12.68	32.76			

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 67
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50852G	58.75	68.20	-9.45	42.14	3	Horizontal	253	1.84	-	38.72	10.30	32.41			
PK	15.75354G	61.10	74.00	-12.90	43.06	3	Horizontal	3	1.77	-	38.11	12.69	32.76			
AV	15.73788G	48.26	54.00	-5.74	30.31	3	Horizontal	3	1.77	-	38.03	12.68	32.76			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 92
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45575G	63.72	74.00	-10.28	55.45	3	Vertical	12	2.50	-	33.33	7.41	32.47			
AV	5.45755G	52.20	54.00	-1.80	43.91	3	Vertical	12	2.50	-	33.35	7.41	32.47			
PK	5.46415G	67.34	68.20	-0.86	59.01	3	Vertical	12	2.50	-	33.38	7.42	32.47			
PK	5.5048G	120.15	Inf	-Inf	111.55	3	Vertical	12	2.50	-	33.61	7.45	32.46			
AV	5.50525G	111.35	Inf	-Inf	102.75	3	Vertical	12	2.50	-	33.61	7.45	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 92
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4559G	64.28	74.00	-9.72	56.00	3	Horizontal	1	1.80	-	33.34	7.41	32.47			
AV	5.4562G	52.71	54.00	-1.29	44.43	3	Horizontal	1	1.80	-	33.34	7.41	32.47			
PK	5.4658G	67.90	68.20	-0.30	59.56	3	Horizontal	1	1.80	-	33.39	7.42	32.47			
PK	5.4931G	119.78	Inf	-Inf	111.24	3	Horizontal	1	1.80	-	33.56	7.44	32.46			
AV	5.494G	111.55	Inf	-Inf	103.01	3	Horizontal	1	1.80	-	33.56	7.44	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 92
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01212G	60.01	74.00	-13.99	42.98	3	Vertical	310	1.03	-	38.88	10.58	32.43			
AV	10.99562G	47.06	54.00	-6.94	30.01	3	Vertical	310	1.03	-	38.91	10.57	32.43			
PK	16.50849G	62.55	68.20	-5.65	42.71	3	Vertical	293	2.65	-	39.32	12.97	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 92
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98644G	59.46	74.00	-14.54	42.40	3	Horizontal	5	1.80	-	38.93	10.56	32.43			
AV	10.98791G	47.05	54.00	-6.95	30.00	3	Horizontal	5	1.80	-	38.92	10.56	32.43			
PK	16.49325G	62.79	68.20	-5.41	43.00	3	Horizontal	138	1.45	-	39.29	12.96	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4532G	62.69	74.00	-11.31	54.43	3	Vertical	3	2.43	-	33.32	7.41	32.47			
PK	5.466G	62.63	68.20	-5.57	54.28	3	Vertical	3	2.43	-	33.40	7.42	32.47			
AV	5.46G	51.46	54.00	-2.54	43.15	3	Vertical	3	2.43	-	33.36	7.42	32.47			
PK	5.5724G	123.56	Inf	-Inf	114.82	3	Vertical	3	2.43	-	33.70	7.50	32.46			
AV	5.5724G	115.46	Inf	-Inf	106.72	3	Vertical	3	2.43	-	33.70	7.50	32.46			
PK	5.748G	65.20	68.20	-3.00	56.10	3	Vertical	3	2.43	-	33.99	7.56	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4368G	62.77	74.00	-11.23	54.60	3	Horizontal	358	1.80	-	33.25	7.40	32.48			
PK	5.4656G	63.40	68.20	-4.80	55.06	3	Horizontal	358	1.80	-	33.39	7.42	32.47			
AV	5.4588G	51.64	54.00	-2.36	43.35	3	Horizontal	358	1.80	-	33.35	7.41	32.47			
PK	5.5736G	124.01	Inf	-Inf	115.27	3	Horizontal	358	1.80	-	33.70	7.50	32.46			
AV	5.5732G	115.71	Inf	-Inf	106.97	3	Horizontal	358	1.80	-	33.70	7.50	32.46			
PK	5.7756G	67.48	68.20	-0.72	58.26	3	Horizontal	358	1.80	-	34.10	7.57	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 98
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1609G	60.26	74.00	-13.74	43.48	3	Vertical	100	1.04	-	38.60	10.66	32.48			
AV	11.16597G	47.28	54.00	-6.72	30.50	3	Vertical	100	1.04	-	38.60	10.66	32.48			
PK	16.74072G	67.82	68.20	-0.38	47.30	3	Vertical	318	1.90	-	39.76	13.04	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 98
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1849G	58.79	74.00	-15.21	42.01	3	Horizontal	123	1.80	-	38.60	10.67	32.49			
AV	11.18536G	46.94	54.00	-7.06	30.16	3	Horizontal	123	1.80	-	38.60	10.67	32.49			
PK	16.7373G	67.92	68.20	-0.28	47.41	3	Horizontal	135	1.97	-	39.75	13.04	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 74
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.70135G	115.40	Inf	-Inf	106.49	3	Vertical	25	2.21	-	33.81	7.55	32.45			
AV	5.7015G	107.00	Inf	-Inf	98.09	3	Vertical	25	2.21	-	33.81	7.55	32.45			
PK	5.72535G	64.61	68.20	-3.59	55.60	3	Vertical	25	2.21	-	33.90	7.56	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 74
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.703G	115.76	Inf	-Inf	106.85	3	Horizontal	360	1.80	-	33.81	7.55	32.45			
AV	5.6943G	107.35	Inf	-Inf	98.46	3	Horizontal	360	1.80	-	33.79	7.55	32.45			
PK	5.7324G	67.78	68.20	-0.42	58.74	3	Horizontal	360	1.80	-	33.93	7.56	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 74
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37924G	58.10	74.00	-15.90	41.06	3	Vertical	187	1.82	-	38.80	10.78	32.54			
AV	11.39442G	46.51	54.00	-7.49	29.47	3	Vertical	187	1.82	-	38.80	10.79	32.55			
PK	17.09502G	64.31	68.20	-3.89	42.20	3	Vertical	54	1.69	-	40.97	13.16	32.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 74
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39628G	58.54	74.00	-15.46	41.50	3	Horizontal	1	1.78	-	38.80	10.79	32.55			
AV	11.37852G	46.45	54.00	-7.55	29.41	3	Horizontal	1	1.78	-	38.80	10.78	32.54			
PK	17.0919G	64.43	68.20	-3.77	42.35	3	Horizontal	107	1.74	-	40.95	13.15	32.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4302G	61.57	74.00	-12.43	53.44	3	Vertical	26	2.32	-	33.22	7.39	32.48			
PK	5.4673G	61.89	68.20	-6.31	53.54	3	Vertical	26	2.32	-	33.40	7.42	32.47			
AV	5.46G	51.05	54.00	-2.95	42.75	3	Vertical	26	2.32	-	33.36	7.41	32.47			
PK	5.7221G	123.40	Inf	-Inf	114.40	3	Vertical	26	2.32	-	33.89	7.56	32.45			
AV	5.7221G	115.05	Inf	-Inf	106.05	3	Vertical	26	2.32	-	33.89	7.56	32.45			
PK	5.888G	64.89	68.20	-3.31	55.08	3	Vertical	26	2.32	-	34.63	7.62	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	61.59	74.00	-12.41	53.29	3	Horizontal	352	1.09	-	33.36	7.41	32.47			
AV	5.4519G	50.79	54.00	-3.21	42.54	3	Horizontal	352	1.09	-	33.31	7.41	32.47			
PK	5.4645G	61.20	68.20	-7.00	52.86	3	Horizontal	352	1.09	-	33.39	7.42	32.47			
PK	5.7193G	123.58	Inf	-Inf	114.59	3	Horizontal	352	1.09	-	33.88	7.56	32.45			
AV	5.7186G	115.35	Inf	-Inf	106.37	3	Horizontal	352	1.09	-	33.87	7.56	32.45			
PK	5.8789G	65.60	68.20	-2.60	55.85	3	Horizontal	352	1.09	-	34.57	7.62	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 97
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41012G	57.75	74.00	-16.25	40.70	3	Vertical	301	1.39	-	38.80	10.80	32.55			
AV	11.41354G	46.19	54.00	-7.81	29.14	3	Vertical	301	1.39	-	38.80	10.80	32.55			
PK	17.15934G	67.15	68.20	-1.05	44.83	3	Vertical	323	1.80	-	41.12	13.18	31.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 97
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41234G	57.80	74.00	-16.20	40.75	3	Horizontal	230	1.43	-	38.80	10.80	32.55			
AV	11.41624G	46.15	54.00	-7.85	29.10	3	Horizontal	230	1.43	-	38.80	10.80	32.55			
PK	17.16084G	67.91	68.20	-0.29	45.59	3	Horizontal	139	1.90	-	41.12	13.18	31.98			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	65.01	74.00	-8.99	56.73	3	Vertical	6	2.27	-	33.34	7.41	32.47			
AV	5.4578G	53.22	54.00	-0.78	44.93	3	Vertical	6	2.27	-	33.35	7.41	32.47			
PK	5.4666G	66.35	68.20	-1.85	58.00	3	Vertical	6	2.27	-	33.40	7.42	32.47			
PK	5.4962G	122.42	Inf	-Inf	113.86	3	Vertical	6	2.27	-	33.58	7.44	32.46			
AV	5.5014G	111.41	Inf	-Inf	102.82	3	Vertical	6	2.27	-	33.60	7.45	32.46			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4562G	64.76	74.00	-9.24	56.48	3	Horizontal	358	1.80	-	33.34	7.41	32.47			
AV	5.4576G	53.69	54.00	-0.31	45.40	3	Horizontal	358	1.80	-	33.35	7.41	32.47			
PK	5.4676G	67.40	68.20	-0.80	59.04	3	Horizontal	358	1.80	-	33.41	7.42	32.47			
PK	5.5018G	122.29	Inf	-Inf	113.70	3	Horizontal	358	1.80	-	33.60	7.45	32.46			
AV	5.4964G	111.61	Inf	-Inf	103.05	3	Horizontal	358	1.80	-	33.58	7.44	32.46			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 94
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0096G	59.58	74.00	-14.42	42.55	3	Vertical	276	1.59	-	38.88	10.58	32.43			
AV	10.98806G	46.20	54.00	-7.80	29.15	3	Vertical	276	1.59	-	38.92	10.56	32.43			
PK	16.49094G	62.61	68.20	-5.59	42.84	3	Vertical	275	1.37	-	39.28	12.96	32.47			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 94
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01452G	59.21	74.00	-14.79	42.19	3	Horizontal	171	1.85	-	38.87	10.58	32.43			
AV	10.98503G	46.28	54.00	-7.72	29.22	3	Horizontal	171	1.85	-	38.93	10.56	32.43			
PK	16.49076G	62.71	68.20	-5.49	42.94	3	Horizontal	24	1.83	-	39.28	12.96	32.47			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.446G	62.23	74.00	-11.77	54.02	3	Vertical	7	2.03	-	33.28	7.40	32.47			
PK	5.466G	63.01	68.20	-5.19	54.66	3	Vertical	7	2.03	-	33.40	7.42	32.47			
AV	5.4588G	51.04	54.00	-2.96	42.75	3	Vertical	7	2.03	-	33.35	7.41	32.47			
PK	5.576G	126.18	Inf	-Inf	117.44	3	Vertical	7	2.03	-	33.70	7.50	32.46			
AV	5.586G	114.78	Inf	-Inf	106.03	3	Vertical	7	2.03	-	33.70	7.51	32.46			
PK	5.7792G	64.98	68.20	-3.22	55.74	3	Vertical	7	2.03	-	34.12	7.57	32.45			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4444G	62.60	74.00	-11.40	54.39	3	Horizontal	0	1.80	-	33.28	7.40	32.47			
PK	5.4684G	63.33	68.20	-4.87	54.97	3	Horizontal	0	1.80	-	33.41	7.42	32.47			
AV	5.46G	51.06	54.00	-2.94	42.75	3	Horizontal	0	1.80	-	33.36	7.42	32.47			
PK	5.572G	125.20	Inf	-Inf	116.46	3	Horizontal	0	1.80	-	33.70	7.50	32.46			
AV	5.5816G	114.93	Inf	-Inf	106.18	3	Horizontal	0	1.80	-	33.70	7.51	32.46			
PK	5.7712G	66.54	68.20	-1.66	57.34	3	Horizontal	0	1.80	-	34.08	7.57	32.45			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 99
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13492G	59.65	74.00	-14.35	42.82	3	Vertical	236	1.76	-	38.66	10.64	32.47			
AV	11.13282G	46.27	54.00	-7.73	29.43	3	Vertical	236	1.76	-	38.67	10.64	32.47			
PK	16.73958G	65.29	68.20	-2.91	44.77	3	Vertical	317	1.88	-	39.76	13.04	32.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 99
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1312G	59.40	74.00	-14.60	42.55	3	Horizontal	91	1.80	-	38.68	10.64	32.47			
AV	11.13348G	46.34	54.00	-7.66	29.50	3	Horizontal	91	1.80	-	38.67	10.64	32.47			
PK	16.74972G	68.17	68.20	-0.03	47.60	3	Horizontal	134	1.95	-	39.80	13.04	32.27			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 67
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7052G	115.54	Inf	-Inf	106.62	3	Vertical	26	1.97	-	33.82	7.55	32.45			
AV	5.7052G	104.57	Inf	-Inf	95.65	3	Vertical	26	1.97	-	33.82	7.55	32.45			
PK	5.7254G	66.30	68.20	-1.90	57.29	3	Vertical	26	1.97	-	33.90	7.56	32.45			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 67
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6918G	116.97	Inf	-Inf	108.09	3	Horizontal	360	1.80	-	33.78	7.55	32.45			
AV	5.6972G	105.66	Inf	-Inf	96.77	3	Horizontal	360	1.80	-	33.79	7.55	32.45			
PK	5.7276G	68.03	68.20	-0.17	59.01	3	Horizontal	360	1.80	-	33.91	7.56	32.45			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 67
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4045G	58.28	74.00	-15.72	41.24	3	Vertical	24	1.67	-	38.80	10.79	32.55			
AV	11.40364G	45.91	54.00	-8.09	28.87	3	Vertical	24	1.67	-	38.80	10.79	32.55			
PK	17.10717G	64.14	68.20	-4.06	41.98	3	Vertical	126	1.45	-	41.01	13.16	32.01			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 67
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39382G	57.90	74.00	-16.10	40.86	3	Horizontal	55	1.57	-	38.80	10.79	32.55			
AV	11.40003G	45.83	54.00	-8.17	28.79	3	Horizontal	55	1.57	-	38.80	10.79	32.55			
PK	17.0922G	64.17	68.20	-4.03	42.09	3	Horizontal	95	1.53	-	40.95	13.15	32.02			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4309G	62.63	74.00	-11.37	54.50	3	Vertical	24	2.79	-	33.22	7.39	32.48			
PK	5.4673G	61.71	68.20	-6.49	53.36	3	Vertical	24	2.79	-	33.40	7.42	32.47			
AV	5.4596G	50.63	54.00	-3.37	42.33	3	Vertical	24	2.79	-	33.36	7.41	32.47			
PK	5.7179G	124.39	Inf	-Inf	115.41	3	Vertical	24	2.79	-	33.87	7.56	32.45			
AV	5.7179G	114.21	Inf	-Inf	105.23	3	Vertical	24	2.79	-	33.87	7.56	32.45			
PK	5.8887G	64.77	68.20	-3.43	54.96	3	Vertical	24	2.79	-	34.63	7.62	32.44			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.84	74.00	-12.16	53.54	3	Horizontal	345	3.00	-	33.36	7.41	32.47			
AV	5.46G	50.41	54.00	-3.59	42.11	3	Horizontal	345	3.00	-	33.36	7.41	32.47			
PK	5.4638G	61.87	68.20	-6.33	53.54	3	Horizontal	345	3.00	-	33.38	7.42	32.47			
PK	5.7249G	125.16	Inf	-Inf	116.15	3	Horizontal	345	3.00	-	33.90	7.56	32.45			
AV	5.7249G	114.66	Inf	-Inf	105.65	3	Horizontal	345	3.00	-	33.90	7.56	32.45			
PK	5.86G	65.96	68.20	-2.24	56.34	3	Horizontal	345	3.00	-	34.46	7.61	32.45			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 98
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.15028G	68.02	68.20	-0.18	45.73	3	Vertical	325	1.80	-	41.10	13.17	31.98			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 98
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.15025G	65.10	68.20	-3.10	42.81	3	Horizontal	133	1.80	-	41.10	13.17	31.98			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 93
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	64.61	74.00	-9.39	56.34	3	Vertical	174	1.00	-	33.33	7.41	32.47			
AV	5.46G	53.15	54.00	-0.85	44.84	3	Vertical	174	1.00	-	33.36	7.42	32.47			
PK	5.4668G	66.54	68.20	-1.66	58.19	3	Vertical	174	1.00	-	33.40	7.42	32.47			
PK	5.4988G	122.66	Inf	-Inf	114.09	3	Vertical	174	1.00	-	33.59	7.44	32.46			
AV	5.4992G	111.73	Inf	-Inf	103.15	3	Vertical	174	1.00	-	33.60	7.44	32.46			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 93
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	64.81	74.00	-9.19	56.52	3	Horizontal	7	1.80	-	33.35	7.41	32.47			
AV	5.4598G	53.76	54.00	-0.24	45.46	3	Horizontal	7	1.80	-	33.36	7.41	32.47			
PK	5.47G	67.38	68.20	-0.82	59.01	3	Horizontal	7	1.80	-	33.42	7.42	32.47			
PK	5.4938G	123.18	Inf	-Inf	114.64	3	Horizontal	7	1.80	-	33.56	7.44	32.46			
AV	5.492G	112.83	Inf	-Inf	104.30	3	Horizontal	7	1.80	-	33.55	7.44	32.46			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 93
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99982G	59.10	74.00	-14.90	42.06	3	Vertical	104	1.97	-	38.90	10.57	32.43			
AV	10.991G	46.79	54.00	-7.21	29.73	3	Vertical	104	1.97	-	38.92	10.57	32.43			
PK	16.49664G	65.24	68.20	-2.96	45.45	3	Vertical	24	1.86	-	39.29	12.96	32.46			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Z_4TX
Setting 93
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00117G	58.02	74.00	-15.98	40.98	3	Horizontal	3	1.55	-	38.90	10.57	32.43			
AV	11.00723G	46.80	54.00	-7.20	29.77	3	Horizontal	3	1.55	-	38.89	10.57	32.43			
PK	16.51272G	66.84	68.20	-1.36	46.99	3	Horizontal	321	2.00	-	39.33	12.97	32.45			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	62.14	74.00	-11.86	53.85	3	Vertical	1	2.10	-	33.35	7.41	32.47			
AV	5.4585G	51.35	54.00	-2.65	43.06	3	Vertical	1	2.10	-	33.35	7.41	32.47			
PK	5.463G	62.35	68.20	-5.85	54.02	3	Vertical	1	2.10	-	33.38	7.42	32.47			
PK	5.571G	124.44	Inf	-Inf	115.70	3	Vertical	1	2.10	-	33.70	7.50	32.46			
AV	5.57235G	114.26	Inf	-Inf	105.52	3	Vertical	1	2.10	-	33.70	7.50	32.46			
PK	5.7393G	65.38	68.20	-2.82	56.31	3	Vertical	1	2.10	-	33.96	7.56	32.45			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4342G	61.71	74.00	-12.29	53.55	3	Horizontal	6	1.50	-	33.24	7.40	32.48			
PK	5.463G	62.46	68.20	-5.74	54.13	3	Horizontal	6	1.50	-	33.38	7.42	32.47			
AV	5.45805G	51.35	54.00	-2.65	43.06	3	Horizontal	6	1.50	-	33.35	7.41	32.47			
PK	5.5719G	124.10	Inf	-Inf	115.36	3	Horizontal	6	1.50	-	33.70	7.50	32.46			
AV	5.5737G	114.38	Inf	-Inf	105.64	3	Horizontal	6	1.50	-	33.70	7.50	32.46			
PK	5.73795G	65.49	68.20	-2.71	56.43	3	Horizontal	6	1.50	-	33.95	7.56	32.45			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 100
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15283G	58.63	74.00	-15.37	41.86	3	Vertical	351	1.80	-	38.60	10.65	32.48			
AV	11.15722G	46.66	54.00	-7.34	29.88	3	Vertical	351	1.80	-	38.60	10.66	32.48			
PK	16.74816G	67.34	68.20	-0.86	46.78	3	Vertical	327	2.58	-	39.79	13.04	32.27			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 100
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16537G	58.96	74.00	-15.04	42.18	3	Horizontal	360	1.80	-	38.60	10.66	32.48			
AV	11.17407G	46.74	54.00	-7.26	29.95	3	Horizontal	360	1.80	-	38.60	10.67	32.48			
PK	16.74225G	68.18	68.20	-0.02	47.65	3	Horizontal	132	1.95	-	39.77	13.04	32.28			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 60
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.704G	115.92	Inf	-Inf	107.00	3	Vertical	40	1.02	-	33.82	7.55	32.45			
AV	5.6938G	104.44	Inf	-Inf	95.55	3	Vertical	40	1.02	-	33.79	7.55	32.45			
PK	5.725G	65.68	68.20	-2.52	56.67	3	Vertical	40	1.02	-	33.90	7.56	32.45			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 60
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6972G	117.40	Inf	-Inf	108.51	3	Horizontal	169	1.51	-	33.79	7.55	32.45			
AV	5.6988G	106.25	Inf	-Inf	97.35	3	Horizontal	169	1.51	-	33.80	7.55	32.45			
PK	5.772G	64.54	68.20	-3.66	55.33	3	Horizontal	169	1.51	-	34.09	7.57	32.45			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 60
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41068G	57.77	74.00	-16.23	40.72	3	Vertical	12	1.88	-	38.80	10.80	32.55			
AV	11.42956G	46.29	54.00	-7.71	29.24	3	Vertical	12	1.88	-	38.80	10.81	32.56			
PK	17.09133G	63.63	68.20	-4.57	41.55	3	Vertical	143	1.53	-	40.95	13.15	32.02			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 60
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40029G	58.13	74.00	-15.87	41.09	3	Horizontal	187	1.93	-	38.80	10.79	32.55			
AV	11.39965G	46.22	54.00	-7.78	29.18	3	Horizontal	187	1.93	-	38.80	10.79	32.55			
PK	17.09337G	64.02	68.20	-4.18	41.92	3	Horizontal	277	1.91	-	40.96	13.16	32.02			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4526G	62.49	74.00	-11.51	54.23	3	Vertical	0	1.00	-	33.32	7.41	32.47			
AV	5.4582G	51.15	54.00	-2.85	42.86	3	Vertical	0	1.00	-	33.35	7.41	32.47			
PK	5.4687G	62.04	68.20	-6.16	53.68	3	Vertical	0	1.00	-	33.41	7.42	32.47			
PK	5.727G	125.05	Inf	-Inf	116.03	3	Vertical	0	1.00	-	33.91	7.56	32.45			
AV	5.7242G	114.80	Inf	-Inf	105.79	3	Vertical	0	1.00	-	33.90	7.56	32.45			
PK	5.8551G	65.15	68.20	-3.05	55.56	3	Vertical	0	1.00	-	34.43	7.61	32.45			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4575G	62.07	74.00	-11.93	53.79	3	Horizontal	360	1.99	-	33.34	7.41	32.47			
AV	5.46G	50.96	54.00	-3.04	42.66	3	Horizontal	360	1.99	-	33.36	7.41	32.47			
PK	5.4631G	61.72	68.20	-6.48	53.39	3	Horizontal	360	1.99	-	33.38	7.42	32.47			
PK	5.7242G	126.21	Inf	-Inf	117.20	3	Horizontal	360	1.99	-	33.90	7.56	32.45			
AV	5.7249G	117.57	Inf	-Inf	108.56	3	Horizontal	360	1.99	-	33.90	7.56	32.45			
PK	5.8852G	65.85	68.20	-2.35	56.06	3	Horizontal	360	1.99	-	34.61	7.62	32.44			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 100
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43226G	57.83	74.00	-16.17	40.78	3	Vertical	331	2.95	-	38.80	10.81	32.56			
AV	11.42575G	46.01	54.00	-7.99	28.97	3	Vertical	331	2.95	-	38.80	10.80	32.56			
PK	17.16279G	65.86	68.20	-2.34	43.53	3	Vertical	44	1.80	-	41.13	13.18	31.98			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 100
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43124G	57.70	74.00	-16.30	40.65	3	Horizontal	51	2.59	-	38.80	10.81	32.56			
AV	11.425G	45.80	54.00	-8.20	28.76	3	Horizontal	51	2.59	-	38.80	10.80	32.56			
PK	17.14623G	68.06	68.20	-0.14	45.79	3	Horizontal	141	1.89	-	41.09	13.17	31.99			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 82
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4574G	64.19	74.00	-9.81	55.91	3	Vertical	7	2.39	-	33.34	7.41	32.47			
AV	5.4582G	53.69	54.00	-0.31	45.40	3	Vertical	7	2.39	-	33.35	7.41	32.47			
PK	5.4678G	65.74	68.20	-2.46	57.38	3	Vertical	7	2.39	-	33.41	7.42	32.47			
PK	5.521G	116.81	Inf	-Inf	108.17	3	Vertical	7	2.39	-	33.64	7.46	32.46			
AV	5.5212G	106.90	Inf	-Inf	98.26	3	Vertical	7	2.39	-	33.64	7.46	32.46			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 82
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	65.68	74.00	-8.32	57.40	3	Horizontal	358	1.80	-	33.34	7.41	32.47			
AV	5.4578G	53.84	54.00	-0.16	45.55	3	Horizontal	358	1.80	-	33.35	7.41	32.47			
PK	5.468G	66.98	68.20	-1.22	58.62	3	Horizontal	358	1.80	-	33.41	7.42	32.47			
PK	5.5116G	117.44	Inf	-Inf	108.83	3	Horizontal	358	1.80	-	33.62	7.45	32.46			
AV	5.5216G	106.96	Inf	-Inf	98.32	3	Horizontal	358	1.80	-	33.64	7.46	32.46			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 82
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03777G	59.63	74.00	-14.37	42.66	3	Vertical	94	1.68	-	38.82	10.59	32.44			
AV	11.02366G	47.59	54.00	-6.41	30.60	3	Vertical	94	1.68	-	38.85	10.58	32.44			
PK	16.50102G	63.72	68.20	-4.48	43.92	3	Vertical	149	1.59	-	39.30	12.96	32.46			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 82
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00476G	58.71	74.00	-15.29	41.68	3	Horizontal	141	1.73	-	38.89	10.57	32.43			
AV	11.0164G	47.90	54.00	-6.10	30.88	3	Horizontal	141	1.73	-	38.87	10.58	32.43			
PK	16.5264G	63.17	68.20	-5.03	43.29	3	Horizontal	98	1.88	-	39.35	12.97	32.44			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 97
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	63.87	74.00	-10.13	55.59	3	Vertical	7	2.13	-	33.34	7.41	32.47			
AV	5.456G	53.21	54.00	-0.79	44.93	3	Vertical	7	2.13	-	33.34	7.41	32.47			
PK	5.466G	65.05	68.20	-3.15	56.70	3	Vertical	7	2.13	-	33.40	7.42	32.47			
PK	5.546G	121.52	Inf	-Inf	112.81	3	Vertical	7	2.13	-	33.69	7.48	32.46			
AV	5.5412G	111.40	Inf	-Inf	102.70	3	Vertical	7	2.13	-	33.68	7.48	32.46			
PK	5.7464G	64.72	68.20	-3.48	55.62	3	Vertical	7	2.13	-	33.99	7.56	32.45			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 97
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	65.84	74.00	-8.16	57.56	3	Horizontal	4	1.80	-	33.34	7.41	32.47			
AV	5.4568G	53.98	54.00	-0.02	45.70	3	Horizontal	4	1.80	-	33.34	7.41	32.47			
PK	5.4664G	67.20	68.20	-1.00	58.85	3	Horizontal	4	1.80	-	33.40	7.42	32.47			
PK	5.5624G	121.36	Inf	-Inf	112.63	3	Horizontal	4	1.80	-	33.70	7.49	32.46			
AV	5.5568G	111.28	Inf	-Inf	102.55	3	Horizontal	4	1.80	-	33.70	7.49	32.46			
PK	5.7284G	65.21	68.20	-2.99	56.19	3	Horizontal	4	1.80	-	33.91	7.56	32.45			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 97
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09112G	59.44	74.00	-14.56	42.48	3	Vertical	116	1.82	-	38.80	10.62	32.46			
AV	11.09064G	47.70	54.00	-6.30	30.74	3	Vertical	116	1.82	-	38.80	10.62	32.46			
PK	16.67394G	66.44	68.20	-1.76	46.20	3	Vertical	109	1.62	-	39.55	13.02	32.33			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 97
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1273G	58.96	74.00	-15.04	42.10	3	Horizontal	20	1.58	-	38.69	10.64	32.47			
AV	11.11476G	47.72	54.00	-6.28	30.81	3	Horizontal	20	1.58	-	38.74	10.63	32.46			
PK	16.65354G	65.15	68.20	-3.05	44.97	3	Horizontal	186	1.36	-	39.51	13.01	32.34			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 77
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6835G	115.67	Inf	-Inf	106.80	3	Vertical	3	1.02	-	33.77	7.55	32.45			
AV	5.679G	104.47	Inf	-Inf	95.62	3	Vertical	3	1.02	-	33.76	7.54	32.45			
PK	5.7264G	67.17	68.20	-1.03	58.15	3	Vertical	3	1.02	-	33.91	7.56	32.45			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 77
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.667G	116.90	Inf	-Inf	108.08	3	Horizontal	2	1.80	-	33.73	7.54	32.45			
AV	5.667G	105.56	Inf	-Inf	96.74	3	Horizontal	2	1.80	-	33.73	7.54	32.45			
PK	5.7264G	68.02	68.20	-0.18	59.00	3	Horizontal	2	1.80	-	33.91	7.56	32.45			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 77
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35128G	58.67	74.00	-15.33	41.65	3	Vertical	317	1.93	-	38.80	10.76	32.54			
AV	11.35332G	47.48	54.00	-6.52	30.46	3	Vertical	317	1.93	-	38.80	10.76	32.54			
PK	16.9971G	64.96	68.20	-3.24	43.43	3	Vertical	19	1.93	-	40.49	13.12	32.08			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 77
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36256G	58.04	74.00	-15.96	41.01	3	Horizontal	286	1.94	-	38.80	10.77	32.54			
AV	11.3604G	47.66	54.00	-6.34	30.63	3	Horizontal	286	1.94	-	38.80	10.77	32.54			
PK	17.03478G	63.98	68.20	-4.22	42.26	3	Horizontal	224	1.38	-	40.64	13.14	32.06			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 106
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	61.87	74.00	-12.13	53.59	3	Vertical	24	2.83	-	33.34	7.41	32.47			
PK	5.4629G	61.87	68.20	-6.33	53.54	3	Vertical	24	2.83	-	33.38	7.42	32.47			
AV	5.46G	51.65	54.00	-2.35	43.35	3	Vertical	24	2.83	-	33.36	7.41	32.47			
PK	5.7226G	122.17	Inf	-Inf	113.17	3	Vertical	24	2.83	-	33.89	7.56	32.45			
AV	5.703G	111.51	Inf	-Inf	102.60	3	Vertical	24	2.83	-	33.81	7.55	32.45			
PK	5.8528G	67.22	68.20	-0.98	57.64	3	Vertical	24	2.83	-	34.42	7.61	32.45			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 106
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4587G	62.89	74.00	-11.11	54.60	3	Horizontal	360	1.93	-	33.35	7.41	32.47			
AV	5.4594G	52.03	54.00	-1.97	43.73	3	Horizontal	360	1.93	-	33.36	7.41	32.47			
PK	5.4615G	62.15	68.20	-6.05	53.83	3	Horizontal	360	1.93	-	33.37	7.42	32.47			
PK	5.7121G	123.61	Inf	-Inf	114.66	3	Horizontal	360	1.93	-	33.85	7.55	32.45			
AV	5.7121G	112.87	Inf	-Inf	103.92	3	Horizontal	360	1.93	-	33.85	7.55	32.45			
PK	5.8612G	67.87	68.20	-0.33	58.24	3	Horizontal	360	1.93	-	34.47	7.61	32.45			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 99
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40038G	58.58	74.00	-15.42	41.54	3	Vertical	207	2.13	-	38.80	10.79	32.55			
AV	11.39108G	47.40	54.00	-6.60	30.36	3	Vertical	207	2.13	-	38.80	10.79	32.55			
PK	17.13108G	68.12	68.20	-0.08	45.89	3	Vertical	324	1.79	-	41.06	13.17	32.00			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 99
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40716G	58.10	74.00	-15.90	41.06	3	Horizontal	67	1.80	-	38.80	10.79	32.55			
AV	11.4075G	47.31	54.00	-6.69	30.27	3	Horizontal	67	1.80	-	38.80	10.79	32.55			
PK	17.13162G	67.40	68.20	-0.80	45.17	3	Horizontal	135	1.79	-	41.06	13.17	32.00			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 81
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	65.78	74.00	-8.22	57.50	3	Vertical	18	3.00	-	33.34	7.41	32.47			
AV	5.4599G	52.12	54.00	-1.88	43.82	3	Vertical	18	3.00	-	33.36	7.41	32.47			
PK	5.4668G	67.58	68.20	-0.62	59.23	3	Vertical	18	3.00	-	33.40	7.42	32.47			
PK	5.5178G	114.68	Inf	-Inf	106.04	3	Vertical	18	3.00	-	33.64	7.46	32.46			
AV	5.5067G	107.39	Inf	-Inf	98.79	3	Vertical	18	3.00	-	33.61	7.45	32.46			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 81
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	64.10	74.00	-9.90	55.82	3	Horizontal	6	1.79	-	33.34	7.41	32.47			
AV	5.4599G	53.30	54.00	-0.70	45.00	3	Horizontal	6	1.79	-	33.36	7.41	32.47			
PK	5.4653G	67.54	68.20	-0.66	59.20	3	Horizontal	6	1.79	-	33.39	7.42	32.47			
PK	5.5253G	119.47	Inf	-Inf	110.82	3	Horizontal	6	1.79	-	33.65	7.46	32.46			
AV	5.5247G	110.05	Inf	-Inf	101.40	3	Horizontal	6	1.79	-	33.65	7.46	32.46			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 81
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02488G	58.82	74.00	-15.18	41.83	3	Vertical	0	1.80	-	38.85	10.58	32.44			
AV	11.02228G	46.40	54.00	-7.60	29.40	3	Vertical	0	1.80	-	38.86	10.58	32.44			
PK	16.53688G	63.22	68.20	-4.98	43.31	3	Vertical	318	1.65	-	39.37	12.97	32.43			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 81
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01968G	58.88	74.00	-15.12	41.88	3	Horizontal	174	1.80	-	38.86	10.58	32.44			
AV	11.02042G	46.38	54.00	-7.62	29.38	3	Horizontal	174	1.80	-	38.86	10.58	32.44			
PK	16.53228G	63.09	68.20	-5.11	43.20	3	Horizontal	354	2.71	-	39.36	12.97	32.44			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 95
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	63.52	74.00	-10.48	55.21	3	Vertical	10	2.59	-	33.36	7.42	32.47			
AV	5.46G	51.76	54.00	-2.24	43.45	3	Vertical	10	2.59	-	33.36	7.42	32.47			
PK	5.4699G	64.24	68.20	-3.96	55.87	3	Vertical	10	2.59	-	33.42	7.42	32.47			
PK	5.535G	118.92	Inf	-Inf	110.24	3	Vertical	10	2.59	-	33.67	7.47	32.46			
AV	5.5449G	111.41	Inf	-Inf	102.70	3	Vertical	10	2.59	-	33.69	7.48	32.46			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 95
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	63.74	74.00	-10.26	55.45	3	Horizontal	360	1.74	-	33.35	7.41	32.47			
AV	5.4591G	52.63	54.00	-1.37	44.34	3	Horizontal	360	1.74	-	33.35	7.41	32.47			
PK	5.4627G	68.06	68.20	-0.14	59.73	3	Horizontal	360	1.74	-	33.38	7.42	32.47			
PK	5.5323G	125.01	Inf	-Inf	116.34	3	Horizontal	360	1.74	-	33.66	7.47	32.46			
AV	5.5326G	114.41	Inf	-Inf	105.73	3	Horizontal	360	1.74	-	33.67	7.47	32.46			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 95
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10564G	59.52	74.00	-14.48	42.57	3	Vertical	286	2.85	-	38.78	10.63	32.46			
AV	11.10544G	46.36	54.00	-7.64	29.41	3	Vertical	286	2.85	-	38.78	10.63	32.46			
PK	16.6446G	63.40	68.20	-4.80	43.26	3	Vertical	13	1.80	-	39.48	13.01	32.35			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 95
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0961G	59.00	74.00	-15.00	42.04	3	Horizontal	30	1.60	-	38.80	10.62	32.46			
AV	11.10202G	46.30	54.00	-7.70	29.34	3	Horizontal	30	1.60	-	38.79	10.63	32.46			
PK	16.65272G	63.25	68.20	-4.95	43.07	3	Horizontal	208	1.77	-	39.51	13.01	32.34			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6754G	114.62	Inf	-Inf	105.78	3	Vertical	19	3.00	-	33.75	7.54	32.45			
AV	5.6805G	102.01	Inf	-Inf	93.16	3	Vertical	19	3.00	-	33.76	7.54	32.45			
PK	5.7273G	65.57	68.20	-2.63	56.55	3	Vertical	19	3.00	-	33.91	7.56	32.45			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6814G	117.19	Inf	-Inf	108.34	3	Horizontal	0	2.99	-	33.76	7.54	32.45			
AV	5.6685G	106.62	Inf	-Inf	97.79	3	Horizontal	0	2.99	-	33.74	7.54	32.45			
PK	5.7255G	67.94	68.20	-0.26	58.93	3	Horizontal	0	2.99	-	33.90	7.56	32.45			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34158G	58.12	74.00	-15.88	41.09	3	Vertical	126	1.80	-	38.80	10.76	32.53			
AV	11.3451G	46.03	54.00	-7.97	29.00	3	Vertical	126	1.80	-	38.80	10.76	32.53			
PK	17.01178G	64.70	68.20	-3.50	43.09	3	Vertical	235	1.68	-	40.55	13.13	32.07			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34328G	58.66	74.00	-15.34	41.63	3	Horizontal	343	2.40	-	38.80	10.76	32.53			
AV	11.34506G	46.03	54.00	-7.97	29.00	3	Horizontal	343	2.40	-	38.80	10.76	32.53			
PK	17.01034G	64.79	68.20	-3.41	43.19	3	Horizontal	270	3.00	-	40.54	13.13	32.07			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 106
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7044G	121.67	Inf	-Inf	112.75	3	Vertical	32	1.00	-	33.82	7.55	32.45			
AV	5.7012G	109.38	Inf	-Inf	100.48	3	Vertical	32	1.00	-	33.80	7.55	32.45			
PK	5.8776G	67.12	68.20	-1.08	57.37	3	Vertical	32	1.00	-	34.57	7.62	32.44			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 106
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7G	122.62	Inf	-Inf	113.72	3	Horizontal	0	1.80	-	33.80	7.55	32.45			
AV	5.7024G	111.16	Inf	-Inf	102.25	3	Horizontal	0	1.80	-	33.81	7.55	32.45			
PK	5.8548G	68.14	68.20	-0.06	58.55	3	Horizontal	0	1.80	-	34.43	7.61	32.45			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 101
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4204G	58.21	74.00	-15.79	41.17	3	Vertical	335	1.96	-	38.80	10.80	32.56			
AV	11.42114G	45.92	54.00	-8.08	28.88	3	Vertical	335	1.96	-	38.80	10.80	32.56			
PK	17.13916G	67.78	68.20	-0.42	45.52	3	Vertical	326	1.86	-	41.08	13.17	31.99			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 101
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41642G	58.16	74.00	-15.84	41.11	3	Horizontal	322	2.95	-	38.80	10.80	32.55			
AV	11.41808G	45.81	54.00	-8.19	28.77	3	Horizontal	322	2.95	-	38.80	10.80	32.56			
PK	17.13148G	68.08	68.20	-0.12	45.85	3	Horizontal	135	1.80	-	41.06	13.17	32.00			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 81
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	63.79	74.00	-10.21	55.54	3	Vertical	8	2.12	-	33.31	7.41	32.47			
AV	5.456G	53.98	54.00	-0.02	45.70	3	Vertical	8	2.12	-	33.34	7.41	32.47			
PK	5.4625G	64.68	68.20	-3.52	56.36	3	Vertical	8	2.12	-	33.37	7.42	32.47			
PK	5.546G	114.09	Inf	-Inf	105.38	3	Vertical	8	2.12	-	33.69	7.48	32.46			
AV	5.541G	104.59	Inf	-Inf	95.89	3	Vertical	8	2.12	-	33.68	7.48	32.46			
PK	5.735G	64.55	68.20	-3.65	55.50	3	Vertical	8	2.12	-	33.94	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 81
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	64.75	74.00	-9.25	56.48	3	Horizontal	4	1.80	-	33.33	7.41	32.47			
AV	5.4575G	53.21	54.00	-0.79	44.93	3	Horizontal	4	1.80	-	33.34	7.41	32.47			
PK	5.4645G	65.32	68.20	-2.88	56.98	3	Horizontal	4	1.80	-	33.39	7.42	32.47			
PK	5.5365G	114.88	Inf	-Inf	106.20	3	Horizontal	4	1.80	-	33.67	7.47	32.46			
AV	5.542G	103.97	Inf	-Inf	95.27	3	Horizontal	4	1.80	-	33.68	7.48	32.46			
PK	5.7265G	64.48	68.20	-3.72	55.46	3	Horizontal	4	1.80	-	33.91	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 81
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08406G	58.79	74.00	-15.21	41.83	3	Vertical	127	1.90	-	38.80	10.62	32.46			
AV	11.0847G	47.78	54.00	-6.22	30.82	3	Vertical	127	1.90	-	38.80	10.62	32.46			
PK	16.5705G	63.13	68.20	-5.07	43.19	3	Vertical	257	1.40	-	39.36	12.99	32.41			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 81
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08112G	58.77	74.00	-15.23	41.81	3	Horizontal	240	1.79	-	38.80	10.61	32.45			
AV	11.06972G	47.72	54.00	-6.28	30.76	3	Horizontal	240	1.79	-	38.80	10.61	32.45			
PK	16.60806G	62.69	68.20	-5.51	42.74	3	Horizontal	298	1.77	-	39.33	13.00	32.38			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 87
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	63.09	74.00	-10.91	54.85	3	Vertical	2	2.42	-	33.30	7.41	32.47			
AV	5.458G	52.20	54.00	-1.80	43.91	3	Vertical	2	2.42	-	33.35	7.41	32.47			
PK	5.4665G	63.21	68.20	-4.99	54.86	3	Vertical	2	2.42	-	33.40	7.42	32.47			
PK	5.6215G	115.28	Inf	-Inf	106.51	3	Vertical	2	2.42	-	33.70	7.53	32.46			
AV	5.596G	105.32	Inf	-Inf	96.56	3	Vertical	2	2.42	-	33.70	7.52	32.46			
PK	5.7315G	67.59	68.20	-0.61	58.55	3	Vertical	2	2.42	-	33.93	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 87
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	62.98	74.00	-11.02	54.70	3	Horizontal	360	1.80	-	33.34	7.41	32.47			
AV	5.4575G	52.37	54.00	-1.63	44.09	3	Horizontal	360	1.80	-	33.34	7.41	32.47			
PK	5.467G	63.37	68.20	-4.83	55.02	3	Horizontal	360	1.80	-	33.40	7.42	32.47			
PK	5.5965G	116.65	Inf	-Inf	107.89	3	Horizontal	360	1.80	-	33.70	7.52	32.46			
AV	5.6215G	105.56	Inf	-Inf	96.79	3	Horizontal	360	1.80	-	33.70	7.53	32.46			
PK	5.7425G	67.52	68.20	-0.68	58.44	3	Horizontal	360	1.80	-	33.97	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 87
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2242G	58.83	74.00	-15.17	41.99	3	Vertical	277	1.83	-	38.65	10.69	32.50			
AV	11.21436G	47.76	54.00	-6.24	30.93	3	Vertical	277	1.83	-	38.63	10.69	32.49			
PK	16.83426G	64.49	68.20	-3.71	43.49	3	Vertical	121	1.40	-	40.14	13.07	32.21			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 87
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20026G	58.61	74.00	-15.39	41.82	3	Horizontal	199	1.82	-	38.60	10.68	32.49			
AV	11.20338G	47.86	54.00	-6.14	31.06	3	Horizontal	199	1.82	-	38.61	10.68	32.49			
PK	16.8537G	63.48	68.20	-4.72	42.38	3	Horizontal	195	1.87	-	40.21	13.08	32.19			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3484G	59.94	68.20	-8.26	52.19	3	Vertical	23	3.00	-	32.90	7.35	32.50			
PK	5.4583G	62.17	74.00	-11.83	53.88	3	Vertical	23	3.00	-	33.35	7.41	32.47			
AV	5.4583G	52.02	54.00	-1.98	43.73	3	Vertical	23	3.00	-	33.35	7.41	32.47			
PK	5.4618G	61.98	68.20	-6.22	53.66	3	Vertical	23	3.00	-	33.37	7.42	32.47			
PK	5.6676G	115.55	Inf	-Inf	106.72	3	Vertical	23	3.00	-	33.74	7.54	32.45			
AV	5.6781G	105.43	Inf	-Inf	96.58	3	Vertical	23	3.00	-	33.76	7.54	32.45			
PK	5.858G	64.97	68.20	-3.23	55.36	3	Vertical	23	3.00	-	34.45	7.61	32.45			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 94
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3449G	61.52	68.20	-6.68	53.78	3	Horizontal	0	1.80	-	32.89	7.35	32.50			
PK	5.4415G	61.67	74.00	-12.33	53.47	3	Horizontal	0	1.80	-	33.27	7.40	32.47			
PK	5.4611G	62.21	68.20	-5.99	53.89	3	Horizontal	0	1.80	-	33.37	7.42	32.47			
AV	5.4569G	52.19	54.00	-1.81	43.91	3	Horizontal	0	1.80	-	33.34	7.41	32.47			
PK	5.6669G	117.46	Inf	-Inf	108.64	3	Horizontal	0	1.80	-	33.73	7.54	32.45			
AV	5.697G	106.30	Inf	-Inf	97.41	3	Horizontal	0	1.80	-	33.79	7.55	32.45			
PK	5.8881G	67.06	68.20	-1.14	57.25	3	Horizontal	0	1.80	-	34.63	7.62	32.44			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 94
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35942G	58.23	74.00	-15.77	41.20	3	Vertical	261	1.70	-	38.80	10.77	32.54			
AV	11.36236G	47.55	54.00	-6.45	30.52	3	Vertical	261	1.70	-	38.80	10.77	32.54			
PK	17.08488G	64.52	68.20	-3.68	42.49	3	Vertical	360	1.98	-	40.91	13.15	32.03			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 94
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36614G	58.28	74.00	-15.72	41.25	3	Horizontal	231	1.92	-	38.80	10.77	32.54			
AV	11.37466G	47.61	54.00	-6.39	30.57	3	Horizontal	231	1.92	-	38.80	10.78	32.54			
PK	17.06832G	65.63	68.20	-2.57	43.71	3	Horizontal	15	1.51	-	40.81	13.15	32.04			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 84
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3482G	61.17	68.20	-7.03	53.42	3	Vertical	155	1.39	-	32.90	7.35	32.50			
PK	5.4586G	63.45	74.00	-10.55	55.16	3	Vertical	155	1.39	-	33.35	7.41	32.47			
AV	5.4598G	52.98	54.00	-1.02	44.68	3	Vertical	155	1.39	-	33.36	7.41	32.47			
PK	5.4646G	66.56	68.20	-1.64	58.22	3	Vertical	155	1.39	-	33.39	7.42	32.47			
PK	5.56G	115.21	Inf	-Inf	106.48	3	Vertical	155	1.39	-	33.70	7.49	32.46			
AV	5.5192G	103.77	Inf	-Inf	95.13	3	Vertical	155	1.39	-	33.64	7.46	32.46			
PK	5.818G	64.18	68.20	-4.02	54.77	3	Vertical	155	1.39	-	34.27	7.59	32.45			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 84
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3194G	60.85	68.20	-7.35	53.18	3	Horizontal	185.8	1.06	-	32.84	7.33	32.50			
PK	5.4574G	65.36	74.00	-8.64	57.08	3	Horizontal	185.8	1.06	-	33.34	7.41	32.47			
AV	5.4592G	53.76	54.00	-0.24	45.46	3	Horizontal	185.8	1.06	-	33.36	7.41	32.47			
PK	5.4676G	66.89	68.20	-1.31	58.53	3	Horizontal	185.8	1.06	-	33.41	7.42	32.47			
PK	5.5324G	118.71	Inf	-Inf	110.04	3	Horizontal	185.8	1.06	-	33.66	7.47	32.46			
AV	5.5336G	108.35	Inf	-Inf	99.67	3	Horizontal	185.8	1.06	-	33.67	7.47	32.46			
PK	5.7358G	66.27	68.20	-1.93	57.22	3	Horizontal	185.8	1.06	-	33.94	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 84
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06564G	58.94	74.00	-15.06	41.98	3	Vertical	167	1.05	-	38.80	10.61	32.45			
AV	11.06782G	46.29	54.00	-7.71	29.33	3	Vertical	167	1.05	-	38.80	10.61	32.45			
PK	16.59724G	63.32	68.20	-4.88	43.41	3	Vertical	170	1.80	-	39.31	12.99	32.39			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 84
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06452G	58.97	74.00	-15.03	42.01	3	Horizontal	360	1.77	-	38.80	10.61	32.45			
AV	11.06442G	46.30	54.00	-7.70	29.34	3	Horizontal	360	1.77	-	38.80	10.61	32.45			
PK	16.5874G	63.37	68.20	-4.83	43.44	3	Horizontal	29	1.66	-	39.33	12.99	32.39			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 91
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4464G	62.85	74.00	-11.15	54.63	3	Vertical	2	1.85	-	33.29	7.40	32.47			
PK	5.4684G	62.33	68.20	-5.87	53.97	3	Vertical	2	1.85	-	33.41	7.42	32.47			
AV	5.46G	51.17	54.00	-2.83	42.86	3	Vertical	2	1.85	-	33.36	7.42	32.47			
PK	5.6412G	117.09	Inf	-Inf	108.31	3	Vertical	2	1.85	-	33.70	7.53	32.45			
AV	5.6068G	105.04	Inf	-Inf	96.28	3	Vertical	2	1.85	-	33.70	7.52	32.46			
PK	5.7356G	67.32	68.20	-0.88	58.27	3	Vertical	2	1.85	-	33.94	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 91
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4504G	63.20	74.00	-10.80	54.96	3	Horizontal	0	1.80	-	33.30	7.41	32.47			
PK	5.4684G	63.03	68.20	-5.17	54.67	3	Horizontal	0	1.80	-	33.41	7.42	32.47			
AV	5.46G	51.37	54.00	-2.63	43.06	3	Horizontal	0	1.80	-	33.36	7.42	32.47			
PK	5.6052G	120.02	Inf	-Inf	111.26	3	Horizontal	0	1.80	-	33.70	7.52	32.46			
AV	5.6044G	108.91	Inf	-Inf	100.15	3	Horizontal	0	1.80	-	33.70	7.52	32.46			
PK	5.7344G	67.97	68.20	-0.23	58.92	3	Horizontal	0	1.80	-	33.94	7.56	32.45			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 91
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21688G	59.42	74.00	-14.58	42.60	3	Vertical	152	2.08	-	38.63	10.69	32.50			
AV	11.21282G	46.49	54.00	-7.51	29.66	3	Vertical	152	2.08	-	38.63	10.69	32.49			
PK	16.83266G	63.71	68.20	-4.49	42.72	3	Vertical	360	1.80	-	40.13	13.07	32.21			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 91
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21824G	58.61	74.00	-15.39	41.78	3	Horizontal	120	1.00	-	38.64	10.69	32.50			
AV	11.21958G	46.42	54.00	-7.58	29.59	3	Horizontal	120	1.00	-	38.64	10.69	32.50			
PK	16.8316G	64.10	68.20	-4.10	43.11	3	Horizontal	139	1.78	-	40.13	13.07	32.21			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 96
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4554G	61.83	74.00	-12.17	53.56	3	Vertical	1	1.00	-	33.33	7.41	32.47			
AV	5.46G	51.16	54.00	-2.84	42.86	3	Vertical	1	1.00	-	33.36	7.41	32.47			
PK	5.4686G	61.87	68.20	-6.33	53.51	3	Vertical	1	1.00	-	33.41	7.42	32.47			
PK	5.6912G	116.94	Inf	-Inf	108.06	3	Vertical	1	1.00	-	33.78	7.55	32.45			
AV	5.6594G	106.01	Inf	-Inf	97.20	3	Vertical	1	1.00	-	33.72	7.54	32.45			
PK	5.8604G	67.66	68.20	-0.54	58.04	3	Vertical	1	1.00	-	34.46	7.61	32.45			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 96
01-P-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	61.96	74.00	-12.04	53.68	3	Horizontal	358	3.00	-	33.34	7.41	32.47			
AV	5.4596G	50.75	54.00	-3.25	42.45	3	Horizontal	358	3.00	-	33.36	7.41	32.47			
PK	5.4668G	62.26	68.20	-5.94	53.91	3	Horizontal	358	3.00	-	33.40	7.42	32.47			
PK	5.7104G	118.85	Inf	-Inf	109.91	3	Horizontal	358	3.00	-	33.84	7.55	32.45			
AV	5.6588G	107.79	Inf	-Inf	98.98	3	Horizontal	358	3.00	-	33.72	7.54	32.45			
PK	5.8538G	67.98	68.20	-0.22	58.40	3	Horizontal	358	3.00	-	34.42	7.61	32.45			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 96
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37316G	57.88	74.00	-16.12	40.84	3	Vertical	222	1.80	-	38.80	10.78	32.54			
AV	11.37084G	45.92	54.00	-8.08	28.89	3	Vertical	222	1.80	-	38.80	10.77	32.54			
PK	17.06306G	64.96	68.20	-3.24	43.07	3	Vertical	145	1.24	-	40.78	13.15	32.04			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 96
01-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38222G	58.31	74.00	-15.69	41.27	3	Horizontal	126	1.72	-	38.80	10.78	32.54			
AV	11.37714G	46.00	54.00	-8.00	28.96	3	Horizontal	126	1.72	-	38.80	10.78	32.54			
PK	17.07654G	64.44	68.20	-3.76	42.46	3	Horizontal	246	1.85	-	40.86	13.15	32.03			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 59
02-D-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2716G	60.26	68.20	-7.94	50.29	3	Vertical	25	2.97	-	33.84	6.99	30.86			
AV	5.35G	48.77	54.00	-5.23	38.71	3	Vertical	25	2.97	-	33.90	6.97	30.81			
PK	5.4564G	62.97	74.00	-11.03	52.56	3	Vertical	25	2.97	-	34.01	7.15	30.75			
AV	5.4564G	53.57	54.00	-0.43	43.16	3	Vertical	25	2.97	-	34.01	7.15	30.75			
PK	5.4684G	62.79	68.20	-5.41	52.31	3	Vertical	25	2.97	-	34.04	7.19	30.75			
PK	5.598G	106.84	Inf	-Inf	95.94	3	Vertical	25	2.97	-	34.00	7.61	30.71			
AV	5.598G	97.25	Inf	-Inf	86.35	3	Vertical	25	2.97	-	34.00	7.61	30.71			
PK	5.7732G	63.77	68.20	-4.43	52.60	3	Vertical	25	2.97	-	34.05	7.78	30.66			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 59
02-D-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2868G	59.93	68.20	-8.27	49.92	3	Horizontal	-0	2.74	-	33.87	6.99	30.85			
AV	5.35G	48.81	54.00	-5.19	38.75	3	Horizontal	-0	2.74	-	33.90	6.97	30.81			
PK	5.4564G	63.13	74.00	-10.87	52.72	3	Horizontal	-0	2.74	-	34.01	7.15	30.75			
AV	5.4564G	52.55	54.00	-1.45	42.14	3	Horizontal	-0	2.74	-	34.01	7.15	30.75			
PK	5.4676G	61.02	68.20	-7.18	50.55	3	Horizontal	-0	2.74	-	34.04	7.18	30.75			
PK	5.5892G	106.46	Inf	-Inf	95.59	3	Horizontal	-0	2.74	-	34.00	7.58	30.71			
AV	5.594G	96.80	Inf	-Inf	85.91	3	Horizontal	-0	2.74	-	34.00	7.60	30.71			
PK	5.7388G	64.38	68.20	-3.82	53.31	3	Horizontal	-0	2.74	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 59
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3928G	58.97	74.00	-15.03	39.15	3	Vertical	157	1.52	-	38.79	11.69	30.66			
AV	11.4864G	48.56	54.00	-5.44	28.54	3	Vertical	157	1.52	-	38.97	11.75	30.70			
PK	17.0588G	63.21	68.20	-4.99	41.56	3	Vertical	264	1.80	-	41.42	12.37	32.14			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 59
02-D-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	11.4090G	48.11	54.00	-5.89	28.26	3	Horizontal	314	1.05	-	38.82	11.70	30.67			
PK	11.4096G	58.58	74.00	-15.42	38.72	3	Horizontal	314	1.05	-	38.82	11.71	30.67			
PK	17.0188G	63.46	68.20	-4.74	41.84	3	Horizontal	357	1.80	-	41.40	12.35	32.13			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 71
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2156G	61.24	68.20	-6.96	53.78	3	Vertical	55.6	2.92	-	32.70	7.29	32.53			
PK	5.4596G	65.25	74.00	-8.75	56.95	3	Vertical	55.6	2.92	-	33.36	7.41	32.47			
AV	5.35G	49.48	54.00	-4.52	41.73	3	Vertical	55.6	2.92	-	32.90	7.35	32.50			
AV	5.458G	51.72	54.00	-2.28	43.43	3	Vertical	55.6	2.92	-	33.35	7.41	32.47			
PK	5.4604G	67.67	68.20	-0.53	59.36	3	Vertical	55.6	2.92	-	33.36	7.42	32.47			
AV	5.494G	100.03	Inf	-Inf	91.49	3	Vertical	55.6	2.92	-	33.56	7.44	32.46			
PK	5.5476G	106.41	Inf	-Inf	97.69	3	Vertical	55.6	2.92	-	33.70	7.48	32.46			
PK	5.7716G	65.63	68.20	-2.57	56.42	3	Vertical	55.6	2.92	-	34.09	7.57	32.45			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 71
01-P-E-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31G	61.10	68.20	-7.10	53.46	3	Horizontal	360	1.99	-	32.82	7.33	32.51			
AV	5.35G	49.48	54.00	-4.52	41.73	3	Horizontal	360	1.99	-	32.90	7.35	32.50			
PK	5.4556G	63.70	74.00	-10.30	55.43	3	Horizontal	360	1.99	-	33.33	7.41	32.47			
AV	5.4572G	52.49	54.00	-1.51	44.21	3	Horizontal	360	1.99	-	33.34	7.41	32.47			
PK	5.47G	64.65	68.20	-3.55	56.28	3	Horizontal	360	1.99	-	33.42	7.42	32.47			
AV	5.5052G	106.01	Inf	-Inf	97.41	3	Horizontal	360	1.99	-	33.61	7.45	32.46			
PK	5.542G	111.84	Inf	-Inf	103.14	3	Horizontal	360	1.99	-	33.68	7.48	32.46			
PK	5.786G	67.99	68.20	-0.21	58.72	3	Horizontal	360	1.99	-	34.14	7.58	32.45			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 71
01-P-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9112G	59.26	74.00	-14.74	42.17	3	Vertical	248	2.49	-	39.00	10.52	32.43			
AV	10.9208G	47.82	54.00	-6.18	30.72	3	Vertical	248	2.49	-	39.00	10.53	32.43			
PK	17.0052G	64.22	68.20	-3.98	42.65	3	Vertical	195	1.80	-	40.52	13.13	32.08			

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 71
01-P-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9304G	58.99	74.00	-15.01	41.89	3	Horizontal	305	2.10	-	39.00	10.53	32.43			
AV	10.8536G	47.45	54.00	-6.55	30.38	3	Horizontal	305	2.10	-	39.00	10.49	32.42			
PK	16.9508G	64.57	68.20	-3.63	43.18	3	Horizontal	338	1.00	-	40.40	13.11	32.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.595G	64.09	68.20	-4.11	55.33	3	Vertical	27	1.04	-	33.70	7.52	32.46			
PK	5.7435G	123.47	Inf	-Inf	114.39	3	Vertical	27	1.04	-	33.97	7.56	32.45			
AV	5.743G	115.24	Inf	-Inf	106.16	3	Vertical	27	1.04	-	33.97	7.56	32.45			
PK	5.9435G	65.23	68.20	-2.97	55.06	3	Vertical	27	1.04	-	34.96	7.65	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5385G	65.30	68.20	-2.90	56.61	3	Horizontal	8	1.80	-	33.68	7.47	32.46			
PK	5.7485G	123.20	Inf	-Inf	114.10	3	Horizontal	8	1.80	-	33.99	7.56	32.45			
AV	5.7475G	114.94	Inf	-Inf	105.84	3	Horizontal	8	1.80	-	33.99	7.56	32.45			
PK	5.96G	64.82	68.20	-3.38	54.60	3	Horizontal	8	1.80	-	35.00	7.66	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 104
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51574G	58.14	74.00	-15.86	41.08	3	Vertical	149	1.76	-	38.80	10.85	32.59			
AV	11.51664G	46.21	54.00	-7.79	29.15	3	Vertical	149	1.76	-	38.80	10.85	32.59			
PK	17.2359G	67.99	68.20	-0.21	45.45	3	Vertical	322	1.84	-	41.27	13.20	31.93			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Z_4TX
Setting 104
01-P-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.47374G	58.38	74.00	-15.62	41.32	3	Horizontal	239	1.80	-	38.80	10.83	32.57			
AV	11.51856G	46.40	54.00	-7.60	29.33	3	Horizontal	239	1.80	-	38.80	10.86	32.59			
PK	17.23872G	65.01	68.20	-3.19	42.46	3	Horizontal	90	1.80	-	41.28	13.20	31.93			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX



EUT_Z_4TX
Setting 108
01-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6255G	65.54	68.20	-2.66	56.76	3	Vertical	23	2.04	-	33.70	7.53	32.45			
PK	5.786G	124.48	Inf	-Inf	115.21	3	Vertical	23	2.04	-	34.14	7.58	32.45			
AV	5.786G	116.22	Inf	-Inf	106.95	3	Vertical	23	2.04	-	34.14	7.58	32.45			
PK	5.9445G	65.51	68.20	-2.69	55.33	3	Vertical	23	2.04	-	34.97	7.65	32.44			