


4X R1.5mm  
[.06in]



12.7mm  
[.50in]

50.8mm  
[2.00in]

PRELIMINARY  
FOR QUOTE ONLY

NOTES:

1. MATERIAL: 3M 7871 THERMAL TRANSFER POLYESTER LABEL MATERIAL (SUPPLIED WITH 3M ACRYLIC ADHESIVE 350)
2. OVER LAMINATE: FLEXCON CLASSICS PLUS #10092 1 MIL CLEAR PET WITH PERMANENT ADHESIVE
3. ALL PRINTING IS TO BE PANTONE BLACK. FONTS ARE TO BE OF A BLOCK TYPE, BACKGROUND TO BE WHITE
4. LABEL STOCK, INK, ADHESIVE, AND SYSTEM PROCESS TO BE UL RECOGNIZED
5. LABEL INFORMATION IS TO MATCH THE DRAWING AS THE SYSTEM PROCESS ALLOWS. AGENCY APPROVALS SHOWN ON DRAWING ARE TO BE PRINTED ON LABEL ONLY WHEN AUTHORIZED TO DO SO. GRAPHICS SHOWN ON DRAWING ARE FOR REFERENCE ONLY, SUPPLIED ARTWORK TO BE USED FOR PRINTING LABELS.

DESIGN REFERENCE		NEXT ASSEMBLY		01		RELEASE FOR PROTOTYPE 4/9/19		GDK		
DISTRIBUTION CODES				REV	ECO	ISSUE DATE AND DESCRIPTION		DRFT	CHKD	
				DRFT	G. KAPPEL		DATE 10/1/2018	MFG	DATE	
				CHKD			DATE	APPL	DATE	
DIVISION		DIVISION CODE		3M		© 3M COPYRIGHT This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.				
DO NOT SCALE DRAWING		SCALE 4:1		3M Center St. Paul, MN 55144						
THIRD ANGLE PROJECTION		TOLERANCES EXCEPT AS NOTED		TITLE LABEL - TR-600CX, FCC/IC						
INTERPRET PER ASME Y14.5 - 2009		INCHES .0 ± .00 ± .000 ± .0000 ±								
MAX SURFACE ROUGHNESS 125 ✓ □ ALL SURFACES ☑ MARKED ONLY		MILLIMETERS 0 ± 1 .0 ± .3 .00 ± .13 .000 ± .005		CAGE NUMBER		SIZE B		DRAWING NO. 78-8151-2153-4		REV. 01
		ANGLES ± 1°		MODEL		DET. LISTS □ YES ☑ NO		SHT 1 OF 1		

