


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	37.26	-90.94	-53.68	-40.00	13.68	RMS	Vertical	PASS
2	15077.2666	34.06	-86.28	-52.22	-40.00	12.22	RMS	Vertical	PASS
3	17352.7333	32.80	-82.51	-49.71	-40.00	9.71	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21362.6666	55.64	-102.98	-47.34	-40.00	7.34	RMS	Horizontal	PASS
2	36154.6666	42.89	-94.65	-51.76	-40.00	11.76	RMS	Horizontal	PASS
3	38998.5333	43.18	-92.16	-48.98	-40.00	8.98	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	21360.5333	52.85	-102.98	-50.13	-40.00	10.13	RMS	Vertical	PASS
2	35964.7333	41.98	-94.83	-52.85	-40.00	12.85	RMS	Vertical	PASS
3	39772.7333	42.31	-91.39	-49.08	-40.00	9.08	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3620.05	115.64	-87.04	28.60	-	-	RMS	Horizontal	NA
2	3867.25	39.55	-86.43	-46.88	-40.00	6.88	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.47	-90.94	-54.47	-40.00	14.47	RMS	Horizontal	PASS
2	14133.6666	34.82	-87.14	-52.32	-40.00	12.32	RMS	Horizontal	PASS
3	17348.0666	32.96	-82.49	-49.53	-40.00	9.53	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3620.2	116.87	-87.04	29.83	-	-	RMS	Vertical	NA
2	3889.15	39.14	-86.32	-47.18	-40.00	7.18	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	37.10	-90.94	-53.84	-40.00	13.84	RMS	Vertical	PASS
2	14480.8666	35.54	-87.27	-51.73	-40.00	11.73	RMS	Vertical	PASS
3	17869.3333	33.22	-82.69	-49.47	-40.00	9.47	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18101.0666	47.51	-104.09	-56.58	-40.00	16.58	RMS	Horizontal	PASS
2	21723.2	57.70	-102.53	-44.83	-40.00	4.83	RMS	Horizontal	PASS
3	39512.8	41.84	-91.34	-49.50	-40.00	9.50	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18100.8	45.92	-104.09	-58.17	-40.00	18.17	RMS	Vertical	PASS
2	21724.5333	49.38	-102.53	-53.15	-40.00	13.15	RMS	Vertical	PASS
3	39504.4	41.88	-91.30	-49.42	-40.00	9.42	RMS	Vertical	PASS


Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3680.05	115.34	-87.20	28.14	-	-	RMS	Horizontal	NA
2	3867.55	40.11	-86.42	-46.31	-40.00	6.31	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.68	-90.94	-54.26	-40.00	14.26	RMS	Horizontal	PASS
2	14919.5333	34.96	-87.15	-52.19	-40.00	12.19	RMS	Horizontal	PASS
3	17346.6666	33.28	-82.55	-49.27	-40.00	9.27	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3680.05	116.41	-87.20	29.21	-	-	RMS	Vertical	NA
2	3878.5	40.16	-86.37	-46.21	-40.00	6.21	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.6	37.23	-90.94	-53.71	-40.00	13.71	RMS	Vertical	PASS
2	14721.2	35.40	-86.89	-51.49	-40.00	11.49	RMS	Vertical	PASS
3	17346.6666	33.16	-82.55	-49.39	-40.00	9.39	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18400.8	49.29	-103.73	-54.44	-40.00	14.44	RMS	Horizontal	PASS
2	22084	57.15	-102.51	-45.36	-40.00	5.36	RMS	Horizontal	PASS
3	38692.4	43.16	-92.25	-49.09	-40.00	9.09	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	10MHz+20MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	18401.0666	49.08	-103.73	-54.65	-40.00	14.65	RMS	Vertical	PASS
2	22080	50.90	-102.53	-51.63	-40.00	11.63	RMS	Vertical	PASS
3	39876.8	42.54	-91.58	-49.04	-40.00	9.04	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3568.9	118.25	-87.40	30.85	-	-	RMS	Horizontal	NA
2	3916.75	39.52	-86.44	-46.92	-40.00	6.92	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13398.6666	34.57	-88.18	-53.61	-40.00	13.61	RMS	Horizontal	PASS
2	15243.8666	34.41	-86.05	-51.64	-40.00	11.64	RMS	Horizontal	PASS
3	17348.5333	33.13	-82.47	-49.34	-40.00	9.34	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	CA_48C
Bandwidth:	20MHZ	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3568.75	117.55	-87.40	30.15	-	-	RMS	Vertical	NA
2	3863.2	39.43	-86.44	-47.01	-40.00	7.01	RMS	Vertical	PASS