Model: MI-QIS14

#### SPECIFICATION FOR APPROVAL

CUSTOMER'S NAME:	Shenzhen Mingjingtian Electronics Co., LTD
CUSTOMER'S P/N:	
PRODUCT SPEC:	Y. WAC. 025
ISSUE DATE:	2022年10月14日

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Li Bei	Cheng Jie	Li Bowen	



DONGGVAN BOHONG TECHNOLOGY CO., LTD

ADD: 4F, 533 Fumin Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410 FAX: 0769-82866409

\*Please sign this acknowledgement before the first order is placed for production of this model, otherwise you will be deemed to have consented to all contents in this acknowledgement \*

### DONGGUAN BOHONG TECHNOLOGY COLLTD SPECIFICATION FOR APPROVAL

CUST	OMER	Ming jingti	an	CUSTOME	RES P/N	凹音	0		
ISSUE	DATE	Oct. 14, 2022		PRODUCT	SPEC	八早	Y. WAC. 025		
	SPECIFICATION CONTROL DRAWING								
REVISIONS									
REV	DES	SCRIPTION		DATE	ISSUE BY		APPROVAL BY		
A		INITIAL	0c1	t. 14, 2022	Li	Bei	李博文		

### DONGGUAN BOHONG TECHNOLOGY COLLTD SPECIFICATION FOR APPROVAL

С	CUSTOMER Ming jingtian CUSTOMER'S NA HE 0							
IS	SUE DA	TE Oct. 14, 202	2 PRODUCT SPEC Y. W	AC. 025				
1.M	1.MATERIAL:							
NO	ITEM	TYPE	SUPPLIERS	UL FILE NO				
1	magnetic sheet	MnZn-Ferrite (R06-1C)	QS	/				
2	wire rod	xxUEW-FLZ@0.08*24P	FSFY	E303260				
3	glue	BE818	BE	E468573				
4	tin	Sn99.3:Cu0.7	BTL	/				
5	double faced adhesive ta	18. 5*0. 1#513 pe	HG	/				
6	magnet	7. 5*3/N40	LC	/				



	STECHTER	Ħ		D)	
CUSTOMER	Ming jingtian	CUSTOME	REPAR	当	0
ISSUE DATE	Oct. 14, 2022	PRODUCT	SPEC	Y. WA	C. 025
2.DIMENSION:					
Ø25,3	8+11	\$123°		3max	3ma×
infuse:					
	wn white double-side	_	ack		
	ite backing paper, n nting);	o screen			
_	nting); net Gaussian 3600;				
	let lines do not cro	ss;			
ISSUE Li	Bei CHECK BY	Cheng Jie	APPROVAL BY	Li	Bowen


# DONGGUAN BOHONG TECHNOLOGY CO. LTD SPECIFICATION FOR APPROVAL

						RIT			
С	UST	OMER	Ming jing	gtian	CUS'	TOME	S.P/N	回 音	0
ISSUE DATE <b>Oct. 14, 2022</b>					PRO	DUCT	がますり マリ SPEC	山中	Y. WAC. 025
4.CI	4.CIRCUIT DIAGRAM								
	S。N1 99 F。 ": POLARITY/极性								
5.W	'IND	ING							
NO		INDING	WI	RE	7	ΓURNS	TAPE	E WI	NDING CONDITION
N1		S-F	Ø0.08	3*24P		14	/		CCW
							· · ·		
6.CI	6.CHARACTERISTIC								
ITI	EM	MEASU	RED POINT	TECHN	ICAL 1	DATA	TESTING	CONDIT	TION & INSTRUMENT
LS S-F		8.1	uH±5%	<b>%</b>	LCR1062 100KHz/1V AT 25°C±2°C				
Q			S-F		27±5		LCR1062 100KHz/1V AT 25°C±2°C		Hz/1V AT 25°C±2°C


### DONGGUAN BOHONG TECHNOLOGY CO., LTD SPECIFICATION FOR APPROVAL

CUSTOMER	Ming jingtian	CUSTOME	海型性 田	音	0
ISSUE DATE	Oct. 14, 2022	PRODUCT	SPEC		Y. WAC. 025

#### 7.THE PACKING WAY



- 1. Pearl-cotton specification: 355\*235\*28mm\*136格;
- 2. Each box is loaded with 2pcs, and each disc is 256pcs;
- 3. Each case contains 10 trays;
- 4. Total per box: 2560pcs;
- 5. Carton material: K=K++;



## DONGGUAN BOHONG TECHNOLOGY COALTD SPECIFICATION FOR APPROVAL

С	CUSTOMER Ming jingtian CUSTOMER'S 200 0								
ISSUE DATE   Oct. 14, 2022			PRODUCT	1-111					
	memoire								
No.	со	ntent	handling meth	nod s	signature	Date			
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									