
















**Conducted Spurs Peak, 5200 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**



Conducted Spurs Peak, 5230 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A**



**Conducted Spurs Peak, 5230 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B**




**Conducted Spurs Peak, 5230 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**




**Conducted Spurs Peak, 5230 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A**





**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**




**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**



**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**




**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Spurs Peak, 5230 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**





**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Peak, 5230 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

The screenshot shows a Spectrum Analyzer interface. The main plot displays a signal spectrum with a prominent peak labeled 'Mkr3' at 15.660 GHz and -82.87 dBm. The frequency range is from 9.015 GHz to 9.016 GHz. The power scale ranges from -90 dBm to -10 dBm. The resolution bandwidth (RBW) is 30 MHz, and the video bandwidth (VBW) is 3.0 MHz. The sweep rate is 18.000 GHz per second.

MNR	MODE	FREQ	SCL	UNIT	FUNCTION	FUNCTION WITH	FUNCTION VALUE
1	N	f					
2	N	f					
3	N	f					

Signal Spectrum Analyzer - Setup 2A

Center Freq 9.015000000 GHz Avg Type: Log-Pwr

Ref Offset 13.69 dB Ref 0.00 dBm

Mkr2 10.440 GHz -61.35 dBm

Start 30 MHz Res BW 1.0 MHz #VBW 3.0 MHz Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CF Step 1.797000000 GHz

MARK	MODE	FREQ	SQL	DB	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f		5.230 GHz	-53.69 dBm		
2	N	1	f		10.440 GHz	-61.35 dBm		
3	N	1	f		15.860 GHz	-64.04 dBm		
4								
5								
6								
7								
8								
9								
10								
11								
12								

Ref Offset 13.89 dB
Ref 0.00 dBm

Mkr3 15.680 GHz
-62.33 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 3.0 MHz

Stop 18.000 GHz
Sweep 30.0 ms (1001 pts)

MARK	MODE	TRIG	SOL	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.230 GHz	-56.35 dBm		
2	N	1	f	10.440 GHz	-63.71 dBm		
3	N	1	f	15.680 GHz	-62.33 dBm		

Agilent Spectrum Analyzer - Sweep 5A

Center Freq 9.015000000 GHz

PBW: Fast Trg: Free Run #Attenu: 4 dB

Arg Type: Log-Pwr



Ref Offset 13.69 dB Ref 0.00 dBm




Mkr2 10.440 GHz -61.25 dBm





Start 30 MHz #Res BW 1.0 MHz #VBW 3.0 MHz Stop 18.00000000 GHz Sweep 30.0 ms (1001 pts)

MARK	MODE	TIC	SCL	FREQ	POWER	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	I	f	5.220 GHz	-67.32 dBm			
2	N	I	f	10.440 GHz	-61.25 dBm			
3	N	I	f	15.860 GHz	-62.81 dBm			



This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential




**Conducted Spurs Peak, 5230 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Spurs Peak, 5230 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Spurs Peak, 5230 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Spurs Peak, 5240 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A**

**Conducted Spurs Peak, 5240 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Peak, 5240 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5240 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Peak, 5240 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Peak, 5240 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr2 10.480 GHz
-62.93 dBm

Start 30 MHz
#Res BW 1.0 MHz

Stop 18,000 GHz
Sweep 30.0 ms (1001 pts)

CF Step 1.797000000 GHz

MARK	MODE	TRC	SL	F	FUNCTION	FUNCTION WITH	FUNCTION VALUE
1	N	1	f	5.240 GHz	-59.59 dBm		
2	N	1	f	10.480 GHz	-62.93 dBm		
3	N	1	f	15.720 GHz	-63.27 dBm		

Agilent Spectrum Analyzer - Sweep 1A

Center Freq 9.015000000 GHz

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr3 15.720 GHz
-63.42 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 3.0 MHz

Sweep 30.0 ms (1001 pts)

Stop 18.000 GHz

Frequency

Auto Tune

Center Freq
9.015000000 GHz

Start Freq
30.000000 GHz

Stop Freq
18.000000000 GHz

CF Step
1.797000000 GHz

Auto

Freq Offset
0 Hz

MNR	MODE	FREQ	SQL	dB	V	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.210 GHz	-60.46 dBm			
2	N	1	f	10.480 GHz	-63.84 dBm			
3	N	1	f	15.720 GHz	-63.42 dBm			

Agilent Spectrum Analyzer - View2 SA

Center Freq 9.015000000 GHz

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr2 10.480 GHz
-84.07 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 3.0 MHz

Stop 18.000 GHz
Sweep 30.0 ms (1001 pts)

Mkrs	Mode	Freq	Level	Function	Function Width	Function Value
1	N	1	f			
2	N	1	f			
3	N	1	f			
4						
5						
6						
7						
8						
9						
10						
11						
12						

Agilent Spectrum Analyzer - Sweep 5A 10:53:37 PM May 17, 2014

Center Freq 9.015000000 GHz Avg Type: Log-Pwr

PRO: Fast Trig: Free Run W: Cont Low #Atten: 4 dB

Ref Offset 13.81 dB Ref 0.00 dBm


Mkr3 16.720 GHz -63.54 dBm


Start 30 MHz Stop 18.000 GHz
#Res BW 1.0 MHz #VBW 3.0 MHz Sweep 30.0 ms (1001 pts)



MNR	MODE	TRC	SL	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	9.0150 GHz			-63.54 dBm
2	N	1	f	10.480 GHz			-64.17 dBm
3	N	1	f	15.720 GHz			-63.54 dBm




This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential




**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

Keysight Spectrum Analyzer - Sweet LA

Center Freq 9.015000000 GHz

PRD: Fast IF Gain: 1 Trig: Free Run Aver Type: Log-Pwr

69:22:34 AM Nov 18, 2014

TRACE 1

Ref Offset 13.81 dB Ref 0.00 dBm

Mkr3 15.720 GHz -62.40 dBm

Start 30 MHz Res BW 1.0 MHz VBW 3.0 MHz Stop 18.000 GHz Sweep 30.0 ms (1001 pts)

MNR	MODE	TRIG	SCL	F	F	FUNCTION	FUNCTION WITH	FUNCTION VALUE
1	N	1	f	9.0150 GHz	-61.37 dBm			
2	N	1	f	10.480 GHz	-63.34 dBm			
3	N	1	f	15.720 GHz	-62.40 dBm			
4								
5								
6								
7								
8								
9								
10								
11								
12								

Frequency

Auto Tune

Center Freq 9.015000000 GHz

Start Freq 30.000000 MHz

Stop Freq 18.000000000 GHz

CF Step 1.797000000 GHz

Auto Man

Freq Offset 0 Hz

STATUS

Spectrum Analyzer

Center Freq 9.015000000 GHz
 Ref Offset 13.81 dB
 Ref 0.00 dBm

Mkr3 15.720 GHz
 -81.97 dBm

Start 30 MHz
 #Res BW 1.0 MHz
 #VBW 3.0 MHz
 Stop 18.000 GHz
 Sweep 30.0 ms (1001 pts)

MARK	FREQ	SCAL	DB	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	f	-	5.240 GHz	-83.80 dBm		
2	N	f	-	10.480 GHz	-83.34 dBm		
3	N	f	-	15.720 GHz	-81.97 dBm		
4							
5							
6							
7							
8							
9							
10							
11							
12							

Signal Spectrum Analyzer - Sweep 5A

Center Freq 9.015000000 GHz

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr3 15.720 GHz
-61.44 dBm

Start 30 MHz
#Res BW 1.0 MHz





Stop 18.000 GHz
Sweep 30.0 ms (1001 pts)

MEASUREMENT TABLE:

MNR	MODE	TRIG	SOL	F	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.240 GHz	-56.95 dBm			
2	N	1	f	10.480 GHz	-63.70 dBm			
3	N	1	f	15.720 GHz	-61.44 dBm			

[illegible]

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

**Conducted Spurs Peak, 5240 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

Rohde & Schwarz Spectrum Analyzer | Sweep 1A | 100 MHz (BT1) | 02-23-08 AM Nov 18, 2014

Center Freq 9.015000000 GHz | Trig: Free Run | Avg Type: Log-Pwr | PRD: Fast | IF Gw: 1 GHz | TRACE 1 | Type: WWhw | Det: 20/16/0

Ref Offset 13.81 dB | **Ref 0.00 dBm** | **Mkr3 15.720 GHz** | **-61.09 dBm**

Start 30 MHz | **Stop 18.000 GHz** | **#VBW 3.0 MHz** | **Sweep 30.0 ms (1001 pts)** | **Res BW 1.0 MHz**

MNR	MODE	TRIG	SCL	F	F	FUNCTION	FUNCTION WITH	FUNCTION VALUE
1	N	1	f	8.240 GHz	-56.36 dBm			
2	N	1	f	10.480 GHz	-63.94 dBm			
3	N	1	f	15.720 GHz	-61.09 dBm			
4								
5								
6								
7								
8								
9								
10								
11								
12								

Frequency | **Auto Tune** | **Center Freq 9.015000000 GHz** | **Start Freq 30.000000 MHz** | **Stop Freq 18.000000000 GHz** | **CF Step 1.797000000 GHz** | **Auto** | **Man** | **Freq Offset 0 Hz**

[illegible]



The screenshot displays a VSA interface with the following components:


- Title Bar:** "Signal Spectrum Analyzer - Sweep 54"
- Status Bar:** Shows various parameters including "REF: Fast", "#Gain: low", "Trig: Free Run", "#Atten: 4 dB", "Avg Type: Log-Pwr", "TIME 02:20:32 AM May 18 2014", and "TRACE 1".
- Main Display Area:** A spectral plot titled "Center Freq 9.015000000 GHz". The y-axis is labeled "dBm" and ranges from -100 to 0. The x-axis is labeled "MHz" and ranges from 8.9 to 9.1. The plot shows a signal centered at 9.015 GHz. Key measurements are displayed: "Mkr2 10.480 GHz" and "-53.69 dBm". Other settings include "Ref Offset 13.81 dB" and "Ref 0.00 dBm".
- Measurement Results Table:** A table with columns: "MRK", "MODE", "TRC", "SQL", "F", "FUNCTION", "FUNCTION WIDTH", and "FUNCTION VALUE". It lists three markers:




MRK	MODE	TRC	SQL	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	f		5.240 GHz	-56.84 dBm		
2	N	f		10.480 GHz	-53.69 dBm		
3	N	f		15.720 GHz	-53.73 dBm		
- Right Panel:** Contains several tabs and sections:
 - "Frequency": Shows "Auto Tune".
 - "Center Freq": Displays "9.015000000 GHz".
 - "Start Freq": Displays "30.000000 MHz".
 - "Stop Freq": Displays "18.000000000 GHz".
 - "CF Step": Displays "1.797000000 GHz".
 - "Auto": A button.
 - "Man": A button.
 - "Freq Offset": Displays "0 Hz".
- Bottom Panel:** Includes controls for "Start 30 MHz", "Res BW 1.0 MHz", "#VBW 3.0 MHz", "Sweep 30.0 ms (1001 pts)", and "Stop 18.000 GHz".




[illegible]




This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential





**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr3 15.720 GHz
-61.09 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 3.0 MHz

Stop 18,000 GHz
Sweep 30.0 ms (1001 pts)

MARK	MODE	TRC	SCN	F	M	FUNCTION	FUNCTION WITH	FUNCTION VALUE
1	N	f	f	6.240 GHz	-55.95 dBm			
2	N	f	f	10.480 GHz	-53.94 dBm			
3	N	f	f	15.720 GHz	-61.09 dBm			

Agilent Spectrum Analyzer - Swept 1.5

Center Freq 9.015000000 GHz

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr3 15.720 GHz
-60.92 dBm

Start 30 MHz
#Res 1.0 MHz
#VBW 3.0 MHz
Sweep 30.0 ms (1001 pts)

MARK	MODE	FREQ	SFL	DB	UNIT	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.210	GHz	55.53	dBm	
2	N	1	f	10.480	GHz	-51.23	dBm	
3	N	1	f	15.720	GHz	-60.92	dBm	

Agilent Spectrum Analyzer - Span 54

Center Freq 9.015000000 GHz

Ref Offset 13.81 dBm

Ref 0.00 dBm

Mkr2 10.480 GHz

-53.68 dBm

Start 30 MHz

Stop 18.000 GHz

Res BW 1.0 MHz

#VBW 3.0 MHz

Sweep 30.0 ms (1001 pts)

MNR	MODE	FREQ	SCL	VAL	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.240 GHz	-55.84 dBm		
2	N	1	f	10.480 GHz	-53.68 dBm		
3	N	1	f	15.720 GHz	-53.73 dBm		

Agilent Spectrum Analyzer - Swept SA

10:21:15 AM May 18, 2014

Center Freq 9.015000000 GHz

Auto Tune

PRO: Fast → Trig: Free Run #Atten: 4 dB Avg Type: Log-Pwr

Trace 1: F 4.0 Type: Spectrum Ref: MIN MAX

Ref Offset 13.81 dB Ref 0.00 dBm

Mkr2 10.480 GHz -61.76 dBm

Start 30 MHz Stop 18.000 GHz
#Res BW 1.0 MHz #VBW 3.0 MHz Sweep 30.0 ms (1001 pts)

MNR	MODE	TRC	SL	F	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	9.240 GHz	-56.84 dBm		
2	N	1	f	10.480 GHz	-61.76 dBm		
3	N	1	f	15.720 GHz	-62.45 dBm		
4							
5							
6							
7							
8							
9							
10							
11							
12							

Frequency

Auto Tune

Center Freq 9.015000000 GHz

Start Freq 30.000000 GHz

Stop Freq 18.000000000 GHz



CF Step 1.797000000 GHz




Autz Man

Freq Offset 0 Hz

STATUS

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Peak, 5240 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

Antenna Spectrum Analyzer - Sweep 1A

Center Freq 9.015000000 GHz

Trig: Free Run

Avg Type: Log-Pwr

PRD: Fast

Gwv: 1

Ref Offset 13.81 dB

Ref 0.00 dBm

Mkr3 15.720 GHz

-53.01 dBm

Stop 30 MHz

#Res BW 1.0 MHz

#VBW 3.0 MHz

Sweep 30.0 ms (1001 pts)

MNR	MODE	TRIG	SCL	F	F	FUNCTION	FUNCTION WITHN	FUNCTION VALUE
1	N	1	f	8.240 GHz	-58.97 dBm			
2	N	1	f	10.480 GHz	-55.03 dBm			
3	N	1	f	15.720 GHz	-53.01 dBm			
4								
5								
6								
7								
8								
9								
10								
11								
12								

Frequency

Auto Tune

Center Freq 9.015000000 GHz

Start Freq 30.000000 MHz

Stop Freq 18.000000000 GHz

CF Step 1.797000000 GHz

Auto Man

Freq Offset 0 Hz

[illegible]

Ref Offset 13.81 dB
Ref 0.00 dBm

Mkr2 10.480 GHz
-63.14 dBm

Start 30 MHz
#Res BW 1.0 MHz #VBW 3.0 MHz Stop 18.000 GHz
Sweep 30.0 ms (1001 pts)

Mkr	Freq	Level
1	9.015 GHz	-63.35 dBm
2	10.480 GHz	-63.14 dBm
3	15.720 GHz	-63.88 dBm

[illegible]

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential



Conducted Bandedge

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Be sure to enter all losses between the transmitter output and the spectrum analyzer.

Reference Level:	10 dBm
Attenuation:	4 dB
Sweep Time:	Coupled
Resolution Bandwidth:	1MHz
Video Bandwidth:	100 Hz for average
Detector:	Peak

Save 2 plots: 1) Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV @3m)
2) Peak plot (Vertical and Horizontal), Limit = -27 dBm eirp (68dBuV @3m)

Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands.

The "measure-and-sum technique" is used for measuring in-band transmit power of a device. In the measure-and-sum approach, the conducted emission level is measured at each antenna port. The measured results at the various antenna ports are then summed mathematically to determine the total emission level from the device. Summing is performed in linear power units.

This report represents the worst case data for all supported operating modes and antennas.



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5180	Non HT/VHT20, 6 to 54 Mbps	1	6	-51.2				-45.2	-41.25	4.0
	Non HT/VHT20, 6 to 54 Mbps	2	6	-52.7	-53.2			-43.9	-41.25	2.7
	Non HT/VHT20, 6 to 54 Mbps	3	6	-57.2	-58.0	-56.9		-46.6	-41.25	5.3
	Non HT/VHT20, 6 to 54 Mbps	4	6	-60.2	-58.0	-58.4	-58.1	-46.6	-41.25	5.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-54.3	-55.2			-42.7	-41.25	1.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-57.2	-58.0	-56.9		-41.8	-41.25	0.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-60.7	-60.5	-59.3	-60.0	-42.1	-41.25	0.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-50.0				-44.0	-41.25	2.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-52.1	-52.5			-43.3	-41.25	2.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-52.1	-52.5			-43.3	-41.25	2.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-57.6	-57.3	-55.8		-46.1	-41.25	4.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-54.0	-54.0	-52.9		-42.8	-41.25	1.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-54.0	-54.0	-52.9		-42.8	-41.25	1.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-58.9	-58.3	-56.7	-56.8	-45.6	-41.25	4.3
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-57.6	-57.3	-55.8	-54.3	-44.0	-41.25	2.8
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-57.6	-57.3	-55.8	-54.3	-44.0	-41.25	2.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-54.0	-54.0			-42.0	-41.25	0.7
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-52.1	-52.5			-43.3	-41.25	2.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-57.6	-57.3	-55.8		-41.3	-41.25	0.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-57.6	-57.3	-55.8		-44.3	-41.25	3.0
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-54.0	-54.0	-52.9		-42.8	-41.25	1.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-60.2	-60.5	-59.8	-59.1	-41.8	-41.25	0.6
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-57.8	-56.2	-57.2	-55.7	-41.6	-41.25	0.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-57.6	-57.3	-55.8	-54.3	-42.8	-41.25	1.6
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-52.1	-52.5			-43.3	-41.25	2.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-54.0	-54.0	-52.9		-42.8	-41.25	1.6
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-57.6	-57.3	-55.8	-54.3	-44.0	-41.25	2.8
5190	Non HT/VHT40, 6 to 54 Mbps	1	6	-49.1				-43.1	-41.25	1.9
	Non HT/VHT40, 6 to 54 Mbps	2	6	-50.6	-51.4			-42.0	-41.25	0.7
	Non HT/VHT40, 6 to 54 Mbps	3	6	-53.6	-52.9	-51.3		-41.7	-41.25	0.5
	Non HT/VHT40, 6 to 54 Mbps	4	6	-56.2	-55.3	-53.6	-53.8	-42.6	-41.25	1.3
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-48.4				-42.4	-41.25	1.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-51.9	-51.2			-42.5	-41.25	1.3



	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-51.9	-51.2			-42.5	-41.25	1.3
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-53.0	-53.1	-51.0		-41.5	-41.25	0.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-53.0	-53.1	-51.0		-41.5	-41.25	0.2
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-53.0	-53.1	-51.0		-41.5	-41.25	0.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-56.5	-55.5	-54.0	-53.5	-42.7	-41.25	1.4
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-56.5	-55.5	-54.0	-53.5	-42.7	-41.25	1.4
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-56.5	-55.5	-54.0	-53.5	-42.7	-41.25	1.4
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-54.5	-53.8			-42.1	-41.25	0.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-51.9	-51.2			-42.5	-41.25	1.3
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-57.6	-57.4	-55.8		-41.3	-41.25	0.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-56.5	-55.5	-54.0		-42.6	-41.25	1.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-53.0	-53.1	-51.0		-41.5	-41.25	0.2
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-60.0	-59.9	-58.9	-58.8	-41.3	-41.25	0.1
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-57.6	-57.4	-55.8	-55.1	-41.3	-41.25	0.1
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-56.5	-55.5	-54.0	-53.5	-41.5	-41.25	0.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-51.9	-51.2			-42.5	-41.25	1.3
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-53.0	-53.1	-51.0		-41.5	-41.25	0.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-56.5	-55.5	-54.0	-53.5	-42.7	-41.25	1.4
5210	Non HT/VHT80, 6 to 54 Mbps	1	6	-47.9				-41.9	-41.25	0.6
	Non HT/VHT80, 6 to 54 Mbps	2	6	-52.1	-50.5			-42.2	-41.25	1.0
	Non HT/VHT80, 6 to 54 Mbps	3	6	-54.0	-52.6	-52.2		-42.1	-41.25	0.8
	Non HT/VHT80, 6 to 54 Mbps	4	6	-54.7	-54.2	-52.9	-53.9	-41.9	-41.25	0.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-47.9				-41.9	-41.25	0.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-51.9	-51.2			-42.5	-41.25	1.3
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-51.9	-51.2			-42.5	-41.25	1.3
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-54.5	-53.7	-52.8		-42.8	-41.25	1.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-54.5	-53.7	-52.8		-42.8	-41.25	1.6
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-54.5	-53.7	-52.8		-42.8	-41.25	1.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-56.4	-55.0	-54.3	-52.9	-42.4	-41.25	1.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-56.4	-55.0	-54.3	-52.9	-42.4	-41.25	1.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-56.4	-55.0	-54.3	-52.9	-42.4	-41.25	1.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-54.5	-53.7			-42.1	-41.25	0.8
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-51.9	-51.2			-42.5	-41.25	1.3
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-58.2	-57.0	-56.3		-41.5	-41.25	0.3
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-56.4	-55.0	-54.3		-42.6	-41.25	1.3
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-54.5	-53.7	-52.8		-42.8	-41.25	1.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-61.6	-61.0	-60.0	-59.5	-42.4	-41.25	1.2
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-58.2	-57.0	-56.3	-56.5	-41.9	-41.25	0.7
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-57.1	-55.9	-55.5	-55.4	-42.7	-41.25	1.5
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-51.9	-51.2			-42.5	-41.25	1.3



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-54.5	-53.7	-52.8		-42.8	-41.25	1.6
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-56.4	-55.0	-54.3	-52.9	-42.4	-41.25	1.2




Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5180	Non HT/VHT20, 6 to 54 Mbps	1	6	-40.9				-34.9	-27	7.9
	Non HT/VHT20, 6 to 54 Mbps	2	6	-40.5	-38.6			-30.4	-27	3.4
	Non HT/VHT20, 6 to 54 Mbps	3	6	-49.1	-45.2	-43.6		-34.6	-27	7.6
	Non HT/VHT20, 6 to 54 Mbps	4	6	-49.9	-49.9	-51.2	-48.1	-37.6	-27	10.6
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-46.0	-42.8			-32.1	-27	5.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-49.1	-45.2	-43.6		-29.8	-27	2.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-51.0	-49.3	-48.5	-47.8	-31.0	-27	4.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-39.3				-33.3	-27	6.3
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-44.2	-43.1			-34.6	-27	7.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-44.2	-43.1			-34.6	-27	7.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-44.5	-44.4	-42.9		-33.1	-27	6.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-44.2	-43.1	-35.2		-28.1	-27	1.1
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-44.2	-43.1	-35.2		-28.1	-27	1.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.1	-45.3	-45.1	-45.8	-33.9	-27	6.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-44.5	-44.4	-42.9	-41.2	-31.0	-27	4.0
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-44.5	-44.4	-42.9	-41.2	-31.0	-27	4.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-44.2	-43.1			-31.6	-27	4.6
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-44.2	-43.1			-34.6	-27	7.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-44.5	-44.4	-42.9		-28.3	-27	1.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-44.5	-44.4	-42.9		-31.3	-27	4.3
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-44.2	-43.1	-35.2		-28.1	-27	1.1
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-52.1	-49.5	-50.6	-49.5	-32.3	-27	5.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.2	-45.6	-48.4	-46.2	-31.7	-27	4.7
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-44.5	-44.4	-42.9	-41.2	-29.8	-27	2.8
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-44.2	-43.1			-34.6	-27	7.6
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-44.2	-43.1	-35.2		-28.1	-27	1.1
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-44.5	-44.4	-42.9	-41.2	-31.0	-27	4.0
5190	Non HT/VHT40, 6 to 54 Mbps	1	6	-35.0				-29.0	-27	2.0
	Non HT/VHT40, 6 to 54 Mbps	2	6	-41.5	-44.5			-33.7	-27	6.7
	Non HT/VHT40, 6 to 54 Mbps	3	6	-41.5	-44.5	-34.8		-27.6	-27	0.6
	Non HT/VHT40, 6 to 54 Mbps	4	6	-45.0	-40.9	-44.7	-40.0	-30.1	-27	3.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-36.5				-30.5	-27	3.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-42.7	-40.9			-32.7	-27	5.7








	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-42.7	-40.9			-32.7	-27	5.7
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-43.8	-42.7	-37.2		-29.4	-27	2.4
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-43.8	-42.7	-37.2		-29.4	-27	2.4
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-43.8	-42.7	-37.2		-29.4	-27	2.4
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-47.1	-45.5	-48.1	-44.1	-33.9	-27	6.9
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-47.1	-45.5	-48.1	-44.1	-33.9	-27	6.9
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-47.1	-45.5	-48.1	-44.1	-33.9	-27	6.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-45.7	-45.7			-33.7	-27	6.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-42.7	-40.9			-32.7	-27	5.7
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-47.7	-48.3	-48.6		-32.6	-27	5.6
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-47.1	-45.5	-48.1		-34.2	-27	7.2
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-43.8	-42.7	-37.2		-29.4	-27	2.4
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.9	-52.1	-50.3	-49.9	-32.1	-27	5.1
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.7	-48.3	-48.6	-46.1	-32.5	-27	5.5
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-47.1	-45.5	-48.1	-44.1	-32.7	-27	5.7
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-42.7	-40.9			-32.7	-27	5.7
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-43.8	-42.7	-37.2		-29.4	-27	2.4
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-47.1	-45.5	-48.1	-44.1	-33.9	-27	6.9
5210	Non HT/VHT80, 6 to 54 Mbps	1	6	-42.4				-36.4	-27	9.4
	Non HT/VHT80, 6 to 54 Mbps	2	6	-45.0	-44.9			-35.9	-27	8.9
	Non HT/VHT80, 6 to 54 Mbps	3	6	-45.4	-46.5	-43.8		-34.3	-27	7.3
	Non HT/VHT80, 6 to 54 Mbps	4	6	-45.8	-45.7	-45.8	-46.2	-33.9	-27	6.9
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-35.8				-29.8	-27	2.8
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-41.9	-41.3			-32.6	-27	5.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-41.9	-41.3			-32.6	-27	5.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-43.9	-44.8	-40.0		-31.6	-27	4.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-43.9	-44.8	-40.0		-31.6	-27	4.6
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-43.9	-44.8	-40.0		-31.6	-27	4.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-48.6	-43.1	-44.0	-38.8	-30.3	-27	3.3
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-48.6	-43.1	-44.0	-38.8	-30.3	-27	3.3
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-48.6	-43.1	-44.0	-38.8	-30.3	-27	3.3
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-43.9	-44.8			-32.3	-27	5.3
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-41.9	-41.3			-32.6	-27	5.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-49.4	-46.8	-45.1		-31.2	-27	4.2
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.6	-43.1	-44.0		-32.1	-27	5.1
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-43.9	-44.8	-40.0		-31.6	-27	4.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-52.0	-50.4	-51.7	-50.3	-33.0	-27	6.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-49.4	-46.8	-45.1	-47.3	-31.9	-27	4.9
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-46.4	-44.8	-48.2	-43.7	-32.2	-27	5.2
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-41.9	-41.3			-32.6	-27	5.6








	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-43.9	-44.8	-40.0		-31.6	-27	4.6
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.6	-43.1	-44.0	-38.8	-30.3	-27	3.3




**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A**




**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**


**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**




**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5180 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A**





**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**


**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Bandedge Average, 5180 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**




**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2**




Antenna A











Antenna B





**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**





**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5180 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5180 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**




**Conducted Bandedge Average, 5180 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**


**Conducted Bandedge Average, 5180 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5190 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A**



**Conducted Bandedge Average, 5190 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B**




**Conducted Bandedge Average, 5190 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5190 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5190 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5190 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Bandedge Average, 5190 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Average, 5190 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Bandedge Average, 5210 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A**


**Conducted Bandedge Average, 5210 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B**


**Conducted Bandedge Average, 5210 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5210 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A**





**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**




**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Bandedge Average, 5210 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1**



Antenna A





Antenna B




**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**


**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**


**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Average, 5210 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Average, 5210 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**




**Conducted Bandedge Average, 5210 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Average, 5210 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**




Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A**




**Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**


**Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**



**Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**



**Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**




**Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**




**Conducted Bandedge Peak, 5180 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**




**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A**





**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**





**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**





**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Bandedge Peak, 5180 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**