

Edimax Technology Co., Ltd.

Add: 6F., No.3, Wu-Chuan 3rd Rd., Wu-Gu, New Taipei

City 24891, Taiwan Tel: +886-2-77396888 Fax: +886-2-77396887 Website: www.edimax.com

Date: August 27, 2015

Letter of Reply

To:

CTO, FlightScope (Pty) Ltd

ATTN: Tom Johnson Tel +27 21 880 2160

The letter is to reply product EW-7811Un specifications which inquired by FlightScope (Pty) Ltd.

- i The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly;
 - ANS: No shielding. Only when radio frequency value exceeds regulatory standards requires shielding.
- The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal; ANS: Comply
- iii The module must contain power supply regulation on the module; ANS: Comply
- iv The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b); ANS: Comply
- v The module must demonstrate compliance in a stand-alone configuration;
 ANS: Comply
- vi The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements);

ANS: FCC ID is silk printed on device.

vii The module must comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee; ANS: Comply

viii The module must comply with RF exposure requirements ANS: Comply

Authorized Signatory

Hunter Chen

Edimax Senior Sales Director