










5.3G




n20_5260MHz_Chain 0 17.700MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:35:58

n20_5280MHz_Chain 0 17.700MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:38:51

n20_5320MHz_Chain 0 17.650MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:40:43

n40_5270MHz_Chain 0 36.200MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:42:51

n40_5310MHz_Chain 0 36.300MHz



ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:43:22


ac80_5290MHz_Chain 0 75.600MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:47:00

5.6G


a_5500MHz_Chain 0 16.700MHz




a_5580MHz_Chain 0 16.700MHz




a_5700MHz_Chain 0 16.700MHz




a_5720MHz_Chain 0 16.700MHz




n20_5500MHz_Chain 0 17.700MHz



n20_5580MHz_Chain 0 17.600MHz




n20_5700MHz_Chain 0 17.700MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:54:50

n20_5720MHz_Chain 0 17.650MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:56:52

n40_5510MHz_Chain 0 36.300MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:18:10

n40_5550MHz_Chain 0 36.200MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:21:11

n40_5670MHz_Chain 0 36.300MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:22:48

n40_5710MHz_Chain 0 36.300MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:24:11

ac80_5530MHz_Chain 0 75.600MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:33:19


ac80_5610MHz_Chain 0 75.600MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:34:58


5.8G

ac80_5690MHz_Chain 0 75.600MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:36:26

a_5745MHz_Chain 0 16.700MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:34:34

a_5785MHz_Chain 0 16.700MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:36:25

a_5825MHz_Chain 0 16.700MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:38:32

n20_5745MHz_Chain 0 17.650MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:58:48

n20_5785MHz_Chain 0 17.700MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:00:46

n20_5825MHz_Chain 0 17.700MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:02:33

n40_5755MHz_Chain 0 36.300MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:25:43

n40_5795MHz_Chain 0 36.300MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:27:57

ac80_5775MHz_Chain 0 75.600MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:37:49

4.5 Maximum Conducted Output Power

Test Information:

Serial No.:	2NHV-1	Test Date:	2024/7/18~2024/8/8
Test Site:	RF	Test Mode:	Transmitting
Tester:	Tao Zhu, Mack Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.3~26.5	Relative Humidity: (%)	66~68	ATM Pressure: (kPa)	100.3~100.5
-----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
HuiXunDa	DC Block	SMA-JK 18G	DCB181108042	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
Agilent	USB Average Power Sensor	U2001H	MY50000432	2024/04/01	2025/03/31

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

5.2G

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5180MHz_Chain 0	8.61	24	Pass
a_5200MHz_Chain 0	8.35	24	Pass
a_5240MHz_Chain 0	8.52	24	Pass
n20_5180MHz_Chain 0	8.59	24	Pass
n20_5200MHz_Chain 0	8.35	24	Pass
n20_5240MHz_Chain 0	8.63	24	Pass
n40_5190MHz_Chain 0	8.88	24	Pass
n40_5230MHz_Chain 0	8.97	24	Pass
ac80_5210MHz_Chain 0	8.81	24	Pass

5.3G

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5260MHz_Chain 0	9.7	24	Pass
a_5280MHz_Chain 0	9.54	24	Pass
a_5320MHz_Chain 0	9.08	24	Pass
n20_5260MHz_Chain 0	9.63	24	Pass
n20_5280MHz_Chain 0	9.5	24	Pass
n20_5320MHz_Chain 0	9.12	24	Pass
n40_5270MHz_Chain 0	10.0	24	Pass
n40_5310MHz_Chain 0	9.8	24	Pass
ac80_5290MHz_Chain 0	9.97	24	Pass

5.6G

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5500MHz_Chain 0	13.28	24	Pass
a_5580MHz_Chain 0	12.08	24	Pass
a_5700MHz_Chain 0	11.12	24	Pass
a_5720MHz_Chain 0	10.76	24	Pass
n20_5500MHz_Chain 0	13.37	24	Pass
n20_5580MHz_Chain 0	12.04	24	Pass
n20_5700MHz_Chain 0	11.21	24	Pass
n20_5720MHz_Chain 0	10.82	24	Pass
n40_5510MHz_Chain 0	12.63	24	Pass
n40_5550MHz_Chain 0	11.6	24	Pass
n40_5670MHz_Chain 0	11.13	24	Pass
n40_5710MHz_Chain 0	10.36	24	Pass
ac80_5530MHz_Chain 0	12.37	24	Pass
ac80_5610MHz_Chain 0	11.47	24	Pass
ac80_5690MHz_Chain 0	11.84	24	Pass

5.8G

Mode	Average Output Power (dBm)	Limit (dBm)	Result
a_5745MHz_Chain 0	12.94	30	Pass
a_5785MHz_Chain 0	14.6	30	Pass
a_5825MHz_Chain 0	15.19	30	Pass
n20_5745MHz_Chain 0	13.02	30	Pass
n20_5785MHz_Chain 0	14.49	30	Pass
n20_5825MHz_Chain 0	15.23	30	Pass
n40_5755MHz_Chain 0	14.38	30	Pass
n40_5795MHz_Chain 0	14.93	30	Pass
ac80_5775MHz_Chain 0	15.23	30	Pass

4.6 Power Spectral Density

Test Information:

Serial No.:	2NHV-1	Test Date:	2024/7/18~2024/8/8
Test Site:	RF	Test Mode:	Transmitting
Tester:	Tao Zhu, Mack Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.3~26.5	Relative Humidity: (%)	66~68	ATM Pressure: (kPa)	100.3~100.5
-----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101591	2024/04/01	2025/03/31
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
HuiXunDa	DC Block	SMA-JK 18G	DCB181108042	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

5.2G

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5180MHz_Chain 0	-2.69	0.29	-2.40	11	Pass
a_5200MHz_Chain 0	-2.65	0.29	-2.36	11	Pass
a_5240MHz_Chain 0	-2.74	0.29	-2.45	11	Pass
n20_5180MHz_Chain 0	-2.84	0.31	-2.53	11	Pass
n20_5200MHz_Chain 0	-2.92	0.31	-2.61	11	Pass
n20_5240MHz_Chain 0	-3.20	0.31	-2.89	11	Pass
n40_5190MHz_Chain 0	-5.87	0.61	-5.26	11	Pass
n40_5230MHz_Chain 0	-5.66	0.61	-5.05	11	Pass
ac80_5210MHz_Chain 0	-9.53	1.15	-8.38	11	Pass

5.3G

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5260MHz_Chain 0	-1.52	0.29	-1.23	11	Pass
a_5280MHz_Chain 0	-1.79	0.29	-1.50	11	Pass
a_5320MHz_Chain 0	-2.36	0.29	-2.07	11	Pass
n20_5260MHz_Chain 0	-2.06	0.31	-1.75	11	Pass
n20_5280MHz_Chain 0	-1.94	0.31	-1.63	11	Pass
n20_5320MHz_Chain 0	-2.37	0.31	-2.06	11	Pass
n40_5270MHz_Chain 0	-4.71	0.61	-4.10	11	Pass
n40_5310MHz_Chain 0	-4.95	0.61	-4.34	11	Pass
ac80_5290MHz_Chain 0	-8.52	1.15	-7.37	11	Pass

5.6G

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5500MHz_Chain 0	1.86	0.29	2.15	11	Pass
a_5580MHz_Chain 0	0.92	0.29	1.21	11	Pass
a_5700MHz_Chain 0	-0.33	0.29	-0.04	11	Pass
a_5720MHz_Chain 0	-0.47	0.29	-0.18	11	Pass
n20_5500MHz_Chain 0	1.87	0.31	2.18	11	Pass
n20_5580MHz_Chain 0	0.38	0.31	0.69	11	Pass
n20_5700MHz_Chain 0	-0.37	0.31	-0.06	11	Pass
n20_5720MHz_Chain 0	-0.65	0.31	-0.34	11	Pass


Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
n40_5510MHz_Chain 0	-1.79	0.61	-1.18	11	Pass
n40_5550MHz_Chain 0	-3.17	0.61	-2.56	11	Pass
n40_5670MHz_Chain 0	-3.34	0.61	-2.73	11	Pass
n40_5710MHz_Chain 0	-4.53	0.61	-3.92	11	Pass
ac80_5530MHz_Chain 0	-6.08	1.15	-4.93	11	Pass
ac80_5610MHz_Chain 0	-6.94	1.15	-5.79	11	Pass
ac80_5690MHz_Chain 0	-6.41	1.15	-5.26	11	Pass

5.8G

Mode	Value (dBm/500kHz)	Duty Cycle Factor (dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
a_5745MHz_Chain 0	-1.32	0.29	-1.03	30	Pass
a_5785MHz_Chain 0	0.46	0.29	0.75	30	Pass
a_5825MHz_Chain 0	1.05	0.29	1.34	30	Pass
n20_5745MHz_Chain 0	-1.36	0.31	-1.05	30	Pass
n20_5785MHz_Chain 0	0.09	0.31	0.4	30	Pass
n20_5825MHz_Chain 0	0.65	0.31	0.96	30	Pass
n40_5755MHz_Chain 0	-3.49	0.61	-2.88	30	Pass
n40_5795MHz_Chain 0	-2.80	0.61	-2.19	30	Pass
ac80_5775MHz_Chain 0	-5.97	1.15	-4.82	30	Pass


5.2G

a_5180MHz_Chain 0 -2.69dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 09:47:15

a_5200MHz_Chain 0 -2.65dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 09:59:04

a_5240MHz_Chain 0 -2.74dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:01:03

n20_5180MHz_Chain 0 -2.84dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:11:08

n20_5200MHz_Chain 0 -2.92dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:13:07

n20_5240MHz_Chain 0 -3.20dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:15:10

n40_5190MHz_Chain 0 -5.87dBm/MHz




n40_5230MHz_Chain 0 -5.66dBm/MHz




5.3G


ac80_5210MHz_Chain 0 -9.53dBm/MHz




a_5260MHz_Chain 0 -1.52dBm/MHz




a_5280MHz_Chain 0 -1.79dBm/MHz



a_5320MHz_Chain 0 -2.36dBm/MHz




n20_5260MHz_Chain 0 -2.06dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:36:59

n20_5280MHz_Chain 0 -1.94dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:39:57

n20_5320MHz_Chain 0 -2.37dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:41:45

n40_5270MHz_Chain 0 -4.71dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:43:41

n40_5310MHz_Chain 0 -4.95dBm/MHz



ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:46:15


ac80_5290MHz_Chain 0 -8.52dBm/MHz



ProjectNo.:2403U82009E-RF Tester:Mack Huang
Date: 8.AUG.2024 10:47:47


5.6G

a_5500MHz_Chain 0 1.86dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:25:47

a_5580MHz_Chain 0 0.92dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:28:09

a_5700MHz_Chain 0 -0.33dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:31:10

a_5720MHz_Chain 0 -0.47dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:33:09

n20_5500MHz_Chain 0 1.87dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:56:13

n20_5580MHz_Chain 0 0.38dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:41:28

n20_5700MHz_Chain 0 -0.37dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:55:58

n20_5720MHz_Chain 0 -0.65dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:57:56

n40_5510MHz_Chain 0 -1.79dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:18:59

n40_5550MHz_Chain 0 -3.17dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:22:00

n40_5670MHz_Chain 0 -3.34dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:23:42

n40_5710MHz_Chain 0 -4.53dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:24:57

ac80_5530MHz_Chain 0 -6.08dBm/MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:34:16


ac80_5610MHz_Chain 0 -6.94dBm/MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:35:49


5.8G

ac80_5690MHz_Chain 0 -6.41dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:37:15

a_5745MHz_Chain 0 -1.32dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:35:30

a_5785MHz_Chain 0 0.46dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:37:28

a_5825MHz_Chain 0 1.05dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 16:39:26

n20_5745MHz_Chain 0 -1.36dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 18:59:46

n20_5785MHz_Chain 0 0.09dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:01:49

n20_5825MHz_Chain 0 0.65dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:03:25

n40_5755MHz_Chain 0 -3.49dBm/MHz




ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:16:28

n40_5795MHz_Chain 0 -2.80dBm/MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:28:43

ac80_5775MHz_Chain 0 -5.97dBm/MHz



ProjectNo.:2403U82009E-RF Tester:Tao Zhu
Date: 18.JUL.2024 19:38:39

4.7 Duty Cycle

Test Information:

Serial No.:	2NHV-1	Test Date:	2024/8/8
Test Site:	RF	Test Mode:	Transmitting
Tester:	Mack Huang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C):	26.5	Relative Humidity: (%)	66	ATM Pressure: (kPa)	100.3
-----------------------	------	------------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101591	2024/04/01	2025/03/31
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
HuiXunDa	DC Block	SMA-JK 18G	DCB181108042	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK- 18G	21060301	Each time	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*


5.2G

Mode	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor (dB)	1/Ton (Hz)	VBW Setting (kHz)
a_5200MHz_Chain 0	1.388	1.485	93.47	0.29	720	1
n20_5200MHz_Chain 0	1.304	1.401	93.08	0.31	767	1
n40_5190MHz_Chain 0	0.649	0.747	86.88	0.61	1541	2
ac80_5210MHz_Chain 0	0.324	0.422	76.78	1.15	3086	5


Duty Cycle = Ton/(Ton+Toff)*100%

5.2G


a_5200MHz_Chain 0
1.388ms,1.485ms




n20_5200MHz_Chain 0
1.304ms,1.401ms



n40_5190MHz_Chain 0
0.649ms,0.747ms



ac80_5210MHz_Chain 0
0.324ms,0.422ms



5. EUT PHOTOGRAPHS

Please refer to the attachment 2403U82009E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2403U82009E-RF-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2403U82009E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====