



## RF EXPOSURE EVALUATION REPORT

**Application No.:** GZCR2111021371HS  
**Applicant:** Echelon Fitness Multimedia, LLC  
**Address of Applicant:** 605 Chestnut Street Suite 700 Chattanooga, TN 37450 USA  
**Manufacturer:** XIAMEN ZHOULONG SPORTING GOODS CO., LTD.  
**Address of Manufacturer:** 32-36 Rongxi Road, Tong'an District, Xiamen, Fujian, China, 361100  
**Factory:** XIAMEN ZHOULONG SPORTING GOODS CO., LTD.  
**Address of Factory:** 32-36 Rongxi Road, Tong'an District, Xiamen, Fujian, China, 361100  
**Equipment Under Test (EUT):**  
**EUT Name:** Echelon Connect EX-8s  
**Model No.:** ECHEX-8s-24c  
**Trade Mark:** Echelon  
**Standard(s) :** 47 CFR Part 1.1310  
KDB447498 D01 General RF Exposure Guidance v06  
**Date of Receipt:** 2021-11-12  
**Date of Evaluation:** 2022-01-04 to 2022-01-04  
**Date of Issue:** 2022-01-06

**Evaluation Result:**

**Pass\***

\* In the configuration evaluated, the EUT complied with the standards specified above.


*Kobe Jian*

Kobe Jian  
EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)**  
SGS-CSTC Standards Technical Services Co., Ltd. No. 198 Kexu Road, Sientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn  
Guangzhou Branch Testing Center EMC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

| Revision Record |                  |            |          |
|-----------------|------------------|------------|----------|
| Version         | Report No.       | Date       | Remark   |
| 01              | GZCR211102137106 | 2022-01-06 | Original |
|                 |                  |            |          |
|                 |                  |            |          |

|                          |  |                                                                                     |  |
|--------------------------|--|-------------------------------------------------------------------------------------|--|
| Authorized for issue by: |  |                                                                                     |  |
|                          |  |  |  |
|                          |  | Jim Li/Project Engineer                                                             |  |
|                          |  |  |  |
|                          |  | Ricky Liu/Reviewer                                                                  |  |

## 2 Evaluation Summary

**Note:**

E.U.T./EUT means Equipment Under Test.

Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 3 Contents

|                                                        | Page      |
|--------------------------------------------------------|-----------|
| <b>1 Cover Page .....</b>                              | <b>1</b>  |
| <b>2 Evaluation Summary.....</b>                       | <b>3</b>  |
| <b>3 Contents.....</b>                                 | <b>4</b>  |
| <b>4 General Information .....</b>                     | <b>5</b>  |
| 4.1 Details of E.U.T. ....                             | 5         |
| 4.2 Evaluating Location .....                          | 5         |
| 4.3 Facility .....                                     | 6         |
| 4.4 Deviation from Standards.....                      | 6         |
| 4.5 Abnormalities from Standard Conditions .....       | 6         |
| <b>5 Technical Requirements Specification .....</b>    | <b>7</b>  |
| 5.1 General Description of Applied Standards .....     | 7         |
| 5.2 RF Exposure Evaluation.....                        | 7         |
| 5.2.1 Limit & Test Method .....                        | 7         |
| 5.2.2 Conclusion .....                                 | 8         |
| <b>6 EUT Constructional Details (EUT Photos) .....</b> | <b>10</b> |

## 4 General Information

### 4.1 Details of E.U.T.

Power supply: Switching Adapter  
Model: SOY-1200800-410-B  
Input: AC 100-240V, 50/60Hz, 1.8A Max.  
Output: DC 12.0V, 8.0A, 96.0W

Test voltage: AC 120V, 60Hz

Cable(s): Adapter AC input cable, 3 wires, 1.8m, unshielded.  
Adapter DC output cable, 2 wires, 1.2m, unshielded.  
DC IN port for power supply.  
Type-C port for upgrade firmware.  
Audio Jack port for audio output.  
HDMI port(reserve).  
USB 2.0 port x1 for data transmission.  
USB 3.0 port x1 for data transmission.  
SD CARD slot x1  
RJ45 Port x1 for network connection.  
3.5mm Audio Jack Port for audio output.

RF Character: Refer to report GZCR211102137102 for 2.4G BT BLE.  
Refer to report GZCR211102137103 for 2.4G BT Classic.  
Refer to report GZCR211102137104 for 2.4G Wi-Fi.  
Refer to report GZCR211102137105 for 5G Wi-Fi.

### 4.2 Evaluating Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,  
198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District,  
Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

#### 4.3 Facility

The facility is recognized, certified, or accredited by the following organizations:

- **NVLAP (Lab Code: 200611-0)**

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

- **ACMA**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

- **SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO**

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

- **CNAS (Lab Code: L0167)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

- **FCC Recognized Accredited Test Firm(Registration No.: 486818)**

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

- **ISED (Registration No.: 4620B, CAB identifier: CN0052)**

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

- **VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)**

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

- **CBTL (Lab Code: TL129)**

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

#### 4.4 Deviation from Standards

None

#### 4.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch EMC Laboratory

No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

## 5 Technical Requirements Specification

### 5.1 General Description of Applied Standards

KDB447498D01 General RF Exposure Guidance v06

#### 4.3.1. Standalone SAR test exclusion considerations

Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and 10-g extremity SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Exclusion Threshold condition, listed below, is satisfied.

### 5.2 RF Exposure Evaluation

#### 5.2.1 Limit & Test Method

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b)

TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

| Frequency range (MHz)                                          | Electric field strength (V/m) | Magnetic field strength (A/m) | Power density (mW/cm <sup>2</sup> ) | Averaging time (minutes) |
|----------------------------------------------------------------|-------------------------------|-------------------------------|-------------------------------------|--------------------------|
| <b>(A) Limits for Occupational/Controlled Exposures</b>        |                               |                               |                                     |                          |
| 0.3–3.0 .....                                                  | 614                           | 1.63                          | *(100)                              | 6                        |
| 3.0–30 .....                                                   | 1842/f                        | 4.89/f                        | *(900/f <sup>2</sup> )              | 6                        |
| 30–300 .....                                                   | 61.4                          | 0.163                         | 1.0                                 | 6                        |
| 300–1500 .....                                                 | .....                         | .....                         | f/300                               | 6                        |
| 1500–100,000 .....                                             | .....                         | .....                         | 5                                   | 6                        |
| <b>(B) Limits for General Population/Uncontrolled Exposure</b> |                               |                               |                                     |                          |
| 0.3–1.34 .....                                                 | 614                           | 1.63                          | *(100)                              | 30                       |
| 1.34–30 .....                                                  | 824/f                         | 2.19/f                        | *(180/f <sup>2</sup> )              | 30                       |
| 30–300 .....                                                   | 27.5                          | 0.073                         | 0.2                                 | 30                       |
| 300–1500 .....                                                 | .....                         | .....                         | f/1500                              | 30                       |
| 1500–100,000 .....                                             | .....                         | .....                         | 1.0                                 | 30                       |

F = Frequency in MHz

Friis Formula

Friis transmission formula:  $P_d = (P_{out} * G) / (4 * P_i * R^2)$

Where

$P_d$  = power density in mW/cm<sup>2</sup>

$P_{out}$  = output power to antenna in mW

G = gain of antenna in linear scale

$P_i$  = 3.1416

R = distance between observation point and center of the radiator in cm

$P_d$  is the limit of MPE, 1 mW/cm<sup>2</sup>. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## 5.2.2 Conclusion

|                                                             |                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Normal use condition for Distance between antenna and body: | ≥ 20 cm declared by applicant.                                                                                                                                                                                                                                                              |
| Remark:                                                     | <p>1. The device can not transmit 2.4G BT BLE and classic, 2.4G Wi-Fi and 5G Wi-Fi at the same time on the pad part, but can only transmit BT and Wi Fi.</p> <p>2. The BT BLE of the device in the body part can be transmitted simultaneously with the wireless technology of the pad.</p> |
| Ant Gain:                                                   | <p>0 dBi declared by applicant for BT BLE(Body)</p> <p>3 dBi declared by applicant for BT Classic &amp; BLE(PAD).</p> <p>2 dBi declared by applicant for 2.4G Wi-Fi both ant1 &amp; ant2(PAD).</p> <p>2 dBi declared by applicant for 5G Wi-Fi both ant1 &amp; ant2(PAD).</p>               |

### For Bluetooth BLE(For Body)

| Frequency (MHz) | Antenna Gain (Numeric) | Peak Output Power (dBm) | Peak Output Power (mW) | Power Density (S) (mW/cm <sup>2</sup> ) | Limit of Power Density (S) (mW/cm <sup>2</sup> ) | Test Result |
|-----------------|------------------------|-------------------------|------------------------|-----------------------------------------|--------------------------------------------------|-------------|
| 2402            | 1                      | -8.84                   | 0.131                  | 0.00004                                 | 1                                                | Complies    |
| 2440            | 1                      | -8.88                   | 0.129                  | 0.00004                                 | 1                                                | Complies    |
| 2480            | 1                      | -9.97                   | 0.101                  | 0.00003                                 | 1                                                | Complies    |

### For Bluetooth BLE(For PAD)

| Frequency (MHz) | Antenna Gain (Numeric) | Peak Output Power (dBm) | Peak Output Power (mW) | Power Density (S) (mW/cm <sup>2</sup> ) | Limit of Power Density (S) (mW/cm <sup>2</sup> ) | Test Result |
|-----------------|------------------------|-------------------------|------------------------|-----------------------------------------|--------------------------------------------------|-------------|
| 2402            | 1.995                  | 4.92                    | 3.105                  | 0.00098                                 | 1                                                | Complies    |
| 2440            | 1.995                  | 5.48                    | 3.532                  | 0.00111                                 | 1                                                | Complies    |
| 2480            | 1.995                  | 6.12                    | 4.093                  | 0.00129                                 | 1                                                | Complies    |

### For Bluetooth Classic(For PAD)

| Frequency (MHz) | Antenna Gain (Numeric) | Peak Output Power (dBm) | Peak Output Power (mW) | Power Density (S) (mW/cm <sup>2</sup> ) | Limit of Power Density (S) (mW/cm <sup>2</sup> ) | Test Result |
|-----------------|------------------------|-------------------------|------------------------|-----------------------------------------|--------------------------------------------------|-------------|
| 2402            | 1.995                  | 7.23                    | 5.284                  | 0.00167                                 | 1                                                | Complies    |
| 2440            | 1.995                  | 7.33                    | 5.408                  | 0.00170                                 | 1                                                | Complies    |
| 2480            | 1.995                  | 7.52                    | 5.649                  | 0.00178                                 | 1                                                | Complies    |

## For 2.4 GHz Wi-Fi(For PAD)

| Frequency (MHz) | Antenna Gain (Numeric) | Peak Output Power (dBm) | Peak Output Power (mW) | Power Density (S) (mW/cm <sup>2</sup> ) | Limit of Power Density (S) (mW/cm <sup>2</sup> ) | Test Result |
|-----------------|------------------------|-------------------------|------------------------|-----------------------------------------|--------------------------------------------------|-------------|
| 11B             |                        |                         |                        |                                         |                                                  |             |
| 2412            | 1.995                  | 19.20                   | 83.176                 | 0.02623                                 | 1                                                | Complies    |
| 2442            | 1.995                  | 19.27                   | 84.528                 | 0.02665                                 | 1                                                | Complies    |
| 2462            | 1.995                  | 18.46                   | 70.146                 | 0.02212                                 | 1                                                | Complies    |
| 11G             |                        |                         |                        |                                         |                                                  |             |
| 2412            | 1.995                  | 19.96                   | 99.083                 | 0.03124                                 | 1                                                | Complies    |
| 2442            | 1.995                  | 19.57                   | 90.573                 | 0.02856                                 | 1                                                | Complies    |
| 2462            | 1.995                  | 19.18                   | 82.794                 | 0.02610                                 | 1                                                | Complies    |
| 11N20           |                        |                         |                        |                                         |                                                  |             |
| 2412            | 1.995                  | 20.52                   | 112.720                | 0.03554                                 | 1                                                | Complies    |
| 2442            | 1.995                  | 20.09                   | 102.094                | 0.03219                                 | 1                                                | Complies    |
| 2462            | 1.995                  | 19.87                   | 97.051                 | 0.03060                                 | 1                                                | Complies    |

## For 5 GHz Wi-Fi(For PAD)

| Frequency (MHz) | Antenna Gain (Numeric) | Peak Output Power (dBm) | Peak Output Power (mW) | Power Density (S) (mW/cm <sup>2</sup> ) | Limit of Power Density (S) (mW/cm <sup>2</sup> ) | Test Result |
|-----------------|------------------------|-------------------------|------------------------|-----------------------------------------|--------------------------------------------------|-------------|
| 11A             |                        |                         |                        |                                         |                                                  |             |
| 5580            | 1.995                  | 17.10                   | 51.286                 | 0.01617                                 | 1                                                | Complies    |
| 11N20           |                        |                         |                        |                                         |                                                  |             |
| 5785            | 1.995                  | 21.01                   | 126.183                | 0.03979                                 | 1                                                | Complies    |
| 11N40           |                        |                         |                        |                                         |                                                  |             |
| 5230            | 1.995                  | 19.57                   | 90.573                 | 0.02856                                 | 1                                                | Complies    |
| 11AC(VHT20)     |                        |                         |                        |                                         |                                                  |             |
| 5180            | 1.995                  | 18.34                   | 68.234                 | 0.02152                                 | 1                                                | Complies    |
| 11AC(VHT40)     |                        |                         |                        |                                         |                                                  |             |
| 5190            | 1.995                  | 17.47                   | 55.847                 | 0.01761                                 | 1                                                | Complies    |
| 11AC(VHT80)     |                        |                         |                        |                                         |                                                  |             |
| 5210            | 1.995                  | 17.52                   | 56.494                 | 0.01781                                 | 1                                                | Complies    |

Simultaneous transmission MPE test is not required, because the Max. sum of the MPE ratios for all wireless function is  $0.00002/1 + 0.00162/1 + 0.00224/1 + 0.04474/1 + 0.05009/1 = 0.09871 < 1.0$

The EUT meet the Exemption Limits for Routine Evaluation – SAR Evaluation, so no SAR evaluation is required for the EUT.

Note: Refer to report No. GZCR211102137102, GZCR211102137103, GZCR211102137104 & GZCR211102137105 for EUT test Max Conducted Peak Output Power value.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch Testing Center EEC Laboratory

No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

## 6 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for GZCR2111021371HS

- End of the Report -