





Mode	15																																																																																																												
	Harmonic																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																												
Pol.	Horizontal					Vertical																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)					Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10420.00</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>56.25</td><td>37.65</td><td>13.51</td><td>60.37</td><td>---</td><td>Peak</td></tr><tr><td>2 15630.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>53.45</td><td>40.59</td><td>15.56</td><td>58.76</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10420.00	47.04	68.30	-21.26	56.25	37.65	13.51	60.37	---	Peak	2 15630.00	50.84	74.00	-23.16	53.45	40.59	15.56	58.76	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10420.00</td><td>46.45</td><td>68.30</td><td>-21.85</td><td>55.66</td><td>37.65</td><td>13.51</td><td>60.37</td><td>---</td><td>Peak</td></tr><tr><td>2 15630.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>53.52</td><td>40.59</td><td>15.56</td><td>58.76</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10420.00	46.45	68.30	-21.85	55.66	37.65	13.51	60.37	---	Peak	2 15630.00	50.91	74.00	-23.09	53.52	40.59	15.56	58.76	---
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 10420.00	47.04	68.30	-21.26	56.25	37.65	13.51	60.37	---	Peak																																																																																																				
2 15630.00	50.84	74.00	-23.16	53.45	40.59	15.56	58.76	---	Peak																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 10420.00	46.45	68.30	-21.85	55.66	37.65	13.51	60.37	---	Peak																																																																																																				
2 15630.00	50.91	74.00	-23.09	53.52	40.59	15.56	58.76	---	Peak																																																																																																				



Mode	16																																																																																								
	Band Edge - L																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Date: 2023-05-27					Date: 2023-05-27																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5139.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>47.85</td><td>34.54</td><td>7.91</td><td>32.83</td><td>100</td><td>158 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5139.00	57.47	74.00	-16.53	47.85	34.54	7.91	32.83	100	158 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>99.33</td><td>-----</td><td>-----</td><td>89.76</td><td>34.50</td><td>8.09</td><td>33.02</td><td>100</td><td>158 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	99.33	-----	-----	89.76	34.50	8.09	33.02	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5139.00	57.47	74.00	-16.53	47.85	34.54	7.91	32.83	100	158 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5250.00	99.33	-----	-----	89.76	34.50	8.09	33.02	100	158 PEAK																																																																																
Avg	Date: 2023-05-27					Date: 2023-05-27																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5139.25</td><td>43.71</td><td>54.00</td><td>-10.29</td><td>34.09</td><td>34.54</td><td>7.91</td><td>32.83</td><td>100</td><td>158 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5139.25	43.71	54.00	-10.29	34.09	34.54	7.91	32.83	100	158 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>89.04</td><td>-----</td><td>-----</td><td>79.48</td><td>34.50</td><td>8.07</td><td>33.01</td><td>100</td><td>158 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	89.04	-----	-----	79.48	34.50	8.07	33.01	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5139.25	43.71	54.00	-10.29	34.09	34.54	7.91	32.83	100	158 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5250.00	89.04	-----	-----	79.48	34.50	8.07	33.01	100	158 AVERAGE																																																																																





Mode	16																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2023-05-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5353.74</td><td>63.59</td><td>74.00</td><td>-10.41</td><td>53.97</td><td>34.46</td><td>8.34</td><td>33.18</td><td>100</td><td>158 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5353.74	63.59	74.00	-10.41	53.97	34.46	8.34	33.18	100	158 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 5353.74	63.59	74.00	-10.41	53.97	34.46	8.34	33.18	100	158 PEAK																																	
Avg	Date: 2023-05-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5407.50</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>36.71</td><td>34.44</td><td>8.48</td><td>33.26</td><td>100</td><td>158 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5407.50	46.37	54.00	-7.63	36.71	34.44	8.48	33.26	100	158 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1 5407.50	46.37	54.00	-7.63	36.71	34.44	8.48	33.26	100	158 AVERAGE																																	



		16																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																																																																									
Pol.	Vertical										Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2023-05-27										Level (dBuV/m) Date: 2023-05-27																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5144.75</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>44.40</td><td>34.54</td><td>7.92</td><td>32.84</td><td>337</td><td>202 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5144.75	54.02	74.00	-19.98	44.40	34.54	7.92	32.84	337	202 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>93.31</td><td>-----</td><td>-----</td><td>83.71</td><td>34.48</td><td>8.22</td><td>33.10</td><td>337</td><td>202 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	93.31	-----	-----	83.71	34.48	8.22	33.10	337
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5144.75	54.02	74.00	-19.98	44.40	34.54	7.92	32.84	337	202 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5250.00	93.31	-----	-----	83.71	34.48	8.22	33.10	337	202 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2023-05-27										Level (dBuV/m) Date: 2023-05-27																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5134.75</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>32.19</td><td>34.55</td><td>7.91</td><td>32.82</td><td>337</td><td>202 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5134.75	41.83	54.00	-12.17	32.19	34.55	7.91	32.82	337	202 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>82.80</td><td>-----</td><td>-----</td><td>73.22</td><td>34.49</td><td>8.14</td><td>33.05</td><td>337</td><td>202 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	82.80	-----	-----	73.22	34.49	8.14	33.05	337
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5134.75	41.83	54.00	-12.17	32.19	34.55	7.91	32.82	337	202 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5250.00	82.80	-----	-----	73.22	34.49	8.14	33.05	337	202 AVERAGE																																																																																	







Mode	16																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2023-05-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5351.01</td><td>57.18</td><td>74.00</td><td>-16.82</td><td>47.56</td><td>34.46</td><td>8.33</td><td>33.17</td><td>337</td><td>202</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5351.01	57.18	74.00	-16.82	47.56	34.46	8.33	33.17	337	202	PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5351.01	57.18	74.00	-16.82	47.56	34.46	8.33	33.17	337	202	PEAK																																	
Avg	Date: 2023-05-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5407.50</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>32.97</td><td>34.44</td><td>8.48</td><td>33.26</td><td>337</td><td>202</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5407.50	42.63	54.00	-11.37	32.97	34.44	8.48	33.26	337	202	AVERAGE	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5407.50	42.63	54.00	-11.37	32.97	34.44	8.48	33.26	337	202	AVERAGE																																	



Mode	16																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																					
Pol.	Horizontal										Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)										Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>46.58</td><td>68.30</td><td>-21.72</td><td>55.74</td><td>37.70</td><td>13.54</td><td>60.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>53.64</td><td>40.63</td><td>15.58</td><td>59.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	46.58	68.30	-21.72	55.74	37.70	13.54	60.40	---	---	Peak	2	15750.00	50.84	74.00	-23.16	53.64	40.63	15.58	59.01	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>56.60</td><td>37.70</td><td>13.54</td><td>60.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>53.12</td><td>40.63</td><td>15.58</td><td>59.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.44	68.30	-20.86	56.60	37.70	13.54	60.40	---	---	Peak	2	15750.00	50.32	74.00	-23.68	53.12	40.63	15.58	59.01	---	---
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10500.00	46.58	68.30	-21.72	55.74	37.70	13.54	60.40	---	---	Peak																																																																																																											
2	15750.00	50.84	74.00	-23.16	53.64	40.63	15.58	59.01	---	---	Peak																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10500.00	47.44	68.30	-20.86	56.60	37.70	13.54	60.40	---	---	Peak																																																																																																											
2	15750.00	50.32	74.00	-23.68	53.12	40.63	15.58	59.01	---	---	Peak																																																																																																											



		17																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak		Level (dBuV/m) Date: 2023-05-17  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.14</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>42.17</td><td>34.56</td><td>7.89</td><td>32.77</td><td>100</td><td>144</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5101.14	51.85	74.00	-22.15	42.17	34.56	7.89	32.77	100	144	PEAK	Level (dBuV/m) Date: 2023-05-17  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>107.20</td><td>-----</td><td>-----</td><td>97.63</td><td>34.50</td><td>8.09</td><td>33.02</td><td>100</td><td>144</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5260.00	107.20	-----	-----	97.63	34.50	8.09	33.02	100	144	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5101.14	51.85	74.00	-22.15	42.17	34.56	7.89	32.77	100	144	PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5260.00	107.20	-----	-----	97.63	34.50	8.09	33.02	100	144	PEAK																																																																																														
Avg		Level (dBuV/m) Date: 2023-05-17  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5052.78</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>30.77</td><td>34.58</td><td>7.85</td><td>32.69</td><td>100</td><td>144</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5052.78	40.51	54.00	-13.49	30.77	34.58	7.85	32.69	100	144	AVERAGE	Level (dBuV/m) Date: 2023-05-17  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>99.06</td><td>-----</td><td>-----</td><td>89.50</td><td>34.49</td><td>8.10</td><td>33.03</td><td>100</td><td>144</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5260.00	99.06	-----	-----	89.50	34.49	8.10	33.03	100	144	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5052.78	40.51	54.00	-13.49	30.77	34.58	7.85	32.69	100	144	AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5260.00	99.06	-----	-----	89.50	34.49	8.10	33.03	100	144	AVERAGE																																																																																														



Mode	17																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2023-05-17 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5369.60</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>41.13</td><td>34.45</td><td>8.38</td><td>33.20</td><td>100</td><td>144 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5369.60	50.76	74.00	-23.24	41.13	34.45	8.38	33.20	100	144 PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1	5369.60	50.76	74.00	-23.24	41.13	34.45	8.38	33.20	100	144 PEAK																									
Avg	Date: 2023-05-17 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5352.00</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>30.21</td><td>34.46</td><td>8.33</td><td>33.17</td><td>100</td><td>144 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5352.00	39.83	54.00	-14.17	30.21	34.46	8.33	33.17	100	144 AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1	5352.00	39.83	54.00	-14.17	30.21	34.46	8.33	33.17	100	144 AVERAGE																									



Mode	17	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-05-16 1 5007.80 51.31 74.00 -22.69 41.50 34.60 7.83 32.62 200 159 PEAK	Level (dBuV/m) Date: 2023-05-16 1 5260.00 97.66 ----- 88.10 34.49 8.10 33.03 200 159 PEAK
Avg	Level (dBuV/m) Date: 2023-05-16 1 5056.42 40.42 54.00 -13.58 30.67 34.58 7.86 32.69 200 159 AVERAGE	Level (dBuV/m) Date: 2023-05-16 1 5260.00 90.11 ----- 80.55 34.49 8.10 33.03 200 159 AVERAGE







Mode	17																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2023-05-17 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.40</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>40.65</td><td>34.42</td><td>8.41</td><td>33.35</td><td>200</td><td>159 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5458.40	50.13	74.00	-23.87	40.65	34.42	8.41	33.35	200	159 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5458.40	50.13	74.00	-23.87	40.65	34.42	8.41	33.35	200	159 PEAK																																	
Avg	Date: 2023-05-17 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5392.40</td><td>38.76</td><td>54.00</td><td>-15.24</td><td>29.12</td><td>34.44</td><td>8.44</td><td>33.24</td><td>200</td><td>159 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5392.40	38.76	54.00	-15.24	29.12	34.44	8.44	33.24	200	159 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5392.40	38.76	54.00	-15.24	29.12	34.44	8.44	33.24	200	159 AVERAGE																																	







Mode	17																																																																																																																
	Harmonic																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																
Pol.	Horizontal					Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2023-05-09 Frequency (MHz)					Level (dBuV/m) Date: 2023-05-09 Frequency (MHz)																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>46.58</td><td>68.30</td><td>-21.72</td><td>55.64</td><td>37.71</td><td>13.55</td><td>60.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15780.00</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>52.92</td><td>40.63</td><td>15.59</td><td>59.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10520.00	46.58	68.30	-21.72	55.64	37.71	13.55	60.32	---	---	Peak	2 15780.00	50.07	74.00	-23.93	52.92	40.63	15.59	59.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>46.60</td><td>68.30</td><td>-21.70</td><td>55.66</td><td>37.71</td><td>13.55</td><td>60.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15780.00</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>53.59</td><td>40.63</td><td>15.59</td><td>59.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10520.00	46.60	68.30	-21.70	55.66	37.71	13.55	60.32	---	---	Peak	2 15780.00	50.74	74.00	-23.26	53.59	40.63	15.59	59.07	---	---
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 10520.00	46.58	68.30	-21.72	55.64	37.71	13.55	60.32	---	---	Peak																																																																																																							
2 15780.00	50.07	74.00	-23.93	52.92	40.63	15.59	59.07	---	---	Peak																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 10520.00	46.60	68.30	-21.70	55.66	37.71	13.55	60.32	---	---	Peak																																																																																																							
2 15780.00	50.74	74.00	-23.26	53.59	40.63	15.59	59.07	---	---	Peak																																																																																																							



Mode	18																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.20</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>42.59</td><td>34.54</td><td>7.92</td><td>32.84</td><td>100 162 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5145.20	52.21	74.00	-21.79	42.59	34.54	7.92	32.84	100 162 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>107.61</td><td>-----</td><td>98.03</td><td>34.48</td><td>8.18</td><td>33.08</td><td>100</td><td>162 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5300.00	107.61	-----	98.03	34.48	8.18	33.08	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5145.20	52.21	74.00	-21.79	42.59	34.54	7.92	32.84	100 162 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5300.00	107.61	-----	98.03	34.48	8.18	33.08	100	162 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5050.40</td><td>40.52</td><td>54.00</td><td>-13.48</td><td>30.77</td><td>34.58</td><td>7.85</td><td>32.68</td><td>100 162 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5050.40	40.52	54.00	-13.48	30.77	34.58	7.85	32.68	100 162 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>99.06</td><td>-----</td><td>89.48</td><td>34.48</td><td>8.18</td><td>33.08</td><td>100</td><td>162 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5300.00	99.06	-----	89.48	34.48	8.18	33.08	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5050.40	40.52	54.00	-13.48	30.77	34.58	7.85	32.68	100 162 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5300.00	99.06	-----	89.48	34.48	8.18	33.08	100	162 AVERAGE																																																																																





Mode	18																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5079.20</td><td>51.77</td><td>74.00</td><td>-22.23</td><td>42.06</td><td>34.57</td><td>7.87</td><td>32.73</td><td>400 188 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5079.20	51.77	74.00	-22.23	42.06	34.57	7.87	32.73	400 188 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>99.58</td><td>-----</td><td>-----</td><td>89.99</td><td>34.48</td><td>8.20</td><td>33.09</td><td>400 188 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5300.00	99.58	-----	-----	89.99	34.48	8.20	33.09
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5079.20	51.77	74.00	-22.23	42.06	34.57	7.87	32.73	400 188 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5300.00	99.58	-----	-----	89.99	34.48	8.20	33.09	400 188 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5051.60</td><td>40.46</td><td>54.00</td><td>-13.54</td><td>30.72</td><td>34.58</td><td>7.85</td><td>32.69</td><td>400 188 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5051.60	40.46	54.00	-13.54	30.72	34.58	7.85	32.69	400 188 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>91.53</td><td>-----</td><td>-----</td><td>81.94</td><td>34.48</td><td>8.20</td><td>33.09</td><td>400 188 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5300.00	91.53	-----	-----	81.94	34.48	8.20	33.09
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5051.60	40.46	54.00	-13.54	30.72	34.58	7.85	32.69	400 188 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5300.00	91.53	-----	-----	81.94	34.48	8.20	33.09	400 188 AVERAGE																																																																																



Mode	18									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz									
Pol.	Vertical					Fundamental				
Peak	</									







Mode	18																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>55.39</td><td>37.78</td><td>13.59</td><td>59.97</td><td>--- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>53.77</td><td>40.67</td><td>15.62</td><td>59.31</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.79	74.00	-27.21	55.39	37.78	13.59	59.97	--- Peak	2	15900.00	50.75	74.00	-23.25	53.77	40.67	15.62	59.31	--- Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>55.58</td><td>37.78</td><td>13.59</td><td>59.97</td><td>--- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>50.61</td><td>74.00</td><td>-23.39</td><td>53.63</td><td>40.67</td><td>15.62</td><td>59.31</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.98	74.00	-27.02	55.58	37.78	13.59	59.97	--- Peak	2	15900.00	50.61	74.00	-23.39	53.63	40.67	15.62	59.31	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10600.00	46.79	74.00	-27.21	55.39	37.78	13.59	59.97	--- Peak																																																																																																					
2	15900.00	50.75	74.00	-23.25	53.77	40.67	15.62	59.31	--- Peak																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10600.00	46.98	74.00	-27.02	55.58	37.78	13.59	59.97	--- Peak																																																																																																					
2	15900.00	50.61	74.00	-23.39	53.63	40.67	15.62	59.31	--- Peak																																																																																																					



		19									
Mode	Band Edge										
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz										
Pol.	Horizontal										Fundamental
Peak	Level (dBuV/m) Date: 2023-05-17										







Mode	19																																																																																														
	Band Edge																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																														
Pol.	Vertical					Fundamental																																																																																									
Peak																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.24</td><td>52.02</td><td>74.00</td><td>-21.98</td><td>42.40</td><td>34.46</td><td>8.33</td><td>33.17</td><td>400</td><td>202</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5350.24	52.02	74.00	-21.98	42.40	34.46	8.33	33.17	400	202	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>102.84</td><td>-----</td><td>-----</td><td>93.24</td><td>34.47</td><td>8.25</td><td>33.12</td><td>400</td><td>202</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5320.00	102.84	-----	-----	93.24	34.47	8.25	33.12	400	202
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 5350.24	52.02	74.00	-21.98	42.40	34.46	8.33	33.17	400	202	PEAK																																																																																					
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 5320.00	102.84	-----	-----	93.24	34.47	8.25	33.12	400	202	PEAK																																																																																					
Avg																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.94</td><td>41.52</td><td>54.00</td><td>-12.48</td><td>31.90</td><td>34.46</td><td>8.33</td><td>33.17</td><td>400</td><td>202</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5350.94	41.52	54.00	-12.48	31.90	34.46	8.33	33.17	400	202	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>95.10</td><td>-----</td><td>-----</td><td>85.50</td><td>34.47</td><td>8.25</td><td>33.12</td><td>400</td><td>202</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5320.00	95.10	-----	-----	85.50	34.47	8.25	33.12	400	202
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 5350.94	41.52	54.00	-12.48	31.90	34.46	8.33	33.17	400	202	AVERAGE																																																																																					
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 5320.00	95.10	-----	-----	85.50	34.47	8.25	33.12	400	202	AVERAGE																																																																																					





Mode	19																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																												
Pol.	Horizontal					Vertical																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2023-05-09 Frequency (MHz)					Level (dBuV/m) Date: 2023-05-09 Frequency (MHz)																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>54.33</td><td>37.81</td><td>13.60</td><td>59.79</td><td>--- Peak</td></tr><tr><td>2</td><td>15960.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>53.29</td><td>40.69</td><td>15.63</td><td>59.43</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.95	74.00	-28.05	54.33	37.81	13.60	59.79	--- Peak	2	15960.00	50.18	74.00	-23.82	53.29	40.69	15.63	59.43	--- Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>54.73</td><td>37.81</td><td>13.60</td><td>59.79</td><td>--- Peak</td></tr><tr><td>2</td><td>15960.00</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>53.67</td><td>40.69</td><td>15.63</td><td>59.43</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10640.00	46.35	74.00	-27.65	54.73	37.81	13.60	59.79	--- Peak	2	15960.00	50.56	74.00	-23.44	53.67	40.69	15.63	59.43
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	10640.00	45.95	74.00	-28.05	54.33	37.81	13.60	59.79	--- Peak																																																																																																				
2	15960.00	50.18	74.00	-23.82	53.29	40.69	15.63	59.43	--- Peak																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	10640.00	46.35	74.00	-27.65	54.73	37.81	13.60	59.79	--- Peak																																																																																																				
2	15960.00	50.56	74.00	-23.44	53.67	40.69	15.63	59.43	--- Peak																																																																																																				







Mode	20																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5047.32</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>42.17</td><td>34.58</td><td>7.85</td><td>32.68</td><td>243</td><td>79 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5047.32	51.92	74.00	-22.08	42.17	34.58	7.85	32.68	243	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5260.00</td><td>108.73</td><td>-----</td><td>-----</td><td>99.17</td><td>34.49</td><td>8.10</td><td>33.03</td><td>243</td><td>79 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5260.00	108.73	-----	-----	99.17	34.49	8.10	33.03	243
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5047.32	51.92	74.00	-22.08	42.17	34.58	7.85	32.68	243	79 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5260.00	108.73	-----	-----	99.17	34.49	8.10	33.03	243	79 PEAK																																																																																	
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5138.06</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>31.37</td><td>34.54</td><td>7.91</td><td>32.83</td><td>243</td><td>79 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5138.06	40.99	54.00	-13.01	31.37	34.54	7.91	32.83	243	79 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5260.00</td><td>97.27</td><td>-----</td><td>-----</td><td>87.71</td><td>34.49</td><td>8.10</td><td>33.03</td><td>243</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5260.00	97.27	-----	-----	87.71	34.49	8.10	33.03	243
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5138.06	40.99	54.00	-13.01	31.37	34.54	7.91	32.83	243	79 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5260.00	97.27	-----	-----	87.71	34.49	8.10	33.03	243	79 AVERAGE																																																																																	



Mode	20																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2023-05-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5395.20</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>40.68</td><td>34.44</td><td>8.45</td><td>33.24</td><td>243</td><td>79 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5395.20	50.33	74.00	-23.67	40.68	34.44	8.45	33.24	243	79 PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1	5395.20	50.33	74.00	-23.67	40.68	34.44	8.45	33.24	243	79 PEAK																									
Avg	Date: 2023-05-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.00</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>30.21</td><td>34.46</td><td>8.33</td><td>33.17</td><td>243</td><td>79 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5350.00	39.83	54.00	-14.17	30.21	34.46	8.33	33.17	243	79 AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1	5350.00	39.83	54.00	-14.17	30.21	34.46	8.33	33.17	243	79 AVERAGE																									



Mode	20																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5000.52</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>42.19</td><td>34.60</td><td>7.82</td><td>32.60</td><td>376</td><td>223 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5000.52	52.01	74.00	-21.99	42.19	34.60	7.82	32.60	376	223 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>104.99</td><td>-----</td><td>-----</td><td>95.43</td><td>34.49</td><td>8.10</td><td>33.03</td><td>376</td><td>223 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5260.00	104.99	-----	-----	95.43	34.49	8.10	33.03	376
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5000.52	52.01	74.00	-21.99	42.19	34.60	7.82	32.60	376	223 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5260.00	104.99	-----	-----	95.43	34.49	8.10	33.03	376	223 PEAK																																																																																	
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5049.66</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>31.10</td><td>34.58</td><td>7.85</td><td>32.68</td><td>376</td><td>223 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5049.66	40.85	54.00	-13.15	31.10	34.58	7.85	32.68	376	223 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>95.21</td><td>-----</td><td>-----</td><td>85.64</td><td>34.50</td><td>8.09</td><td>33.02</td><td>376</td><td>223 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5260.00	95.21	-----	-----	85.64	34.50	8.09	33.02	376
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5049.66	40.85	54.00	-13.15	31.10	34.58	7.85	32.68	376	223 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5260.00	95.21	-----	-----	85.64	34.50	8.09	33.02	376	223 AVERAGE																																																																																	



Mode	20									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz									
Pol.	Vertical					Fundamental				
Peak	</									





Mode	20																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2023-05-09 Frequency (MHz)						Level (dBuV/m) Date: 2023-05-09 Frequency (MHz)																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>47.59</td><td>68.30</td><td>-20.71</td><td>56.65</td><td>37.71</td><td>13.55</td><td>60.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>53.76</td><td>40.63</td><td>15.59</td><td>59.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.59	68.30	-20.71	56.65	37.71	13.55	60.32	---	---	Peak	2	15780.00	50.91	74.00	-23.09	53.76	40.63	15.59	59.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.78</td><td>68.30</td><td>-21.52</td><td>55.84</td><td>37.71</td><td>13.55</td><td>60.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>53.59</td><td>40.63</td><td>15.59</td><td>59.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.78	68.30	-21.52	55.84	37.71	13.55	60.32	---	---	Peak	2	15780.00	50.74	74.00	-23.26	53.59	40.63	15.59	59.07	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10520.00	47.59	68.30	-20.71	56.65	37.71	13.55	60.32	---	---	Peak																																																																																																													
2	15780.00	50.91	74.00	-23.09	53.76	40.63	15.59	59.07	---	---	Peak																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10520.00	46.78	68.30	-21.52	55.84	37.71	13.55	60.32	---	---	Peak																																																																																																													
2	15780.00	50.74	74.00	-23.26	53.59	40.63	15.59	59.07	---	---	Peak																																																																																																													



Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/O_5260MHz	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2023-06-04 1 5041.34 52.29 74.00 -21.71 42.53 34.58 7.85 32.67 100 151 PEAK	Level (dBuV/m) Date: 2023-06-04 1 5260.00 113.26 ----- 103.70 34.50 8.07 33.01 100 151 PEAK
Avg	Level (dBuV/m) Date: 2023-06-04 1 5049.92 40.46 54.00 -13.54 30.71 34.58 7.85 32.68 100 151 AVERAGE	Level (dBuV/m) Date: 2023-06-04 1 5260.00 106.00 ----- 96.44 34.50 8.07 33.01 100 151 AVERAGE



Mode	21																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/0_5260MHz																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2023-06-04 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5353.00</td><td>51.57</td><td>74.00</td><td>-22.43</td><td>41.94</td><td>34.46</td><td>8.34</td><td>33.17</td><td>100</td><td>151</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5353.00	51.57	74.00	-22.43	41.94	34.46	8.34	33.17	100	151	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5353.00	51.57	74.00	-22.43	41.94	34.46	8.34	33.17	100	151	PEAK																									
Avg	Date: 2023-06-04 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5353.20</td><td>39.85</td><td>54.00</td><td>-14.15</td><td>30.23</td><td>34.46</td><td>8.34</td><td>33.18</td><td>100</td><td>151</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5353.20	39.85	54.00	-14.15	30.23	34.46	8.34	33.18	100	151	AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5353.20	39.85	54.00	-14.15	30.23	34.46	8.34	33.18	100	151	AVERAGE																									







Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/O_5260MHz	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-06-04 1 5048.10 52.44 74.00 -21.56 42.69 34.58 7.85 32.68 103 216 PEAK	Level (dBuV/m) Date: 2023-06-04 1 5260.00 107.75 ----- 98.19 34.50 8.07 33.01 103 216 PEAK
Avg	Level (dBuV/m) Date: 2023-06-04 1 5049.66 40.30 54.00 -13.70 30.55 34.58 7.85 32.68 103 216 AVERAGE	Level (dBuV/m) Date: 2023-06-04 1 5260.00 98.69 ----- 89.13 34.50 8.07 33.01 103 216 AVERAGE



Mode	21																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU26/0_5260MHz																																															
Pol.	Vertical										Fundamental																																					
Peak	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.40</td><td>49.99</td><td>74.00</td><td>-24.01</td><td>40.37</td><td>34.43</td><td>8.47</td><td>33.28</td><td>103</td><td>216</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	1	5415.40	49.99	74.00	-24.01	40.37	34.43	8.47	33.28	103	216	PEAK	Blank
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																				
	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																				
1	5415.40	49.99	74.00	-24.01	40.37	34.43	8.47	33.28	103	216	PEAK																																					
Avg	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.40</td><td>38.81</td><td>54.00</td><td>-15.19</td><td>29.19</td><td>34.46</td><td>8.34</td><td>33.18</td><td>103</td><td>216</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	1	5354.40	38.81	54.00	-15.19	29.19	34.46	8.34	33.18	103	216	AVERAGE	Blank
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																				
1	5354.40	38.81	54.00	-15.19	29.19	34.46	8.34	33.18	103	216	AVERAGE																																					



Mode	22																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz																																																																																									
Pol.	Horizontal										Fundamental																																																																															
Peak	Level (dBuV/m)  Frequency (MHz)										Level (dBuV/m)  Frequency (MHz)																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5013.78</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>42.14</td><td>34.59</td><td>7.83</td><td>32.63</td><td>143</td><td>151 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5013.78	51.93	74.00	-22.07	42.14	34.59	7.83	32.63	143	151 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5260.00</td><td>113.98</td><td>-----</td><td>-----</td><td>104.42</td><td>34.50</td><td>8.07</td><td>33.01</td><td>143</td><td>151 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5260.00	113.98	-----	-----	104.42	34.50	8.07	33.01	143
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5013.78	51.93	74.00	-22.07	42.14	34.59	7.83	32.63	143	151 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5260.00	113.98	-----	-----	104.42	34.50	8.07	33.01	143	151 PEAK																																																																																	
Avg	Level (dBuV/m)  Frequency (MHz)										Level (dBuV/m)  Frequency (MHz)																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5046.28</td><td>40.38</td><td>54.00</td><td>-13.62</td><td>30.63</td><td>34.58</td><td>7.85</td><td>32.68</td><td>143</td><td>151 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5046.28	40.38	54.00	-13.62	30.63	34.58	7.85	32.68	143	151 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5260.00</td><td>104.56</td><td>-----</td><td>-----</td><td>95.00</td><td>34.50</td><td>8.07</td><td>33.01</td><td>143</td><td>151 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5260.00	104.56	-----	-----	95.00	34.50	8.07	33.01	143
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5046.28	40.38	54.00	-13.62	30.63	34.58	7.85	32.68	143	151 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5260.00	104.56	-----	-----	95.00	34.50	8.07	33.01	143	151 AVERAGE																																																																																	







Mode	22																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Date: 2023-06-04					Date: 2023-06-04																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5095.94</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>41.98</td><td>34.56</td><td>7.88</td><td>32.76</td><td>100</td><td>244 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5095.94	51.66	74.00	-22.34	41.98	34.56	7.88	32.76	100	244 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5260.00</td><td>105.34</td><td>-----</td><td>-----</td><td>95.78</td><td>34.50</td><td>8.07</td><td>33.01</td><td>100</td><td>244 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5260.00	105.34	-----	-----	95.78	34.50	8.07	33.01	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5095.94	51.66	74.00	-22.34	41.98	34.56	7.88	32.76	100	244 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5260.00	105.34	-----	-----	95.78	34.50	8.07	33.01	100	244 PEAK																																																																																
Avg	Date: 2023-06-04					Date: 2023-06-04																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5049.14</td><td>40.33</td><td>54.00</td><td>-13.67</td><td>30.58</td><td>34.58</td><td>7.85</td><td>32.68</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5049.14	40.33	54.00	-13.67	30.58	34.58	7.85	32.68	100	244 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5260.00</td><td>96.28</td><td>-----</td><td>-----</td><td>86.72</td><td>34.50</td><td>8.07</td><td>33.01</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5260.00	96.28	-----	-----	86.72	34.50	8.07	33.01	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5049.14	40.33	54.00	-13.67	30.58	34.58	7.85	32.68	100	244 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5260.00	96.28	-----	-----	86.72	34.50	8.07	33.01	100	244 AVERAGE																																																																																



Mode	22									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU52/37_5260MHz									
Pol.	Vertical					Fundamental				
Peak	<									



Mode	23																																																																																		
	Band Edge - L																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)						Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5047.32</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>42.56</td><td>34.58</td><td>7.85</td><td>32.68</td><td>129</td><td>152</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5047.32	52.31	74.00	-21.69	42.56	34.58	7.85	32.68	129	152	PEAK	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5260.00</td><td>113.08</td><td>-----</td><td>-----</td><td>103.52</td><td>34.50</td><td>8.07</td><td>33.01</td><td>129</td><td>152</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	113.08	-----	-----	103.52	34.50	8.07	33.01	129	152
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5047.32	52.31	74.00	-21.69	42.56	34.58	7.85	32.68	129	152	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5260.00	113.08	-----	-----	103.52	34.50	8.07	33.01	129	152	PEAK																																																																								
Avg	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)						Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5019.76</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>30.45</td><td>34.59</td><td>7.83</td><td>32.64</td><td>129</td><td>152</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5019.76	40.23	54.00	-13.77	30.45	34.59	7.83	32.64	129	152	AVERAGE	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5260.00</td><td>103.44</td><td>-----</td><td>-----</td><td>93.88</td><td>34.50</td><td>8.07</td><td>33.01</td><td>129</td><td>152</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	103.44	-----	-----	93.88	34.50	8.07	33.01	129	152
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5019.76	40.23	54.00	-13.77	30.45	34.59	7.83	32.64	129	152	AVERAGE																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5260.00	103.44	-----	-----	93.88	34.50	8.07	33.01	129	152	AVERAGE																																																																								







Mode	23	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-06-04 1 5004.94 52.85 74.00 -21.15 43.04 34.60 7.82 32.61 109 214 PEAK	Level (dBuV/m) Date: 2023-06-04 1 5260.00 103.71 ----- 94.14 34.50 8.09 33.02 109 214 PEAK
Avg	Level (dBuV/m) Date: 2023-06-04 1 5048.36 40.12 54.00 -13.88 30.37 34.58 7.85 32.68 109 214 AVERAGE	Level (dBuV/m) Date: 2023-06-04 1 5260.00 94.25 ----- 84.69 34.50 8.07 33.01 109 214 AVERAGE







Mode	23																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_RU106/53_5260MHz																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2023-06-04 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5383.60</td><td>50.44</td><td>74.00</td><td>-23.56</td><td>40.79</td><td>34.45</td><td>8.42</td><td>33.22</td><td>109</td><td>214</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5383.60	50.44	74.00	-23.56	40.79	34.45	8.42	33.22	109	214	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5383.60	50.44	74.00	-23.56	40.79	34.45	8.42	33.22	109	214	PEAK																									
Avg	Date: 2023-06-04 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5388.80</td><td>38.69</td><td>54.00</td><td>-15.31</td><td>29.05</td><td>34.44</td><td>8.43</td><td>33.23</td><td>109</td><td>214</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5388.80	38.69	54.00	-15.31	29.05	34.44	8.43	33.23	109	214	AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5388.80	38.69	54.00	-15.31	29.05	34.44	8.43	33.23	109	214	AVERAGE																									



Mode	24																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5120.90</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>42.56</td><td>34.55</td><td>7.90</td><td>32.80</td><td>121</td><td>157 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5120.90	52.21	74.00	-21.79	42.56	34.55	7.90	32.80	121	157 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5300.00</td><td>109.58</td><td>-----</td><td>-----</td><td>99.99</td><td>34.48</td><td>8.20</td><td>33.09</td><td>121</td><td>157 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5300.00	109.58	-----	-----	99.99	34.48	8.20	33.09	121
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5120.90	52.21	74.00	-21.79	42.56	34.55	7.90	32.80	121	157 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5300.00	109.58	-----	-----	99.99	34.48	8.20	33.09	121	157 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5042.60</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>31.25</td><td>34.58</td><td>7.85</td><td>32.67</td><td>121</td><td>157 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5042.60	41.01	54.00	-12.99	31.25	34.58	7.85	32.67	121	157 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5300.00</td><td>100.37</td><td>-----</td><td>-----</td><td>90.79</td><td>34.48</td><td>8.17</td><td>33.07</td><td>121</td><td>157 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5300.00	100.37	-----	-----	90.79	34.48	8.17	33.07	121
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5042.60	41.01	54.00	-12.99	31.25	34.58	7.85	32.67	121	157 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5300.00	100.37	-----	-----	90.79	34.48	8.17	33.07	121	157 AVERAGE																																																																																



Mode	24																																																																																
	Band Edge - L																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5000.90</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>41.57</td><td>34.60</td><td>7.82</td><td>32.60</td><td>372</td><td>210</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5000.90	51.39	74.00	-22.61	41.57	34.60	7.82	32.60	372	210	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>105.36</td><td>-----</td><td>-----</td><td>95.78</td><td>34.48</td><td>8.18</td><td>33.08</td><td>372</td><td>210</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5300.00	105.36	-----	-----	95.78	34.48	8.18	33.08	372	210
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5000.90	51.39	74.00	-22.61	41.57	34.60	7.82	32.60	372	210	PEAK																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5300.00	105.36	-----	-----	95.78	34.48	8.18	33.08	372	210	PEAK																																																																						
Avg																																																																																	
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5016.50</td><td>40.93</td><td>54.00</td><td>-13.07</td><td>31.14</td><td>34.59</td><td>7.83</td><td>32.63</td><td>372</td><td>210</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5016.50	40.93	54.00	-13.07	31.14	34.59	7.83	32.63	372	210	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>95.19</td><td>-----</td><td>-----</td><td>85.59</td><td>34.48</td><td>8.22</td><td>33.10</td><td>372</td><td>210</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5300.00	95.19	-----	-----	85.59	34.48	8.22	33.10	372	210
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5016.50	40.93	54.00	-13.07	31.14	34.59	7.83	32.63	372	210	AVERAGE																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5300.00	95.19	-----	-----	85.59	34.48	8.22	33.10	372	210	AVERAGE																																																																						







Mode	24									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz									
Pol.	Vertical					Fundamental				
Peak	Date: 2023-05-27 Level (dBuV/m) <									



Mode	24																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-05-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>55.48</td><td>37.78</td><td>13.59</td><td>59.97</td><td>--- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>52.01</td><td>40.67</td><td>15.62</td><td>59.31</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.88	74.00	-27.12	55.48	37.78	13.59	59.97	--- Peak	2	15900.00	48.99	74.00	-25.01	52.01	40.67	15.62	59.31	--- Peak	Level (dBuV/m) Date: 2023-05-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>55.57</td><td>37.78</td><td>13.59</td><td>59.97</td><td>--- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.74</td><td>74.00</td><td>-25.26</td><td>51.76</td><td>40.67</td><td>15.62</td><td>59.31</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.97	74.00	-27.03	55.57	37.78	13.59	59.97	--- Peak	2	15900.00	48.74	74.00	-25.26	51.76	40.67	15.62	59.31	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10600.00	46.88	74.00	-27.12	55.48	37.78	13.59	59.97	--- Peak																																																																																																					
2	15900.00	48.99	74.00	-25.01	52.01	40.67	15.62	59.31	--- Peak																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10600.00	46.97	74.00	-27.03	55.57	37.78	13.59	59.97	--- Peak																																																																																																					
2	15900.00	48.74	74.00	-25.26	51.76	40.67	15.62	59.31	--- Peak																																																																																																					





Mode	25																																																																																										
	Band Edge																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5351.08</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>44.21</td><td>34.46</td><td>8.33</td><td>33.17</td><td>164</td><td>161 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5351.08	53.83	74.00	-20.17	44.21	34.46	8.33	33.17	164	161 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>108.23</td><td>-----</td><td>-----</td><td>98.62</td><td>34.47</td><td>8.28</td><td>33.14</td><td>164</td><td>161 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	108.23	-----	-----	98.62	34.47	8.28	33.14	164
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5351.08	53.83	74.00	-20.17	44.21	34.46	8.33	33.17	164	161 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5320.00	108.23	-----	-----	98.62	34.47	8.28	33.14	164	161 PEAK																																																																																		
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5351.64</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>33.46</td><td>34.46</td><td>8.33</td><td>33.17</td><td>164</td><td>161 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5351.64	43.08	54.00	-10.92	33.46	34.46	8.33	33.17	164	161 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>97.79</td><td>-----</td><td>-----</td><td>88.20</td><td>34.47</td><td>8.23</td><td>33.11</td><td>164</td><td>161 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	97.79	-----	-----	88.20	34.47	8.23	33.11	164
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5351.64	43.08	54.00	-10.92	33.46	34.46	8.33	33.17	164	161 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5320.00	97.79	-----	-----	88.20	34.47	8.23	33.11	164	161 AVERAGE																																																																																		







Mode	25	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-05-27 1 5372.22 52.05 74.00 -21.95 42.42 34.45 8.39 33.21 363 220 PEAK	Level (dBuV/m) Date: 2023-05-27 1 5320.00 101.31 ----- 91.72 34.47 8.23 33.11 363 220 PEAK
Avg	Level (dBuV/m) Date: 2023-05-27 1 5352.90 42.20 74.00 -31.80 32.57 34.46 8.34 33.17 363 220 AVERAGE	Level (dBuV/m) Date: 2023-05-27 1 5320.00 92.02 ----- 82.42 34.47 8.26 33.13 363 220 AVERAGE



Mode	25																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10640.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.68</td><td>37.81</td><td>13.60</td><td>59.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>53.36</td><td>40.69</td><td>15.63</td><td>59.43</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10640.00	46.30	74.00	-27.70	54.68	37.81	13.60	59.79	---	---	Peak	2 15960.00	50.25	74.00	-23.75	53.36	40.69	15.63	59.43	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10640.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>55.39</td><td>37.81</td><td>13.60</td><td>59.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>53.77</td><td>40.69</td><td>15.63</td><td>59.43</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10640.00	47.01	74.00	-26.99	55.39	37.81	13.60	59.79	---	---	Peak	2 15960.00	50.66	74.00	-23.34	53.77	40.69	15.63	59.43	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 10640.00	46.30	74.00	-27.70	54.68	37.81	13.60	59.79	---	---	Peak																																																																																																								
2 15960.00	50.25	74.00	-23.75	53.36	40.69	15.63	59.43	---	---	Peak																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 10640.00	47.01	74.00	-26.99	55.39	37.81	13.60	59.79	---	---	Peak																																																																																																								
2 15960.00	50.66	74.00	-23.34	53.77	40.69	15.63	59.43	---	---	Peak																																																																																																								







		26																																																																																									
Mode	Band Edge																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																										
Pol.	Horizontal										Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-06-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.52</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>43.02</td><td>34.45</td><td>8.37</td><td>33.19</td><td>266 158 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5364.52	52.65	74.00	-21.35	43.02	34.45	8.37	33.19	266 158 PEAK	Level (dBuV/m) Date: 2023-06-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>114.54</td><td>-----</td><td>-----</td><td>104.93</td><td>34.47</td><td>8.28</td><td>33.14</td><td>266 158 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	114.54	-----	-----	104.93	34.47	8.28	33.14	266 158 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5364.52	52.65	74.00	-21.35	43.02	34.45	8.37	33.19	266 158 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5320.00	114.54	-----	-----	104.93	34.47	8.28	33.14	266 158 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2023-06-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.72</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>31.82</td><td>34.46</td><td>8.36</td><td>33.19</td><td>266 158 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5361.72	41.45	54.00	-12.55	31.82	34.46	8.36	33.19	266 158 AVERAGE	Level (dBuV/m) Date: 2023-06-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.36</td><td>-----</td><td>-----</td><td>96.76</td><td>34.47</td><td>8.26</td><td>33.13</td><td>266 158 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.36	-----	-----	96.76	34.47	8.26	33.13	266 158 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5361.72	41.45	54.00	-12.55	31.82	34.46	8.36	33.19	266 158 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5320.00	106.36	-----	-----	96.76	34.47	8.26	33.13	266 158 AVERAGE																																																																																		



Mode	26																																																																																
	Band Edge																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Date: 2023-06-04					Date: 2023-06-04																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5374.32</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>41.91</td><td>34.45</td><td>8.39</td><td>33.21</td><td>365</td><td>212</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5374.32	51.54	74.00	-22.46	41.91	34.45	8.39	33.21	365	212	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.16</td><td>-----</td><td>-----</td><td>97.56</td><td>34.47</td><td>8.26</td><td>33.13</td><td>365</td><td>212</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	107.16	-----	-----	97.56	34.47	8.26	33.13	365	212
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5374.32	51.54	74.00	-22.46	41.91	34.45	8.39	33.21	365	212	PEAK																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	107.16	-----	-----	97.56	34.47	8.26	33.13	365	212	PEAK																																																																						
Avg	Date: 2023-06-04					Date: 2023-06-04																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5357.24</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>29.42</td><td>34.46</td><td>8.35</td><td>33.18</td><td>365</td><td>212</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5357.24	39.05	54.00	-14.95	29.42	34.46	8.35	33.18	365	212	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>99.42</td><td>-----</td><td>-----</td><td>89.82</td><td>34.47</td><td>8.26</td><td>33.13</td><td>365</td><td>212</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	99.42	-----	-----	89.82	34.47	8.26	33.13	365	212
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5357.24	39.05	54.00	-14.95	29.42	34.46	8.35	33.18	365	212	AVERAGE																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5320.00	99.42	-----	-----	89.82	34.47	8.26	33.13	365	212	AVERAGE																																																																						







Mode	27																																																																																								
	Band Edge																																																																																								
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_RU52/40_5320MHz																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5361.16</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>43.28</td><td>34.46</td><td>8.36</td><td>33.19</td><td>283</td><td>161 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5361.16	52.91	74.00	-21.09	43.28	34.46	8.36	33.19	283	161 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>112.81</td><td>-----</td><td>-----</td><td>103.21</td><td>34.47</td><td>8.26</td><td>33.13</td><td>283</td><td>161 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	112.81	-----	-----	103.21	34.47	8.26	33.13	283
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5361.16	52.91	74.00	-21.09	43.28	34.46	8.36	33.19	283	161 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	112.81	-----	-----	103.21	34.47	8.26	33.13	283	161 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5359.90</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>31.37</td><td>34.46</td><td>8.35</td><td>33.19</td><td>283</td><td>161 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5359.90	40.99	54.00	-13.01	31.37	34.46	8.35	33.19	283	161 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>103.90</td><td>-----</td><td>-----</td><td>94.30</td><td>34.47</td><td>8.26</td><td>33.13</td><td>283</td><td>161 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.90	-----	-----	94.30	34.47	8.26	33.13	283
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5359.90	40.99	54.00	-13.01	31.37	34.46	8.35	33.19	283	161 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	103.90	-----	-----	94.30	34.47	8.26	33.13	283	161 AVERAGE																																																																																







Mode	27																																									
	Band Edge																																									
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_RU52/40_5320MHz																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2023-06-04 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5434.10</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>40.63</td><td>34.43</td><td>8.44</td><td>33.31</td><td>365</td><td>215 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5434.10	50.19	74.00	-23.81	40.63	34.43	8.44	33.31	365	215 PEAK	Level (dBuV/m) Date: 2023-06-04 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>108.40</td><td>-----</td><td>-----</td><td>98.79</td><td>34.47</td><td>8.28</td><td>33.14</td><td>365</td><td>215 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	108.40	-----	-----	98.79	34.47	8.28	33.14	365	215 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5434.10	50.19	74.00	-23.81	40.63	34.43	8.44	33.31	365	215 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5320.00	108.40	-----	-----	98.79	34.47	8.28	33.14	365	215 PEAK																																	
Avg	Level (dBuV/m) Date: 2023-06-04 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5358.36</td><td>38.92</td><td>54.00</td><td>-15.08</td><td>29.29</td><td>34.46</td><td>8.35</td><td>33.18</td><td>365</td><td>215 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5358.36	38.92	54.00	-15.08	29.29	34.46	8.35	33.18	365	215 AVERAGE	Level (dBuV/m) Date: 2023-06-04 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>98.15</td><td>-----</td><td>-----</td><td>88.55</td><td>34.47</td><td>8.26</td><td>33.13</td><td>365</td><td>215 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	98.15	-----	-----	88.55	34.47	8.26	33.13	365	215 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5358.36	38.92	54.00	-15.08	29.29	34.46	8.35	33.18	365	215 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5320.00	98.15	-----	-----	88.55	34.47	8.26	33.13	365	215 AVERAGE																																	







		28																																																																											
Mode	Band Edge																																																																												
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_RU106/54_5320MHz																																																																												
Pol.	Horizontal										Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.10</td><td>55.40</td><td>74.00</td><td>-18.60</td><td>45.78</td><td>34.46</td><td>8.33</td><td>33.17</td><td>269</td><td>151</td><td>PEAK</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.10	55.40	74.00	-18.60	45.78	34.46	8.33	33.17	269	151	PEAK	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>111.67</td><td>-----</td><td>-----</td><td>102.07</td><td>34.47</td><td>8.26</td><td>33.13</td><td>269</td><td>151</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	111.67	-----	-----	102.07	34.47	8.26	33.13	269	151	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5350.10	55.40	74.00	-18.60	45.78	34.46	8.33	33.17	269	151	PEAK																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5320.00	111.67	-----	-----	102.07	34.47	8.26	33.13	269	151	PEAK																																																																			
Avg	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.38</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>32.76</td><td>34.46</td><td>8.33</td><td>33.17</td><td>269</td><td>151</td><td>AVERAGE</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.38	42.38	54.00	-11.62	32.76	34.46	8.33	33.17	269	151	AVERAGE	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>102.31</td><td>-----</td><td>-----</td><td>92.71</td><td>34.47</td><td>8.26</td><td>33.13</td><td>269</td><td>151</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	102.31	-----	-----	92.71	34.47	8.26	33.13	269	151	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5350.38	42.38	54.00	-11.62	32.76	34.46	8.33	33.17	269	151	AVERAGE																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5320.00	102.31	-----	-----	92.71	34.47	8.26	33.13	269	151	AVERAGE																																																																			



		28																																																																																								
Mode	Band Edge																																																																																									
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5434.52</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>40.99</td><td>34.43</td><td>8.44</td><td>33.31</td><td>366</td><td>212 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5434.52	50.55	74.00	-23.45	40.99	34.43	8.44	33.31	366	212 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>105.40</td><td>-----</td><td>-----</td><td>95.80</td><td>34.47</td><td>8.26</td><td>33.13</td><td>366</td><td>212 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	105.40	-----	-----	95.80	34.47	8.26	33.13	366
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5434.52	50.55	74.00	-23.45	40.99	34.43	8.44	33.31	366	212 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5320.00	105.40	-----	-----	95.80	34.47	8.26	33.13	366	212 PEAK																																																																																	
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5353.04</td><td>39.17</td><td>54.00</td><td>-14.83</td><td>29.54</td><td>34.46</td><td>8.34</td><td>33.17</td><td>366</td><td>212 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5353.04	39.17	54.00	-14.83	29.54	34.46	8.34	33.17	366	212 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>96.35</td><td>-----</td><td>-----</td><td>86.75</td><td>34.47</td><td>8.26</td><td>33.13</td><td>366</td><td>212 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	96.35	-----	-----	86.75	34.47	8.26	33.13	366
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5353.04	39.17	54.00	-14.83	29.54	34.46	8.34	33.17	366	212 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5320.00	96.35	-----	-----	86.75	34.47	8.26	33.13	366	212 AVERAGE																																																																																	







Mode	29																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5128.25</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>42.52</td><td>34.55</td><td>7.90</td><td>32.81</td><td>200</td><td>155</td><td>PEAK</td></tr></table>								Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5128.25	52.16	74.00	-21.84	42.52	34.55	7.90	32.81	200	155	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5270.00</td><td>105.25</td><td>-----</td><td>-----</td><td>95.68</td><td>34.49</td><td>8.12</td><td>33.04</td><td>200</td><td>155</td><td>PEAK</td></tr></table>								Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5270.00	105.25	-----	-----	95.68	34.49	8.12	33.04	200	155
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5128.25	52.16	74.00	-21.84	42.52	34.55	7.90	32.81	200	155	PEAK																																																																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5270.00	105.25	-----	-----	95.68	34.49	8.12	33.04	200	155	PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5141.48</td><td>41.20</td><td>54.00</td><td>-12.80</td><td>31.58</td><td>34.54</td><td>7.91</td><td>32.83</td><td>200</td><td>155</td><td>AVERAGE</td></tr></table>								Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5141.48	41.20	54.00	-12.80	31.58	34.54	7.91	32.83	200	155	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5270.00</td><td>93.69</td><td>-----</td><td>-----</td><td>84.11</td><td>34.49</td><td>8.15</td><td>33.06</td><td>200</td><td>155</td><td>AVERAGE</td></tr></table>								Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5270.00	93.69	-----	-----	84.11	34.49	8.15	33.06	200	155
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5141.48	41.20	54.00	-12.80	31.58	34.54	7.91	32.83	200	155	AVERAGE																																																																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5270.00	93.69	-----	-----	84.11	34.49	8.15	33.06	200	155	AVERAGE																																																																																									



Mode	29																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2023-05-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5362.15</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>43.15</td><td>34.46</td><td>8.36</td><td>33.19</td><td>200</td><td>155 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg		1	5362.15	52.78	74.00	-21.22	43.15	34.46	8.36	33.19	200	155 PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg																										
1	5362.15	52.78	74.00	-21.22	43.15	34.46	8.36	33.19	200	155 PEAK																									
Avg	Date: 2023-05-27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.51</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>32.67</td><td>34.46</td><td>8.33</td><td>33.17</td><td>200</td><td>155 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg		1	5351.51	42.29	54.00	-11.71	32.67	34.46	8.33	33.17	200	155 AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg																										
1	5351.51	42.29	54.00	-11.71	32.67	34.46	8.33	33.17	200	155 AVERAGE																									



Mode	29																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5079.92</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>42.88</td><td>34.57</td><td>7.87</td><td>32.73</td><td>200</td><td>360 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5079.92	52.59	74.00	-21.41	42.88	34.57	7.87	32.73	200	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5270.00</td><td>88.63</td><td>-----</td><td>-----</td><td>79.05</td><td>34.49</td><td>8.14</td><td>33.05</td><td>200</td><td>360 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5270.00	88.63	-----	-----	79.05	34.49	8.14	33.05	200
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5079.92	52.59	74.00	-21.41	42.88	34.57	7.87	32.73	200	360 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5270.00	88.63	-----	-----	79.05	34.49	8.14	33.05	200	360 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5014.85</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>31.22</td><td>34.59</td><td>7.83</td><td>32.63</td><td>200</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5014.85	41.01	54.00	-12.99	31.22	34.59	7.83	32.63	200	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5270.00</td><td>79.08</td><td>-----</td><td>-----</td><td>69.50</td><td>34.49</td><td>8.14</td><td>33.05</td><td>200</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5270.00	79.08	-----	-----	69.50	34.49	8.14	33.05	200
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5014.85	41.01	54.00	-12.99	31.22	34.59	7.83	32.63	200	360 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5270.00	79.08	-----	-----	69.50	34.49	8.14	33.05	200	360 AVERAGE																																																																																



Mode	29																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)					Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>47.93</td><td>68.30</td><td>-20.37</td><td>56.87</td><td>37.73</td><td>13.56</td><td>60.23</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15810.00</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>53.72</td><td>40.64</td><td>15.60</td><td>59.13</td><td>--- --- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10540.00	47.93	68.30	-20.37	56.87	37.73	13.56	60.23	--- --- Peak	2	15810.00	50.83	74.00	-23.17	53.72	40.64	15.60	59.13	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>47.57</td><td>68.30</td><td>-20.73</td><td>56.51</td><td>37.73</td><td>13.56</td><td>60.23</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15810.00</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>53.44</td><td>40.64</td><td>15.60</td><td>59.13</td><td>--- --- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10540.00	47.57	68.30	-20.73	56.51	37.73	13.56	60.23	--- --- Peak	2	15810.00	50.55	74.00	-23.45	53.44	40.64	15.60	59.13	--- --- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10540.00	47.93	68.30	-20.37	56.87	37.73	13.56	60.23	--- --- Peak																																																																																																					
2	15810.00	50.83	74.00	-23.17	53.72	40.64	15.60	59.13	--- --- Peak																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	10540.00	47.57	68.30	-20.73	56.51	37.73	13.56	60.23	--- --- Peak																																																																																																					
2	15810.00	50.55	74.00	-23.45	53.44	40.64	15.60	59.13	--- --- Peak																																																																																																					



Mode	30																																																																																								
	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Date: 2023-05-27					Date: 2023-05-27																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5025.73</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>42.64</td><td>34.59</td><td>7.84</td><td>32.64</td><td>125</td><td>153 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5025.73	52.43	74.00	-21.57	42.64	34.59	7.84	32.64	125	153 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>105.92</td><td>-----</td><td>-----</td><td>96.33</td><td>34.48</td><td>8.20</td><td>33.09</td><td>125</td><td>153 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5310.00	105.92	-----	-----	96.33	34.48	8.20	33.09	125
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5025.73	52.43	74.00	-21.57	42.64	34.59	7.84	32.64	125	153 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5310.00	105.92	-----	-----	96.33	34.48	8.20	33.09	125	153 PEAK																																																																																
Avg	Date: 2023-05-27					Date: 2023-05-27																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5050.53</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>31.32</td><td>34.58</td><td>7.85</td><td>32.69</td><td>125</td><td>153 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5050.53	41.06	54.00	-12.94	31.32	34.58	7.85	32.69	125	153 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>95.31</td><td>-----</td><td>-----</td><td>85.72</td><td>34.48</td><td>8.20</td><td>33.09</td><td>125</td><td>153 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5310.00	95.31	-----	-----	85.72	34.48	8.20	33.09	125
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5050.53	41.06	54.00	-12.94	31.32	34.58	7.85	32.69	125	153 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5310.00	95.31	-----	-----	85.72	34.48	8.20	33.09	125	153 AVERAGE																																																																																



Mode	30																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2023-05-27 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5354.85</td><td>54.33</td><td>74.00</td><td>-19.67</td><td>44.71</td><td>34.46</td><td>8.34</td><td>33.18</td><td>125</td><td>153</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5354.85	54.33	74.00	-19.67	44.71	34.46	8.34	33.18	125	153	PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5354.85	54.33	74.00	-19.67	44.71	34.46	8.34	33.18	125	153	PEAK																																	
Avg	Date: 2023-05-27 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5355.75</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>33.71</td><td>34.46</td><td>8.34</td><td>33.18</td><td>125</td><td>153</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5355.75	43.33	54.00	-10.67	33.71	34.46	8.34	33.18	125	153	AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5355.75	43.33	54.00	-10.67	33.71	34.46	8.34	33.18	125	153	AVERAGE																																	







Mode	30	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-05-27 1 5083.39 52.21 74.00 -21.79 42.51 34.57 7.87 32.74 100 206 PEAK	Level (dBuV/m) Date: 2023-05-27 1 5310.00 91.35 ----- 81.76 34.47 8.23 33.11 100 206 PEAK
	Level (dBuV/m) Date: 2023-05-27 1 5058.59 40.85 54.00 -13.15 31.11 34.58 7.86 32.70 100 206 AVERAGE	Level (dBuV/m) Date: 2023-05-27 1 5310.00 80.73 ----- 71.14 34.48 8.20 33.09 100 206 AVERAGE



Mode	30																																																																																																															
	Harmonic																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)						Level (dBuV/m) Date: 2023-05-08 Frequency (MHz)																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>56.87</td><td>37.79</td><td>13.60</td><td>59.88</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15930.00</td><td>50.98</td><td>74.00</td><td>-23.02</td><td>54.05</td><td>40.68</td><td>15.62</td><td>59.37</td><td>--- --- Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10620.00	48.38	74.00	-25.62	56.87	37.79	13.60	59.88	--- --- Peak	2	15930.00	50.98	74.00	-23.02	54.05	40.68	15.62	59.37	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>55.59</td><td>37.79</td><td>13.60</td><td>59.88</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15930.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>54.94</td><td>40.68</td><td>15.62</td><td>59.37</td><td>--- --- Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.10	74.00	-26.90	55.59	37.79	13.60	59.88	--- --- Peak	2	15930.00	51.87	74.00	-22.13	54.94	40.68	15.62	59.37	--- --- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10620.00	48.38	74.00	-25.62	56.87	37.79	13.60	59.88	--- --- Peak																																																																																																							
2	15930.00	50.98	74.00	-23.02	54.05	40.68	15.62	59.37	--- --- Peak																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10620.00	47.10	74.00	-26.90	55.59	37.79	13.60	59.88	--- --- Peak																																																																																																							
2	15930.00	51.87	74.00	-22.13	54.94	40.68	15.62	59.37	--- --- Peak																																																																																																							





		31																																																																													
Mode	Band Edge - L																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																														
Pol.	Horizontal										Fundamental																																																																				
Peak	Level (dBuV/m) Date: 2023-05-27  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5029.29</td><td>52.15</td><td>74.00</td><td>-21.85</td><td>42.37</td><td>34.59</td><td>7.84</td><td>32.65</td><td>105</td><td>161</td><td>PEAK</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	1 5029.29	52.15	74.00	-21.85	42.37	34.59	7.84	32.65	105	161	PEAK	Level (dBuV/m) Date: 2023-05-27  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>103.20</td><td>-----</td><td>-----</td><td>93.60</td><td>34.47</td><td>8.25</td><td>33.12</td><td>105</td><td>161</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	1 5290.00	103.20	-----	-----	93.60	34.47	8.25	33.12	105	161	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																				
1 5029.29	52.15	74.00	-21.85	42.37	34.59	7.84	32.65	105	161	PEAK																																																																					
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																				
1 5290.00	103.20	-----	-----	93.60	34.47	8.25	33.12	105	161	PEAK																																																																					
Avg	Level (dBuV/m) Date: 2023-05-27  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5138.04</td><td>41.42</td><td>54.00</td><td>-12.58</td><td>31.80</td><td>34.54</td><td>7.91</td><td>32.83</td><td>105</td><td>161</td><td>AVERAGE</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	1 5138.04	41.42	54.00	-12.58	31.80	34.54	7.91	32.83	105	161	AVERAGE	Level (dBuV/m) Date: 2023-05-27  Frequency (MHz) <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5290.00</td><td>92.46</td><td>-----</td><td>-----</td><td>82.86</td><td>34.47</td><td>8.26</td><td>33.13</td><td>105</td><td>161</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg	1 5290.00	92.46	-----	-----	82.86	34.47	8.26	33.13	105	161	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																				
1 5138.04	41.42	54.00	-12.58	31.80	34.54	7.91	32.83	105	161	AVERAGE																																																																					
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	dB	dB	cm	deg																																																																				
1 5290.00	92.46	-----	-----	82.86	34.47	8.26	33.13	105	161	AVERAGE																																																																					



Mode	31	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-05-27 1 5008.99 52.50 74.00 -21.50 42.69 34.60 7.83 32.62 342 214 PEAK	Level (dBuV/m) Date: 2023-05-27 1 5290.00 95.28 ----- 85.70 34.49 8.14 33.05 342 214 PEAK
Avg	Level (dBuV/m) Date: 2023-05-27 1 5049.30 40.85 54.00 -13.15 31.10 34.58 7.85 32.68 342 214 AVERAGE	Level (dBuV/m) Date: 2023-05-27 1 5290.00 85.77 ----- 76.21 34.50 8.07 33.01 342 214 AVERAGE







Mode	31																																																																																																															
	Harmonic																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>45.92</td><td>68.30</td><td>-22.38</td><td>54.64</td><td>37.76</td><td>13.58</td><td>60.06</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15870.00</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>53.91</td><td>40.66</td><td>15.61</td><td>59.25</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.92	68.30	-22.38	54.64	37.76	13.58	60.06	--- --- Peak	2	15870.00	50.93	74.00	-23.07	53.91	40.66	15.61	59.25	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>47.01</td><td>68.30</td><td>-21.29</td><td>55.73</td><td>37.76</td><td>13.58</td><td>60.06</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15870.00</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>53.48</td><td>40.66</td><td>15.61</td><td>59.25</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	47.01	68.30	-21.29	55.73	37.76	13.58	60.06	--- --- Peak	2	15870.00	50.50	74.00	-23.50	53.48	40.66	15.61	59.25	--- --- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10580.00	45.92	68.30	-22.38	54.64	37.76	13.58	60.06	--- --- Peak																																																																																																							
2	15870.00	50.93	74.00	-23.07	53.91	40.66	15.61	59.25	--- --- Peak																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10580.00	47.01	68.30	-21.29	55.73	37.76	13.58	60.06	--- --- Peak																																																																																																							
2	15870.00	50.50	74.00	-23.50	53.48	40.66	15.61	59.25	--- --- Peak																																																																																																							





Mode	32																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.95</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>44.38</td><td>34.42</td><td>8.41</td><td>33.35</td><td>186</td><td>156 PEAK</td></tr><tr><td>2 5466.85</td><td>55.57</td><td>68.30</td><td>-12.73</td><td>46.12</td><td>34.41</td><td>8.40</td><td>33.36</td><td>186</td><td>156 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5459.95	53.86	74.00	-20.14	44.38	34.42	8.41	33.35	186	156 PEAK	2 5466.85	55.57	68.30	-12.73	46.12	34.41	8.40	33.36	186	156 PEAK	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>109.56</td><td>-----</td><td>-----</td><td>100.20</td><td>34.40</td><td>8.36</td><td>33.40</td><td>186</td><td>156 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	109.56	-----	-----	100.20	34.40	8.36	33.40	186	156 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5459.95	53.86	74.00	-20.14	44.38	34.42	8.41	33.35	186	156 PEAK																																																																													
2 5466.85	55.57	68.30	-12.73	46.12	34.41	8.40	33.36	186	156 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5500.00	109.56	-----	-----	100.20	34.40	8.36	33.40	186	156 PEAK																																																																													
Avg	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.95</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>32.50</td><td>34.42</td><td>8.41</td><td>33.35</td><td>186</td><td>156 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5459.95	41.98	54.00	-12.02	32.50	34.42	8.41	33.35	186	156 AVERAGE	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>100.99</td><td>-----</td><td>-----</td><td>91.63</td><td>34.40</td><td>8.36</td><td>33.40</td><td>186</td><td>156 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	100.99	-----	-----	91.63	34.40	8.36	33.40	186	156 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5459.95	41.98	54.00	-12.02	32.50	34.42	8.41	33.35	186	156 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5500.00	100.99	-----	-----	91.63	34.40	8.36	33.40	186	156 AVERAGE																																																																													



Mode	32																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5425.30</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>41.21</td><td>34.43</td><td>8.46</td><td>33.29</td><td>397 189 PEAK</td></tr><tr><td>2</td><td>5466.85</td><td>52.54</td><td>68.30</td><td>-15.76</td><td>43.09</td><td>34.41</td><td>8.40</td><td>33.36</td><td>397 189 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5425.30	50.81	74.00	-23.19	41.21	34.43	8.46	33.29	397 189 PEAK	2	5466.85	52.54	68.30	-15.76	43.09	34.41	8.40	33.36	397 189 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.75</td><td>-----</td><td>-----</td><td>96.39</td><td>34.41</td><td>8.35</td><td>33.40</td><td>397 189 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.75	-----	-----	96.39	34.41	8.35	33.40
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5425.30	50.81	74.00	-23.19	41.21	34.43	8.46	33.29	397 189 PEAK																																																																																										
2	5466.85	52.54	68.30	-15.76	43.09	34.41	8.40	33.36	397 189 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	105.75	-----	-----	96.39	34.41	8.35	33.40	397 189 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.80</td><td>40.28</td><td>54.00</td><td>-13.72</td><td>30.80</td><td>34.42</td><td>8.41</td><td>33.35</td><td>397 189 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	40.28	54.00	-13.72	30.80	34.42	8.41	33.35	397 189 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.41</td><td>-----</td><td>-----</td><td>87.05</td><td>34.40</td><td>8.36</td><td>33.40</td><td>397 189 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.41	-----	-----	87.05	34.40	8.36	33.40	397 189 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5459.80	40.28	54.00	-13.72	30.80	34.42	8.41	33.35	397 189 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	96.41	-----	-----	87.05	34.40	8.36	33.40	397 189 AVERAGE																																																																																										



Mode	32																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>55.37</td><td>38.10</td><td>13.76</td><td>58.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16500.00</td><td>50.90</td><td>68.30</td><td>-17.40</td><td>51.36</td><td>40.95</td><td>16.11</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11000.00	49.03	74.00	-24.97	55.37	38.10	13.76	58.20	---	---	Peak	2 16500.00	50.90	68.30	-17.40	51.36	40.95	16.11	57.52	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>55.54</td><td>38.10</td><td>13.76</td><td>58.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16500.00</td><td>51.05</td><td>68.30</td><td>-17.25</td><td>51.51</td><td>40.95</td><td>16.11</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11000.00	49.20	74.00	-24.80	55.54	38.10	13.76	58.20	---	---	Peak	2 16500.00	51.05	68.30	-17.25	51.51	40.95	16.11	57.52	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11000.00	49.03	74.00	-24.97	55.37	38.10	13.76	58.20	---	---	Peak																																																																																																								
2 16500.00	50.90	68.30	-17.40	51.36	40.95	16.11	57.52	---	---	Peak																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11000.00	49.20	74.00	-24.80	55.54	38.10	13.76	58.20	---	---	Peak																																																																																																								
2 16500.00	51.05	68.30	-17.25	51.51	40.95	16.11	57.52	---	---	Peak																																																																																																								







		33																																																																																																			
Mode			Band Edge - L																																																																																																		
			U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																		
Pol.	Horizontal										Fundamental																																																																																										
Peak	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5433.49</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>41.69</td><td>34.43</td><td>8.44</td><td>33.31</td><td>142 161 PEAK</td></tr><tr><td>2 5467.76</td><td>50.37</td><td>68.30</td><td>-17.93</td><td>40.92</td><td>34.41</td><td>8.40</td><td>33.36</td><td>142 161 PEAK</td></tr></tbody></table>										Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5433.49	51.25	74.00	-22.75	41.69	34.43	8.44	33.31	142 161 PEAK	2 5467.76	50.37	68.30	-17.93	40.92	34.41	8.40	33.36	142 161 PEAK	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5580.00</td><td>110.50</td><td>-----</td><td>-----</td><td>101.06</td><td>34.58</td><td>8.24</td><td>33.38</td><td>142 161 PEAK</td></tr></tbody></table>										Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5580.00	110.50	-----	-----	101.06	34.58	8.24	33.38	142 161 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5433.49	51.25	74.00	-22.75	41.69	34.43	8.44	33.31	142 161 PEAK																																																																																													
2 5467.76	50.37	68.30	-17.93	40.92	34.41	8.40	33.36	142 161 PEAK																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5580.00	110.50	-----	-----	101.06	34.58	8.24	33.38	142 161 PEAK																																																																																													
Avg	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5456.95</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>30.04</td><td>34.42</td><td>8.41</td><td>33.34</td><td>142 161 AVERAGE</td></tr></tbody></table>										Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5456.95	39.53	54.00	-14.47	30.04	34.42	8.41	33.34	142 161 AVERAGE	Date: 2023-05-16 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5580.00</td><td>101.83</td><td>-----</td><td>-----</td><td>92.39</td><td>34.58</td><td>8.24</td><td>33.38</td><td>142 161 AVERAGE</td></tr></tbody></table>										Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5580.00	101.83	-----	-----	92.39	34.58	8.24	33.38	142 161 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5456.95	39.53	54.00	-14.47	30.04	34.42	8.41	33.34	142 161 AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5580.00	101.83	-----	-----	92.39	34.58	8.24	33.38	142 161 AVERAGE																																																																																													





Mode	33																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2023-05-16 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5733.74</td><td>52.10</td><td>68.30</td><td>-16.20</td><td>41.83</td><td>34.91</td><td>8.71</td><td>33.35</td><td>142</td><td>161 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg		1	5733.74	52.10	68.30	-16.20	41.83	34.91	8.71	33.35	142	161 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg																																		
1	5733.74	52.10	68.30	-16.20	41.83	34.91	8.71	33.35	142	161 PEAK																																	






Mode	33																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																									
Pol.	Vertical										Fundamental																																																																																															
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.71</td><td>50.09</td><td>74.00</td><td>-23.91</td><td>40.61</td><td>34.42</td><td>8.41</td><td>33.35</td><td>302</td><td>188</td><td>PEAK</td></tr><tr><td>2</td><td>5462.01</td><td>50.04</td><td>68.30</td><td>-18.26</td><td>40.56</td><td>34.42</td><td>8.41</td><td>33.35</td><td>302</td><td>188</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.71	50.09	74.00	-23.91	40.61	34.42	8.41	33.35	302	188	PEAK	2	5462.01	50.04	68.30	-18.26	40.56	34.42	8.41	33.35	302	188	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>105.70</td><td>-----</td><td>-----</td><td>96.26</td><td>34.58</td><td>8.24</td><td>33.38</td><td>302</td><td>188</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5580.00	105.70	-----	-----	96.26	34.58	8.24	33.38	302	188
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5459.71	50.09	74.00	-23.91	40.61	34.42	8.41	33.35	302	188	PEAK																																																																																															
2	5462.01	50.04	68.30	-18.26	40.56	34.42	8.41	33.35	302	188	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5580.00	105.70	-----	-----	96.26	34.58	8.24	33.38	302	188	PEAK																																																																																															
Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.41</td><td>38.94</td><td>54.00</td><td>-15.06</td><td>29.30</td><td>34.44</td><td>8.43</td><td>33.23</td><td>302</td><td>188</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5388.41	38.94	54.00	-15.06	29.30	34.44	8.43	33.23	302	188	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>97.22</td><td>-----</td><td>-----</td><td>87.78</td><td>34.58</td><td>8.24</td><td>33.38</td><td>302</td><td>188</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5580.00	97.22	-----	-----	87.78	34.58	8.24	33.38	302	188	AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5388.41	38.94	54.00	-15.06	29.30	34.44	8.43	33.23	302	188	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5580.00	97.22	-----	-----	87.78	34.58	8.24	33.38	302	188	AVERAGE																																																																																															






Mode	33																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>55.82</td><td>38.26</td><td>13.74</td><td>58.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16740.00</td><td>52.30</td><td>68.30</td><td>-16.00</td><td>51.95</td><td>41.07</td><td>16.35</td><td>57.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.72	74.00	-24.28	55.82	38.26	13.74	58.10	---	---	Peak	2 16740.00	52.30	68.30	-16.00	51.95	41.07	16.35	57.07	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>56.08</td><td>38.26</td><td>13.74</td><td>58.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16740.00</td><td>51.87</td><td>68.30</td><td>-16.43</td><td>51.52</td><td>41.07</td><td>16.35</td><td>57.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.98	74.00	-24.02	56.08	38.26	13.74	58.10	---	---	Peak	2 16740.00	51.87	68.30	-16.43	51.52	41.07	16.35	57.07	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11160.00	49.72	74.00	-24.28	55.82	38.26	13.74	58.10	---	---	Peak																																																																																																								
2 16740.00	52.30	68.30	-16.00	51.95	41.07	16.35	57.07	---	---	Peak																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11160.00	49.98	74.00	-24.02	56.08	38.26	13.74	58.10	---	---	Peak																																																																																																								
2 16740.00	51.87	68.30	-16.43	51.52	41.07	16.35	57.07	---	---	Peak																																																																																																								





		34																																																																																											
Mode		Band Edge																																																																																											
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak		Level (dBuV/m) Date: 2023-05-16  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5725.35</td><td>64.30</td><td>68.30</td><td>-4.00</td><td>54.08</td><td>34.90</td><td>8.68</td><td>33.36</td><td>182</td><td>152</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5725.35	64.30	68.30	-4.00	54.08	34.90	8.68	33.36	182	152	PEAK	Level (dBuV/m) Date: 2023-05-16  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.53</td><td>-----</td><td>-----</td><td>99.44</td><td>34.85</td><td>8.60</td><td>33.36</td><td>182</td><td>152</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	109.53	-----	-----	99.44	34.85	8.60	33.36	182	152	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5725.35	64.30	68.30	-4.00	54.08	34.90	8.68	33.36	182	152	PEAK																																																																																		
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	109.53	-----	-----	99.44	34.85	8.60	33.36	182	152	PEAK																																																																																		
Avg		Blank										Level (dBuV/m) Date: 2023-05-16  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.49</td><td>-----</td><td>-----</td><td>91.40</td><td>34.85</td><td>8.60</td><td>33.36</td><td>182</td><td>152</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	101.49	-----	-----	91.40	34.85	8.60	33.36	182	152	AVERAGE																																				
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	101.49	-----	-----	91.40	34.85	8.60	33.36	182	152	AVERAGE																																																																																		



Mode	34																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2023-05-16  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.55</td><td>60.38</td><td>68.30</td><td>-7.92</td><td>50.16</td><td>34.90</td><td>8.68</td><td>33.36</td><td>294</td><td>183 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5725.55	60.38	68.30	-7.92	50.16	34.90	8.68	33.36	294	183 PEAK	Level (dBuV/m) Date: 2023-05-16  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.70</td><td>-----</td><td>-----</td><td>96.61</td><td>34.85</td><td>8.60</td><td>33.36</td><td>294</td><td>183 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	106.70	-----	-----	96.61	34.85	8.60	33.36	294	183 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5725.55	60.38	68.30	-7.92	50.16	34.90	8.68	33.36	294	183 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	106.70	-----	-----	96.61	34.85	8.60	33.36	294	183 PEAK																																																																																	
Avg	Blank					Level (dBuV/m) Date: 2023-05-16  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.07</td><td>-----</td><td>-----</td><td>87.95</td><td>34.86</td><td>8.62</td><td>33.36</td><td>294</td><td>183 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	98.07	-----	-----	87.95	34.86	8.62	33.36	294	183 AVERAGE																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	98.07	-----	-----	87.95	34.86	8.62	33.36	294	183 AVERAGE																																																																																	



Mode	34																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>54.86</td><td>38.50</td><td>13.71</td><td>57.96</td><td>--- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>53.37</td><td>68.30</td><td>-14.93</td><td>52.27</td><td>41.24</td><td>16.56</td><td>56.70</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	11400.00	49.11	74.00	-24.89	54.86	38.50	13.71	57.96	--- Peak	2	17100.00	53.37	68.30	-14.93	52.27	41.24	16.56	56.70	--- Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>55.02</td><td>38.50</td><td>13.71</td><td>57.96</td><td>--- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>52.51</td><td>68.30</td><td>-15.79</td><td>51.41</td><td>41.24</td><td>16.56</td><td>56.70</td><td>--- Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	11400.00	49.27	74.00	-24.73	55.02	38.50	13.71	57.96	--- Peak	2	17100.00	52.51	68.30	-15.79	51.41	41.24	16.56	56.70	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11400.00	49.11	74.00	-24.89	54.86	38.50	13.71	57.96	--- Peak																																																																																																					
2	17100.00	53.37	68.30	-14.93	52.27	41.24	16.56	56.70	--- Peak																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11400.00	49.27	74.00	-24.73	55.02	38.50	13.71	57.96	--- Peak																																																																																																					
2	17100.00	52.51	68.30	-15.79	51.41	41.24	16.56	56.70	--- Peak																																																																																																					



Mode	35	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
Pol.	Horizontal	Fundamental
Peak	</	



Mode	35	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
Pol.	Vertical	Fundamental
Peak		



Mode	35																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Data: 5 Date: 2023-05-09 Site : 03CH03-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 272102-02 Mode : 35 SN : #9 2q37b1w3j002z Plane : Y with Accessories setting : 6M power setting 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>48.43</td><td>-25.57</td><td>74.00</td><td>54.13</td><td>38.53</td><td>13.71</td><td>57.94</td><td>--- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>50.89</td><td>-17.41</td><td>68.30</td><td>49.84</td><td>41.27</td><td>16.55</td><td>56.77</td><td>--- Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	11440.00	48.43	-25.57	74.00	54.13	38.53	13.71	57.94	--- Peak	2	17160.00	50.89	-17.41	68.30	49.84	41.27	16.55	56.77	--- Peak	Data: 6 Date: 2023-05-09 Site : 03CH03-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 272102-02 Mode : 35 SN : #9 2q37b1w3j002z Plane : Y with Accessories setting : 6M power setting 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>48.53</td><td>-25.47</td><td>74.00</td><td>54.23</td><td>38.53</td><td>13.71</td><td>57.94</td><td>--- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>51.26</td><td>-17.04</td><td>68.30</td><td>50.21</td><td>41.27</td><td>16.55</td><td>56.77</td><td>--- Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	11440.00	48.53	-25.47	74.00	54.23	38.53	13.71	57.94	--- Peak	2	17160.00	51.26	-17.04	68.30	50.21	41.27	16.55	56.77	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	11440.00	48.43	-25.57	74.00	54.13	38.53	13.71	57.94	--- Peak																																																																									
2	17160.00	50.89	-17.41	68.30	49.84	41.27	16.55	56.77	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	11440.00	48.53	-25.47	74.00	54.23	38.53	13.71	57.94	--- Peak																																																																									
2	17160.00	51.26	-17.04	68.30	50.21	41.27	16.55	56.77	--- Peak																																																																									





		36																																																											
Mode	Band Edge																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																												
Pol.	Horizontal										Fundamental																																																		
Peak	Level (dBuV/m) Date: 2023-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5458.60</td><td>56.53</td><td>74.00</td><td>-17.47</td><td>47.05</td><td>34.42</td><td>8.41</td><td>33.35</td><td>100</td><td>163 PEAK</td></tr><tr><td>2 5465.65</td><td>55.39</td><td>68.30</td><td>-12.91</td><td>45.94</td><td>34.41</td><td>8.40</td><td>33.36</td><td>100</td><td>163 PEAK</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5458.60	56.53	74.00	-17.47	47.05	34.42	8.41	33.35	100	163 PEAK	2 5465.65	55.39	68.30	-12.91	45.94	34.41	8.40	33.36	100	163 PEAK	Level (dBuV/m) Date: 2023-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>108.46</td><td>-----</td><td>-----</td><td>99.10</td><td>34.41</td><td>8.35</td><td>33.40</td><td>100</td><td>163 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	108.46	-----	-----	99.10	34.41	8.35	33.40	100	163 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5458.60	56.53	74.00	-17.47	47.05	34.42	8.41	33.35	100	163 PEAK																																																				
2 5465.65	55.39	68.30	-12.91	45.94	34.41	8.40	33.36	100	163 PEAK																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																				
1 5500.00	108.46	-----	-----	99.10	34.41	8.35	33.40	100	163 PEAK																																																				
Avg	Level (dBuV/m) Date: 2023-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5459.35</td><td>43.51</td><td>54.00</td><td>-10.49</td><td>34.03</td><td>34.42</td><td>8.41</td><td>33.35</td><td>100</td><td>163 AVERAGE</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.35	43.51	54.00	-10.49	34.03	34.42	8.41	33.35	100	163 AVERAGE	Level (dBuV/m) Date: 2023-05-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>98.37</td><td>-----</td><td>-----</td><td>89.01</td><td>34.41</td><td>8.35</td><td>33.40</td><td>100</td><td>163 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	98.37	-----	-----	89.01	34.41	8.35	33.40	100	163 AVERAGE										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5459.35	43.51	54.00	-10.49	34.03	34.42	8.41	33.35	100	163 AVERAGE																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																				
1 5500.00	98.37	-----	-----	89.01	34.41	8.35	33.40	100	163 AVERAGE																																																				







Mode	36																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.65</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>42.73</td><td>34.42</td><td>8.41</td><td>33.35</td><td>331</td><td>204 PEAK</td></tr><tr><td>2</td><td>5462.20</td><td>52.66</td><td>68.30</td><td>-15.64</td><td>43.18</td><td>34.42</td><td>8.41</td><td>33.35</td><td>331</td><td>204 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.65	52.21	74.00	-21.79	42.73	34.42	8.41	33.35	331	204 PEAK	2	5462.20	52.66	68.30	-15.64	43.18	34.42	8.41	33.35	331	204 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.38</td><td>-----</td><td>-----</td><td>94.02</td><td>34.41</td><td>8.35</td><td>33.40</td><td>331</td><td>204 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.38	-----	-----	94.02	34.41	8.35	33.40	331
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.65	52.21	74.00	-21.79	42.73	34.42	8.41	33.35	331	204 PEAK																																																																																													
2	5462.20	52.66	68.30	-15.64	43.18	34.42	8.41	33.35	331	204 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	103.38	-----	-----	94.02	34.41	8.35	33.40	331	204 PEAK																																																																																													
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>40.74</td><td>54.00</td><td>-13.26</td><td>31.26</td><td>34.42</td><td>8.41</td><td>33.35</td><td>331</td><td>204 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.50	40.74	54.00	-13.26	31.26	34.42	8.41	33.35	331	204 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>93.54</td><td>-----</td><td>-----</td><td>84.18</td><td>34.40</td><td>8.36</td><td>33.40</td><td>331</td><td>204 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.54	-----	-----	84.18	34.40	8.36	33.40	331	204 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.50	40.74	54.00	-13.26	31.26	34.42	8.41	33.35	331	204 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	93.54	-----	-----	84.18	34.40	8.36	33.40	331	204 AVERAGE																																																																																													



Mode	36																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>55.84</td><td>38.10</td><td>13.76</td><td>58.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16500.00</td><td>51.06</td><td>68.30</td><td>-17.24</td><td>51.52</td><td>40.95</td><td>16.11</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11000.00	49.50	74.00	-24.50	55.84	38.10	13.76	58.20	---	---	Peak	2 16500.00	51.06	68.30	-17.24	51.52	40.95	16.11	57.52	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>55.11</td><td>38.10</td><td>13.76</td><td>58.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16500.00</td><td>51.04</td><td>68.30</td><td>-17.26</td><td>51.50</td><td>40.95</td><td>16.11</td><td>57.52</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11000.00	48.77	74.00	-25.23	55.11	38.10	13.76	58.20	---	---	Peak	2 16500.00	51.04	68.30	-17.26	51.50	40.95	16.11	57.52	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11000.00	49.50	74.00	-24.50	55.84	38.10	13.76	58.20	---	---	Peak																																																																																																								
2 16500.00	51.06	68.30	-17.24	51.52	40.95	16.11	57.52	---	---	Peak																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11000.00	48.77	74.00	-25.23	55.11	38.10	13.76	58.20	---	---	Peak																																																																																																								
2 16500.00	51.04	68.30	-17.26	51.50	40.95	16.11	57.52	---	---	Peak																																																																																																								







		37																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/O_5500MHz																																																																																																						
Pol.	Horizontal										Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)										Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.45</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>42.45</td><td>34.42</td><td>8.41</td><td>33.35</td><td>110</td><td>159 PEAK</td></tr><tr><td>2</td><td>5460.10</td><td>51.12</td><td>68.30</td><td>-17.18</td><td>41.64</td><td>34.42</td><td>8.41</td><td>33.35</td><td>110</td><td>159 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.45	51.93	74.00	-22.07	42.45	34.42	8.41	33.35	110	159 PEAK	2	5460.10	51.12	68.30	-17.18	41.64	34.42	8.41	33.35	110	159 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>115.31</td><td>-----</td><td>-----</td><td>105.95</td><td>34.40</td><td>8.36</td><td>33.40</td><td>110</td><td>159 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.31	-----	-----	105.95	34.40	8.36	33.40	110
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.45	51.93	74.00	-22.07	42.45	34.42	8.41	33.35	110	159 PEAK																																																																																													
2	5460.10	51.12	68.30	-17.18	41.64	34.42	8.41	33.35	110	159 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	115.31	-----	-----	105.95	34.40	8.36	33.40	110	159 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)										Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.85</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>31.50</td><td>34.42</td><td>8.41</td><td>33.34</td><td>110</td><td>159 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5457.85	40.99	54.00	-13.01	31.50	34.42	8.41	33.34	110	159 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.87</td><td>-----</td><td>-----</td><td>97.51</td><td>34.40</td><td>8.36</td><td>33.40</td><td>110</td><td>159 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.87	-----	-----	97.51	34.40	8.36	33.40	110	159 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5457.85	40.99	54.00	-13.01	31.50	34.42	8.41	33.34	110	159 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	106.87	-----	-----	97.51	34.40	8.36	33.40	110	159 AVERAGE																																																																																													



		37																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/O_5500MHz																																																																																																				
Pol.	Vertical										Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5444.50</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>41.19</td><td>34.42</td><td>8.43</td><td>33.32</td><td>300</td><td>185 PEAK</td></tr><tr><td>2 5468.20</td><td>50.47</td><td>68.30</td><td>-17.83</td><td>41.02</td><td>34.41</td><td>8.40</td><td>33.36</td><td>300</td><td>185 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5444.50	50.72	74.00	-23.28	41.19	34.42	8.43	33.32	300	185 PEAK	2 5468.20	50.47	68.30	-17.83	41.02	34.41	8.40	33.36	300	185 PEAK	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>108.68</td><td>-----</td><td>-----</td><td>99.32</td><td>34.40</td><td>8.36</td><td>33.40</td><td>300</td><td>185 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	108.68	-----	-----	99.32	34.40	8.36	33.40	300	185 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 5444.50	50.72	74.00	-23.28	41.19	34.42	8.43	33.32	300	185 PEAK																																																																																												
2 5468.20	50.47	68.30	-17.83	41.02	34.41	8.40	33.36	300	185 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 5500.00	108.68	-----	-----	99.32	34.40	8.36	33.40	300	185 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5458.75</td><td>38.92</td><td>54.00</td><td>-15.08</td><td>29.44</td><td>34.42</td><td>8.41</td><td>33.35</td><td>300</td><td>185 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.75	38.92	54.00	-15.08	29.44	34.42	8.41	33.35	300	185 AVERAGE	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>100.50</td><td>-----</td><td>-----</td><td>91.14</td><td>34.40</td><td>8.36</td><td>33.40</td><td>300</td><td>185 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	100.50	-----	-----	91.14	34.40	8.36	33.40	300	185 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 5458.75	38.92	54.00	-15.08	29.44	34.42	8.41	33.35	300	185 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 5500.00	100.50	-----	-----	91.14	34.40	8.36	33.40	300	185 AVERAGE																																																																																												







		38																																																																																																						
Mode	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																							
Pol.	Horizontal										Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.45</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>42.62</td><td>34.42</td><td>8.43</td><td>33.33</td><td>265</td><td>164 PEAK</td></tr><tr><td>2</td><td>5468.35</td><td>52.17</td><td>68.30</td><td>-16.13</td><td>42.72</td><td>34.41</td><td>8.40</td><td>33.36</td><td>265</td><td>164 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5446.45	52.14	74.00	-21.86	42.62	34.42	8.43	33.33	265	164 PEAK	2	5468.35	52.17	68.30	-16.13	42.72	34.41	8.40	33.36	265	164 PEAK	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>115.78</td><td>-----</td><td>-----</td><td>106.42</td><td>34.40</td><td>8.36</td><td>33.40</td><td>265</td><td>164 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.78	-----	-----	106.42	34.40	8.36	33.40	265	164 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5446.45	52.14	74.00	-21.86	42.62	34.42	8.43	33.33	265	164 PEAK																																																																																														
2	5468.35	52.17	68.30	-16.13	42.72	34.41	8.40	33.36	265	164 PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	115.78	-----	-----	106.42	34.40	8.36	33.40	265	164 PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.65</td><td>40.50</td><td>54.00</td><td>-13.50</td><td>31.02</td><td>34.42</td><td>8.41</td><td>33.35</td><td>265</td><td>164 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.65	40.50	54.00	-13.50	31.02	34.42	8.41	33.35	265	164 AVERAGE	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.80</td><td>-----</td><td>-----</td><td>95.44</td><td>34.40</td><td>8.36</td><td>33.40</td><td>265</td><td>164 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.80	-----	-----	95.44	34.40	8.36	33.40	265	164 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.65	40.50	54.00	-13.50	31.02	34.42	8.41	33.35	265	164 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	104.80	-----	-----	95.44	34.40	8.36	33.40	265	164 AVERAGE																																																																																														



Mode	38																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5408.05</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>41.44</td><td>34.44</td><td>8.48</td><td>33.26</td><td>379 189 PEAK</td></tr><tr><td>2</td><td>5464.45</td><td>49.76</td><td>68.30</td><td>-18.54</td><td>40.31</td><td>34.41</td><td>8.40</td><td>33.36</td><td>379 189 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5408.05	51.10	74.00	-22.90	41.44	34.44	8.48	33.26	379 189 PEAK	2	5464.45	49.76	68.30	-18.54	40.31	34.41	8.40	33.36	379 189 PEAK	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.88</td><td>-----</td><td>-----</td><td>100.52</td><td>34.40</td><td>8.36</td><td>33.40</td><td>379 189 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.88	-----	-----	100.52	34.40	8.36	33.40	379 189 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5408.05	51.10	74.00	-22.90	41.44	34.44	8.48	33.26	379 189 PEAK																																																																																											
2	5464.45	49.76	68.30	-18.54	40.31	34.41	8.40	33.36	379 189 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	109.88	-----	-----	100.52	34.40	8.36	33.40	379 189 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.50</td><td>38.73</td><td>54.00</td><td>-15.27</td><td>29.25</td><td>34.42</td><td>8.41</td><td>33.35</td><td>379 189 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.50	38.73	54.00	-15.27	29.25	34.42	8.41	33.35	379 189 AVERAGE	Level (dBuV/m) Date: 2023-06-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.14</td><td>-----</td><td>-----</td><td>90.78</td><td>34.40</td><td>8.36</td><td>33.40</td><td>379 189 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.14	-----	-----	90.78	34.40	8.36	33.40	379 189 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.50	38.73	54.00	-15.27	29.25	34.42	8.41	33.35	379 189 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	100.14	-----	-----	90.78	34.40	8.36	33.40	379 189 AVERAGE																																																																																											







		39																																																																																																														
Mode			Band Edge																																																																																																													
			U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)										Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5429.20</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>41.62</td><td>34.43</td><td>8.45</td><td>33.30</td><td>265</td><td>164 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>53.31</td><td>68.30</td><td>-14.99</td><td>43.86</td><td>34.41</td><td>8.40</td><td>33.36</td><td>265</td><td>164 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5429.20	51.20	74.00	-22.80	41.62	34.43	8.45	33.30	265	164 PEAK	2	5469.70	53.31	68.30	-14.99	43.86	34.41	8.40	33.36	265	164 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>112.88</td><td>-----</td><td>-----</td><td>103.52</td><td>34.40</td><td>8.36</td><td>33.40</td><td>265</td><td>164 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.88	-----	-----	103.52	34.40	8.36	33.40	265
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5429.20	51.20	74.00	-22.80	41.62	34.43	8.45	33.30	265	164 PEAK																																																																																																						
2	5469.70	53.31	68.30	-14.99	43.86	34.41	8.40	33.36	265	164 PEAK																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	112.88	-----	-----	103.52	34.40	8.36	33.40	265	164 PEAK																																																																																																						
Avg	Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)										Level (dBuV/m) Date: 2023-06-04  Frequency (MHz)																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.70</td><td>40.34</td><td>54.00</td><td>-13.66</td><td>30.85</td><td>34.42</td><td>8.41</td><td>33.34</td><td>265</td><td>164 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5457.70	40.34	54.00	-13.66	30.85	34.42	8.41	33.34	265	164 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.43</td><td>-----</td><td>-----</td><td>94.07</td><td>34.40</td><td>8.36</td><td>33.40</td><td>265</td><td>164 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.43	-----	-----	94.07	34.40	8.36	33.40	265	164 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.70	40.34	54.00	-13.66	30.85	34.42	8.41	33.34	265	164 AVERAGE																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	103.43	-----	-----	94.07	34.40	8.36	33.40	265	164 AVERAGE																																																																																																						




Mode	39																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Date: 2023-06-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5457.85</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>41.08</td><td>34.42</td><td>8.41</td><td>33.34</td><td>400 190 PEAK</td></tr><tr><td>2 5470.00</td><td>50.67</td><td>68.30</td><td>-17.63</td><td>41.22</td><td>34.41</td><td>8.40</td><td>33.36</td><td>400 190 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5457.85	50.57	74.00	-23.43	41.08	34.42	8.41	33.34	400 190 PEAK	2 5470.00	50.67	68.30	-17.63	41.22	34.41	8.40	33.36	400 190 PEAK	Date: 2023-06-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>108.69</td><td>-----</td><td>-----</td><td>99.33</td><td>34.40</td><td>8.36</td><td>33.40</td><td>400 190 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	108.69	-----	-----	99.33	34.40	8.36	33.40	400 190 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5457.85	50.57	74.00	-23.43	41.08	34.42	8.41	33.34	400 190 PEAK																																																																											
2 5470.00	50.67	68.30	-17.63	41.22	34.41	8.40	33.36	400 190 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5500.00	108.69	-----	-----	99.33	34.40	8.36	33.40	400 190 PEAK																																																																											
Avg	Date: 2023-06-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.50</td><td>38.93</td><td>54.00</td><td>-15.07</td><td>29.45</td><td>34.42</td><td>8.41</td><td>33.35</td><td>400 190 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5459.50	38.93	54.00	-15.07	29.45	34.42	8.41	33.35	400 190 AVERAGE	Date: 2023-06-04 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>98.61</td><td>-----</td><td>-----</td><td>89.25</td><td>34.40</td><td>8.36</td><td>33.40</td><td>400 190 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	98.61	-----	-----	89.25	34.40	8.36	33.40	400 190 AVERAGE									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5459.50	38.93	54.00	-15.07	29.45	34.42	8.41	33.35	400 190 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 5500.00	98.61	-----	-----	89.25	34.40	8.36	33.40	400 190 AVERAGE																																																																											







Mode	40																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.97</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>40.26</td><td>34.43</td><td>8.45</td><td>33.30</td><td>262</td><td>166 PEAK</td></tr><tr><td>2</td><td>5469.14</td><td>49.29</td><td>68.30</td><td>-19.01</td><td>39.84</td><td>34.41</td><td>8.40</td><td>33.36</td><td>262</td><td>166 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5427.97	49.84	74.00	-24.16	40.26	34.43	8.45	33.30	262	166 PEAK	2	5469.14	49.29	68.30	-19.01	39.84	34.41	8.40	33.36	262	166 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>108.89</td><td>-----</td><td>-----</td><td>99.45</td><td>34.58</td><td>8.24</td><td>33.38</td><td>262</td><td>166 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.89	-----	-----	99.45	34.58	8.24	33.38	262
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5427.97	49.84	74.00	-24.16	40.26	34.43	8.45	33.30	262	166 PEAK																																																																																												
2	5469.14	49.29	68.30	-19.01	39.84	34.41	8.40	33.36	262	166 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	108.89	-----	-----	99.45	34.58	8.24	33.38	262	166 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.06</td><td>39.04</td><td>54.00</td><td>-14.96</td><td>29.44</td><td>34.43</td><td>8.46</td><td>33.29</td><td>262</td><td>166 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5424.06	39.04	54.00	-14.96	29.44	34.43	8.46	33.29	262	166 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>98.22</td><td>-----</td><td>-----</td><td>88.78</td><td>34.58</td><td>8.24</td><td>33.38</td><td>262</td><td>166 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5580.00	98.22	-----	-----	88.78	34.58	8.24	33.38	262	166 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5424.06	39.04	54.00	-14.96	29.44	34.43	8.46	33.29	262	166 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5580.00	98.22	-----	-----	88.78	34.58	8.24	33.38	262	166 AVERAGE																																																																																												





Mode	40																															
	Band Edge - R																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																															
Pol.	Horizontal	Fundamental																														
Peak	Date: 2023-05-28  <table><tr><th>Freq</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 5754.09</td><td>51.15</td><td>68.30</td><td>-17.15</td><td>40.76</td><td>34.96</td><td>8.78</td><td>33.35</td><td>262</td><td>166 PEAK</td></tr></table>	Freq	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg	1 5754.09	51.15	68.30	-17.15	40.76	34.96	8.78	33.35	262	166 PEAK	Blank
Freq	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	(dB)	Level	Factor	Loss	Factor	cm	deg																							
1 5754.09	51.15	68.30	-17.15	40.76	34.96	8.78	33.35	262	166 PEAK																							



Mode	40																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																								
Pol.	Vertical					Fundamental																																																																																																			
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.73</td><td>49.77</td><td>74.00</td><td>-24.23</td><td>40.14</td><td>34.46</td><td>8.36</td><td>33.19</td><td>380</td><td>213</td><td>PEAK</td></tr><tr><td>2</td><td>5464.08</td><td>49.29</td><td>68.30</td><td>-19.01</td><td>39.83</td><td>34.41</td><td>8.40</td><td>33.35</td><td>380</td><td>213</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5361.73	49.77	74.00	-24.23	40.14	34.46	8.36	33.19	380	213	PEAK	2	5464.08	49.29	68.30	-19.01	39.83	34.41	8.40	33.35	380	213	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>100.83</td><td>-----</td><td>-----</td><td>91.37</td><td>34.60</td><td>8.24</td><td>33.38</td><td>380</td><td>213</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5580.00	100.83	-----	-----	91.37	34.60	8.24	33.38	380	213
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5361.73	49.77	74.00	-24.23	40.14	34.46	8.36	33.19	380	213	PEAK																																																																																														
2	5464.08	49.29	68.30	-19.01	39.83	34.41	8.40	33.35	380	213	PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5580.00	100.83	-----	-----	91.37	34.60	8.24	33.38	380	213	PEAK																																																																																														
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.23</td><td>38.42</td><td>54.00</td><td>-15.58</td><td>28.77</td><td>34.44</td><td>8.45</td><td>33.24</td><td>380</td><td>213</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5396.23	38.42	54.00	-15.58	28.77	34.44	8.45	33.24	380	213	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>91.62</td><td>-----</td><td>-----</td><td>82.16</td><td>34.60</td><td>8.24</td><td>33.38</td><td>380</td><td>213</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5580.00	91.62	-----	-----	82.16	34.60	8.24	33.38	380	213	AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5396.23	38.42	54.00	-15.58	28.77	34.44	8.45	33.24	380	213	AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5580.00	91.62	-----	-----	82.16	34.60	8.24	33.38	380	213	AVERAGE																																																																																														



Mode	40																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																												
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>56.18</td><td>38.26</td><td>13.74</td><td>58.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16740.00</td><td>50.47</td><td>68.30</td><td>-17.83</td><td>50.12</td><td>41.07</td><td>16.35</td><td>57.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	50.08	74.00	-23.92	56.18	38.26	13.74	58.10	---	---	Peak	2 16740.00	50.47	68.30	-17.83	50.12	41.07	16.35	57.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>56.76</td><td>38.26</td><td>13.74</td><td>58.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16740.00</td><td>51.47</td><td>68.30</td><td>-16.83</td><td>51.12</td><td>41.07</td><td>16.35</td><td>57.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	50.66	74.00	-23.34	56.76	38.26	13.74	58.10	---	---	Peak	2 16740.00	51.47	68.30	-16.83	51.12	41.07	16.35	57.07	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11160.00	50.08	74.00	-23.92	56.18	38.26	13.74	58.10	---	---	Peak																																																																																																								
2 16740.00	50.47	68.30	-17.83	50.12	41.07	16.35	57.07	---	---	Peak																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11160.00	50.66	74.00	-23.34	56.76	38.26	13.74	58.10	---	---	Peak																																																																																																								
2 16740.00	51.47	68.30	-16.83	51.12	41.07	16.35	57.07	---	---	Peak																																																																																																								



		41																																																																																	
Mode	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																		
Pol.	Horizontal										Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2023-05-28 570057135726573957525765 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5725.74</td><td>60.85</td><td>68.30</td><td>-7.45</td><td>50.63</td><td>34.90</td><td>8.68</td><td>33.36</td><td>164</td><td>166</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5725.74	60.85	68.30	-7.45	50.63	34.90	8.68	33.36	164	166	PEAK	Level (dBuV/m) Date: 2023-05-28 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.30</td><td>-----</td><td>-----</td><td>98.25</td><td>34.84</td><td>8.57</td><td>33.36</td><td>164</td><td>166</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	108.30	-----	-----	98.25	34.84	8.57	33.36	164	166	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5725.74	60.85	68.30	-7.45	50.63	34.90	8.68	33.36	164	166	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	108.30	-----	-----	98.25	34.84	8.57	33.36	164	166	PEAK																																																																								
Avg	Blank										Level (dBuV/m) Date: 2023-05-28 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.08</td><td>-----</td><td>-----</td><td>88.99</td><td>34.85</td><td>8.60</td><td>33.36</td><td>164</td><td>166</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	99.08	-----	-----	88.99	34.85	8.60	33.36	164	166	AVERAGE																																				
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	99.08	-----	-----	88.99	34.85	8.60	33.36	164	166	AVERAGE																																																																								