


# Wireless Driveway Monitor™

Model # 30074

## Installing Batteries in the Driveway Sensor:


1. Pop the back of the Driveway Sensor off using a flat blade (slotted) screwdriver.
2. Insert two "D" alkaline batteries (not included). Note the positive and negative battery orientation
3. Close the case back together tightly. The O-ring should provide a water resistant seal.



## Setting Up the Driveway Monitor Receiver:

Straighten the 9-inch antenna wire which comes out of the top of the case. The antenna should be vertical.

Plug in the AC adapter on the side of the receiver. The receiver will chirp and the alert light will flash red then stay green.




## Testing the System Prior to Installation

The sensor and receiver are factory set to a unique code. Before installing the sensor outside, test the unit by rotating the driveway sensor (rotate the sensor more than 5 feet away from the receiver). (If you listen carefully, you will hear the sensor softly chirp like a cricket when the unit is transmitting a signal.) The receiver will chime twice and the ALERT light will flash RED for 15 minutes.

If the receiver does not chime or the red ALERT light does not come on during this test - refer to the Trouble Shooting section of the Reference Guide.


## Mounting the Driveway Sensor:

1. The stake comes in two parts. Connect the two stakes by pushing them firmly together.



2. Mount the Driveway Monitor stake on the side of the driveway.

3. Once the stake is in the ground, mount the driveway sensor onto the stake using the two screws as shown in the picture below. Do not pound the stake into the ground with the sensor attached.



Another option is to mount the sensor to a fence, tree, or post. The higher the sensor is mounted off the ground, the better the range. The object to which you mount the driveway sensor must not move in the wind to avoid false triggers on windy days. Do not mount the sensor to metal objects.

Whenever a vehicle drives by, you will be notified in the house.

If you have any problems with:

- Getting the system to function,
- Getting the system to work from the end of your driveway,
- Making the volume higher or lower,
- Using 2 or more sensors or receivers with your system,
- or buying additional accessories

Please refer to the separate REFERENCE GUIDE.

This device complies with FCC Rules Part 15. Operation is subject to two conditions: 1) This device may not cause harmful interference, and 2) it must accept any interference received, including that which may cause undesirable operation.

FCC ID: ELGDWMTX & ELGSHR1

DOC: \_\_\_\_\_

User is cautioned that changes or modifications not expressly approved by DesignTech could void the user's authority to operate this equipment.

Covered under US Patent Numbers: 4,851,775 & 5,239,264

**DesignTech**  
INTERNATIONAL, INC.  
7955 Cameron Brown Court • Springfield, Virginia 22153 USA  
www.designtech-intl.com

©2001 DesignTech International, Inc.