

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40

50.80 ±0.40

ConnexLink™ 4490

FHSS Interface: ☐ RS232 ☐ RS485

Model: CL4490-1000-232 R2

Type: ☐ Server ☐ Client

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-18 VDC

Product Page: <https://www.lairdconnect.com/cl4490-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4490-quick-start>

Laird™

CONNECTIVITY

Antenna

☐ - 02

☐ - 03

☐ - 04

TX

RX

LINK

PWR

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. Pantone P299C and K100.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
ANGULAR: ±.5
X.X ±.2
X.XX ±.1

INTERPRET GEOMETRIC
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02317

DATE May 23, 2022

SHEET 1 OF 1 SCALE: 3:1

TITLE:
Label, Product Identifier, CL4490 Series, 87.9mm x 50.8mm

SIZE	DWG. NO.	REV
B	160-02317	1.0

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40

50.80 ±0.40

ConnexLink™ 4490

FHSS Interface: ☐ RS232 ☐ RS485

Model: CL4490-1000-485 R2

Type: ☐ Server ☐ Client

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

7-18 VDC

Product Page: <https://www.lairdconnect.com/cl4490-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4490-quick-start>

Laird™

CONNECTIVITY

Antenna

☐ - 02

☐ - 03

☐ - 04

TX

RX

LINK

PWR

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. Pantone P299C and K100.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
ANGULAR: ±.5
X.X ±.2
X.XX ±.1

INTERPRET GEOMETRIC
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02317

DATE May 23, 2022

SHEET 1 OF 1 SCALE: 3:1

TITLE:
Label, Product Identifier, CL4490 Series, 87.9mm x 50.8mm

SIZE B	DWG. NO. 160-02317	REV 1.0
------------------	------------------------------	-------------------

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40

I/O

7-18 VDC

Antenna

TX

RX

LINK

PWR

ConnexLink™ 4790

FHSS Interface: ■ RS232 ■ RS485

Model: CL4790-1000-232 R2

Type: Peer-to-Peer

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

Product Page: <https://www.lairdconnect.com/cl4790-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4790-quick-start>

Laird™

CONNECTIVITY

50.80 ±0.40

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. Pantone P299C and K100.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
ANGULAR: ±.5
X.X ±.2
X.XX ±.1

INTERPRET GEOMETRIC
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02328

DATE May 23, 2022

SHEET 1 OF 1 SCALE: 3:1

TITLE:
Label, Product Identifier, CL4790 Series, 87.9mm x 50.8mm

SIZE	DWG. NO.	REV
B	160-02328	1.0

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	May 23, 2022	AC

87.90 ±0.40

I/O

7-18 VDC

Antenna

TX

RX

LINK

PWR

ConnexLink™ 4790

FHSS Interface: ■ RS232 ■ RS485

Model: CL4790-1000-485 R2

Type: Peer-to-Peer

FCC ID: SQG-CL4490

IC: 3147A-CL4490

This devise complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; (2) This device must accept any interference received, including interference that may cause undesired operation.

Product Page: <https://www.lairdconnect.com/cl4790-series>

Quick Start Guide: <https://www.lairdconnect.com/cl4790-quick-start>

Laird™

CONNECTIVITY

50.80 ±0.40

Notes:

- 1.Material: PC Film + Adhesive Transfer Tape
- 2. Die cut label size is W:87.9 mm(+0.4/-0.4mm) * L: 50.8mm(+0.4/-0.4mm)
- 3.The basis of the color printed on the label. Pantone P299C and K100.
- 4.Font: Arial

UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
ANGULAR: ±.5
X.X ±.2
X.XX ±.1

INTERPRET GEOMETRIC
TOLERANCING PER: ASME 14.5M

CAD FILE: 160-02328


DATE May 23, 2022

SHEET 1 OF 1 SCALE: 3:1

TITLE:
Label, Product Identifier, CL4790 Series, 87.9mm x 50.8mm

SIZE	DWG. NO.	REV
B	160-02328	1.0

Label location



FCC ID : SQG-CL4490

IC: 3147A-CL4490