










Date: 15.APR.2021 17:55:29













Result



Mode	Result	Raw (dBm)	Factor (dB)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-			-	-
6115MHz	Pass	-36.53	53.60	17.07	30.00
6255MHz	Pass	-33.24	54.00	20.76	30.00
6415MHz	Pass	-36.64	54.74	18.10	30.00
6435MHz	Pass	-37.41	54.96	17.55	30.00
6475MHz	Pass	-37.28	55.02	17.74	30.00
6515MHz	Pass	-38.00	55.35	17.35	30.00
6535MHz	Pass	-39.14	55.48	16.34	30.00
6695MHz	Pass	-37.50	55.49	17.99	30.00
6875MHz	Pass	-38.15	56.10	17.95	30.00
6895MHz	Pass	-37.03	56.32	19.29	30.00
6995MHz	Pass	-38.25	56.59	18.34	30.00
7095MHz	Pass	-39.39	57.11	17.72	30.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-			-	-
6125MHz	Pass	-32.12	53.61	21.49	30.00
6245MHz	Pass	-32.48	53.98	21.50	30.00
6405MHz	Pass	-33.45	54.72	21.27	30.00
6445MHz	Pass	-36.70	54.98	18.28	30.00
6485MHz	Pass	-35.34	55.23	19.89	30.00
6525MHz	Pass	-34.20	55.36	21.16	30.00
6565MHz	Pass	-34.59	55.52	20.93	30.00
6685MHz	Pass	-33.72	55.47	21.75	30.00
6885MHz	Pass	-35.82	56.31	20.49	30.00
6925MHz	Pass	-36.48	56.30	19.82	30.00
7005MHz	Pass	-37.65	56.60	18.95	30.00
7085MHz	Pass	-38.43	57.10	18.67	30.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-			-	-
6145MHz	Pass	-28.12	53.64	25.52	30.00
6225MHz	Pass	-28.23	53.96	25.73	30.00
6385MHz	Pass	-34.34	54.70	20.36	30.00
6465MHz	Pass	-33.89	55.00	21.11	30.00
6545MHz	Pass	-29.00	55.49	26.49	30.00
6625MHz	Pass	-33.63	55.50	21.87	30.00
6705MHz	Pass	-35.00	55.78	20.78	30.00
6785MHz	Pass	-32.67	55.88	23.21	30.00
6865MHz	Pass	-34.87	56.09	21.22	30.00
6945MHz	Pass	-32.64	56.33	23.69	30.00
7025MHz	Pass	-29.87	56.63	26.76	30.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-			-	-
6185MHz	Pass	-27.50	53.90	26.40	30.00
6345MHz	Pass	-28.85	54.44	25.59	30.00
6505MHz	Pass	-30.53	55.34	24.81	30.00
6665MHz	Pass	-28.04	55.55	27.51	30.00
6825MHz	Pass	-30.71	55.93	25.22	30.00
6985MHz	Pass	-31.32	56.58	25.26	30.00



DG = Directional Gain; Port X = Port X output power







Date: 15.APR.2021 14:51:48





















Date: 15.APR.2021 15:25:23







Date: 15.APR.2021 15:35:16


















Date: 15.APR.2021 15:44:34






Date: 15.APR.2021 15:59:36








Date: 15.APR.2021 16:06:44












Date: 15.APR.2021 16:23:36




Date: 15.APR.2021 16:32:52





Date: 15.APR.2021 16:42:36





Date: 15.APR.2021 16:54:11





Result

Mode	Result	Raw (dBm/MHz)	Factor (dB)	EIRP (dBm/MHz)	EIRP Limit (dBm/MHz)
802.11ax HEW20_Nss1,(MCS0)_4TX	-			-	-
6115MHz	Pass	-48.88	53.60	4.72	5.00
6255MHz	Pass	-49.23	54.00	4.77	5.00
6415MHz	Pass	-49.93	54.74	4.81	5.00
6435MHz	Pass	-50.32	54.96	4.64	5.00
6475MHz	Pass	-50.29	55.02	4.73	5.00
6515MHz	Pass	-50.37	55.35	4.98	5.00
6535MHz	Pass	-50.51	55.48	4.97	5.00
6695MHz	Pass	-50.52	55.49	4.97	5.00
6875MHz	Pass	-51.40	56.10	4.70	5.00
6895MHz	Pass	-51.43	56.32	4.89	5.00
6995MHz	Pass	-51.65	56.59	4.94	5.00
7095MHz	Pass	-52.19	57.11	4.92	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-			-	-
6125MHz	Pass	-48.75	53.61	4.86	5.00
6245MHz	Pass	-49.02	53.98	4.96	5.00
6405MHz	Pass	-49.85	54.72	4.87	5.00
6445MHz	Pass	-50.01	54.98	4.97	5.00
6485MHz	Pass	-50.33	55.23	4.90	5.00
6525MHz	Pass	-50.50	55.36	4.86	5.00
6565MHz	Pass	-50.66	55.52	4.86	5.00
6685MHz	Pass	-50.49	55.47	4.98	5.00
6885MHz	Pass	-51.73	56.31	4.58	5.00
6925MHz	Pass	-51.60	56.30	4.70	5.00
7005MHz	Pass	-51.65	56.60	4.95	5.00
7085MHz	Pass	-52.22	57.10	4.88	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-			-	-
6145MHz	Pass	-48.80	53.64	4.84	5.00
6225MHz	Pass	-49.25	53.96	4.71	5.00
6385MHz	Pass	-49.76	54.70	4.94	5.00
6465MHz	Pass	-50.14	55.00	4.86	5.00
6545MHz	Pass	-50.80	55.49	4.69	5.00
6625MHz	Pass	-50.71	55.50	4.79	5.00
6705MHz	Pass	-51.11	55.78	4.67	5.00
6785MHz	Pass	-50.95	55.88	4.93	5.00
6865MHz	Pass	-51.30	56.09	4.79	5.00
6945MHz	Pass	-51.55	56.33	4.78	5.00
7025MHz	Pass	-51.89	56.63	4.74	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-			-	-
6185MHz	Pass	-49.08	53.90	4.82	5.00
6345MHz	Pass	-49.49	54.44	4.95	5.00
6505MHz	Pass	-50.62	55.34	4.72	5.00
6665MHz	Pass	-50.76	55.55	4.79	5.00
6825MHz	Pass	-51.06	55.93	4.87	5.00
6985MHz	Pass	-51.92	56.58	4.66	5.00


DG = Directional Gain; Port X = Port X output power

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6115MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6255MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6415MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6435MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6475MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6515MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6535MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6695MHz

06/04/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6875MHz Straddle 6.525-6.875GHz

05/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.40	-51.40	-51.40

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6895MHz

05/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.43	-51.43	-51.43

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

6995MHz

05/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

7095MHz

05/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6125MHz

05/03/2021




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-48.75	-48.75	-48.75

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6245MHz

05/03/2021




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-49.02	-49.02	-49.02

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6405MHz

05/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-49.85	-49.85	-49.85

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6445MHz

05/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-50.01	-50.01	-50.01

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6485MHz

05/03/2021




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-50.33	-50.33	-50.33

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6525MHz Straddle 6.425-6.525GHz

06/04/2021




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-50.50	-50.50	-50.50

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6565MHz

11/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6685MHz

11/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6885MHz Straddle 6.525-6.875GHz

11/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.73	-51.73	-51.73

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

6925MHz

11/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.60	-51.60	-51.60

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

7005MHz

11/03/2021




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-51.65	-51.65	-51.65

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

7085MHz

11/03/2021




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-52.22	-52.22	-52.22

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6145MHz

11/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6225MHz

16/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6385MHz

11/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6465MHz

11/03/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6545MHz Straddle 6.425-6.525GHz

11/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-50.80	-50.80	-50.80

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6625MHz

18/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-50.71	-50.71	-50.71

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6705MHz

06/04/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.11	-51.11	-51.11

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6785MHz

11/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-50.95	-50.95	-50.95

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6865MHz Straddle 6.525-6.875GHz

11/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.30	-51.30	-51.30

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

6945MHz

11/03/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.55	-51.55	-51.55

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

7025MHz

11/03/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

6185MHz

13/03/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

6345MHz

13/03/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

6505MHz Straddle 6.425-6.525GHz

13/03/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

6665MHz

06/04/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-50.76	-50.76	-50.76

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

6825MHz Straddle 6.525-6.875GHz

06/04/2021




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.06	-51.06	-51.06

802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

6985MHz

13/03/2021



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-51.92	-51.92	-51.92

Result


Mode	Result	Raw (dBm/MHz)	Factor (dB)	EIRP (dBm/MHz)	EIRP Limit (dBm/MHz)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-			-	-
6115MHz	Pass	-49.17	53.60	4.43	5.00
6255MHz	Pass	-49.57	54.00	4.43	5.00
6415MHz	Pass	-49.79	54.74	4.95	5.00
6435MHz	Pass	-50.54	54.96	4.42	5.00
6475MHz	Pass	-50.46	55.02	4.56	5.00
6515MHz	Pass	-50.89	55.35	4.46	5.00
6535MHz	Pass	-50.82	55.48	4.66	5.00
6695MHz	Pass	-51.14	55.49	4.35	5.00
6875MHz	Pass	-51.57	56.10	4.53	5.00
6895MHz	Pass	-51.87	56.32	4.45	5.00
6995MHz	Pass	-51.60	56.59	4.99	5.00
7095MHz	Pass	-52.66	57.11	4.45	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-			-	-
6125MHz	Pass	-48.76	53.61	4.85	5.00
6245MHz	Pass	-49.02	53.98	4.96	5.00
6405MHz	Pass	-49.75	54.72	4.97	5.00
6445MHz	Pass	-50.22	54.98	4.76	5.00
6485MHz	Pass	-50.86	55.23	4.37	5.00
6525MHz	Pass	-51.22	55.36	4.14	5.00
6565MHz	Pass	-50.88	55.52	4.64	5.00
6685MHz	Pass	-50.73	55.47	4.74	5.00
6885MHz	Pass	-51.36	56.31	4.95	5.00
6925MHz	Pass	-51.72	56.30	4.58	5.00
7005MHz	Pass	-51.62	56.60	4.98	5.00
7085MHz	Pass	-52.91	57.10	4.19	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-			-	-
6145MHz	Pass	-49.53	53.64	4.11	5.00
6225MHz	Pass	-49.53	53.96	4.43	5.00
6385MHz	Pass	-49.89	54.70	4.81	5.00
6465MHz	Pass	-50.24	55.00	4.76	5.00
6545MHz	Pass	-51.37	55.49	4.12	5.00
6625MHz	Pass	-50.65	55.50	4.85	5.00
6705MHz	Pass	-51.30	55.78	4.48	5.00
6785MHz	Pass	-50.91	55.88	4.97	5.00
6865MHz	Pass	-51.47	56.09	4.62	5.00
6945MHz	Pass	-51.85	56.33	4.48	5.00
7025MHz	Pass	-52.17	56.63	4.46	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-			-	-
6185MHz	Pass	-50.11	53.90	3.79	5.00
6345MHz	Pass	-49.53	54.44	4.91	5.00
6505MHz	Pass	-50.41	55.34	4.93	5.00
6665MHz	Pass	-50.68	55.55	4.87	5.00
6825MHz	Pass	-51.62	55.93	4.31	5.00
6985MHz	Pass	-51.68	56.58	4.90	5.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6115MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6255MHz

06/04/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6415MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6435MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6475MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6515MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6535MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6695MHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6875MHz Straddle 6.525-6.875GHz

25/03/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6895MHz

13/04/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

6995MHz

06/04/2021



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

7095MHz

25/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6125MHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6245MHz

06/04/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6405MHz

13/04/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6445MHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6485MHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6525MHz Straddle 6.425-6.525GHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6565MHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6685MHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6885MHz Straddle 6.525-6.875GHz

06/04/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

6925MHz

26/03/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

7005MHz

06/04/2021



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

7085MHz

26/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6145MHz

06/04/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6225MHz

27/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6385MHz

27/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6465MHz

06/04/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6545MHz Straddle 6.425-6.525GHz

27/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6625MHz

06/04/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6705MHz

06/04/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6785MHz

06/04/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6865MHz Straddle 6.525-6.875GHz

13/04/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

6945MHz

27/03/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

7025MHz

06/04/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

6185MHz

13/04/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

6345MHz

06/04/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

6505MHz Straddle 6.425-6.525GHz

06/04/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

6665MHz

06/04/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

6825MHz Straddle 6.525-6.875GHz

06/04/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

6985MHz

06/04/2021





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	90.14M	40.20	43.50	-3.30	3	Horizontal	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	55.22M	34.73	40.00	-5.27	3	Vertical	0	1.00	-
6665MHz	Pass	PK	90.14M	37.18	43.50	-6.32	3	Vertical	0	1.00	-
6665MHz	Pass	PK	359.8M	30.50	46.00	-15.50	3	Vertical	0	1.00	-
6665MHz	Pass	PK	602.3M	32.64	46.00	-13.36	3	Vertical	0	1.00	-
6665MHz	Pass	PK	837.04M	35.18	46.00	-10.82	3	Vertical	0	1.00	-
6665MHz	Pass	QP	30M	36.57	40.00	-3.43	3	Vertical	0	2.20	-
6665MHz	Pass	PK	47.46M	35.70	40.00	-4.30	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	90.14M	40.20	43.50	-3.30	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	365.62M	34.79	46.00	-11.21	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	577.08M	33.88	46.00	-12.12	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	897.18M	41.09	46.00	-4.91	3	Horizontal	360	1.00	-
6665MHz	Pass	QP	30M	31.83	40.00	-8.17	3	Horizontal	360	1.88	-

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	55.22M	34.73	40.00	-5.27	-14.48	3	Vertical	0	1.00	-	49.21	12.11	1.20	27.79
PK	90.14M	37.18	43.50	-6.32	-12.20	3	Vertical	0	1.00	-	49.38	14.08	1.52	27.80
PK	359.8M	30.50	46.00	-15.50	-4.46	3	Vertical	0	1.00	-	34.96	19.87	3.07	27.40
PK	602.3M	32.64	46.00	-13.36	-0.27	3	Vertical	0	1.00	-	32.91	23.99	4.06	28.32
PK	837.04M	35.18	46.00	-10.82	2.65	3	Vertical	0	1.00	-	32.53	25.40	4.90	27.65
QP	30M	36.57	40.00	-3.43	-2.99	3	Vertical	0	2.20	-	39.56	23.32	0.90	27.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	35.70	40.00	-4.30	-12.46	3	Horizontal	360	1.00	-	48.16	14.05	1.14	27.65
PK	90.14M	40.20	43.50	-3.30	-12.20	3	Horizontal	360	1.00	-	52.40	14.08	1.52	27.80
PK	365.62M	34.79	46.00	-11.21	-4.43	3	Horizontal	360	1.00	-	39.22	19.92	3.10	27.45
PK	577.08M	33.88	46.00	-12.12	-0.38	3	Horizontal	360	1.00	-	34.26	24.01	3.95	28.34
PK	897.18M	41.09	46.00	-4.91	3.31	3	Horizontal	360	1.00	-	37.78	25.64	5.08	27.41
QP	30M	31.83	40.00	-8.17	-2.99	3	Horizontal	360	1.88	-	34.82	23.32	0.90	27.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.51736G	43.42	54.00	-10.58	3	Vertical	102	2.37	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	12.24992G	44.16	54.00	-9.84	3	Vertical	31	1.95	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	12.29G	43.63	54.00	-10.37	3	Vertical	171	1.83	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	12.36992G	43.32	54.00	-10.68	3	Horizontal	353	1.50	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	12.878G	44.36	68.20	-23.84	3	Vertical	284	2.42	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	7.2138G	46.54	68.20	-21.66	3	Vertical	17	1.50	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.1426G	46.60	68.20	-21.60	3	Vertical	52	1.00	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	13.01G	43.87	68.20	-24.33	3	Horizontal	360	1.69	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	13.38992G	46.33	54.00	-7.67	3	Horizontal	359	1.64	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	13.36988G	46.76	54.00	-7.24	3	Horizontal	349	1.69	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	13.38072G	57.30	74.00	-16.70	3	Horizontal	360	1.81	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	13.33G	45.78	54.00	-8.22	3	Horizontal	0	1.49	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	14.18984G	48.28	68.20	-19.92	3	Horizontal	351	1.50	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	14.16984G	48.11	68.20	-20.09	3	Horizontal	155	2.40	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	7.256G	47.87	54.00	-6.13	3	Vertical	2	2.21	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	7.255G	47.77	54.00	-6.23	3	Vertical	358	2.39	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6115MHz	Pass	AV	5.9126G	43.75	68.20	-24.45	3	Vertical	12	3.00	-
6115MHz	Pass	AV	6.2042G	99.00	Inf	-Inf	3	Vertical	12	3.00	-
6115MHz	Pass	PK	5.8886G	55.32	88.20	-32.88	3	Vertical	12	3.00	-
6115MHz	Pass	PK	6.203G	109.76	Inf	-Inf	3	Vertical	12	3.00	-
6115MHz	Pass	AV	5.9114G	43.63	68.20	-24.57	3	Horizontal	23	2.40	-
6115MHz	Pass	AV	6.1586G	95.65	Inf	-Inf	3	Horizontal	23	2.40	-
6115MHz	Pass	PK	5.9114G	55.43	88.20	-32.77	3	Horizontal	23	2.40	-
6115MHz	Pass	PK	6.2258G	106.49	Inf	-Inf	3	Horizontal	23	2.40	-
6115MHz	Pass	AV	12.36968G	43.19	54.00	-10.81	3	Vertical	360	1.48	-
6115MHz	Pass	PK	12.3556G	55.92	74.00	-18.08	3	Vertical	360	1.48	-
6115MHz	Pass	AV	12.36992G	43.32	54.00	-10.68	3	Horizontal	353	1.50	-
6115MHz	Pass	PK	12.35928G	55.15	74.00	-18.85	3	Horizontal	353	1.50	-
6255MHz	Pass	AV	5.889G	43.39	68.20	-24.81	3	Vertical	43	1.12	-
6255MHz	Pass	AV	6.263G	97.56	Inf	-Inf	3	Vertical	43	1.12	-
6255MHz	Pass	PK	5.867G	55.13	88.20	-33.07	3	Vertical	43	1.12	-
6255MHz	Pass	PK	6.263G	107.38	Inf	-Inf	3	Vertical	43	1.12	-
6255MHz	Pass	AV	5.875G	43.50	68.20	-24.70	3	Horizontal	24	2.32	-
6255MHz	Pass	AV	6.247G	95.26	Inf	-Inf	3	Horizontal	24	2.32	-
6255MHz	Pass	PK	5.839G	54.59	88.20	-33.61	3	Horizontal	24	2.32	-
6255MHz	Pass	PK	6.249G	105.40	Inf	-Inf	3	Horizontal	24	2.32	-
6255MHz	Pass	AV	12.51736G	43.42	54.00	-10.58	3	Vertical	102	2.37	-
6255MHz	Pass	PK	12.503G	56.61	74.00	-17.39	3	Vertical	102	2.37	-
6255MHz	Pass	AV	12.51948G	43.31	54.00	-10.69	3	Horizontal	182	1.79	-
6255MHz	Pass	PK	12.51428G	56.20	74.00	-17.80	3	Horizontal	182	1.79	-
6415MHz	Pass	AV	5.875G	43.50	68.20	-24.70	3	Vertical	43	1.01	-
6415MHz	Pass	AV	6.4246G	99.28	Inf	-Inf	3	Vertical	43	1.01	-
6415MHz	Pass	PK	5.9062G	55.00	88.20	-33.20	3	Vertical	43	1.01	-
6415MHz	Pass	PK	6.4222G	108.43	Inf	-Inf	3	Vertical	43	1.01	-
6415MHz	Pass	AV	5.8966G	43.49	68.20	-24.71	3	Horizontal	66	1.09	-
6415MHz	Pass	AV	6.4054G	97.01	Inf	-Inf	3	Horizontal	66	1.09	-
6415MHz	Pass	PK	5.8534G	55.09	88.20	-33.11	3	Horizontal	66	1.09	-
6415MHz	Pass	PK	6.4078G	106.63	Inf	-Inf	3	Horizontal	66	1.09	-
6415MHz	Pass	AV	12.82976G	44.43	68.20	-23.77	3	Vertical	124	2.36	-
6415MHz	Pass	PK	12.83196G	56.77	88.20	-31.43	3	Vertical	124	2.36	-
6415MHz	Pass	AV	12.83308G	44.45	68.20	-23.75	3	Horizontal	85	1.96	-
6415MHz	Pass	PK	12.83176G	57.92	88.20	-30.28	3	Horizontal	85	1.96	-
6435MHz	Pass	AV	5.8734G	43.77	68.20	-24.43	3	Vertical	35	1.29	-
6435MHz	Pass	AV	6.4446G	97.12	Inf	-Inf	3	Vertical	35	1.29	-
6435MHz	Pass	PK	5.9238G	55.06	88.20	-33.14	3	Vertical	35	1.29	-
6435MHz	Pass	PK	6.4446G	107.70	Inf	-Inf	3	Vertical	35	1.29	-
6435MHz	Pass	AV	5.8902G	43.79	68.20	-24.41	3	Horizontal	53	1.00	-
6435MHz	Pass	AV	6.4254G	96.45	Inf	-Inf	3	Horizontal	53	1.00	-
6435MHz	Pass	PK	5.8974G	55.38	88.20	-32.82	3	Horizontal	53	1.00	-
6435MHz	Pass	PK	6.4374G	106.11	Inf	-Inf	3	Horizontal	53	1.00	-
6435MHz	Pass	AV	12.878G	44.36	68.20	-23.84	3	Vertical	284	2.42	-
6435MHz	Pass	PK	12.86292G	56.84	88.20	-31.36	3	Vertical	284	2.42	-
6435MHz	Pass	AV	12.87596G	44.35	68.20	-23.85	3	Horizontal	359	1.50	-
6435MHz	Pass	PK	12.87964G	57.83	88.20	-30.37	3	Horizontal	359	1.50	-
6475MHz	Pass	AV	5.9062G	43.80	68.20	-24.40	3	Vertical	35	1.11	-
6475MHz	Pass	AV	6.4846G	98.10	Inf	-Inf	3	Vertical	35	1.11	-
6475MHz	Pass	PK	5.875G	55.75	88.20	-32.45	3	Vertical	35	1.11	-
6475MHz	Pass	PK	6.4846G	108.70	Inf	-Inf	3	Vertical	35	1.11	-
6475MHz	Pass	AV	5.8918G	43.78	68.20	-24.42	3	Horizontal	42	2.02	-
6475MHz	Pass	AV	6.4654G	96.09	Inf	-Inf	3	Horizontal	42	2.02	-
6475MHz	Pass	PK	5.9158G	55.94	88.20	-32.26	3	Horizontal	42	2.02	-
6475MHz	Pass	PK	6.4678G	105.56	Inf	-Inf	3	Horizontal	42	2.02	-
6475MHz	Pass	AV	12.94068G	43.86	68.20	-24.34	3	Vertical	42	1.03	-
6475MHz	Pass	PK	12.95416G	56.18	88.20	-32.02	3	Vertical	42	1.03	-
6475MHz	Pass	AV	12.94156G	43.85	68.20	-24.35	3	Horizontal	76	2.60	-
6475MHz	Pass	PK	12.94232G	56.49	88.20	-31.71	3	Horizontal	76	2.60	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6515MHz	Pass	AV	5.9198G	43.61	68.20	-24.59	3	Vertical	31	1.12	-
6515MHz	Pass	AV	6.5246G	97.47	Inf	-Inf	3	Vertical	31	1.12	-
6515MHz	Pass	PK	5.9222G	54.21	88.20	-33.99	3	Vertical	31	1.12	-
6515MHz	Pass	PK	6.5222G	107.84	Inf	-Inf	3	Vertical	31	1.12	-
6515MHz	Pass	AV	5.9222G	43.71	68.20	-24.49	3	Horizontal	48	2.12	-
6515MHz	Pass	AV	6.5054G	96.63	Inf	-Inf	3	Horizontal	48	2.12	-
6515MHz	Pass	PK	5.915G	54.43	88.20	-33.77	3	Horizontal	48	2.12	-
6515MHz	Pass	PK	6.5078G	105.98	Inf	-Inf	3	Horizontal	48	2.12	-
6515MHz	Pass	AV	13.03004G	43.94	68.20	-24.26	3	Vertical	351	1.50	-
6515MHz	Pass	PK	13.0328G	56.47	88.20	-31.73	3	Vertical	351	1.50	-
6515MHz	Pass	AV	13.02688G	43.95	68.20	-24.25	3	Horizontal	240	1.51	-
6515MHz	Pass	PK	13.03344G	56.14	88.20	-32.06	3	Horizontal	240	1.51	-
6535MHz	Pass	AV	6.5446G	97.86	Inf	-Inf	3	Vertical	37	1.27	-
6535MHz	Pass	AV	7.1254G	46.42	68.20	-21.78	3	Vertical	37	1.27	-
6535MHz	Pass	PK	6.5446G	109.59	Inf	-Inf	3	Vertical	37	1.27	-
6535MHz	Pass	PK	7.1326G	56.55	88.20	-31.65	3	Vertical	37	1.27	-
6535MHz	Pass	AV	6.5254G	96.77	Inf	-Inf	3	Horizontal	46	2.18	-
6535MHz	Pass	AV	7.135G	46.45	68.20	-21.75	3	Horizontal	46	2.18	-
6535MHz	Pass	PK	6.5254G	106.25	Inf	-Inf	3	Horizontal	46	2.18	-
6535MHz	Pass	PK	7.1278G	57.13	88.20	-31.07	3	Horizontal	46	2.18	-
6535MHz	Pass	AV	13.06312G	44.04	68.20	-24.16	3	Vertical	2	2.02	-
6535MHz	Pass	PK	13.0726G	56.11	88.20	-32.09	3	Vertical	2	2.02	-
6535MHz	Pass	AV	13.06976G	44.25	68.20	-23.95	3	Horizontal	348	1.50	-
6535MHz	Pass	PK	13.07236G	56.76	88.20	-31.44	3	Horizontal	348	1.50	-
6695MHz	Pass	AV	6.687G	98.65	Inf	-Inf	3	Vertical	47	1.50	-
6695MHz	Pass	AV	7.187G	46.25	68.20	-21.95	3	Vertical	47	1.50	-
6695MHz	Pass	PK	6.687G	109.02	Inf	-Inf	3	Vertical	47	1.50	-
6695MHz	Pass	PK	7.183G	57.71	88.20	-30.49	3	Vertical	47	1.50	-
6695MHz	Pass	AV	6.685G	94.64	Inf	-Inf	3	Horizontal	157	1.39	-
6695MHz	Pass	AV	7.187G	46.25	68.20	-21.95	3	Horizontal	157	1.39	-
6695MHz	Pass	PK	6.687G	103.79	Inf	-Inf	3	Horizontal	157	1.39	-
6695MHz	Pass	PK	7.177G	57.05	88.20	-31.15	3	Horizontal	157	1.39	-
6695MHz	Pass	AV	13.3899G	44.97	54.00	-9.03	3	Vertical	351	1.88	-
6695MHz	Pass	PK	13.4047G	56.96	88.20	-31.24	3	Vertical	351	1.88	-
6695MHz	Pass	AV	13.38992G	46.33	54.00	-7.67	3	Horizontal	359	1.64	-
6695MHz	Pass	PK	13.38938G	57.37	74.00	-16.63	3	Horizontal	359	1.64	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8666G	98.13	Inf	-Inf	3	Vertical	13	2.27	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.175G	46.90	68.20	-21.30	3	Vertical	13	2.27	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8654G	107.42	Inf	-Inf	3	Vertical	13	2.27	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1702G	58.47	88.20	-29.73	3	Vertical	13	2.27	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8714G	93.89	Inf	-Inf	3	Horizontal	36	1.89	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1726G	46.88	68.20	-21.32	3	Horizontal	36	1.89	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8714G	104.75	Inf	-Inf	3	Horizontal	36	1.89	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1666G	58.66	88.20	-29.54	3	Horizontal	36	1.89	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74964G	46.70	68.20	-21.50	3	Vertical	-0	2.03	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74968G	58.96	88.20	-29.24	3	Vertical	-0	2.03	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74996G	47.67	68.20	-20.53	3	Horizontal	350	1.64	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75204G	58.50	88.20	-29.70	3	Horizontal	350	1.64	-
6895MHz	Pass	AV	6.9034G	99.45	Inf	-Inf	3	Vertical	0	2.33	-
6895MHz	Pass	AV	7.1914G	47.20	68.20	-21.00	3	Vertical	0	2.33	-
6895MHz	Pass	PK	6.9034G	109.52	Inf	-Inf	3	Vertical	0	2.33	-
6895MHz	Pass	PK	7.1806G	58.92	88.20	-29.28	3	Vertical	0	2.33	-
6895MHz	Pass	AV	6.901G	94.17	Inf	-Inf	3	Horizontal	41	1.60	-
6895MHz	Pass	AV	7.195G	47.12	68.20	-21.08	3	Horizontal	41	1.60	-
6895MHz	Pass	PK	6.901G	104.55	Inf	-Inf	3	Horizontal	41	1.60	-
6895MHz	Pass	PK	7.195G	58.71	88.20	-29.49	3	Horizontal	41	1.60	-
6895MHz	Pass	AV	13.79016G	46.89	68.20	-21.31	3	Vertical	348	1.50	-
6895MHz	Pass	PK	13.78128G	58.97	88.20	-29.23	3	Vertical	348	1.50	-
6895MHz	Pass	AV	13.7898G	47.61	68.20	-20.59	3	Horizontal	352	1.74	-
6895MHz	Pass	PK	13.7858G	59.44	88.20	-28.76	3	Horizontal	352	1.74	-
6995MHz	Pass	AV	6.986G	99.58	Inf	-Inf	3	Vertical	10	2.29	-
6995MHz	Pass	AV	7.1444G	46.73	68.20	-21.47	3	Vertical	10	2.29	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6995MHz	Pass	PK	6.9866G	108.79	Inf	-Inf	3	Vertical	10	2.29	-
6995MHz	Pass	PK	7.1384G	58.31	88.20	-29.89	3	Vertical	10	2.29	-
6995MHz	Pass	AV	6.9998G	94.18	Inf	-Inf	3	Horizontal	38	1.80	-
6995MHz	Pass	AV	7.1444G	46.61	68.20	-21.59	3	Horizontal	38	1.80	-
6995MHz	Pass	PK	6.9926G	104.03	Inf	-Inf	3	Horizontal	38	1.80	-
6995MHz	Pass	PK	7.1432G	58.20	88.20	-30.00	3	Horizontal	38	1.80	-
6995MHz	Pass	AV	13.98216G	46.85	68.20	-21.35	3	Vertical	122	1.50	-
6995MHz	Pass	PK	13.99272G	60.41	88.20	-27.79	3	Vertical	122	1.50	-
6995MHz	Pass	AV	13.98984G	47.14	68.20	-21.06	3	Horizontal	357	1.51	-
6995MHz	Pass	PK	13.99796G	59.40	88.20	-28.80	3	Horizontal	357	1.51	-
7095MHz	Pass	AV	7.0862G	99.25	Inf	-Inf	3	Vertical	11	2.40	-
7095MHz	Pass	AV	7.1374G	46.94	68.20	-21.26	3	Vertical	11	2.40	-
7095MHz	Pass	PK	7.0864G	110.44	Inf	-Inf	3	Vertical	11	2.40	-
7095MHz	Pass	PK	7.1362G	58.64	88.20	-29.56	3	Vertical	11	2.40	-
7095MHz	Pass	AV	7.1G	95.32	Inf	-Inf	3	Horizontal	39	2.11	-
7095MHz	Pass	AV	7.1424G	46.84	68.20	-21.36	3	Horizontal	39	2.11	-
7095MHz	Pass	PK	7.092G	106.65	Inf	-Inf	3	Horizontal	39	2.11	-
7095MHz	Pass	PK	7.1352G	59.32	88.20	-28.88	3	Horizontal	39	2.11	-
7095MHz	Pass	AV	14.19424G	47.98	68.20	-20.22	3	Vertical	115	1.21	-
7095MHz	Pass	PK	14.1918G	60.53	88.20	-27.67	3	Vertical	115	1.21	-
7095MHz	Pass	AV	14.18984G	48.28	68.20	-19.92	3	Horizontal	351	1.50	-
7095MHz	Pass	PK	14.19636G	60.53	88.20	-27.67	3	Horizontal	351	1.50	-
7115MHz Straddle 6.875-7.125GHz											
802.11ax HEW40_Nss1,(MCS0)_4TX											
6125MHz	Pass	AV	5.8958G	43.78	68.20	-24.42	3	Vertical	12	2.96	-
6125MHz	Pass	AV	6.1238G	98.47	Inf	-Inf	3	Vertical	12	2.96	-
6125MHz	Pass	PK	5.861G	55.48	88.20	-32.72	3	Vertical	12	2.96	-
6125MHz	Pass	PK	6.1238G	109.78	Inf	-Inf	3	Vertical	12	2.96	-
6125MHz	Pass	AV	5.891G	43.80	68.20	-24.40	3	Horizontal	20	1.09	-
6125MHz	Pass	AV	6.1178G	94.18	Inf	-Inf	3	Horizontal	20	1.09	-
6125MHz	Pass	PK	5.891G	55.42	88.20	-32.78	3	Horizontal	20	1.09	-
6125MHz	Pass	PK	6.1178G	106.46	Inf	-Inf	3	Horizontal	20	1.09	-
6125MHz	Pass	AV	12.24992G	44.16	54.00	-9.84	3	Vertical	31	1.95	-
6125MHz	Pass	PK	12.25824G	55.93	74.00	-18.07	3	Vertical	31	1.95	-
6125MHz	Pass	AV	12.24988G	43.91	54.00	-10.09	3	Horizontal	354	1.09	-
6125MHz	Pass	PK	12.24648G	55.98	74.00	-18.02	3	Horizontal	354	1.09	-
6245MHz	Pass	AV	5.909G	43.77	68.20	-24.43	3	Vertical	12	2.96	-
6245MHz	Pass	AV	6.243G	98.46	Inf	-Inf	3	Vertical	12	2.96	-
6245MHz	Pass	PK	5.923G	55.99	88.20	-32.21	3	Vertical	12	2.96	-
6245MHz	Pass	PK	6.245G	109.52	Inf	-Inf	3	Vertical	12	2.96	-
6245MHz	Pass	AV	5.875G	43.77	68.20	-24.43	3	Horizontal	42	1.19	-
6245MHz	Pass	AV	6.247G	93.86	Inf	-Inf	3	Horizontal	42	1.19	-
6245MHz	Pass	PK	5.919G	55.40	88.20	-32.80	3	Horizontal	42	1.19	-
6245MHz	Pass	PK	6.257G	103.78	Inf	-Inf	3	Horizontal	42	1.19	-
6245MHz	Pass	AV	12.48636G	43.38	54.00	-10.62	3	Vertical	14	2.60	-
6245MHz	Pass	PK	12.48196G	55.99	74.00	-18.01	3	Vertical	14	2.60	-
6245MHz	Pass	AV	12.49304G	43.29	54.00	-10.71	3	Horizontal	88	1.50	-
6245MHz	Pass	PK	12.49168G	55.81	74.00	-18.19	3	Horizontal	88	1.50	-
6405MHz	Pass	AV	5.8914G	43.79	68.20	-24.41	3	Vertical	38	1.12	-
6405MHz	Pass	AV	6.4146G	96.47	Inf	-Inf	3	Vertical	38	1.12	-
6405MHz	Pass	PK	5.8218G	54.53	88.20	-33.67	3	Vertical	38	1.12	-
6405MHz	Pass	PK	6.4122G	106.60	Inf	-Inf	3	Vertical	38	1.12	-
6405MHz	Pass	AV	5.9058G	43.67	68.20	-24.53	3	Horizontal	55	1.00	-
6405MHz	Pass	AV	6.3954G	95.75	Inf	-Inf	3	Horizontal	55	1.00	-
6405MHz	Pass	PK	5.9058G	55.26	88.20	-32.94	3	Horizontal	55	1.00	-
6405MHz	Pass	PK	6.405G	105.95	Inf	-Inf	3	Horizontal	55	1.00	-
6405MHz	Pass	AV	12.80952G	44.42	68.20	-23.78	3	Vertical	198	2.20	-
6405MHz	Pass	PK	12.79688G	56.62	88.20	-31.58	3	Vertical	198	2.20	-
6405MHz	Pass	AV	12.80568G	44.39	68.20	-23.81	3	Horizontal	360	2.74	-
6405MHz	Pass	PK	12.8096G	56.96	88.20	-31.24	3	Horizontal	360	2.74	-
6445MHz	Pass	AV	5.8738G	43.90	68.20	-24.30	3	Vertical	38	1.21	-
6445MHz	Pass	AV	6.4546G	95.96	Inf	-Inf	3	Vertical	38	1.21	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6445MHz	Pass	PK	5.8834G	54.87	88.20	-33.33	3	Vertical	38	1.21	-
6445MHz	Pass	PK	6.433G	106.82	Inf	-Inf	3	Vertical	38	1.21	-
6445MHz	Pass	AV	5.8954G	43.77	68.20	-24.43	3	Horizontal	58	1.00	-
6445MHz	Pass	AV	6.4354G	95.46	Inf	-Inf	3	Horizontal	58	1.00	-
6445MHz	Pass	PK	5.9026G	55.68	88.20	-32.52	3	Horizontal	58	1.00	-
6445MHz	Pass	PK	6.4354G	105.15	Inf	-Inf	3	Horizontal	58	1.00	-
6445MHz	Pass	AV	12.88288G	44.37	68.20	-23.83	3	Vertical	339	1.50	-
6445MHz	Pass	PK	12.89008G	57.28	88.20	-30.92	3	Vertical	339	1.50	-
6445MHz	Pass	AV	12.89704G	44.27	68.20	-23.93	3	Horizontal	247	1.01	-
6445MHz	Pass	PK	12.8848G	57.23	88.20	-30.97	3	Horizontal	247	1.01	-
6485MHz	Pass	AV	5.8874G	43.67	68.20	-24.53	3	Vertical	37	1.22	-
6485MHz	Pass	AV	6.4946G	97.47	Inf	-Inf	3	Vertical	37	1.22	-
6485MHz	Pass	PK	5.909G	54.74	88.20	-33.46	3	Vertical	37	1.22	-
6485MHz	Pass	PK	6.4946G	107.34	Inf	-Inf	3	Vertical	37	1.22	-
6485MHz	Pass	AV	5.9138G	43.70	68.20	-24.50	3	Horizontal	48	2.02	-
6485MHz	Pass	AV	6.4778G	95.39	Inf	-Inf	3	Horizontal	48	2.02	-
6485MHz	Pass	PK	5.921G	54.80	88.20	-33.40	3	Horizontal	48	2.02	-
6485MHz	Pass	PK	6.497G	106.09	Inf	-Inf	3	Horizontal	48	2.02	-
6485MHz	Pass	AV	12.97512G	43.85	68.20	-24.35	3	Vertical	153	2.53	-
6485MHz	Pass	PK	12.97236G	56.21	88.20	-31.99	3	Vertical	153	2.53	-
6485MHz	Pass	AV	12.96688G	43.88	68.20	-24.32	3	Horizontal	335	2.14	-
6485MHz	Pass	PK	12.96624G	56.56	88.20	-31.64	3	Horizontal	335	2.14	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8614G	42.85	68.20	-25.35	3	Vertical	17	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.525G	98.34	Inf	-Inf	3	Vertical	17	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2138G	46.54	68.20	-21.66	3	Vertical	17	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.895G	54.87	88.20	-33.33	3	Vertical	17	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.525G	107.19	Inf	-Inf	3	Vertical	17	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1858G	58.01	88.20	-30.19	3	Vertical	17	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9006G	42.75	68.20	-25.45	3	Horizontal	156	1.19	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5334G	94.38	Inf	-Inf	3	Horizontal	156	1.19	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2026G	46.53	68.20	-21.67	3	Horizontal	156	1.19	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9034G	53.70	88.20	-34.50	3	Horizontal	156	1.19	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5138G	105.88	Inf	-Inf	3	Horizontal	156	1.19	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.211G	57.84	88.20	-30.36	3	Horizontal	156	1.19	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.07G	43.55	68.20	-24.65	3	Vertical	141	2.59	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.06288G	55.63	88.20	-32.57	3	Vertical	141	2.59	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04968G	43.63	68.20	-24.57	3	Horizontal	355	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04464G	56.38	88.20	-31.82	3	Horizontal	355	1.50	-
6565MHz	Pass	AV	6.565G	98.39	Inf	-Inf	3	Vertical	52	1.00	-
6565MHz	Pass	AV	7.1626G	46.76	68.20	-21.44	3	Vertical	52	1.00	-
6565MHz	Pass	PK	6.565G	107.08	Inf	-Inf	3	Vertical	52	1.00	-
6565MHz	Pass	PK	7.141G	58.09	88.20	-30.11	3	Vertical	52	1.00	-
6565MHz	Pass	AV	6.5578G	96.40	Inf	-Inf	3	Horizontal	53	2.21	-
6565MHz	Pass	AV	7.1626G	46.89	68.20	-21.31	3	Horizontal	53	2.21	-
6565MHz	Pass	PK	6.577G	106.06	Inf	-Inf	3	Horizontal	53	2.21	-
6565MHz	Pass	PK	7.1578G	57.95	88.20	-30.25	3	Horizontal	53	2.21	-
6565MHz	Pass	AV	13.13204G	44.71	68.20	-23.49	3	Vertical	230	1.86	-
6565MHz	Pass	PK	13.12956G	56.69	88.20	-31.51	3	Vertical	230	1.86	-
6565MHz	Pass	AV	13.12983G	44.95	68.20	-23.25	3	Horizontal	356	1.50	-
6565MHz	Pass	PK	13.13232G	56.94	88.20	-31.26	3	Horizontal	356	1.50	-
6685MHz	Pass	AV	6.695G	98.82	Inf	-Inf	3	Vertical	6	2.27	-
6685MHz	Pass	AV	7.185G	47.13	68.20	-21.07	3	Vertical	6	2.27	-
6685MHz	Pass	PK	6.695G	109.46	Inf	-Inf	3	Vertical	6	2.27	-
6685MHz	Pass	PK	7.165G	59.06	88.20	-29.14	3	Vertical	6	2.27	-
6685MHz	Pass	AV	6.683G	95.83	Inf	-Inf	3	Horizontal	40	1.61	-
6685MHz	Pass	AV	7.179G	46.93	68.20	-21.27	3	Horizontal	40	1.61	-
6685MHz	Pass	PK	6.683G	106.73	Inf	-Inf	3	Horizontal	40	1.61	-
6685MHz	Pass	PK	7.183G	58.74	88.20	-29.46	3	Horizontal	40	1.61	-
6685MHz	Pass	AV	13.36988G	45.98	54.00	-8.02	3	Vertical	360	2.20	-
6685MHz	Pass	PK	13.37015G	57.56	74.00	-16.44	3	Vertical	360	2.20	-
6685MHz	Pass	AV	13.36988G	46.76	54.00	-7.24	3	Horizontal	349	1.69	-
6685MHz	Pass	PK	13.37026G	58.05	74.00	-15.95	3	Horizontal	349	1.69	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8742G	99.12	Inf	-Inf	3	Vertical	6	2.35	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.185G	46.88	68.20	-21.32	3	Vertical	6	2.35	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8886G	110.40	Inf	-Inf	3	Vertical	6	2.35	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1742G	58.53	88.20	-29.67	3	Vertical	6	2.35	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8814G	96.43	Inf	-Inf	3	Horizontal	36	1.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.185G	46.88	68.20	-21.32	3	Horizontal	36	1.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8814G	106.73	Inf	-Inf	3	Horizontal	36	1.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1838G	58.56	88.20	-29.64	3	Horizontal	36	1.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.771G	46.57	68.20	-21.63	3	Vertical	128	1.91	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76877G	59.46	88.20	-28.74	3	Vertical	128	1.91	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76977G	47.43	68.20	-20.77	3	Horizontal	350	1.71	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76987G	59.68	88.20	-28.52	3	Horizontal	350	1.71	-
6925MHz	Pass	AV	6.9262G	98.82	Inf	-Inf	3	Vertical	357	2.32	-
6925MHz	Pass	AV	7.1926G	47.10	68.20	-21.10	3	Vertical	357	2.32	-
6925MHz	Pass	PK	6.9274G	109.48	Inf	-Inf	3	Vertical	357	2.32	-
6925MHz	Pass	PK	7.1854G	58.28	88.20	-29.92	3	Vertical	357	2.32	-
6925MHz	Pass	AV	6.9214G	97.15	Inf	-Inf	3	Horizontal	31	2.20	-
6925MHz	Pass	AV	7.1998G	47.05	68.20	-21.15	3	Horizontal	31	2.20	-
6925MHz	Pass	PK	6.9214G	108.86	Inf	-Inf	3	Horizontal	31	2.20	-
6925MHz	Pass	PK	7.2046G	58.65	88.20	-29.55	3	Horizontal	31	2.20	-
6925MHz	Pass	AV	13.85G	47.07	68.20	-21.13	3	Vertical	341	1.66	-
6925MHz	Pass	PK	13.84889G	59.02	88.20	-29.18	3	Vertical	341	1.66	-
6925MHz	Pass	AV	13.8498G	47.53	68.20	-20.67	3	Horizontal	350	1.50	-
6925MHz	Pass	PK	13.84974G	59.27	88.20	-28.93	3	Horizontal	350	1.50	-
7005MHz	Pass	AV	7.0038G	98.98	Inf	-Inf	3	Vertical	10	2.06	-
7005MHz	Pass	AV	7.1538G	46.78	68.20	-21.42	3	Vertical	10	2.06	-
7005MHz	Pass	PK	6.9966G	110.48	Inf	-Inf	3	Vertical	10	2.06	-
7005MHz	Pass	PK	7.1484G	57.98	88.20	-30.22	3	Vertical	10	2.06	-
7005MHz	Pass	AV	7.002G	96.95	Inf	-Inf	3	Horizontal	34	2.01	-
7005MHz	Pass	AV	7.1508G	46.63	68.20	-21.57	3	Horizontal	34	2.01	-
7005MHz	Pass	PK	7.0014G	107.97	Inf	-Inf	3	Horizontal	34	2.01	-
7005MHz	Pass	PK	7.1466G	57.98	88.20	-30.22	3	Horizontal	34	2.01	-
7005MHz	Pass	AV	13.84943G	46.74	68.20	-21.46	3	Vertical	181	2.80	-
7005MHz	Pass	PK	13.84869G	58.74	88.20	-29.46	3	Vertical	181	2.80	-
7005MHz	Pass	AV	13.84884G	46.74	68.20	-21.46	3	Horizontal	147	1.50	-
7005MHz	Pass	PK	13.85171G	59.26	88.20	-28.94	3	Horizontal	147	1.50	-
7085MHz	Pass	AV	7.0832G	99.65	Inf	-Inf	3	Vertical	10	2.24	-
7085MHz	Pass	AV	7.1252G	47.69	68.20	-20.51	3	Vertical	10	2.24	-
7085MHz	Pass	PK	7.076G	110.08	Inf	-Inf	3	Vertical	10	2.24	-
7085MHz	Pass	PK	7.1426G	59.91	88.20	-28.29	3	Vertical	10	2.24	-
7085MHz	Pass	AV	7.0904G	94.39	Inf	-Inf	3	Horizontal	178	1.22	-
7085MHz	Pass	AV	7.1978G	47.16	68.20	-21.04	3	Horizontal	178	1.22	-
7085MHz	Pass	PK	7.082G	106.14	Inf	-Inf	3	Horizontal	178	1.22	-
7085MHz	Pass	PK	7.2038G	59.51	88.20	-28.69	3	Horizontal	178	1.22	-
7085MHz	Pass	AV	14.1892G	47.99	68.20	-20.21	3	Vertical	69	1.58	-
7085MHz	Pass	PK	14.15672G	60.28	88.20	-27.92	3	Vertical	69	1.58	-
7085MHz	Pass	AV	14.16984G	48.11	68.20	-20.09	3	Horizontal	155	2.40	-
7085MHz	Pass	PK	14.16664G	60.51	88.20	-27.69	3	Horizontal	155	2.40	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6145MHz	Pass	AV	5.9098G	43.77	68.20	-24.43	3	Vertical	10	2.91	-
6145MHz	Pass	AV	6.1438G	99.56	Inf	-Inf	3	Vertical	10	2.91	-
6145MHz	Pass	PK	5.9002G	55.86	88.20	-32.34	3	Vertical	10	2.91	-
6145MHz	Pass	PK	6.1438G	109.43	Inf	-Inf	3	Vertical	10	2.91	-
6145MHz	Pass	AV	5.875G	43.77	68.20	-24.43	3	Horizontal	22	2.41	-
6145MHz	Pass	AV	6.1378G	95.90	Inf	-Inf	3	Horizontal	22	2.41	-
6145MHz	Pass	PK	5.8894G	56.21	88.20	-31.99	3	Horizontal	22	2.41	-
6145MHz	Pass	PK	6.157G	106.59	Inf	-Inf	3	Horizontal	22	2.41	-
6145MHz	Pass	AV	12.29G	43.63	54.00	-10.37	3	Vertical	171	1.83	-
6145MHz	Pass	PK	12.27576G	56.22	74.00	-17.78	3	Vertical	171	1.83	-
6145MHz	Pass	AV	12.2588G	43.56	54.00	-10.44	3	Horizontal	146	1.30	-
6145MHz	Pass	PK	12.28472G	55.64	74.00	-18.36	3	Horizontal	146	1.30	-
6225MHz	Pass	AV	5.875G	43.91	68.20	-24.29	3	Vertical	22	2.97	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6225MHz	Pass	AV	6.225G	99.70	Inf	-Inf	3	Vertical	22	2.97	-
6225MHz	Pass	PK	5.815G	55.82	88.20	-32.38	3	Vertical	22	2.97	-
6225MHz	Pass	PK	6.233G	110.14	Inf	-Inf	3	Vertical	22	2.97	-
6225MHz	Pass	AV	5.875G	44.04	68.20	-24.16	3	Horizontal	20	2.67	-
6225MHz	Pass	AV	6.239G	96.03	Inf	-Inf	3	Horizontal	20	2.67	-
6225MHz	Pass	PK	5.881G	56.38	88.20	-31.82	3	Horizontal	20	2.67	-
6225MHz	Pass	PK	6.217G	108.25	Inf	-Inf	3	Horizontal	20	2.67	-
6225MHz	Pass	AV	12.4708G	43.41	54.00	-10.59	3	Vertical	191	2.01	-
6225MHz	Pass	PK	12.48936G	55.37	74.00	-18.63	3	Vertical	191	2.01	-
6225MHz	Pass	AV	12.47912G	43.32	54.00	-10.68	3	Horizontal	134	2.21	-
6225MHz	Pass	PK	12.4644G	55.99	74.00	-18.01	3	Horizontal	134	2.21	-
6385MHz	Pass	AV	5.9074G	43.79	68.20	-24.41	3	Vertical	45	1.09	-
6385MHz	Pass	AV	6.3754G	98.31	Inf	-Inf	3	Vertical	45	1.09	-
6385MHz	Pass	PK	5.8858G	55.33	88.20	-32.87	3	Vertical	45	1.09	-
6385MHz	Pass	PK	6.373G	108.40	Inf	-Inf	3	Vertical	45	1.09	-
6385MHz	Pass	AV	5.893G	43.79	68.20	-24.41	3	Horizontal	62	2.24	-
6385MHz	Pass	AV	6.3778G	97.99	Inf	-Inf	3	Horizontal	62	2.24	-
6385MHz	Pass	PK	5.821G	56.26	88.20	-31.94	3	Horizontal	62	2.24	-
6385MHz	Pass	PK	6.3754G	107.74	Inf	-Inf	3	Horizontal	62	2.24	-
6385MHz	Pass	AV	12.80968G	44.42	68.20	-23.78	3	Vertical	328	1.66	-
6385MHz	Pass	PK	12.7428G	57.60	88.20	-30.60	3	Vertical	328	1.66	-
6385MHz	Pass	AV	12.80632G	44.41	68.20	-23.79	3	Horizontal	3	2.15	-
6385MHz	Pass	PK	12.74776G	56.90	88.20	-31.30	3	Horizontal	3	2.15	-
6465MHz	Pass	AV	5.9058G	43.67	68.20	-24.53	3	Vertical	40	1.21	-
6465MHz	Pass	AV	6.4554G	98.72	Inf	-Inf	3	Vertical	40	1.21	-
6465MHz	Pass	PK	5.8914G	54.59	88.20	-33.61	3	Vertical	40	1.21	-
6465MHz	Pass	PK	6.453G	109.23	Inf	-Inf	3	Vertical	40	1.21	-
6465MHz	Pass	AV	5.9058G	43.67	68.20	-24.53	3	Horizontal	55	2.19	-
6465MHz	Pass	AV	6.477G	98.42	Inf	-Inf	3	Horizontal	55	2.19	-
6465MHz	Pass	PK	5.8746G	55.84	88.20	-32.36	3	Horizontal	55	2.19	-
6465MHz	Pass	PK	6.4578G	109.05	Inf	-Inf	3	Horizontal	55	2.19	-
6465MHz	Pass	AV	12.89736G	44.43	68.20	-23.77	3	Vertical	84	2.23	-
6465MHz	Pass	PK	12.91384G	56.75	88.20	-31.45	3	Vertical	84	2.23	-
6465MHz	Pass	AV	12.898G	44.43	68.20	-23.77	3	Horizontal	56	1.89	-
6465MHz	Pass	PK	12.90792G	57.17	88.20	-31.03	3	Horizontal	56	1.89	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.545G	97.87	Inf	-Inf	3	Vertical	52	1.00	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1426G	46.60	68.20	-21.60	3	Vertical	52	1.00	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5234G	107.97	Inf	-Inf	3	Vertical	52	1.00	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1426G	57.25	88.20	-30.95	3	Vertical	52	1.00	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.557G	96.93	Inf	-Inf	3	Horizontal	44	2.21	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1426G	46.60	68.20	-21.60	3	Horizontal	44	2.21	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5354G	108.49	Inf	-Inf	3	Horizontal	44	2.21	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1402G	56.91	88.20	-31.29	3	Horizontal	44	2.21	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.12376G	44.53	68.20	-23.67	3	Vertical	90	1.04	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.1164G	56.91	88.20	-31.29	3	Vertical	90	1.04	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.12952G	44.50	68.20	-23.70	3	Horizontal	238	1.24	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08344G	56.37	88.20	-31.83	3	Horizontal	238	1.24	-
6625MHz	Pass	AV	6.625G	99.52	Inf	-Inf	3	Vertical	0	2.14	-
6625MHz	Pass	AV	7.213G	46.54	68.20	-21.66	3	Vertical	0	2.14	-
6625MHz	Pass	PK	6.6466G	109.21	Inf	-Inf	3	Vertical	0	2.14	-
6625MHz	Pass	PK	7.153G	57.42	88.20	-30.78	3	Vertical	0	2.14	-
6625MHz	Pass	AV	6.6346G	94.21	Inf	-Inf	3	Horizontal	156	1.31	-
6625MHz	Pass	AV	7.2034G	46.53	68.20	-21.67	3	Horizontal	156	1.31	-
6625MHz	Pass	PK	6.6346G	105.42	Inf	-Inf	3	Horizontal	156	1.31	-
6625MHz	Pass	PK	7.2202G	58.05	88.20	-30.15	3	Horizontal	156	1.31	-
6625MHz	Pass	AV	13.25G	45.85	68.20	-22.35	3	Vertical	0	1.80	-
6625MHz	Pass	PK	13.2172G	57.43	88.20	-30.77	3	Vertical	0	1.80	-
6625MHz	Pass	AV	13.25G	46.37	68.20	-21.83	3	Horizontal	360	1.62	-
6625MHz	Pass	PK	13.25896G	56.85	74.00	-17.15	3	Horizontal	360	1.62	-
6705MHz	Pass	AV	6.707G	98.30	Inf	-Inf	3	Vertical	42	2.24	-
6705MHz	Pass	AV	7.181G	46.57	68.20	-21.63	3	Vertical	42	2.24	-
6705MHz	Pass	PK	6.705G	109.34	Inf	-Inf	3	Vertical	42	2.24	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6705MHz	Pass	PK	7.193G	57.82	88.20	-30.38	3	Vertical	42	2.24	-
6705MHz	Pass	AV	6.703G	93.50	Inf	-Inf	3	Horizontal	180	1.37	-
6705MHz	Pass	AV	7.203G	46.53	68.20	-21.67	3	Horizontal	180	1.37	-
6705MHz	Pass	PK	6.703G	103.40	Inf	-Inf	3	Horizontal	180	1.37	-
6705MHz	Pass	PK	7.147G	57.77	88.20	-30.43	3	Horizontal	180	1.37	-
6705MHz	Pass	AV	13.40984G	45.10	68.20	-23.10	3	Vertical	358	1.68	-
6705MHz	Pass	PK	13.39704G	56.85	74.00	-17.15	3	Vertical	358	1.68	-
6705MHz	Pass	AV	13.40984G	45.66	68.20	-22.54	3	Horizontal	360	1.81	-
6705MHz	Pass	PK	13.38072G	57.30	74.00	-16.70	3	Horizontal	360	1.81	-
6785MHz	Pass	AV	6.795G	100.04	Inf	-Inf	3	Vertical	8	2.30	-
6785MHz	Pass	AV	7.249G	47.57	68.20	-20.63	3	Vertical	8	2.30	-
6785MHz	Pass	PK	6.795G	109.93	Inf	-Inf	3	Vertical	8	2.30	-
6785MHz	Pass	PK	7.165G	59.32	88.20	-28.88	3	Vertical	8	2.30	-
6785MHz	Pass	AV	6.783G	97.87	Inf	-Inf	3	Horizontal	42	1.96	-
6785MHz	Pass	AV	7.245G	47.57	68.20	-20.63	3	Horizontal	42	1.96	-
6785MHz	Pass	PK	6.783G	107.12	Inf	-Inf	3	Horizontal	42	1.96	-
6785MHz	Pass	PK	7.227G	59.17	88.20	-29.03	3	Horizontal	42	1.96	-
6785MHz	Pass	AV	13.5788G	45.95	68.20	-22.25	3	Vertical	338	1.69	-
6785MHz	Pass	PK	13.5852G	57.91	88.20	-30.29	3	Vertical	338	1.69	-
6785MHz	Pass	AV	13.59896G	46.04	68.20	-22.16	3	Horizontal	28	1.11	-
6785MHz	Pass	PK	13.6076G	58.13	88.20	-30.07	3	Horizontal	28	1.11	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8662G	100.48	Inf	-Inf	3	Vertical	360	2.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1626G	46.89	68.20	-21.31	3	Vertical	360	2.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8674G	110.61	Inf	-Inf	3	Vertical	360	2.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1626G	58.10	88.20	-30.10	3	Vertical	360	2.44	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8626G	98.02	Inf	-Inf	3	Horizontal	39	2.14	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1638G	46.89	68.20	-21.31	3	Horizontal	39	2.14	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8818G	109.05	Inf	-Inf	3	Horizontal	39	2.14	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1314G	58.20	88.20	-30.00	3	Horizontal	39	2.14	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7684G	46.44	68.20	-21.76	3	Vertical	330	1.85	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.75128G	58.15	88.20	-30.05	3	Vertical	330	1.85	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7676G	46.43	68.20	-21.77	3	Horizontal	111	1.61	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.75768G	58.62	88.20	-29.58	3	Horizontal	111	1.61	-
6945MHz	Pass	AV	6.9462G	100.28	Inf	-Inf	3	Vertical	358	2.49	-
6945MHz	Pass	AV	7.2438G	47.45	68.20	-20.75	3	Vertical	358	2.49	-
6945MHz	Pass	PK	6.927G	112.92	Inf	-Inf	3	Vertical	358	2.49	-
6945MHz	Pass	PK	7.2246G	59.04	88.20	-29.16	3	Vertical	358	2.49	-
6945MHz	Pass	AV	6.9414G	98.69	Inf	-Inf	3	Horizontal	37	2.24	-
6945MHz	Pass	AV	7.239G	47.45	68.20	-20.75	3	Horizontal	37	2.24	-
6945MHz	Pass	PK	6.9426G	109.52	Inf	-Inf	3	Horizontal	37	2.24	-
6945MHz	Pass	PK	7.203G	58.81	88.20	-29.39	3	Horizontal	37	2.24	-
6945MHz	Pass	AV	13.922G	46.61	68.20	-21.59	3	Vertical	241	1.74	-
6945MHz	Pass	PK	13.89592G	58.65	88.20	-29.55	3	Vertical	241	1.74	-
6945MHz	Pass	AV	13.88984G	46.87	68.20	-21.33	3	Horizontal	240	2.02	-
6945MHz	Pass	PK	13.90984G	59.62	88.20	-28.58	3	Horizontal	240	2.02	-
7025MHz	Pass	AV	7.015G	99.79	Inf	-Inf	3	Vertical	2	2.21	-
7025MHz	Pass	AV	7.256G	47.87	54.00	-6.13	3	Vertical	2	2.21	-
7025MHz	Pass	PK	7.036G	110.00	Inf	-Inf	3	Vertical	2	2.21	-
7025MHz	Pass	PK	7.265G	58.74	74.00	-15.26	3	Vertical	2	2.21	-
7025MHz	Pass	AV	7.031G	96.74	Inf	-Inf	3	Horizontal	44	2.03	-
7025MHz	Pass	AV	7.274G	47.70	54.00	-6.30	3	Horizontal	44	2.03	-
7025MHz	Pass	PK	7.01G	107.33	Inf	-Inf	3	Horizontal	44	2.03	-
7025MHz	Pass	PK	7.25G	58.64	74.00	-15.36	3	Horizontal	44	2.03	-
7025MHz	Pass	AV	14.08888G	47.20	68.20	-21.00	3	Vertical	228	2.04	-
7025MHz	Pass	PK	14.08584G	59.53	88.20	-28.67	3	Vertical	228	2.04	-
7025MHz	Pass	AV	14.0892G	47.20	68.20	-21.00	3	Horizontal	3	1.17	-
7025MHz	Pass	PK	14.07672G	59.22	88.20	-28.98	3	Horizontal	3	1.17	-
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	AV	5.9126G	43.75	68.20	-24.45	3	Vertical	12	3.00	-
6185MHz	Pass	AV	6.2042G	99.00	Inf	-Inf	3	Vertical	12	3.00	-
6185MHz	Pass	PK	5.8886G	55.32	88.20	-32.88	3	Vertical	12	3.00	-
6185MHz	Pass	PK	6.203G	109.76	Inf	-Inf	3	Vertical	12	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6185MHz	Pass	AV	5.9114G	43.63	68.20	-24.57	3	Horizontal	23	2.40	-
6185MHz	Pass	AV	6.1586G	95.65	Inf	-Inf	3	Horizontal	23	2.40	-
6185MHz	Pass	PK	5.9114G	55.43	88.20	-32.77	3	Horizontal	23	2.40	-
6185MHz	Pass	PK	6.2258G	106.49	Inf	-Inf	3	Horizontal	23	2.40	-
6185MHz	Pass	AV	12.36968G	43.19	54.00	-10.81	3	Vertical	360	1.48	-
6185MHz	Pass	PK	12.3556G	55.92	74.00	-18.08	3	Vertical	360	1.48	-
6185MHz	Pass	AV	12.36992G	43.32	54.00	-10.68	3	Horizontal	353	1.50	-
6185MHz	Pass	PK	12.35928G	55.15	74.00	-18.85	3	Horizontal	353	1.50	-
6345MHz	Pass	AV	5.873G	43.79	68.20	-24.41	3	Vertical	39	1.37	-
6345MHz	Pass	AV	6.353G	98.15	Inf	-Inf	3	Vertical	39	1.37	-
6345MHz	Pass	PK	5.891G	55.48	88.20	-32.72	3	Vertical	39	1.37	-
6345MHz	Pass	PK	6.313G	109.37	Inf	-Inf	3	Vertical	39	1.37	-
6345MHz	Pass	AV	5.873G	43.65	68.20	-24.55	3	Horizontal	55	1.01	-
6345MHz	Pass	AV	6.375G	97.87	Inf	-Inf	3	Horizontal	55	1.01	-
6345MHz	Pass	PK	5.875G	55.83	88.20	-32.37	3	Horizontal	55	1.01	-
6345MHz	Pass	PK	6.307G	109.36	Inf	-Inf	3	Horizontal	55	1.01	-
6345MHz	Pass	AV	12.70624G	43.91	68.20	-24.29	3	Vertical	197	1.02	-
6345MHz	Pass	PK	12.69224G	55.53	74.00	-18.47	3	Vertical	197	1.02	-
6345MHz	Pass	AV	12.70856G	43.79	68.20	-24.41	3	Horizontal	335	1.72	-
6345MHz	Pass	PK	12.70472G	56.39	88.20	-31.81	3	Horizontal	335	1.72	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9122G	43.60	68.20	-24.60	3	Vertical	35	1.00	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5338G	97.27	Inf	-Inf	3	Vertical	35	1.00	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9146G	54.51	88.20	-33.69	3	Vertical	35	1.00	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5362G	108.84	Inf	-Inf	3	Vertical	35	1.00	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9122G	43.60	68.20	-24.60	3	Horizontal	42	2.04	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4954G	96.00	Inf	-Inf	3	Horizontal	42	2.04	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9122G	54.51	88.20	-33.69	3	Horizontal	42	2.04	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5362G	106.35	Inf	-Inf	3	Horizontal	42	2.04	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.02616G	43.84	68.20	-24.36	3	Vertical	263	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.02832G	56.73	88.20	-31.47	3	Vertical	263	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01G	43.87	68.20	-24.33	3	Horizontal	360	1.69	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01848G	56.05	88.20	-32.15	3	Horizontal	360	1.69	-
6665MHz	Pass	AV	6.6746G	99.44	Inf	-Inf	3	Vertical	11	2.16	-
6665MHz	Pass	AV	7.2434G	46.93	68.20	-21.27	3	Vertical	11	2.16	-
6665MHz	Pass	PK	6.6746G	109.34	Inf	-Inf	3	Vertical	11	2.16	-
6665MHz	Pass	PK	7.2434G	58.00	88.20	-30.20	3	Vertical	11	2.16	-
6665MHz	Pass	AV	6.6746G	94.25	Inf	-Inf	3	Horizontal	157	1.42	-
6665MHz	Pass	AV	7.2482G	46.81	68.20	-21.39	3	Horizontal	157	1.42	-
6665MHz	Pass	PK	6.6362G	106.06	Inf	-Inf	3	Horizontal	157	1.42	-
6665MHz	Pass	PK	7.2002G	58.07	88.20	-30.13	3	Horizontal	157	1.42	-
6665MHz	Pass	AV	13.38952G	44.67	54.00	-9.33	3	Vertical	356	1.06	-
6665MHz	Pass	PK	13.39368G	56.31	74.00	-17.69	3	Vertical	356	1.06	-
6665MHz	Pass	AV	13.33G	45.78	54.00	-8.22	3	Horizontal	0	1.49	-
6665MHz	Pass	PK	13.30664G	56.82	74.00	-17.18	3	Horizontal	0	1.49	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.797G	99.32	Inf	-Inf	3	Vertical	18	2.12	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.245G	46.93	68.20	-21.27	3	Vertical	18	2.12	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.837G	110.52	Inf	-Inf	3	Vertical	18	2.12	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.151G	63.57	88.20	-24.63	3	Vertical	18	2.12	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.813G	94.54	Inf	-Inf	3	Horizontal	174	1.21	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.249G	46.81	68.20	-21.39	3	Horizontal	174	1.21	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.833G	104.95	Inf	-Inf	3	Horizontal	174	1.21	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.201G	58.63	88.20	-29.57	3	Horizontal	174	1.21	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.72808G	45.87	68.20	-22.33	3	Vertical	200	2.65	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.63336G	57.66	88.20	-30.54	3	Vertical	200	2.65	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65G	46.46	68.20	-21.74	3	Horizontal	229	1.16	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.73G	58.23	88.20	-29.97	3	Horizontal	229	1.16	-
6985MHz	Pass	AV	6.967G	98.83	Inf	-Inf	3	Vertical	358	2.39	-
6985MHz	Pass	AV	7.255G	47.77	54.00	-6.23	3	Vertical	358	2.39	-
6985MHz	Pass	PK	6.9454G	109.98	Inf	-Inf	3	Vertical	358	2.39	-
6985MHz	Pass	PK	7.2838G	60.43	74.00	-13.57	3	Vertical	358	2.39	-
6985MHz	Pass	AV	6.961G	97.38	Inf	-Inf	3	Horizontal	35	2.15	-
6985MHz	Pass	AV	7.2754G	47.70	54.00	-6.30	3	Horizontal	35	2.15	-




RSE TX above 1GHz _Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6985MHz	Pass	PK	6.943G	107.44	Inf	-Inf	3	Horizontal	35	2.15	-
6985MHz	Pass	PK	7.2766G	59.53	74.00	-14.47	3	Horizontal	35	2.15	-
6985MHz	Pass	AV	14.04712G	46.96	68.20	-21.24	3	Vertical	322	2.22	-
6985MHz	Pass	PK	13.95272G	59.51	88.20	-28.69	3	Vertical	322	2.22	-
6985MHz	Pass	AV	14.0484G	46.98	68.20	-21.22	3	Horizontal	85	1.82	-
6985MHz	Pass	PK	13.98088G	59.00	88.20	-29.20	3	Horizontal	85	1.82	-

802.11ax HEW20_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8738G	43.49	68.20	-24.71	7.06	3	Vertical	6	1.94	-	36.43	32.25	9.11	34.30
AV	6.1222G	98.33	Inf	-Inf	7.39	3	Vertical	6	1.94	-	90.94	32.44	9.27	34.32
PK	5.8894G	55.07	88.20	-33.13	7.10	3	Vertical	6	1.94	-	47.97	32.28	9.12	34.30
PK	6.1222G	109.44	Inf	-Inf	7.39	3	Vertical	6	1.94	-	102.05	32.44	9.27	34.32

802.11ax HEW20_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.875G	43.63	68.20	-24.57	7.06	3	Horizontal	18	2.29	-	36.57	32.25	9.11	34.30
AV	6.1078G	96.13	Inf	-Inf	7.36	3	Horizontal	18	2.29	-	88.77	32.42	9.26	34.32
PK	5.911G	55.28	88.20	-32.92	7.13	3	Horizontal	18	2.29	-	48.15	32.30	9.13	34.30
PK	6.109G	106.98	Inf	-Inf	7.36	3	Horizontal	18	2.29	-	99.62	32.42	9.26	34.32

802.11ax HEW20_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.23G	44.20	54.00	-9.80	17.81	3	Vertical	360	1.07	-	26.39	38.94	13.15	34.28
PK	12.23G	56.10	74.00	-17.90	17.81	3	Vertical	360	1.07	-	38.29	38.94	13.15	34.28

802.11ax HEW20_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.22988G	44.19	54.00	-9.81	17.80	3	Horizontal	357	1.50	-	26.39	38.94	13.15	34.29
PK	12.21938G	55.84	74.00	-18.16	17.81	3	Horizontal	357	1.50	-	38.03	38.96	13.14	34.29

802.11ax HEW20_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	43.39	68.20	-24.81	7.10	3	Vertical	43	1.12	-	36.29	32.28	9.12	34.30
AV	6.263G	97.56	Inf	-Inf	7.92	3	Vertical	43	1.12	-	89.64	32.88	9.37	34.33
PK	5.867G	55.13	88.20	-33.07	7.04	3	Vertical	43	1.12	-	48.09	32.23	9.11	34.30
PK	6.263G	107.38	Inf	-Inf	7.92	3	Vertical	43	1.12	-	99.46	32.88	9.37	34.33

802.11ax HEW20_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.875G	43.50	68.20	-24.70	7.06	3	Horizontal	24	2.32	-	36.44	32.25	9.11	34.30
AV	6.247G	95.26	Inf	-Inf	7.82	3	Horizontal	24	2.32	-	87.44	32.79	9.36	34.33
PK	5.839G	54.59	88.20	-33.61	6.97	3	Horizontal	24	2.32	-	47.62	32.16	9.10	34.29
PK	6.249G	105.40	Inf	-Inf	7.83	3	Horizontal	24	2.32	-	97.57	32.80	9.36	34.33

802.11ax HEW20_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.51736G	43.42	54.00	-10.58	17.44	3	Vertical	102	2.37	-	25.98	38.23	13.33	34.12
PK	12.503G	56.61	74.00	-17.39	17.39	3	Vertical	102	2.37	-	39.22	38.21	13.32	34.14

802.11ax HEW20_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.51948G	43.31	54.00	-10.69	17.46	3	Horizontal	182	1.79	-	25.85	38.24	13.33	34.11
PK	12.51428G	56.20	74.00	-17.80	17.43	3	Horizontal	182	1.79	-	38.77	38.23	13.32	34.12

802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.875G	43.50	68.20	-24.70	7.06	3	Vertical	43	1.01	-	36.44	32.25	9.11	34.30
AV	6.4246G	99.28	Inf	-Inf	8.72	3	Vertical	43	1.01	-	90.56	33.60	9.46	34.34
PK	5.9062G	55.00	88.20	-33.20	7.13	3	Vertical	43	1.01	-	47.87	32.30	9.13	34.30
PK	6.4222G	108.43	Inf	-Inf	8.71	3	Vertical	43	1.01	-	99.72	33.59	9.46	34.34

802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	43.49	68.20	-24.71	7.11	3	Horizontal	66	1.09	-	36.38	32.29	9.12	34.30
AV	6.4054G	97.01	Inf	-Inf	8.63	3	Horizontal	66	1.09	-	88.38	33.52	9.45	34.34
PK	5.8534G	55.09	88.20	-33.11	7.01	3	Horizontal	66	1.09	-	48.08	32.21	9.10	34.30
PK	6.4078G	106.63	Inf	-Inf	8.64	3	Horizontal	66	1.09	-	97.99	33.53	9.45	34.34

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82976G	44.43	68.20	-23.77	18.82	3	Vertical	124	2.36	-	25.61	38.83	13.52	33.53
PK	12.83196G	56.77	88.20	-31.43	18.82	3	Vertical	124	2.36	-	37.95	38.83	13.52	33.53