



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3679.107   | 1         | CHP    | 1          | 3525.500   | -52.51      | -40         | Pass   |
| 3679.107    | 3680.107   | 0.2       | /      | 2          | 3679.900   | -32.96      | -13         | Pass   |
| 3680.107    | 3699.893   | 0.2       | /      | /          | /          | /           | /           | /      |
| 3699.893    | 3700.893   | 0.2       | /      | 3          | 3700.700   | -37.25      | -13         | Pass   |
| 3700.893    | 3730       | 1         | CHP    | 4          | 3720.700   | -41.65      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




### n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




### n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3549.072   | 1         | CHP    | 1          | 3528.190   | -49.96      | -40         | Pass   |
| 3549.072    | 3550.072   | 0.03      | /      | 2          | 3549.940   | -26.33      | -13         | Pass   |
| 3550.072    | 3569.948   | 0.03      | /      | /          | /          | /           | /           | /      |
| 3569.948    | 3570.948   | 0.03      | /      | 3          | 3570.655   | -57.15      | -13         | Pass   |
| 3570.948    | 3730       | 1         | CHP    | 4          | 3729.490   | -52.59      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3549.072   | 1         | CHP    | 1          | 3528.910   | -48.39      | -40         | Pass   |
| 3549.072    | 3550.072   | 0.03      | /      | 2          | 3549.880   | -32.86      | -13         | Pass   |
| 3550.072    | 3569.948   | 0.03      | /      | /          | /          | /           | /           | /      |
| 3569.948    | 3570.948   | 0.03      | /      | 3          | 3570.805   | -56.02      | -13         | Pass   |
| 3570.948    | 3730       | 1         | CHP    | 4          | 3720.535   | -52.89      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3679.275   | 1         | CHP    | 1          | 3529.450   | -52.45      | -40         | Pass   |
| 3679.275    | 3680.275   | 0.03      | /      | 2          | 3679.315   | -56.31      | -13         | Pass   |
| 3680.275    | 3699.725   | 0.03      | /      | /          | /          | /           | /           | /      |
| 3699.725    | 3700.725   | 0.03      | /      | 3          | 3699.760   | -21.48      | -13         | Pass   |
| 3700.725    | 3730       | 1         | CHP    | 4          | 3722.575   | -49.31      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




### n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




### n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3679.275   | 1         | CHP    | 1          | 3520.510   | -52.81      | -40         | Pass   |
| 3679.275    | 3680.275   | 0.03      | /      | 2          | 3679.900   | -58.66      | -13         | Pass   |
| 3680.275    | 3699.725   | 0.03      | /      | /          | /          | /           | /           | /      |
| 3699.725    | 3700.725   | 0.03      | /      | 3          | 3699.775   | -28.51      | -13         | Pass   |
| 3700.725    | 3730       | 1         | CHP    | 4          | 3721.315   | -49.22      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3549.001   | 1         | CHP    | 1          | 3528.300   | -40.57      | -40         | Pass   |
| 3549.001    | 3550.001   | 0.2       | /      | 2          | 3549.800   | -33.15      | -13         | Pass   |
| 3550.001    | 3570.019   | 0.2       | /      | /          | /          | /           | /           | /      |
| 3570.019    | 3571.019   | 0.2       | /      | 3          | 3570.100   | -31.10      | -13         | Pass   |
| 3571.019    | 3730       | 1         | CHP    | 4          | 3595.700   | -34.72      | -25         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




### n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




### n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3679.092   | 1         | CHP    | 1          | 3526.100   | -52.65      | -40         | Pass   |
| 3679.092    | 3680.092   | 0.2       | /      | 2          | 3679.100   | -31.40      | -13         | Pass   |
| 3680.092    | 3699.909   | 0.2       | /      | /          | /          | /           | /           | /      |
| 3699.909    | 3700.909   | 0.2       | /      | 3          | 3700.600   | -38.22      | -13         | Pass   |
| 3700.909    | 3730       | 1         | CHP    | 4          | 3725.100   | -42.78      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right



n48\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




## 6.2 30k\_SISO\_40MHz\_NTNV

### 6.2.1 Test Result

| 5G NR n48 SCS=30kHz SISO 40MHz NTN |                 |                |                     |                     |     |       |         |      |
|------------------------------------|-----------------|----------------|---------------------|---------------------|-----|-------|---------|------|
| Modulation                         | Frequency (MHz) | RB Allocation  | Spurious Emission   |                     |     |       | Verdict |      |
|                                    |                 |                | Ant1                | Ant2                | Sum | Limit |         |      |
| DFT-s-OFDM PI/2 BPSK               | 3570            | Edge_1RB_Left  | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | Outer_Full     | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | Inner_1RB_Left | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    | 3624.99         | Edge_1RB_Left  | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | 3679.98        | Edge_1RB_Right      | Refer To Test Graph |     |       |         | Pass |
|                                    |                 |                | Outer_Full          | Refer To Test Graph |     |       |         | Pass |
|                                    | Inner_1RB_Right |                | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    | DFT-s-OFDM QPSK | 3570           | Edge_1RB_Left       | Refer To Test Graph |     |       |         | Pass |
|                                    |                 |                | Outer_Full          | Refer To Test Graph |     |       |         | Pass |
| Inner_1RB_Left                     |                 |                | Refer To Test Graph |                     |     |       | Pass    |      |
| 3624.99                            |                 | Edge_1RB_Left  | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | 3679.98        | Edge_1RB_Right      | Refer To Test Graph |     |       |         | Pass |
|                                    |                 |                | Outer_Full          | Refer To Test Graph |     |       |         | Pass |
|                                    |                 |                | Inner_1RB_Right     | Refer To Test Graph |     |       |         | Pass |
| CP-OFDM QPSK                       | 3570            | Edge_1RB_Left  | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | Outer_Full     | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | Inner_1RB_Left | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    | 3624.99         | Edge_1RB_Left  | Refer To Test Graph |                     |     |       | Pass    |      |
|                                    |                 | 3679.98        | Edge_1RB_Right      | Refer To Test Graph |     |       |         | Pass |
|                                    |                 |                | Outer_Full          | Refer To Test Graph |     |       |         | Pass |
|                                    |                 |                | Inner_1RB_Right     | Refer To Test Graph |     |       |         | Pass |


## 6.2.2 Test Graph

n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3570MHz\_Edge\_1RB\_Left




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3549.767   | 1         | CHP    | 1          | 3529.495   | -52.16      | -40         | Pass   |
| 3549.767    | 3550.767   | 0.03      | /      | 2          | 3550.735   | -14.48      | -13         | Pass   |
| 3550.767    | 3589.233   | 0.03      | /      | /          | /          | /           | /           | /      |
| 3589.233    | 3590.233   | 0.03      | /      | 3          | 3589.330   | -62.63      | -13         | Pass   |
| 3590.233    | 3730       | 1         | CHP    | 4          | 3721.060   | -51.68      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Edge\_1RB\_Left




n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3549.767   | 1         | CHP    | 1          | 3526.245   | -47.31      | -40         | Pass   |
| 3549.767    | 3550.767   | 0.39      | /      | 2          | 3550.641   | -13.80      | -13         | Pass   |
| 3550.767    | 3589.233   | 0.39      | /      | /          | /          | /           | /           | /      |
| 3589.233    | 3590.233   | 0.39      | /      | 3          | 3589.284   | -49.00      | -13         | Pass   |
| 3590.233    | 3730       | 1         | CHP    | 4          | 3722.779   | -50.47      | -40         | Pass   |


n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full



n48\_30kHz\_SISO\_NTNV\_40MHz\_DFT-s-OFDM PI/2 BPSK\_3570MHz\_Outer\_Full

