

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

Left Ear

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.796	36.35	10.50	56.00	19.65	Peak	L	Pass
1**	0.796	24.06	10.50	46.00	21.94	AV	L	Pass
2	1.524	35.29	10.21	56.00	20.71	Peak	L	Pass
2**	1.524	23.49	10.21	46.00	22.51	AV	L	Pass
3	2.262	35.56	10.16	56.00	20.44	Peak	L	Pass
3**	2.262	23.99	10.16	46.00	22.01	AV	L	Pass
4	4.386	35.84	10.35	56.00	20.16	Peak	L	Pass
4**	4.386	24.32	10.35	46.00	21.68	AV	L	Pass
5	5.734	37.02	10.54	60.00	22.98	Peak	L	Pass
5**	5.734	24.85	10.54	50.00	25.15	AV	L	Pass
6	24.922	37.01	10.90	60.00	22.99	Peak	L	Pass
6**	24.922	25.15	10.90	50.00	24.85	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C




No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.392	35.97	10.59	58.02	22.05	Peak	N	Pass
1**	0.392	24.77	10.59	48.02	23.25	AV	N	Pass
2	1.184	35.50	10.05	56.00	20.50	Peak	N	Pass
2**	1.184	23.54	10.05	46.00	22.46	AV	N	Pass
3	1.964	35.95	10.18	56.00	20.05	Peak	N	Pass
3**	1.964	24.41	10.18	46.00	21.59	AV	N	Pass
4	3.622	36.47	10.39	56.00	19.53	Peak	N	Pass
4**	3.622	23.87	10.39	46.00	22.13	AV	N	Pass
5	9.886	36.58	10.41	60.00	23.42	Peak	N	Pass
5**	9.886	24.00	10.41	50.00	26.00	AV	N	Pass
6	23.262	36.95	11.09	60.00	23.05	Peak	N	Pass
6**	23.262	25.26	11.09	50.00	24.74	AV	N	Pass

Right Ear

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.352	36.55	10.75	58.92	22.37	Peak	L	Pass
1**	0.352	25.41	10.75	48.92	23.51	AV	L	Pass
2	0.896	36.01	10.20	56.00	19.99	Peak	L	Pass
2**	0.896	24.59	10.20	46.00	21.41	AV	L	Pass
3	1.216	35.49	10.09	56.00	20.51	Peak	L	Pass
3**	1.216	23.46	10.09	46.00	22.54	AV	L	Pass
4	3.132	35.73	9.95	56.00	20.27	Peak	L	Pass
4**	3.132	23.24	9.95	46.00	22.76	AV	L	Pass
5	7.438	37.08	10.48	60.00	22.92	Peak	L	Pass
5**	7.438	24.69	10.48	50.00	25.31	AV	L	Pass
6	13.650	37.58	10.66	60.00	22.42	Peak	L	Pass
6**	13.650	24.82	10.66	50.00	25.18	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.270	36.92	9.76	61.12	24.20	Peak	N	Pass
1**	0.270	24.75	9.76	51.12	26.37	AV	N	Pass
2	0.494	35.87	9.99	56.10	20.23	Peak	N	Pass
2**	0.494	23.41	9.99	46.10	22.69	AV	N	Pass
3	1.540	35.63	10.17	56.00	20.37	Peak	N	Pass
3**	1.540	23.58	10.17	46.00	22.42	AV	N	Pass
4	2.774	35.57	10.29	56.00	20.43	Peak	N	Pass
4**	2.774	24.27	10.29	46.00	21.73	AV	N	Pass
5	5.524	36.46	10.46	60.00	23.54	Peak	N	Pass
5**	5.524	23.58	10.46	50.00	26.42	AV	N	Pass
6	12.902	37.31	10.44	60.00	22.69	Peak	N	Pass
6**	12.902	25.24	10.44	50.00	24.76	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of "--" in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

Left Ear


30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.879	14.03	-27.25	29.5	15.47	Peak	360.00	200	Horizontal	Pass
2	49.638	13.74	-26.01	29.5	15.76	Peak	227.00	100	Horizontal	Pass
3	127.946	16.82	-27.27	33.0	16.18	Peak	360.00	200	Horizontal	Pass
4	155.584	14.66	-25.41	33.0	18.34	Peak	329.00	200	Horizontal	Pass
5	287.956	20.26	-25.18	35.5	15.24	Peak	223.00	200	Horizontal	Pass
6	544.699	23.91	-18.51	35.5	11.59	Peak	257.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	42.122	14.70	-26.40	29.5	14.80	Peak	286.00	100	Vertical	Pass
2	65.639	13.44	-27.66	29.5	16.06	Peak	174.00	100	Vertical	Pass
3	133.037	19.86	-26.84	33.0	13.14	Peak	360.00	200	Vertical	Pass
4	216.193	16.59	-28.86	35.5	18.91	Peak	230.00	100	Vertical	Pass
5	725.316	26.52	-13.89	35.5	8.98	Peak	226.00	200	Vertical	Pass
6	920.965	28.64	-10.58	35.5	6.86	Peak	159.00	100	Vertical	Pass

Right Ear

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.879	12.47	-27.25	29.5	17.03	Peak	360.00	200	Horizontal	Pass
2	48.910	13.72	-26.04	29.5	15.78	Peak	220.00	200	Horizontal	Pass
3	127.946	15.32	-27.27	33.0	17.68	Peak	348.00	100	Horizontal	Pass
4	287.956	20.95	-25.18	35.5	14.55	Peak	68.00	200	Horizontal	Pass
5	717.073	27.39	-14.16	35.5	8.11	Peak	68.00	200	Horizontal	Pass
6	869.325	28.18	-11.29	35.5	7.32	Peak	353.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.697	15.36	-27.63	29.5	14.14	Peak	322.00	200	Vertical	Pass
2	42.122	15.03	-26.40	29.5	14.47	Peak	145.00	200	Vertical	Pass
3	132.794	19.83	-26.86	33.0	13.17	Peak	346.00	100	Vertical	Pass
4	215.951	16.39	-28.88	33.0	16.61	Peak	231.00	100	Vertical	Pass
5	645.554	25.39	-15.61	35.5	10.11	Peak	162.00	100	Vertical	Pass
6	935.026	29.46	-10.98	35.5	6.04	Peak	78.00	100	Vertical	Pass

Note ¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note ²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Ear

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.500	42.35	74.0	31.65	Peak	0.00	100	Horizontal	Pass
1**	1464.500	32.37	54.0	21.63	AV	0.00	100	Horizontal	Pass
2	2402.200	99.18	74.0	-25.18	Peak	26.00	200	Horizontal	N/A
2**	2402.200	99.05	54.0	-45.05	AV	26.00	200	Horizontal	N/A
3	4800.250	49.70	74.0	24.30	Peak	343.00	200	Horizontal	Pass
3**	4800.250	39.56	54.0	14.44	AV	343.00	200	Horizontal	Pass
4	4801.500	47.97	74.0	26.03	Peak	124.00	100	Horizontal	Pass
4**	4801.500	43.88	54.0	10.12	AV	124.00	100	Horizontal	Pass
5	7975.750	53.41	74.0	20.59	Peak	0.00	300	Horizontal	Pass
5**	7975.750	43.82	54.0	10.18	AV	0.00	300	Horizontal	Pass
6	12483.763	53.81	74.0	20.19	Peak	178.00	200	Horizontal	Pass
6**	12483.763	44.62	54.0	9.38	AV	178.00	200	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.700	48.27	74.0	25.73	Peak	71.00	100	Vertical	Pass
1**	1163.700	39.08	54.0	14.92	AV	71.00	100	Vertical	Pass
2	2401.800	93.75	74.0	-19.75	Peak	353.00	150	Vertical	N/A
2**	2401.800	92.67	54.0	-38.67	AV	353.00	150	Vertical	N/A
3	4800.750	49.79	74.0	24.21	Peak	218.00	200	Vertical	Pass
3**	4800.750	43.65	54.0	10.35	AV	218.00	200	Vertical	Pass
4	4801.500	47.67	74.0	26.33	Peak	89.00	100	Vertical	Pass
4**	4801.500	44.99	54.0	9.01	AV	89.00	100	Vertical	Pass
5	6908.750	53.18	74.0	20.82	Peak	69.00	200	Vertical	Pass
5**	6908.750	43.76	54.0	10.24	AV	69.00	200	Vertical	Pass
6	12697.750	53.35	74.0	20.65	Peak	193.00	400	Vertical	Pass
6**	12697.750	42.51	54.0	11.49	AV	193.00	400	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1346.700	42.60	74.0	31.40	Peak	17.00	300	Horizontal	Pass
1**	1346.700	32.73	54.0	21.27	AV	17.00	300	Horizontal	Pass
2	2440.900	98.87	74.0	-24.87	Peak	27.00	100	Horizontal	N/A
2**	2440.900	98.32	54.0	-44.32	AV	27.00	100	Horizontal	N/A
3	3786.750	46.77	74.0	27.23	Peak	360.00	100	Horizontal	Pass
3**	3786.750	41.30	54.0	12.70	AV	360.00	100	Horizontal	Pass
4	4879.500	48.87	74.0	25.13	Peak	360.00	100	Horizontal	Pass
4**	4879.500	45.98	54.0	8.02	AV	360.00	100	Horizontal	Pass
5	4897.250	49.86	74.0	24.14	Peak	38.00	100	Horizontal	Pass
5**	4897.250	39.56	54.0	14.44	AV	38.00	100	Horizontal	Pass
6	7934.000	53.86	74.0	20.14	Peak	339.00	300	Horizontal	Pass
6**	7934.000	45.10	54.0	8.90	AV	339.00	300	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.900	45.65	74.0	28.35	Peak	91.00	200	Vertical	Pass
1**	1165.900	33.91	54.0	20.09	AV	91.00	200	Vertical	Pass
2	2440.900	93.24	74.0	-19.24	Peak	347.00	150	Vertical	N/A
2**	2440.900	92.59	54.0	-38.59	AV	347.00	150	Vertical	N/A
3	4879.250	50.03	74.0	23.97	Peak	254.00	150	Vertical	Pass
3**	4879.250	45.99	54.0	8.01	AV	254.00	150	Vertical	Pass
4	7925.750	54.52	74.0	19.48	Peak	254.00	200	Vertical	Pass
4**	7925.750	44.33	54.0	9.67	AV	254.00	200	Vertical	Pass
5	12478.775	53.54	74.0	20.46	Peak	348.00	400	Vertical	Pass
5**	12478.775	44.93	54.0	9.07	AV	348.00	400	Vertical	Pass
6	16995.151	55.80	74.0	18.20	Peak	237.00	100	Vertical	Pass
6**	16995.151	46.75	54.0	7.25	AV	237.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.400	43.74	74.0	30.26	Peak	219.00	100	Horizontal	Pass
1**	1330.400	33.18	54.0	20.82	AV	219.00	100	Horizontal	Pass
2	2479.900	96.30	74.0	-22.30	Peak	25.00	200	Horizontal	N/A
2**	2479.900	95.72	54.0	-41.72	AV	25.00	200	Horizontal	N/A
3	4877.250	49.75	74.0	24.25	Peak	210.00	150	Horizontal	Pass
3**	4877.250	40.72	54.0	13.28	AV	210.00	150	Horizontal	Pass
4	4957.250	48.30	74.0	25.70	Peak	77.00	100	Horizontal	Pass
4**	4957.250	43.46	54.0	10.54	AV	77.00	100	Horizontal	Pass
5	7971.000	54.11	74.0	19.89	Peak	234.00	200	Horizontal	Pass
5**	7971.000	44.27	54.0	9.73	AV	234.00	200	Horizontal	Pass
6	12496.113	53.36	74.0	20.64	Peak	317.00	200	Horizontal	Pass
6**	12496.113	44.25	54.0	9.75	AV	317.00	200	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	45.52	74.0	28.48	Peak	124.00	100	Vertical	Pass
1**	1331.400	33.01	54.0	20.99	AV	124.00	100	Vertical	Pass
2	2479.900	89.67	74.0	-15.67	Peak	338.00	100	Vertical	N/A
2**	2479.900	89.14	54.0	-35.14	AV	338.00	100	Vertical	N/A
3	4956.750	50.18	74.0	23.82	Peak	230.00	100	Vertical	Pass
3**	4956.750	43.33	54.0	10.67	AV	230.00	100	Vertical	Pass
4	4957.250	49.52	74.0	24.48	Peak	230.00	100	Vertical	Pass
4**	4957.250	46.12	54.0	7.88	AV	230.00	100	Vertical	Pass
5	7939.500	53.58	74.0	20.42	Peak	359.00	100	Vertical	Pass
5**	7939.500	44.16	54.0	9.84	AV	359.00	100	Vertical	Pass
6	12519.151	53.29	74.0	20.71	Peak	188.00	300	Vertical	Pass
6**	12519.151	44.57	54.0	9.43	AV	188.00	300	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.300	42.04	74.0	31.96	Peak	99.00	400	Horizontal	Pass
1**	1592.300	33.83	54.0	20.17	AV	99.00	400	Horizontal	Pass
2	2402.000	99.30	74.0	-25.30	Peak	21.00	150	Horizontal	N/A
2**	2402.000	97.16	54.0	-43.16	AV	21.00	150	Horizontal	N/A
3	4801.250	49.16	74.0	24.84	Peak	358.00	100	Horizontal	Pass
3**	4801.250	44.40	54.0	9.60	AV	358.00	100	Horizontal	Pass
4	4874.500	49.78	74.0	24.22	Peak	280.00	150	Horizontal	Pass
4**	4874.500	40.64	54.0	13.36	AV	280.00	150	Horizontal	Pass
5	6892.250	53.71	74.0	20.29	Peak	360.00	400	Horizontal	Pass
5**	6892.250	45.51	54.0	8.49	AV	360.00	400	Horizontal	Pass
6	12989.138	53.57	74.0	20.43	Peak	125.00	400	Horizontal	Pass
6**	12989.138	44.11	54.0	9.89	AV	125.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	46.19	74.0	27.81	Peak	38.00	400	Vertical	Pass
1**	1163.800	34.08	54.0	19.92	AV	38.00	400	Vertical	Pass
2	2401.900	93.06	74.0	-19.06	Peak	329.00	100	Vertical	N/A
2**	2401.900	92.40	54.0	-38.40	AV	329.00	100	Vertical	N/A
3	4801.500	48.14	74.0	25.86	Peak	278.00	100	Vertical	Pass
3**	4801.500	44.28	54.0	9.72	AV	278.00	100	Vertical	Pass
4	4885.250	49.41	74.0	24.59	Peak	198.00	100	Vertical	Pass
4**	4885.250	40.00	54.0	14.00	AV	198.00	100	Vertical	Pass
5	7906.250	53.87	74.0	20.13	Peak	237.00	400	Vertical	Pass
5**	7906.250	44.18	54.0	9.82	AV	237.00	400	Vertical	Pass
6	14462.812	55.44	74.0	18.56	Peak	77.00	100	Vertical	Pass
6**	14462.812	46.37	54.0	7.63	AV	77.00	100	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.800	42.63	74.0	31.37	Peak	219.00	400	Horizontal	Pass
1**	1331.800	32.60	54.0	21.40	AV	219.00	400	Horizontal	Pass
2	2440.900	99.20	74.0	-25.20	Peak	33.00	150	Horizontal	N/A
2**	2440.900	97.30	54.0	-43.30	AV	33.00	150	Horizontal	N/A
3	4878.500	50.53	74.0	23.47	Peak	322.00	150	Horizontal	Pass
3**	4878.500	41.66	54.0	12.34	AV	322.00	150	Horizontal	Pass
4	4879.250	49.12	74.0	24.88	Peak	105.00	100	Horizontal	Pass
4**	4879.250	45.16	54.0	8.84	AV	105.00	100	Horizontal	Pass
5	6912.250	53.56	74.0	20.44	Peak	64.00	400	Horizontal	Pass
5**	6912.250	43.90	54.0	10.10	AV	64.00	400	Horizontal	Pass
6	14479.612	55.62	74.0	18.38	Peak	152.00	400	Horizontal	Pass
6**	14479.612	45.50	54.0	8.50	AV	152.00	400	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	47.89	74.0	26.11	Peak	236.00	400	Vertical	Pass
1**	1163.900	33.48	54.0	20.52	AV	236.00	400	Vertical	Pass
2	2440.900	93.52	74.0	-19.52	Peak	342.00	150	Vertical	N/A
2**	2440.900	91.69	54.0	-37.69	AV	342.00	150	Vertical	N/A
3	4879.000	50.18	74.0	23.82	Peak	205.00	100	Vertical	Pass
3**	4879.000	44.73	54.0	9.27	AV	205.00	100	Vertical	Pass
4	4879.500	48.21	74.0	25.79	Peak	225.00	100	Vertical	Pass
4**	4879.500	44.99	54.0	9.01	AV	225.00	100	Vertical	Pass
5	7978.500	53.27	74.0	20.73	Peak	264.00	200	Vertical	Pass
5**	7978.500	45.03	54.0	8.97	AV	264.00	200	Vertical	Pass
6	17102.512	55.76	74.0	18.24	Peak	125.00	400	Vertical	Pass
6**	17102.512	46.52	54.0	7.48	AV	125.00	400	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	42.85	74.0	31.15	Peak	334.00	200	Horizontal	Pass
1**	1442.300	33.03	54.0	20.97	AV	334.00	200	Horizontal	Pass
2	2480.100	96.51	74.0	-22.51	Peak	33.00	100	Horizontal	N/A
2**	2480.100	95.46	54.0	-41.46	AV	33.00	100	Horizontal	N/A
3	4816.500	49.37	74.0	24.63	Peak	342.00	150	Horizontal	Pass
3**	4816.500	39.72	54.0	14.28	AV	342.00	150	Horizontal	Pass
4	7946.750	53.43	74.0	20.57	Peak	186.00	200	Horizontal	Pass
4**	7946.750	44.03	54.0	9.97	AV	186.00	200	Horizontal	Pass
5	12957.901	53.68	74.0	20.32	Peak	315.00	400	Horizontal	Pass
5**	12957.901	43.49	54.0	10.51	AV	315.00	400	Horizontal	Pass
6	17046.863	55.69	74.0	18.31	Peak	128.00	200	Horizontal	Pass
6**	17046.863	46.28	54.0	7.72	AV	128.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.400	45.37	74.0	28.63	Peak	93.00	300	Vertical	Pass
1**	1161.400	33.16	54.0	20.84	AV	93.00	300	Vertical	Pass
2	2480.000	90.41	74.0	-16.41	Peak	319.00	200	Vertical	N/A
2**	2480.000	89.27	54.0	-35.27	AV	319.00	200	Vertical	N/A
3	4957.000	50.39	74.0	23.61	Peak	223.00	200	Vertical	Pass
3**	4957.000	44.86	54.0	9.14	AV	223.00	200	Vertical	Pass
4	4957.250	50.37	74.0	23.63	Peak	223.00	100	Vertical	Pass
4**	4957.250	45.23	54.0	8.77	AV	223.00	100	Vertical	Pass
5	12452.175	53.36	74.0	20.64	Peak	16.00	200	Vertical	Pass
5**	12452.175	44.18	54.0	9.82	AV	16.00	200	Vertical	Pass
6	17451.112	55.85	74.0	18.15	Peak	256.00	300	Vertical	Pass
6**	17451.112	45.69	54.0	8.31	AV	256.00	300	Vertical	Pass

Right Ear**GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	42.47	74.0	31.53	Peak	221.00	200	Horizontal	Pass
1**	1332.500	32.68	54.0	21.32	AV	221.00	200	Horizontal	Pass
2	2401.900	95.25	74.0	-21.25	Peak	112.00	150	Horizontal	N/A
2**	2401.900	94.97	54.0	-40.97	AV	112.00	150	Horizontal	N/A
3	2593.900	54.07	74.0	19.93	Peak	322.00	100	Horizontal	Pass
3**	2593.900	49.88	54.0	4.12	AV	322.00	100	Horizontal	Pass
4	4801.250	48.58	74.0	25.42	Peak	268.00	100	Horizontal	Pass
4**	4801.250	44.33	54.0	9.67	AV	268.00	100	Horizontal	Pass
5	12977.325	54.09	74.0	19.91	Peak	47.00	400	Horizontal	Pass
5**	12977.325	44.52	54.0	9.48	AV	47.00	400	Horizontal	Pass
6	17105.401	55.64	74.0	18.36	Peak	123.00	400	Horizontal	Pass
6**	17105.401	46.94	54.0	7.06	AV	123.00	400	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.800	46.25	74.0	27.75	Peak	77.00	300	Vertical	Pass
1**	1164.800	34.40	54.0	19.60	AV	77.00	300	Vertical	Pass
2	2401.900	97.17	74.0	-23.17	Peak	114.00	150	Vertical	N/A
2**	2401.900	96.43	54.0	-42.43	AV	114.00	150	Vertical	N/A
3	2593.800	54.39	74.0	19.61	Peak	242.00	100	Vertical	Pass
3**	2593.800	50.68	54.0	3.32	AV	242.00	100	Vertical	Pass
4	4804.500	48.46	74.0	25.54	Peak	348.00	100	Vertical	Pass
4**	4804.500	43.52	54.0	10.48	AV	348.00	100	Vertical	Pass
5	12501.100	53.74	74.0	20.26	Peak	320.00	400	Vertical	Pass
5**	12501.100	44.45	54.0	9.55	AV	320.00	400	Vertical	Pass
6	17004.074	54.86	74.0	19.14	Peak	115.00	200	Vertical	Pass
6**	17004.074	46.08	54.0	7.92	AV	115.00	200	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	42.40	74.0	31.60	Peak	50.00	400	Horizontal	Pass
1**	1329.000	32.80	54.0	21.20	AV	50.00	400	Horizontal	Pass
2	2440.900	96.52	74.0	-22.52	Peak	113.00	150	Horizontal	N/A
2**	2440.900	96.09	54.0	-42.09	AV	113.00	150	Horizontal	N/A
3	4879.250	48.82	74.0	25.18	Peak	246.00	100	Horizontal	Pass
3**	4879.250	44.31	54.0	9.69	AV	246.00	100	Horizontal	Pass
4	7605.750	53.86	74.0	20.14	Peak	348.00	300	Horizontal	Pass
4**	7605.750	44.39	54.0	9.61	AV	348.00	300	Horizontal	Pass
5	9758.451	50.40	74.0	23.60	Peak	308.00	100	Horizontal	Pass
5**	9758.451	46.88	54.0	7.12	AV	308.00	100	Horizontal	Pass
6	16993.051	55.60	74.0	18.40	Peak	229.00	200	Horizontal	Pass
6**	16993.051	45.82	54.0	8.18	AV	229.00	200	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	47.34	74.0	26.66	Peak	99.00	300	Vertical	Pass
1**	1328.100	35.00	54.0	19.00	AV	99.00	300	Vertical	Pass
2	2440.900	97.55	74.0	-23.55	Peak	244.00	100	Vertical	N/A
2**	2440.900	97.00	54.0	-43.00	AV	244.00	100	Vertical	N/A
3	4903.500	49.39	74.0	24.61	Peak	106.00	200	Vertical	Pass
3**	4903.500	40.63	54.0	13.37	AV	106.00	200	Vertical	Pass
4	6898.250	53.82	74.0	20.18	Peak	360.00	100	Vertical	Pass
4**	6898.250	44.12	54.0	9.88	AV	360.00	100	Vertical	Pass
5	9757.737	53.58	74.0	20.42	Peak	57.00	400	Vertical	Pass
5**	9757.737	47.22	54.0	6.78	AV	57.00	400	Vertical	Pass
6	17102.250	55.04	74.0	18.96	Peak	33.00	100	Vertical	Pass
6**	17102.250	46.13	54.0	7.87	AV	33.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1382.200	42.14	74.0	31.86	Peak	101.00	300	Horizontal	Pass
1**	1382.200	32.54	54.0	21.46	AV	101.00	300	Horizontal	Pass
2	2479.900	95.64	74.0	-21.64	Peak	109.00	150	Horizontal	N/A
2**	2479.900	95.18	54.0	-41.18	AV	109.00	150	Horizontal	N/A
3	4957.000	48.75	74.0	25.25	Peak	307.00	100	Horizontal	Pass
3**	4957.000	43.85	54.0	10.15	AV	307.00	100	Horizontal	Pass
4	9914.488	49.22	74.0	24.78	Peak	293.00	100	Horizontal	Pass
4**	9914.488	45.85	54.0	8.15	AV	293.00	100	Horizontal	Pass
5	12958.162	53.27	74.0	20.73	Peak	268.00	100	Horizontal	Pass
5**	12958.162	43.65	54.0	10.35	AV	268.00	100	Horizontal	Pass
6	17032.162	55.71	74.0	18.29	Peak	4.00	200	Horizontal	Pass
6**	17032.162	46.85	54.0	7.15	AV	4.00	200	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.000	47.10	74.0	26.90	Peak	45.00	100	Vertical	Pass
1**	1164.000	35.57	54.0	18.43	AV	45.00	100	Vertical	Pass
2	2479.900	97.07	74.0	-23.07	Peak	244.00	150	Vertical	N/A
2**	2479.900	95.98	54.0	-41.98	AV	244.00	150	Vertical	N/A
3	4824.500	49.14	74.0	24.86	Peak	229.00	200	Vertical	Pass
3**	4824.500	40.78	54.0	13.22	AV	229.00	200	Vertical	Pass
4	7586.750	54.04	74.0	19.96	Peak	67.00	400	Vertical	Pass
4**	7586.750	43.91	54.0	10.09	AV	67.00	400	Vertical	Pass
5	9913.775	54.66	74.0	19.34	Peak	60.00	400	Vertical	Pass
5**	9913.775	48.54	54.0	5.46	AV	60.00	400	Vertical	Pass
6	17131.125	55.21	74.0	18.79	Peak	132.00	100	Vertical	Pass
6**	17131.125	45.96	54.0	8.04	AV	132.00	100	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.500	42.93	74.0	31.07	Peak	217.00	200	Horizontal	Pass
1**	1512.500	33.17	54.0	20.83	AV	217.00	200	Horizontal	Pass
2	2401.900	95.81	74.0	-21.81	Peak	109.00	150	Horizontal	N/A
2**	2401.900	92.51	54.0	-38.51	AV	109.00	150	Horizontal	N/A
3	4823.750	49.36	74.0	24.64	Peak	261.00	200	Horizontal	Pass
3**	4823.750	40.25	54.0	13.75	AV	261.00	200	Horizontal	Pass
4	7967.000	53.22	74.0	20.78	Peak	181.00	400	Horizontal	Pass
4**	7967.000	44.99	54.0	9.01	AV	181.00	400	Horizontal	Pass
5	12484.000	53.56	74.0	20.44	Peak	4.00	300	Horizontal	Pass
5**	12484.000	43.89	54.0	10.11	AV	4.00	300	Horizontal	Pass
6	17120.625	54.94	74.0	19.06	Peak	31.00	200	Horizontal	Pass
6**	17120.625	45.02	54.0	8.98	AV	31.00	200	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.100	48.49	74.0	25.51	Peak	50.00	200	Vertical	Pass
1**	1163.100	34.30	54.0	19.70	AV	50.00	200	Vertical	Pass
2	2402.100	97.37	74.0	-23.37	Peak	113.00	200	Vertical	N/A
2**	2402.100	94.56	54.0	-40.56	AV	113.00	200	Vertical	N/A
3	2594.100	55.43	74.0	18.57	Peak	148.00	100	Vertical	Pass
3**	2594.100	51.94	54.0	2.06	AV	148.00	100	Vertical	Pass
4	6907.250	53.56	74.0	20.44	Peak	35.00	400	Vertical	Pass
4**	6907.250	44.39	54.0	9.61	AV	35.00	400	Vertical	Pass
5	12462.862	53.34	74.0	20.66	Peak	251.00	400	Vertical	Pass
5**	12462.862	43.87	54.0	10.13	AV	251.00	400	Vertical	Pass
6	17029.801	55.11	74.0	18.89	Peak	115.00	400	Vertical	Pass
6**	17029.801	46.27	54.0	7.73	AV	115.00	400	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	42.74	74.0	31.26	Peak	256.00	200	Horizontal	Pass
1**	1329.900	34.12	54.0	19.88	AV	256.00	200	Horizontal	Pass
2	2441.000	96.73	74.0	-22.73	Peak	118.00	200	Horizontal	N/A
2**	2441.000	93.59	54.0	-39.59	AV	118.00	200	Horizontal	N/A
3	4879.250	47.57	74.0	26.43	Peak	304.00	100	Horizontal	Pass
3**	4879.250	44.14	54.0	9.86	AV	304.00	100	Horizontal	Pass
4	7927.500	53.80	74.0	20.20	Peak	2.00	100	Horizontal	Pass
4**	7927.500	44.38	54.0	9.62	AV	2.00	100	Horizontal	Pass
5	12501.812	53.36	74.0	20.64	Peak	153.00	200	Horizontal	Pass
5**	12501.812	43.90	54.0	10.10	AV	153.00	200	Horizontal	Pass
6	17137.162	55.59	74.0	18.41	Peak	137.00	400	Horizontal	Pass
6**	17137.162	47.30	54.0	6.70	AV	137.00	400	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.300	47.58	74.0	26.42	Peak	92.00	200	Vertical	Pass
1**	1161.300	34.12	54.0	19.88	AV	92.00	200	Vertical	Pass
2	2441.200	97.63	74.0	-23.63	Peak	243.00	200	Vertical	N/A
2**	2441.200	94.79	54.0	-40.79	AV	243.00	200	Vertical	N/A
3	4869.250	49.20	74.0	24.80	Peak	2.00	150	Vertical	Pass
3**	4869.250	40.59	54.0	13.41	AV	2.00	150	Vertical	Pass
4	7308.000	53.31	74.0	20.69	Peak	104.00	200	Vertical	Pass
4**	7308.000	43.15	54.0	10.85	AV	104.00	200	Vertical	Pass
5	9757.737	53.71	74.0	20.29	Peak	51.00	300	Vertical	Pass
5**	9757.737	46.96	54.0	7.04	AV	51.00	300	Vertical	Pass
6	16993.574	55.11	74.0	18.89	Peak	23.00	400	Vertical	Pass
6**	16993.574	45.51	54.0	8.49	AV	23.00	400	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.800	42.36	74.0	31.64	Peak	0.00	400	Horizontal	Pass
1**	1348.800	33.08	54.0	20.92	AV	0.00	400	Horizontal	Pass
2	2479.900	95.93	74.0	-21.93	Peak	114.00	200	Horizontal	N/A
2**	2479.900	95.07	54.0	-41.07	AV	114.00	200	Horizontal	N/A
3	4806.250	49.61	74.0	24.39	Peak	224.00	150	Horizontal	Pass
3**	4806.250	40.10	54.0	13.90	AV	224.00	150	Horizontal	Pass
4	6972.250	54.11	74.0	19.89	Peak	42.00	100	Horizontal	Pass
4**	6972.250	44.27	54.0	9.73	AV	42.00	100	Horizontal	Pass
5	12390.901	52.98	74.0	21.02	Peak	10.00	300	Horizontal	Pass
5**	12390.901	43.02	54.0	10.98	AV	10.00	300	Horizontal	Pass
6	17040.824	54.73	74.0	19.27	Peak	43.00	100	Horizontal	Pass
6**	17040.824	45.23	54.0	8.77	AV	43.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	47.95	74.0	26.05	Peak	64.00	200	Vertical	Pass
1**	1331.700	35.55	54.0	18.45	AV	64.00	200	Vertical	Pass
2	2479.900	97.69	74.0	-23.69	Peak	243.00	150	Vertical	N/A
2**	2479.900	94.08	54.0	-40.08	AV	243.00	150	Vertical	N/A
3	4865.000	50.18	74.0	23.82	Peak	123.00	100	Vertical	Pass
3**	4865.000	40.33	54.0	13.67	AV	123.00	100	Vertical	Pass
4	7963.750	53.40	74.0	20.60	Peak	360.00	300	Vertical	Pass
4**	7963.750	44.33	54.0	9.67	AV	360.00	300	Vertical	Pass
5	9914.013	54.22	74.0	19.78	Peak	60.00	400	Vertical	Pass
5**	9914.013	50.99	54.0	3.01	AV	60.00	400	Vertical	Pass
6	17646.676	56.19	74.0	17.81	Peak	105.00	100	Vertical	Pass
6**	17646.676	46.52	54.0	7.48	AV	105.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Test DataLeft Ear

GFSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2379.250	55.11	74.0	18.89	Peak	92.00	150	Horizontal	Pass
1**	2379.250	43.49	54.0	10.51	AV	92.00	150	Horizontal	Pass
2	2389.950	53.49	74.0	20.51	Peak	29.00	150	Horizontal	Pass
2**	2389.950	43.18	54.0	10.82	AV	29.00	150	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	56.39	74.0	17.61	Peak	36.00	100	Horizontal	Pass
1**	2483.515	47.77	54.0	6.23	AV	36.00	100	Horizontal	Pass
2	2495.020	56.04	74.0	17.96	Peak	2.00	150	Horizontal	Pass
2**	2495.020	43.90	54.0	10.10	AV	2.00	150	Horizontal	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2352.450	55.15	74.0	18.85	Peak	360.00	150	Horizontal	Pass
1**	2352.450	43.78	54.0	10.22	AV	360.00	150	Horizontal	Pass
2	2389.950	52.70	74.0	21.30	Peak	70.00	200	Horizontal	Pass
2**	2389.950	43.06	54.0	10.94	AV	70.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.02	74.0	17.98	Peak	21.00	100	Horizontal	Pass
1**	2483.500	45.98	54.0	8.02	AV	21.00	100	Horizontal	Pass
2	2496.430	55.67	74.0	18.33	Peak	2.00	200	Horizontal	Pass
2**	2496.430	43.91	54.0	10.09	AV	2.00	200	Horizontal	Pass

Right Ear**GFSK LOW CHANNEL**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2329.050	55.30	74.0	18.70	Peak	182.00	100	Vertical	Pass
1**	2329.050	44.18	54.0	9.82	AV	182.00	100	Vertical	Pass
2	2389.950	52.42	74.0	21.58	Peak	358.00	150	Vertical	Pass
2**	2389.950	43.11	54.0	10.89	AV	358.00	150	Vertical	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.06	74.0	16.94	Peak	251.00	200	Vertical	Pass
1**	2483.500	50.39	54.0	3.61	AV	251.00	200	Vertical	Pass
2	2483.725	56.71	74.0	17.29	Peak	118.00	200	Vertical	Pass
2**	2483.725	49.28	54.0	4.72	AV	118.00	200	Vertical	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2336.350	54.97	74.0	19.03	Peak	218.00	200	Vertical	Pass
1**	2336.350	43.65	54.0	10.35	AV	218.00	200	Vertical	Pass
2	2389.950	53.02	74.0	20.98	Peak	50.00	100	Vertical	Pass
2**	2389.950	43.40	54.0	10.60	AV	50.00	100	Vertical	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.12	74.0	16.88	Peak	117.00	100	Vertical	Pass
1**	2483.500	49.06	54.0	4.94	AV	117.00	100	Vertical	Pass
2	2483.740	57.65	74.0	16.35	Peak	256.00	200	Vertical	Pass
2**	2483.740	49.38	54.0	4.62	AV	256.00	200	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2510030-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2510030-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2510030-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--