

RF EXPOSURE REPORT



FCC Applicant:	Quanta Computer Inc No.188, Wenhua 2nd Rd., Guishan Dist., Taoyuan City 33377, Taiwan (R.O.C)
Product Name:	All-in-One PC
Brand Name:	HP
Model No.:	TPC-Q084-34
Model Difference:	N/A
Report Number:	E2/2021/40052
FCC ID	HFSQTA-NZG
Issue Date:	May 20, 2021
Date of Test:	April 27, 2021 - May 13, 2021
Date of EUT Received:	April 27, 2021

John Teh

Approved By

John Yeh

We hereby certify that:

The above equipment was verified by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

wan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Revision History							
Report Number Revision Description Issue Date Revised							
E2/2021/40052	00	Original.	May 20, 2021	Yami Kuo			

Note:

1、 Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fastification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No 134 Wu Kung Deced New Taiped Journal Dev. Wurkup Terret United, New Taiped Journal Dev. Wurkup Terret Journal offenders and the print of the Company.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



DESCRIPTION OF EQUIPMENT UNDER TEST (EUT) 1

1.1 **Product Description**

Product Name:	All-in-One PC
Brand Name:	HP
Model No.:	TPC-Q084-34
Model Difference:	N/A
Hardware Version:	N/A
Firmware Version:	N/A
Power Supply:	19.5 Vdc from AC/DC Adapter

1.2 **Test Facility**

Laboratory	Test Site Address		FCC Designation number
SGS Taiwan Ltd. Central RF Lab.		No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan.	TW0027
(TAF code 3702)	X	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	TW0028

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fastification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No 134 Wu Kung Deced New Taiped Journal Dev. Wurkup Terret United, New Taiped Journal Dev. Wurkup Terret Journal offenders and the print of the Company.

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



2 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

2.1 Standard Applicable

According to KDB 680106 D01 RF Exposure Wireless Charging App v03

RF exposure potential to users and bystanders is expected to vary according to factors inherent to the design of individual systems, which generally requires different evaluation considerations to show compliance.

When exposure concerns arise; for example, due to evolving products and operations, RF exposure evaluation may be requested under the provisions of Sections 1.1307 (c) and (d) to determine compliance. Because of significant variations in design and operating characteristics, the procedures required to evaluate RF exposure compliance for wireless power transfer are considered according to the exposure potentials of individual implementations

The RF exposure requirements must be determined in conjunction with the device operating characteristics, according to the mobile and portable exposure requirements in Sections 2.1091 and 2.1093 of the rules. SAR and MPE limits do not cover the frequency range for wireless power transfer applications which operate below 100 kHz and 300 kHz respectively; therefore, RF exposure compliance needs to be determined with respect to Sections 1.1307 (c) and (d) of the FCC rules.

2.2 Limits for Maximum Permissive Exposure (MPE)

Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m. A KDB inquiry is required to determine the applicable exposure limits below 100 kHz.

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
	(A) Limits for O	Occupational/Controlled Expo	sure	
0.3-3.0	614	1.63	*100	6
3.0-30	1842/1	4.89/1	*900/f ²	6
30-300	61.4	0.163	1.0	6
300-1,500			f/300	6
1,500-100,000			5	6
	(B) Limits for Gene	ral Population/Uncontrolled	Exposure	
0.3-1.34	614	1.63	*100	30
1.34-30	824/1	2.19/1	*180/f ²	30
30-300	27.5	0.073	0.2	30
300-1,500			f/1500	30
1,500-100,000			1.0	30

TABLE 1-LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

f = frequency in MHz * = Plane-wave equivalent power density

www.sqs.com.tw

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

Member of SGS Group

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions of the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.3 The Worst Charging Condition:

Ancillary Equipment	Charging Condition	Verdict
Load	Full Loading	PASS
Load	99% Loading	PASS
Load	50% Loading	PASS
Load	1% Loading	PASS
Note: For Wireless Power Consortiun high duty cycle result in the trar current.		


2.4 **Measurement Procedure:**

For devices designed for typical desktop applications, such a wireless charging pads, RF exposure evaluation should be conducted assuming a user separation distance. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with proper distances measured from the center of the probe(s) to the edge of the device as per KDB 680106 D01.

2.5 **Measurement Equipment Used:**

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EM RADIATION METER	Wandel&Goltermann	EMR-30	M-0006	2020/10/08	2021/10/07

2.6 **Test Set-up:**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions // electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions // sgs.com.tw/Terms www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein and the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 van Ltd. 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

and for



2.7 Maximum Permissible Exposure (MPE) Evaluation:

Loading

full	Ma	ximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	10 cm	0.43	0.0013
	Back	10 cm	0.75	0.0015
	Left	10 cm	0.51	0.0019
	Right	10 cm	0.65	0.0018
	Тор	10 cm	1.01	0.0025
	Bottom	10 cm	0.50	0.0014
	Limit	•	614	0.815

99%	Ma	aximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	10 cm	0.42	0.0015
	Back	10 cm	0.76	0.0017
	Left	10 cm	0.51	0.0018
	Right	10 cm	0.62	0.0019
	Тор	10 cm	1.01	0.0027
	Bottom	10 cm	0.50	0.0013
	Limit		614	0.815

90%	Ma	ximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	10 cm	0.44	0.0013
	Back	10 cm	0.77	0.0015
	Left	10 cm	0.49	0.0015
	Right	10 cm	0.63	0.0018
	Тор	10 cm	1.02	0.0027
	Bottom	10 cm	0.47	0.0013
	Limit		614	0.815

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fastification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No 134 Wu Kung Deced New Taiped Journal Dev. Wurkup Terret United, New Taiped Journal Dev. Wurkup Terret Journal offenders and the print of the Company.

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



50%	Ma	aximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	10 cm	0.42	0.0013
	Back	10 cm	0.73	0.0015
	Left	10 cm	0.51	0.0017
	Right	10 cm	0.65	0.0020
	Тор	10 cm	1.00	0.0027
	Bottom	10 cm	0.48	0.0013
	Limit		614	0.815

10%	Ма	ximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	10 cm	0.43	0.0016
	Back	10 cm	0.75	0.0014
	Left	10 cm	0.52	0.0015
	Right	10 cm	0.65	0.0017
	Тор	10 cm	0.99	0.0027
	Bottom	10 cm	0.50	0.0012
	Limit		614	0.815

1%	Max	ximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	10 cm	0.44	0.0015
	Back	10 cm	0.75	0.0014
	Left	10 cm	0.51	0.0018
	Right	10 cm	0.66	0.0020
	Тор	10 cm	0.99	0.0026
	Bottom	10 cm	0.48	0.0014
	Limit		614	0.815

台灣檢驗科技股份有限公司

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Loading					
full	Maximum Permissible Exposure				
	Probe from EUT Side	Test Distance	V/m	A/m	
	Front	15 cm	0.38	0.0012	
	Back	15 cm	0.69	0.0013	
	Left	15 cm	0.42	0.0017	
	Right	15 cm	0.54	0.0016	
	Тор	15 cm	0.60	0.0013	
	Bottom	15 cm	0.45	0.0011	
	Limit		614	0.815	

99%	Maximum Permissible Exposure			
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	15 cm	0.37	0.0013
	Back	15 cm	0.67	0.0015
	Left	15 cm	0.43	0.0017
	Right	15 cm	0.54	0.0018
	Тор	15 cm	0.57	0.0012
	Bottom	15 cm	0.45	0.0011
	Limit		614	0.815

90%	Maximum Permissible Exposure			
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	15 cm	0.36	0.0012
	Back	15 cm	0.66	0.0014
	Left	15 cm	0.45	0.0013
	Right	15 cm	0.54	0.0015
	Тор	15 cm	0.60	0.0015
	Bottom	15 cm	0.44	0.0011
	Limit	Limit		0.815

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



50%	Maximum Permissible Exposure			
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	15 cm	0.37	0.0013
	Back	15 cm	0.69	0.0013
	Left	15 cm	0.42	0.0013
	Right	15 cm	0.55	0.0016
	Тор	15 cm	0.59	0.0013
	Bottom	15 cm	0.45	0.0013
	Limit		614	0.815

10%	Maximum Permissible Exposure			
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	15 cm	0.38	0.0012
	Back	15 cm	0.68	0.0012
	Left	15 cm	0.46	0.0015
	Right	15 cm	0.54	0.0015
	Тор	15 cm	0.60	0.0013
	Bottom	15 cm	0.46	0.0009
	Limit	Limit		0.815

1%	Ма	ximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	15 cm	0.36	0.0010
	Back	15 cm	0.69	0.0014
	Left	15 cm	0.44	0.0014
	Right	15 cm	0.56	0.0019
	Тор	15 cm	0.58	0.0012
	Bottom	15 cm	0.46	0.0013
	Limit		614	0.815

台灣檢驗科技股份有限公司

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Loading				
full	Maxi	imum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	20 cm	0.35	0.0008
	Back	20 cm	0.44	0.0012
	Left	20 cm	0.41	0.0015
	Right	20 cm	0.51	0.0016
	Тор	20 cm	0.53	0.0013
	Bottom	20 cm	0.46	0.0011
	Limit		614	0.815

99%	Ma	aximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	20 cm	0.36	0.0010
	Back	20 cm	0.45	0.0015
	Left	20 cm	0.42	0.0013
	Right	20 cm	0.49	0.0014
	Тор	20 cm	0.52	0.0012
	Bottom	20 cm	0.45	0.0010
	Limit		614	0.815

90%	Ma	aximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	20 cm	0.34	0.0008
	Back	20 cm	0.45	0.0012
	Left	20 cm	0.41	0.0012
	Right	20 cm	0.47	0.0014
	Тор	20 cm	0.52	0.0013
	Bottom	20 cm	0.43	0.0010
	Limit		614	0.815

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



50%	Ma	aximum Permissible	Exposure	
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	20 cm	0.35	0.0009
	Back	20 cm	0.46	0.0011
	Left	20 cm	0.39	0.0011
	Right	20 cm	0.51	0.0015
	Тор	20 cm	0.54	0.0012
	Bottom	20 cm	0.43	0.0012
	Limit		614	0.815

10%	Maximum Permissible Exposure			
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	20 cm	0.36	0.0006
	Back	20 cm	0.43	0.0012
	Left	20 cm	0.41	0.0013
	Right	20 cm	0.51	0.0014
	Тор	20 cm	0.53	0.0012
	Bottom	20 cm	0.42	0.0008
	Limit	Limit		0.815

1%	Maximum Permissible Exposure			
	Probe from EUT Side	Test Distance	V/m	A/m
	Front	20 cm	0.36	0.0010
	Back	20 cm	0.44	0.0014
	Left	20 cm	0.40	0.0013
	Right	20 cm	0.51	0.0017
	Тор	20 cm	0.53	0.0010
	Bottom	20 cm	0.43	0.0011
	Limit		614	0.815

台灣檢驗科技股份有限公司

wan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488