

TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.283 mW/g, SAR (10g): 0.166 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.2cm from flat phantom to back of phone, w/BeltClip

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.255 mW/g, SAR (10g): 0.146 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.2cm from flat phantom to back of phone, w/BeltClip

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.276 mW/g, SAR (10g): 0.161 mW/g

TOSHIBA TriMode phone Model: CDM-9155GPX

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.2cm from flat phantom to back of phone, w/BeltClip

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.257 mW/g, SAR (10g): 0.145 mW/g

TOSHIBA TriMode phone Model: CDM-9155GPX

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.2cm from flat phantom to back of phone, w/BeltClip

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.238 mW/g, SAR (10g): 0.135 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.2cm from flat phantom to back of phone, w/BeltClip

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.225 mW/g, SAR (10g): 0.120 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.2cm from flat phantom to back of phone, w/BeltClip

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.185 mW/g, SAR (10g): 0.111 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.5cm from flat phantom to back of phone, w/Holster

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.180 mW/g, SAR (10g): 0.108 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.5cm from flat phantom to back of phone, w/Holster

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.175 mW/g, SAR (10g): 0.104 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.5cm from flat phantom to back of phone, w/Holster

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.173 mW/g, SAR (10g): 0.103 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.5cm from flat phantom to back of phone, w/Holster

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.152 mW/g, SAR (10g): 0.0896 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.5cm from flat phantom to back of phone, w/Holster

Test Date -- 11/30/2001



TOSHIBA FCC ID: CJ6DCE45380A -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.156 mW/g, SAR (10g): 0.0912 mW/g

TOSHIBA TriMode phone Model:CDM-9155GPX

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.0dBm; Spacing = 2.5cm from flat phantom to back of phone, w/Holster

Test Date -- 11/30/2001

