


**[11n(HT20)]**  
**W56 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
 Operator : K.Saito  
 Temp,Hum : 22.6[°C] 31.3[%]  
 Note1 : CH:100 5500MHz  
 Note2 :




**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.747	H	45.5	-12.2	33.3	46.0	12.7	100.0	251.0	
2	739.506	H	35.3	-6.0	29.3	46.0	16.7	131.0	275.0	
3	493.001	H	51.4	-9.2	42.2	46.0	3.8	198.0	258.0	
4	493.001	V	45.3	-9.2	36.1	46.0	9.9	198.0	330.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT20)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5468.975	H	50.5		11.8	62.3		68.2	54.0	5.9		133.0	143.0	
2	5467.011	V	50.0		11.8	61.8		68.2	54.0	6.4		273.0	187.0	
3	11000.000	H	46.0	30.8	12.3	58.3	43.1	74.0	54.0	15.7	10.9	129.0	63.0	


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT20)]**  
**W56 / Channel Middle**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:Mid

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 22.1[°C] 36.9[%]  
 Note1 : CH:116 5580MHz  
 Note2 :




**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	46.6	-12.2	34.4	46.0	11.6	100.0	89.0	
2	493.000	H	50.2	-9.2	41.0	46.0	5.0	201.0	262.0	
3	493.000	V	44.3	-9.2	35.1	46.0	10.9	208.0	343.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT20)]**  
**W56 / Channel Middle**  
**ABOVE 1GHz**



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	45.8	31.3	12.3	58.1	43.6	74.0	54.0	15.9	10.4	120.0	142.0	


## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT20)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 22.1[°C] 36.9[%]  
 Note1 : CH:140 5700MHz  
 Note2 :




**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	46.3	-12.2	34.1	46.0	11.9	100.0	90.0	
2	493.000	H	50.3	-9.2	41.1	46.0	4.9	202.0	260.0	
3	493.000	V	44.5	-9.2	35.3	46.0	10.7	212.0	338.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT20)]**  
**W56 / Channel High**  
**ABOVE 1GHz**



## Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11400.000	H	46.1	31.1	12.5	58.6	43.6	74.0	54.0	15.4	10.4	135.0	138.0


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT20)]**  
**W56 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W56\_11n(HT20)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 22.1[°C] 36.9[%]  
 Note1 : CH:144 5720MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	46.6	-12.2	34.4	46.0	11.6	100.0	88.0	
2	493.000	H	50.9	-9.2	41.7	46.0	4.3	203.0	268.0	
3	493.000	V	45.0	-9.2	35.8	46.0	10.2	210.0	340.0	

**Note:**


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]



**[11n(HT20)]**  
**W56 / Channel High**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : WLAN\_W56\_11n(HT20)\_Tx\_High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum,Atm : 23.1[°C] 39.9[%]  
 Note1 : ch:144.5720MHz  
 Note2 :



## Final Result


No.	Frequency (P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11440.000	H	46.2	31.1	12.5	58.7	43.6	74.0	54.0	15.3	10.4	130.0	141.0

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]**  
**W52 / Channel Low**  
**BELOW 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	45.8	-12.2	33.6	46.0	12.4	100.0	87.0	
2	493.000	H	50.3	-9.2	41.1	46.0	4.9	202.0	257.0	
3	493.000	V	44.6	-9.2	35.4	46.0	10.6	209.0	343.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT40)]**  
**W52 / Channel Low**  
**ABOVE 1GHz**



**Final Result**

No.	Frequency	(P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK [dB(μV)]	[dB(1/m)]	PK [dB(μV/m)]	PK [dB(μV/m)]	PK [dB]	[cm]	[°]	
1	10380.000	H	46.2	11.2	57.4	68.2	10.8	112.0	152.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W52 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W52\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 24.4[°C] 30.5[%]  
 Note1 : CH:46 5230MHz  
 Note2 :




**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	46.4	-12.2	34.2	46.0	11.8	100.0	86.0	
2	493.000	H	50.7	-9.2	41.5	46.0	4.5	206.0	262.0	
3	493.000	V	44.8	-9.2	35.6	46.0	10.4	213.0	343.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT40)]**  
**W52 / Channel High**  
**ABOVE 1GHz**



**Final Result**

No.	Frequency	(P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK [dB(μV)]	[dB(1/m)]	PK [dB(μV/m)]	PK [dB(μV/m)]	PK [dB]	[cm]	[°]	
1	10460.000	H	45.9	11.4	57.3	68.2	10.9	131.0	185.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 24.4[°C] 30.5[%]  
 Note1 : CH:54 5270MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	46.0	-12.2	33.8	46.0	12.2	100.0	83.0	
2	493.000	H	50.8	-9.2	41.6	46.0	4.4	203.0	258.0	
3	493.000	V	44.7	-9.2	35.5	46.0	10.5	217.0	349.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT40)]**  
**W53 / Channel Low**  
**ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : WLAN\_W53\_11n(HT40)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : C.Kanno  
 Temp,Hum,Atm : 22.3[°C] 35.4[%]  
 Note1 : ch:54\_5270MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	46.2	11.5	57.7	68.2	10.5	118.0	155.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W53 / Channel High**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W53\_11n(HT40)\_Tx\_ch:High

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 24.4[°C] 30.5[%]  
 Note1 : CH:62 5310MHz  
 Note2 :



**Final Result**


No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	493.000	V	44.3	-9.2	35.1	46.0	10.9	215.0	341.0	
2	493.000	H	49.9	-9.2	40.7	46.0	5.3	204.0	255.0	
3	369.750	H	44.3	-12.2	32.1	46.0	13.9	100.0	87.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]



**[11n(HT40)]**  
**W53 / Channel High**  
**ABOVE 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	46.9	31.9	11.7	58.6	43.6	74.0	54.0	15.4	10.4	106.0	228.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Low**  
**BELOW 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	45.4	-12.2	33.2	46.0	12.8	100.0	98.0	
2	493.000	H	50.2	-9.2	41.0	46.0	5.0	201.0	259.0	
3	493.000	V	44.6	-9.2	35.4	46.0	10.6	214.0	338.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT40)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5466.400	H	49.8	—	11.8	61.6	—	68.2	54.0	6.6	—	135.0	85.0	
2	5467.600	V	49.6	—	11.8	61.4	—	68.2	54.0	6.8	—	118.0	226.0	
3	11020.000	H	45.8	32.0	12.3	58.1	44.3	74.0	54.0	15.9	9.7	128.0	132.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel Middle**  
**BELOW 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	493.000	V	44.9	-9.2	35.7	46.0	10.3	215.0	342.0	
2	493.000	H	50.7	-9.2	41.5	46.0	4.5	205.0	261.0	
3	369.750	H	45.7	-12.2	33.5	46.0	12.5	100.0	84.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]

**[11n(HT40)]**  
**W56 / Channel Middle**  
**ABOVE 1GHz**




## Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11100.000	H	46.3	31.8	12.3	58.6	44.1	74.0	54.0	15.4	9.9	119.0	63.0

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11n(HT40)]**  
**W56 / Channel High**  
**BELOW 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	46.0	-12.2	33.8	46.0	12.2	100.0	86.0	
2	493.000	H	50.6	-9.2	41.4	46.0	4.6	203.0	260.0	
3	493.000	V	45.0	-9.2	35.8	46.0	10.2	219.0	337.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT40)]**  
**W56 / Channel High**  
**ABOVE 1GHz**



## Final Result


No.	Frequency (P)	Reading PK	Reading AV	c.f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark	
	[MHz]	[dB(μ V)]	[dB(μ V)]	[dB(1/m)]	[dB(μ V/m)]	[dB(μ V/m)]	[dB(μ V/m)]	[dB(μ V/m)]	[dB]	[dB]	[cm]	[°]		
1	11340.000	H	46.4	31.4	12.4	58.8	43.8	74.0	54.0	15.2	10.2	131.0	112.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



**[11n(HT40)]**  
**W56 / Channel High**  
**BELOW 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	45.5	-12.2	33.3	46.0	12.7	100.0	89.0	
2	493.000	H	50.5	-9.2	41.3	46.0	4.7	203.0	259.0	
3	493.000	V	44.9	-9.2	35.7	46.0	10.3	215.0	340.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11n(HT40)]**  
**W56 / Channel High**  
**ABOVE 1GHz**



## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11420.000	H	46.0	31.0	12.5	58.5	43.5	74.0	54.0	15.5	10.5	100.0	189.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.


# [11ac(VHT80)] W52

## BELOW 1GHz

Company name : KYOCERA Corporation  
EUT : Tablet  
Model No. : KC-T303DT  
Serial No. : 1080FCCR02  
Test mode : 5GHz\_W52\_11ac(VHT80)\_Tx

Standard : FCC Part.15 subpart E  
Operator : T.Seino  
Temp,Hum : 24.4[°C] 30.5[%]  
Note1 : CH:42 5210MHz  
Note2 :

[dB(μV/m)]




## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	45.6	-12.2	33.4	46.0	12.6	100.0	88.0	
2	493.000	H	50.6	-9.2	41.4	46.0	4.6	204.0	261.0	
3	493.000	V	44.9	-9.2	35.7	46.0	10.3	219.0	336.0	

## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]

**[11ac(VHT80)]****W52****ABOVE 1GHz****Final Result**

No.	Frequency	(P)	Reading	c.f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK		PK	PK	PK			
			[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10420.000	H	45.7	11.3	57.0	68.2	11.2	128.0	165.0	

**Note:**


1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W53**

**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W53\_11ac(VHT80)\_Tx

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 24.4[°C] 30.5[%]  
 Note1 : CH:58 5290MHz  
 Note2 :



**Final Result**

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	45.6	-12.2	33.4	46.0	12.6	100.0	85.0	
2	493.000	H	50.6	-9.2	41.4	46.0	4.6	263.0	0.0	
3	493.000	V	44.9	-9.2	35.7	46.0	10.3	217.0	341.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11ac(VHT80)]****W53****ABOVE 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : WLAN\_W53\_11ac(VHT80)\_Tx\_Low

Standard : FCC Part.15 subpart E  
 Operator : C.Kanno  
 Temp,Hum,Atm : 22.3[°C] 35.4[%]  
 Note1 : ch:58\_5290MHz  
 Note2 :

**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10580.000	H	46.7	11.6	58.3	68.2	9.9	100.0	189.0	


**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel Low**  
**BELOW 1GHz**

Company name : KYOCERA Corporation  
 EUT : Tablet  
 Model No. : KC-T303DT  
 Serial No. : 1080FCCR02  
 Test mode : 5GHz\_W56\_11ac(VHT80)\_Tx\_ch:Low

Standard : FCC Part.15 subpart E  
 Operator : T.Seino  
 Temp,Hum : 24.4[°C] 30.5[%]  
 Note1 : CH:106 5530MHz  
 Note2 :



**Final Result**


No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	45.7	-12.2	33.5	46.0	12.5	100.0	87.0	
2	493.000	H	50.7	-9.2	41.5	46.0	4.5	204.0	263.0	
3	493.000	V	44.7	-9.2	35.5	46.0	10.5	214.0	346.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]



**[11ac(VHT80)]**  
**W56 / Channel Low**  
**ABOVE 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5461.200	H	50.6		11.8	62.4		68.2	54.0	5.8		100.0	54.0	
2	5469.100	V	50.3		11.8	62.1		68.2	54.0	6.1		166.0	33.0	
3	11060.000	H	46.4	32.1	12.3	58.7	44.4	74.0	54.0	15.3	9.6	141.0	66.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel High**  
**BELOW 1GHz**




**Final Result**

No.	Frequency	(P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		QP		QP	QP	QP			
			[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	369.750	H	45.7	-12.2	33.5	46.0	12.5	100.0	88.0	
2	493.000	H	50.7	-9.2	41.5	46.0	4.5	203.0	269.0	
3	493.000	V	44.8	-9.2	35.6	46.0	10.4	221.0	343.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]

**[11ac(VHT80)]**  
**W56 / Channel High**  
**ABOVE 1GHz**




## Final Result

No.	Frequency	(P)	Reading	Reading	c. f	Result	Result	Limit	Limit	Margin	Margin	Height	Angle	Remark
	[MHz]		[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11220.000	H	46.1	31.7	12.4	58.5	44.1	74.0	54.0	15.5	9.9	113.0	192.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

**[11ac(VHT80)]**  
**W56 / Channel High**  
**BELOW 1GHz**




**Final Result**

No.	Frequency	(P)	Reading	c. f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		QP		QP	QP	QP			
			[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	369.750	H	45.6	-12.2	33.4	46.0	12.6	100.0	87.0	
2	493.000	H	50.7	-9.2	41.5	46.0	4.5	203.0	264.0	
3	493.000	V	44.9	-9.2	35.7	46.0	10.3	213.0	337.0	

**Note:**

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]

**[11ac(VHT80)]**  
**W56 / Channel High**  
**ABOVE 1GHz**




## Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11380.000	H	46.0	31.3	12.5	58.5	43.8	74.0	54.0	15.5	10.2	100.0	168.0	

## Note:

- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

## Receive mode

W52 / Channel Low  
BELOW 1GHz

## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c.f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.800	H	45.9	-12.2	33.7	46.0	12.3	100.0	255.0	
2	493.000	H	50.8	-9.2	41.6	46.0	4.4	207.0	267.0	
3	493.000	V	43.8	-9.2	34.6	46.0	11.4	198.0	0.0	


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]



Japan

**W52 / Channel Low  
ABOVE 1GHz**



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[° ]	

- Note:
- Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
  - No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.




# W53 / Channel High BELOW 1GHz

Company name : KYOCERA Corporation  
EUT : Tablet  
Model No. : KC-T303DT  
Serial No. : 1080FCCRF02  
Test mode : 5GHz\_W53\_Rx\_High

Standard : FCC Part.15 subpart E  
Operator : C.Kanno  
Temp,Hum,Atm : 22.8[°C] 35.9[%]  
Note1 : Ch:64\_5320MHz  
Note2 :

[dB(μV/m)]



## Final Result

No.	Frequency [MHz]	(P)	Reading QP [dB(μV)]	c. f [dB(1/m)]	Result QP [dB(μV/m)]	Limit QP [dB(μV/m)]	Margin QP [dB]	Height [cm]	Angle [°]	Remark
1	369.750	H	44.2	-12.2	32.0	46.0	14.0	100.0	61.0	
2	493.000	H	47.9	-9.2	38.7	46.0	7.3	202.0	233.0	
3	493.000	V	42.9	-9.2	33.7	46.0	12.3	203.0	320.0	


## Note:

1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable - Amp)]



Japan

**W53 / Channel High  
ABOVE 1GHz**



**Final Result**

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[° ]	

- Note:
1. Emission Level (Margin) = Limit - [Reading + Factor ( Antenna + Cable – Amp)]
  2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.