





# **Appendix-C Field Strength of Spurious Radiation**

Project Information							
Mode: GSM850 Band: 5							
Bandwidth:	1	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:	Remark:						
Test Standard: FCC F	PART 22						






Project Information							
Mode: GSM850 Band: 5							
Bandwidth:	1	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:	Remark:						
Test Standard: FCC I	PART 22						






Project Information							
Mode:	GSM850	Band:	850				
Bandwidth:	1	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:	Remark: Polarity:X						
Test Standard: FCC F	PART 22						



Data	Data List								
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/o mali o t
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict
1	1648.4	74.06	-114.09	-40.03	-13.00	27.03	RMS	Horizontal	PASS
2	2472.8	59.11	-111.24	-52.13	-13.00	39.13	RMS	Horizontal	PASS
3	4120.8	59.69	-105.76	-46.07	-13.00	33.07	RMS	Horizontal	PASS




Project Information							
Mode: GSM850 Band: 850							
Bandwidth:	1	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:	Remark: Polarity:X						
Test Standard: FCC F	PART 2						



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1648.4	72.46	-114.09	-41.63	-13.00	28.63	RMS	Vertical	PASS
2	2472.4	56.72	-111.24	-54.52	-	-	RMS	Vertical	NA
3	3296.8	57.89	-108.19	-50.30	-13.00	37.30	RMS	Vertical	PASS
4	4120.8	60.61	-105.76	-45.15	-13.00	32.15	RMS	Vertical	PASS




	Project Information						
Mode: GSM850 Band: 850							
Bandwidth:	1	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:	Remark: Polarity:X						
Test Standard: FCC F	PART 22						



Data	Data List								
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/ondiat
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict
1	1673.2	75.04	-114.14	-39.10	-13.00	26.10	RMS	Horizontal	PASS
2	2509.6	64.98	-111.36	-46.38	-13.00	33.38	RMS	Horizontal	PASS
3	4183.2	60.56	-105.46	-44.90	-13.00	31.90	RMS	Horizontal	PASS




Project Information							
Mode:	Mode: GSM850 Band: 850						
Bandwidth:	1	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark: Polarity:X							
Test Standard: FCC I	Test Standard: FCC PART 22						



Data	Data List								
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict
1	1673.2	72.84	-114.14	-41.30	-13.00	28.30	RMS	Vertical	PASS
2	3346.4	62.44	-108.36	-45.92	-13.00	32.92	RMS	Vertical	PASS
3	4183.2	61.15	-105.46	-44.31	-13.00	31.31	RMS	Vertical	PASS




Project Information							
Mode:	GSM850	Band:	850				
Bandwidth:	1	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:	Remark: Polarity:X						
Test Standard: FCC F	Fest Standard: FCC PART 22						



Data	Data List								
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/o mali o t
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict
1	1697.6	71.57	-114.21	-42.64	-13.00	29.64	RMS	Horizontal	PASS
2	2546.4	65.56	-111.22	-45.66	-13.00	32.66	RMS	Horizontal	PASS
3	3395.2	61.82	-107.59	-45.77	-13.00	32.77	RMS	Horizontal	PASS




	Project Information							
Mode:	GSM850	Band:	850					
Bandwidth:	1	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 22							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1697.6	72.94	-114.21	-41.27	-13.00	28.27	RMS	Vertical	PASS	
2	2546.4	62.14	-111.22	-49.08	-	-	RMS	Vertical	NA	
3	3395.2	64.67	-107.59	-42.92	-13.00	29.92	RMS	Vertical	PASS	
4	4244	58.89	-105.13	-46.24	-13.00	33.24	RMS	Vertical	PASS	




	Project Information							
Mode:	PCS1900	Band:	1900					
Bandwidth:	1	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1850.2	114.35	-93.54	20.81	-	-	RMS	Horizontal	NA	
2	1930.2	49.72	-93.42	-43.70	-	-	RMS	Horizontal	NA	
3	3700.5	63.26	-107.51	-44.25	-13.00	31.25	RMS	Horizontal	PASS	
4	5550.5	45.64	-101.32	-55.68	-13.00	42.68	RMS	Horizontal	PASS	
5	17858	32.80	-82.55	-49.75	-13.00	36.75	RMS	Horizontal	PASS	




	Project Information							
Mode:	PCS1900	Band:	1900					
Bandwidth:	/	Channel:	L					
IMEI:	868259070001568868259070001568	Engineer:	王伟杰					
Remark:	Polarity:X							
Test Standard: FC0	C PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1850.2	116.91	-93.54	23.37	-	-	RMS	Vertical	NA	
2	1930.2	60.48	-93.42	-32.94	-	-	RMS	Vertical	NA	
3	3700.5	64.96	-107.51	-42.55	-13.00	29.55	RMS	Vertical	PASS	
4	5550.5	53.36	-101.32	-47.96	-13.00	34.96	RMS	Vertical	PASS	
5	9251.5	39.80	-92.69	-52.89	-13.00	39.89	RMS	Vertical	PASS	




	Project Information							
Mode:	PCS1900	Band:	1900					
Bandwidth:	/	Channel:	L					
IMEI:	868259070001568868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FC0	C PART 24							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]				
1	1880	110.22	-93.46	16.76	-	-	RMS	Horizontal	NA	
2	3760	62.52	-107.25	-44.73	-13.00	31.73	RMS	Horizontal	PASS	
3	5640	48.52	-100.83	-52.31	-13.00	39.31	RMS	Horizontal	PASS	
4	17348.5	33.03	-82.47	-49.44	-13.00	36.44	RMS	Horizontal	PASS	




	Project Information							
Mode:	PCS1900	Band:	1900					
Bandwidth:	/	Channel:	M					
IMEI:	868259070001568868259070001568	Engineer:	王伟杰					
Remark:	Polarity:X							
Test Standard: FC0	C PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1880	114.95	-93.46	21.49	-	-	RMS	Vertical	NA	
2	1960	49.38	-93.39	-44.01	-	-	RMS	Vertical	NA	
3	3760	64.49	-107.25	-42.76	-13.00	29.76	RMS	Vertical	PASS	
4	5640	51.81	-100.83	-49.02	-13.00	36.02	RMS	Vertical	PASS	
5	17362.5	33.40	-82.89	-49.49	-13.00	36.49	RMS	Vertical	PASS	




	Project Information							
Mode:	PCS1900	Band:	1900					
Bandwidth:	/	Channel:	Н					
IMEI:	868259070001568868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FC0	C PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1909.8	119.25	-93.41	25.84	-	-	RMS	Horizontal	NA	
2	3819.5	66.96	-106.57	-39.61	-13.00	26.61	RMS	Horizontal	PASS	
3	5729.5	43.79	-100.75	-56.96	-13.00	43.96	RMS	Horizontal	PASS	
4	17348.5	33.59	-82.47	-48.88	-13.00	35.88	RMS	Horizontal	PASS	




	Project Information						
Mode:	PCS1900	Band:	1900				
Bandwidth:	/	Channel:	Н				
IMEI:	868259070001568868259070001568	Engineer:	王伟杰				
Remark:	Polarity:X						
Test Standard: FC0	C PART 24						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1909.8	107.71	-93.41	14.30	-	-	RMS	Vertical	NA	
2	1989.8	50.74	-93.28	-42.54	-	-	RMS	Vertical	NA	
3	3819.5	52.99	-106.57	-53.58	-13.00	40.58	RMS	Vertical	PASS	
4	5729.5	50.44	-100.75	-50.31	-13.00	37.31	RMS	Vertical	PASS	
5	17337	33.50	-82.99	-49.49	-13.00	36.49	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	2					
Bandwidth:	20MHz	Channel:	L					
IMEI:	8868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 24							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1851.2	116.99	-93.54	23.45	-	-	RMS	Horizontal	NA
2	3702	60.62	-107.51	-46.89	-13.00	33.89	RMS	Horizontal	PASS
3	5553	48.50	-101.32	-52.82	-13.00	39.82	RMS	Horizontal	PASS
4	7404.5	45.39	-96.34	-50.95	-13.00	37.95	RMS	Horizontal	PASS




	Project Information							
Mode:	LTE	Band:	2					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 24							



Data	Data List								
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict
1	1851.2	104.38	-93.54	10.84	-	-	RMS	Vertical	NA
2	3702	46.54	-107.51	-60.97	-13.00	47.97	RMS	Vertical	PASS
3	5553.5	49.99	-101.32	-51.33	-13.00	38.33	RMS	Vertical	PASS
4	7404.5	57.04	-96.34	-39.30	-13.00	26.30	RMS	Vertical	PASS




	Project Information							
Mode:	LTE	Band:	2					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC I	PART 24							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		lolanty	Verdict	
1	1871	114.70	-93.48	21.22	1	-	RMS	Horizontal	NA	
2	3742	53.49	-107.43	-53.94	-13.00	40.94	RMS	Horizontal	PASS	
3	5613.5	45.11	-101.19	-56.08	-13.00	43.08	RMS	Horizontal	PASS	
4	7484.5	50.94	-96.83	-45.89	-13.00	32.89	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	2					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1871.2	102.43	-93.48	8.95	-	-	RMS	Vertical	NA	
2	5613	49.20	-101.20	-52.00	-13.00	39.00	RMS	Vertical	PASS	
3	7484	55.91	-96.83	-40.92	-13.00	27.92	RMS	Vertical	PASS	
4	17351	35.84	-82.44	-46.60	-13.00	33.60	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	2					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
					[ubiii]	[ub]				
1	1891.2	114.33	-93.43	20.90	-	-	RMS	Horizontal	NA	
2	3782	57.24	-106.88	-49.64	-13.00	36.64	RMS	Horizontal	PASS	
3	5673	44.99	-100.78	-55.79	-13.00	42.79	RMS	Horizontal	PASS	
4	7564.5	49.89	-96.71	-46.82	-13.00	33.82	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	2					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 24							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1891.2	101.50	-93.43	8.07	-	-	RMS	Vertical	NA	
2	3782	47.02	-106.88	-59.86	-13.00	46.86	RMS	Vertical	PASS	
3	5673	53.17	-100.78	-47.61	-13.00	34.61	RMS	Vertical	PASS	
4	7564	56.38	-96.72	-40.34	-13.00	27.34	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	4					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Folanty	verdict	
1	1711.1	118.47	-94.08	24.39	-	-	RMS	Horizontal	NA	
2	3422	73.22	-107.53	-34.31	-13.00	21.31	RMS	Horizontal	PASS	
3	6844.5	45.25	-97.65	-52.40	-13.00	39.40	RMS	Horizontal	PASS	
4	17866	39.34	-82.65	-43.31	-13.00	30.31	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	4					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.2	110.05	-94.08	15.97	-	-	RMS	Vertical	NA
2	3422	63.56	-107.53	-43.97	-13.00	30.97	RMS	Vertical	PASS
3	6844.5	52.25	-97.65	-45.40	-13.00	32.40	RMS	Vertical	PASS
4	8555.5	47.31	-94.54	-47.23	-13.00	34.23	RMS	Vertical	PASS




	Project Information							
Mode:	LTE	Band:	4					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.6	117.13	-94.04	23.09	-	-	RMS	Horizontal	NA
2	3447	73.35	-107.30	-33.95	-13.00	20.95	RMS	Horizontal	PASS
3	6894	44.57	-97.40	-52.83	-13.00	39.83	RMS	Horizontal	PASS
4	17835.5	38.87	-82.67	-43.80	-13.00	30.80	RMS	Horizontal	PASS




	Project Information							
Mode:	LTE	Band:	4					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1723.7	108.83	-94.04	14.79	-	-	RMS	Vertical	NA
2	3447.5	61.48	-107.30	-45.82	-13.00	32.82	RMS	Vertical	PASS
3	6894.5	54.25	-97.40	-43.15	-13.00	30.15	RMS	Vertical	PASS
4	8618	45.93	-94.53	-48.60	-13.00	35.60	RMS	Vertical	PASS




	Project Information							
Mode:	LTE	Band:	4					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1736.2	115.40	-94.00	21.40	-	-	RMS	Horizontal	NA	
2	3472	72.86	-107.15	-34.29	-13.00	21.29	RMS	Horizontal	PASS	
3	6944.5	41.66	-97.81	-56.15	-13.00	43.15	RMS	Horizontal	PASS	
4	17855	38.63	-82.52	-43.89	-13.00	30.89	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	4				
Bandwidth:	20MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC I	PART 27						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1736	107.10	-94.00	13.10	-	-	RMS	Vertical	NA	
2	3472	62.29	-107.15	-44.86	-13.00	31.86	RMS	Vertical	PASS	
3	6944	51.95	-97.80	-45.85	-13.00	32.85	RMS	Vertical	PASS	
4	17360	39.14	-82.79	-43.65	-13.00	30.65	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	5				
Bandwidth:	10MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	est Standard: FCC PART 22						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/ondiat	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1649.2	59.98	-114.08	-54.10	-13.00	41.10	RMS	Horizontal	PASS	
2	2473.6	51.31	-111.25	-59.94	-13.00	46.94	RMS	Horizontal	PASS	
3	3496	43.53	-107.39	-63.86	-13.00	50.86	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	5				
Bandwidth:	10MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 22						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1649.2	51.80	-114.08	-62.28	-13.00	49.28	RMS	Vertical	PASS	
2	2430	52.90	-111.57	-58.67	-13.00	45.67	RMS	Vertical	PASS	
3	3496	43.53	-107.39	-63.86	-13.00	50.86	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	5				
Bandwidth:	10MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 22						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/ondiat	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1664.4	59.53	-114.12	-54.59	-13.00	41.59	RMS	Horizontal	PASS	
2	2496.4	52.67	-111.37	-58.70	-13.00	45.70	RMS	Horizontal	PASS	
3	3526	43.49	-107.59	-64.10	-13.00	51.10	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	5				
Bandwidth:	10MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 22						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/o mali o t	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1664.4	51.72	-114.12	-62.40	-13.00	49.40	RMS	Vertical	PASS	
2	2425.6	56.66	-111.67	-55.01	-13.00	42.01	RMS	Vertical	PASS	
3	3526	43.99	-107.59	-63.60	-13.00	50.60	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	5				
Bandwidth:	10MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 22						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1679.2	60.30	-114.16	-53.86	-13.00	40.86	RMS	Horizontal	PASS	
2	2450	47.71	-111.11	-63.40	-13.00	50.40	RMS	Horizontal	PASS	
3	8892.8	36.98	-93.13	-56.15	-13.00	43.15	RMS	Horizontal	PASS	




Project Information								
Mode:	LTE	Band:	5					
Bandwidth:	10MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 22							



Data	Data List										
2.4	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalavitu	\/o mali o t		
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict		
1	1679.2	49.52	-114.16	-64.64	-13.00	51.64	RMS	Vertical	PASS		
2	2450	52.47	-111.11	-58.64	-13.00	45.64	RMS	Vertical	PASS		
3	3556	43.38	-107.70	-64.32	-13.00	51.32	RMS	Vertical	PASS		




Project Information								
Mode:	LTE	Band:	7					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2501.2	114.03	-90.94	23.09	-	-	RMS	Horizontal	NA	
2	7503	46.08	-96.73	-50.65	-13.00	37.65	RMS	Horizontal	PASS	
3	14677	38.10	-86.09	-47.99	-13.00	34.99	RMS	Horizontal	PASS	
4	17838	38.80	-82.63	-43.83	-13.00	30.83	RMS	Horizontal	PASS	




Project Information								
Mode:	LTE	Band:	7					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2501.1	100.45	-90.94	9.51	-	-	RMS	Vertical	NA	
2	7503	54.44	-96.73	-42.29	-13.00	29.29	RMS	Vertical	PASS	
3	10004.5	47.32	-91.69	-44.37	-13.00	31.37	RMS	Vertical	PASS	
4	12505.5	43.58	-89.77	-46.19	-13.00	33.19	RMS	Vertical	PASS	




Project Information								
Mode:	LTE	Band:	7					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
140.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		1 Glarity	Voluiot	
1	2526.2	112.90	-90.88	22.02	-	-	RMS	Horizontal	NA	
2	7578	46.97	-96.58	-49.61	-13.00	36.61	RMS	Horizontal	PASS	
3	15094.5	38.07	-86.22	-48.15	-13.00	35.15	RMS	Horizontal	PASS	
4	17898.5	39.56	-83.03	-43.47	-13.00	30.47	RMS	Horizontal	PASS	




Project Information								
Mode:	LTE	Band:	7					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2526	99.48	-90.88	8.60	-	-	RMS	Vertical	NA	
2	7578	51.97	-96.58	-44.61	-13.00	31.61	RMS	Vertical	PASS	
3	10104.5	48.16	-92.07	-43.91	-13.00	30.91	RMS	Vertical	PASS	
4	12630.5	46.27	-90.18	-43.91	-13.00	30.91	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	7				
Bandwidth:	20MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 27						



Data	Data List										
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict		
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		, and the second			
1	2551.1	113.06	-90.81	22.25	-	-	RMS	Horizontal	NA		
2	7653	43.09	-96.26	-53.17	-13.00	40.17	RMS	Horizontal	PASS		
3	15068	37.84	-86.31	-48.47	-13.00	35.47	RMS	Horizontal	PASS		
4	17962.5	39.25	-82.93	-43.68	-13.00	30.68	RMS	Horizontal	PASS		




Project Information							
Mode:	LTE	Band:	7				
Bandwidth:	20MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 27						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2551.1	100.85	-90.81	10.04	-	-	RMS	Vertical	NA	
2	7653	49.96	-96.26	-46.30	-13.00	33.30	RMS	Vertical	PASS	
3	10204	48.05	-91.71	-43.66	-13.00	30.66	RMS	Vertical	PASS	
4	12755.5	41.73	-89.48	-47.75	-13.00	34.75	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	12					
Bandwidth:	10MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
) I	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1399.35	78.97	-114.31	-35.34	-13.00	22.34	RMS	Horizontal	PASS	
2	2098.65	49.17	-113.24	-64.07	-13.00	51.07	RMS	Horizontal	PASS	
3	2936.2	44.97	-109.17	-64.20	-13.00	51.20	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	12				
Bandwidth:	10MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 27						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1399	65.58	-114.31	-48.73	-13.00	35.73	RMS	Vertical	PASS	
2	1763.7	67.65	-113.96	-46.31	-13.00	33.31	RMS	Vertical	PASS	
3	2935.85	45.96	-109.16	-63.20	-13.00	50.20	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	12				
Bandwidth:	10MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 27						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1406.35	81.38	-114.33	-32.95	-13.00	19.95	RMS	Horizontal	PASS	
2	2109.15	52.56	-113.21	-60.65	-13.00	47.65	RMS	Horizontal	PASS	
3	2949.85	45.27	-109.28	-64.01	-13.00	51.01	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	12				
Bandwidth:	10MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 27						



Data	Data List									
21	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolovitu	\/o mali o t	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1406.35	66.88	-114.33	-47.45	-13.00	34.45	RMS	Vertical	PASS	
2	2481.9	49.62	-111.29	-61.67	-13.00	48.67	RMS	Vertical	PASS	
3	2949.85	46.18	-109.28	-63.10	-13.00	50.10	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	12					
Bandwidth:	10MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	est Standard: FCC PART 27							



Data	Data List									
) I	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity \	Verdict	
1	1413.35	84.12	-114.35	-30.23	-13.00	17.23	RMS	Horizontal	PASS	
2	2120	53.62	-113.21	-59.59	-13.00	46.59	RMS	Horizontal	PASS	
3	2963.85	44.92	-109.22	-64.30	-13.00	51.30	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	12				
Bandwidth:	10MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 27						



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1413.35	68.90	-114.35	-45.45	-13.00	32.45	RMS	Vertical	PASS	
2	2429.75	53.07	-111.57	-58.50	-13.00	45.50	RMS	Vertical	PASS	
3	2963.85	46.57	-109.22	-62.65	-13.00	49.65	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	13					
Bandwidth:	10MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Dat	Data List									
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1555.1	53.87	-114.07	-60.20	-13.00	47.20	RMS	Horizontal	PASS	
2	2332.8	51.81	-112.39	-60.58	-13.00	47.58	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	13					
Bandwidth:	10MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	est Standard: FCC PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1555.45	46.68	-114.07	-67.39	-13.00	54.39	RMS	Vertical	PASS	
2	3004.1	46.95	-109.05	-62.10	-13.00	49.10	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	LTE Band: 13						
Bandwidth:	5MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
21	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/o =diot	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1559.65	55.14	-114.09	-58.95	-40.00	18.95	RMS	Horizontal	PASS	
2	2339.45	50.33	-112.43	-62.10	-13.00	49.10	RMS	Horizontal	PASS	
3	3004.1	46.04	-109.05	-63.01	-13.00	50.01	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	LTE Band: 13						
Bandwidth:	5MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1559.65	47.02	-114.09	-67.07	-40.00	27.07	RMS	Vertical	PASS	
2	2450.05	53.92	-111.11	-57.19	-13.00	44.19	RMS	Vertical	PASS	
3	3004.1	46.32	-109.05	-62.73	-13.00	49.73	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	17					
Bandwidth:	10MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1409.15	82.75	-114.34	-31.59	-13.00	18.59	RMS	Horizontal	PASS	
2	2114.05	53.59	-113.21	-59.62	-13.00	46.62	RMS	Horizontal	PASS	
3	2956.15	44.65	-109.26	-64.61	-13.00	51.61	RMS	Horizontal	PASS	




	Project Information								
Mode:	LTE	Band:	17						
Bandwidth:	10MHz	Channel:	L						
IMEI:	868259070001568	Engineer:	王伟杰						
Remark:		Polarity:X							
Test Standard: FCC F	PART 27								



Data	Data List									
21	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalavitu	\/o mali o t	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1409.15	67.20	-114.34	-47.14	-13.00	34.14	RMS	Vertical	PASS	
2	2955.8	46.32	-109.26	-62.94	-13.00	49.94	RMS	Vertical	PASS	
3	7877.5	37.80	-95.74	-57.94	-13.00	44.94	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	17					
Bandwidth:	10MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	est Standard: FCC PART 27							



Data	Data List									
) I	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1411.25	83.01	-114.35	-31.34	-13.00	18.34	RMS	Horizontal	PASS	
2	2116.85	54.25	-113.21	-58.96	-13.00	45.96	RMS	Horizontal	PASS	
3	2960	45.80	-109.24	-63.44	-13.00	50.44	RMS	Horizontal	PASS	



	Project Information							
Mode:	LTE	Band:	17					
Bandwidth:	10MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							




Data	Data List									
21	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolovitu	\/o mali o t	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1411.25	68.46	-114.35	-45.89	-13.00	32.89	RMS	Vertical	PASS	
2	2960	46.90	-109.24	-62.34	-13.00	49.34	RMS	Vertical	PASS	
3	7968.5	37.60	-95.50	-57.90	-13.00	44.90	RMS	Vertical	PASS	






	Project Information							
Mode:	LTE	Band:	17					
Bandwidth:	5MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	est Standard: FCC PART 27							



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1413.35	82.01	-114.35	-32.34	-13.00	19.34	RMS	Horizontal	PASS	
2	2119.65	50.02	-113.21	-63.19	-13.00	50.19	RMS	Horizontal	PASS	
3	2963.85	45.07	-109.22	-64.15	-13.00	51.15	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	LTE Band: 17						
Bandwidth:	5MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Delevity	\/o.mali.o.t	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1413.35	67.04	-114.35	-47.31	-13.00	34.31	RMS	Vertical	PASS	
2	2481.9	54.30	-111.29	-56.99	-13.00	43.99	RMS	Vertical	PASS	
3	2963.85	46.96	-109.22	-62.26	-13.00	49.26	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	25				
Bandwidth:	20MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 24						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1851	117.23	-93.54	23.69	-	-	RMS	Horizontal	NA	
2	3702	59.22	-107.51	-48.29	-13.00	35.29	RMS	Horizontal	PASS	
3	5553	50.26	-101.32	-51.06	-13.00	38.06	RMS	Horizontal	PASS	
4	7404.5	45.79	-96.34	-50.55	-13.00	37.55	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	25				
Bandwidth:	20MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 24						



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		l	verdict	
1	1851	101.11	-93.54	7.57	1	-	RMS	Vertical	NA	
2	5553.5	50.98	-101.32	-50.34	-13.00	37.34	RMS	Vertical	PASS	
3	7404	56.88	-96.34	-39.46	-13.00	26.46	RMS	Vertical	PASS	
4	17352.5	35.75	-82.50	-46.75	-13.00	33.75	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	25				
Bandwidth:	20MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 24						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1873.6	117.35	-93.47	23.88	-	-	RMS	Horizontal	NA	
2	3747	58.48	-107.43	-48.95	-13.00	35.95	RMS	Horizontal	PASS	
3	5621	46.54	-101.09	-54.55	-13.00	41.55	RMS	Horizontal	PASS	
4	7494.5	46.27	-96.77	-50.50	-13.00	37.50	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	25				
Bandwidth:	20MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 24						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1873.6	105.63	-93.47	12.16	-	-	RMS	Vertical	NA	
2	5620.5	51.82	-101.10	-49.28	-13.00	36.28	RMS	Vertical	PASS	
3	7494	55.56	-96.77	-41.21	-13.00	28.21	RMS	Vertical	PASS	
4	17352.5	36.51	-82.50	-45.99	-13.00	32.99	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	Band:	25				
Bandwidth:	20MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	PART 24						



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1896.2	116.52	-93.41	23.11	-	-	RMS	Horizontal	NA	
2	3792	57.13	-106.71	-49.58	-13.00	36.58	RMS	Horizontal	PASS	
3	5688	45.58	-100.83	-55.25	-13.00	42.25	RMS	Horizontal	PASS	
4	7584.5	49.06	-96.51	-47.45	-13.00	34.45	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	Band:	25				
Bandwidth:	20MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	est Standard: FCC PART 24						



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		l	Vordiot	
1	1896	103.70	-93.41	10.29	1	-	RMS	Vertical	NA	
2	3792	46.72	-106.71	-59.99	-13.00	46.99	RMS	Vertical	PASS	
3	5688.5	50.48	-100.83	-50.35	-13.00	37.35	RMS	Vertical	PASS	
4	7584.5	58.69	-96.51	-37.82	-13.00	24.82	RMS	Vertical	PASS	




Project Information							
Mode:	LTE	26					
Bandwidth:	15MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	est Standard: FCC PART 22						



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/andiat	
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1666.83334	47.56	-114.12	-66.56	-13.00	53.56	RMS	Horizontal	PASS	
2	2432.87164	47.98	-111.50	-63.52	-13.00	50.52	RMS	Horizontal	PASS	
3	8886.79434	38.16	-93.09	-54.93	-13.00	41.93	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE	26					
Bandwidth:	15MHz	Channel:	L				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	est Standard: FCC PART 22						



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalavitu	\/o mali o t	
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1555.22776	47.87	-114.07	-66.20	-13.00	53.20	RMS	Vertical	PASS	
2	2435.27176	58.51	-111.45	-52.94	-13.00	39.94	RMS	Vertical	PASS	
3	8905.19526	38.60	-93.27	-54.67	-13.00	41.67	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	26					
Bandwidth:	15MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	est Standard: FCC PART 22							



Data	Data List										
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolovitu	\/a wali at		
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict		
1	1659.63298	62.10	-114.11	-52.01	-13.00	39.01	RMS	Horizontal	PASS		
2	2489.27446	55.95	-111.33	-55.38	-13.00	42.38	RMS	Horizontal	PASS		
3	8998.79994	38.55	-93.48	-54.93	-13.00	41.93	RMS	Horizontal	PASS		




	Project Information							
Mode:	LTE	26						
Bandwidth:	15MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	est Standard: FCC PART 22							



Data	Data List										
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Delevity	\/o ndi ot		
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict		
1	1659.63298	51.66	-114.11	-62.45	-13.00	49.45	RMS	Vertical	PASS		
2	2429.67148	52.64	-111.57	-58.93	-13.00	45.93	RMS	Vertical	PASS		
3	8803.59018	38.99	-93.65	-54.66	-13.00	41.66	RMS	Vertical	PASS		




Project Information								
Mode:	LTE	Band:	26					
Bandwidth:	15MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 22							



Data	Data List										
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolovitu	\/andiat		
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict		
1	1669.63348	61.47	-114.13	-52.66	-13.00	39.66	RMS	Horizontal	PASS		
2	2504.47522	50.90	-111.38	-60.48	-13.00	47.48	RMS	Horizontal	PASS		
3	8903.9952	38.45	-93.25	-54.80	-13.00	41.80	RMS	Horizontal	PASS		




Project Information							
Mode:	LTE	Band:	26				
Bandwidth:	15MHz	Channel:	Н				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	rest Standard: FCC PART 22						



Data	Data List										
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Delevity	\/o ndi ot		
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict		
1	1669.63348	53.75	-114.13	-60.38	-13.00	47.38	RMS	Vertical	PASS		
2	2434.87174	58.98	-111.45	-52.47	-13.00	39.47	RMS	Vertical	PASS		
3	8131.95659	39.56	-95.01	-55.45	-13.00	42.45	RMS	Vertical	PASS		




	Project Information							
Mode:	LTE	Band:	26(Part 90)					
Bandwidth:	10MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 22							



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1629.23146	61.47	-114.17	-52.70	-13.00	39.70	RMS	Horizontal	PASS	
2	2443.67218	59.60	-111.26	-51.66	-13.00	38.66	RMS	Horizontal	PASS	
3	8887.59438	38.04	-93.10	-55.06	-13.00	42.06	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	26(Part 90)					
Bandwidth:	10MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 22							



Data	Data List									
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dolority	Vordict	
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict	
1	1629.23146	53.47	-114.17	-60.70	-13.00	47.70	RMS	Vertical	PASS	
2	2420.87104	55.17	-111.78	-56.61	-13.00	43.61	RMS	Vertical	PASS	
3	8895.9948	38.36	-93.15	-54.79	-13.00	41.79	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	66					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1711.1	119.41	-94.08	25.33		-	RMS	Horizontal	NA	
2	3422	73.91	-107.53	-33.62	-13.00	20.62	RMS	Horizontal	PASS	
3	5133	43.63	-102.22	-58.59	-13.00	45.59	RMS	Horizontal	PASS	
4	6844.5	46.12	-97.65	-51.53	-13.00	38.53	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	66					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711	104.88	-94.08	10.80	-	-	RMS	Vertical	NA
2	5133	49.08	-102.22	-53.14	-13.00	40.14	RMS	Vertical	PASS
3	6844	52.81	-97.66	-44.85	-13.00	31.85	RMS	Vertical	PASS
4	8555.5	45.71	-94.54	-48.83	-13.00	35.83	RMS	Vertical	PASS




	Project Information							
Mode:	LTE	Band:	66					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Dalaritu	\/oudiat
NO.	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]		Polarity	Verdict
1	1736.1	118.39	-94.00	24.39	-	-	RMS	Horizontal	NA
2	3472	75.03	-107.15	-32.12	-13.00	19.12	RMS	Horizontal	PASS
3	5208	42.19	-102.19	-60.00	-13.00	47.00	RMS	Horizontal	PASS
4	6944.5	50.41	-97.81	-47.40	-13.00	34.40	RMS	Horizontal	PASS




	Project Information							
Mode:	LTE	Band:	66					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1736.1	105.92	-94.00	11.92	-	-	RMS	Vertical	NA	
2	3472	57.95	-107.15	-49.20	-13.00	36.20	RMS	Vertical	PASS	
3	6944.5	56.55	-97.81	-41.26	-13.00	28.26	RMS	Vertical	PASS	
4	8680.5	45.10	-94.18	-49.08	-13.00	36.08	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	66					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1761.2	117.14	-93.93	23.21	-	-	RMS	Horizontal	NA	
2	3522	75.34	-107.25	-31.91	-13.00	18.91	RMS	Horizontal	PASS	
3	14651.5	37.20	-85.38	-48.18	-13.00	35.18	RMS	Horizontal	PASS	
4	17898.5	39.05	-83.03	-43.98	-13.00	30.98	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	66					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	1760.9	102.63	-93.93	8.70	-	-	RMS	Vertical	NA	
2	3522	58.45	-107.25	-48.80	-13.00	35.80	RMS	Vertical	PASS	
3	7044.5	47.29	-97.36	-50.07	-13.00	37.07	RMS	Vertical	PASS	
4	8805.5	39.58	-92.99	-53.41	-13.00	40.41	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	38					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2571	106.68	-90.66	16.02	-	-	RMS	Horizontal	NA
2	5142	45.04	-102.07	-57.03	-25.00	32.03	RMS	Horizontal	PASS
3	7713	41.90	-96.37	-54.47	-25.00	29.47	RMS	Horizontal	PASS
4	17849	40.11	-82.47	-42.36	-25.00	17.36	RMS	Horizontal	PASS




	Project Information							
Mode:	LTE	Band:	38					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2571	104.03	-90.66	13.37	-	-	RMS	Vertical	NA
2	5142	55.30	-102.07	-46.77	-25.00	21.77	RMS	Vertical	PASS
3	7713	50.48	-96.37	-45.89	-25.00	20.89	RMS	Vertical	PASS
4	10284.5	45.62	-91.53	-45.91	-25.00	20.91	RMS	Vertical	PASS




	Project Information							
Mode:	LTE	Band:	38					
Bandwidth:	20MHz	Channel:	М					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
4					[ubiii]	լսեյ	D140			
1	2586.1	105.87	-90.55	15.32	-	-	RMS	Horizontal	NA	
2	5172	47.92	-102.06	-54.14	-25.00	29.14	RMS	Horizontal	PASS	
3	7758	41.59	-96.44	-54.85	-25.00	29.85	RMS	Horizontal	PASS	
4	17873.5	39.18	-82.73	-43.55	-25.00	18.55	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	38					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2586.2	103.36	-90.55	12.81	-	-	RMS	Vertical	NA	
2	5172	54.07	-102.06	-47.99	-25.00	22.99	RMS	Vertical	PASS	
3	7758.5	52.28	-96.43	-44.15	-25.00	19.15	RMS	Vertical	PASS	
4	10344.5	45.27	-91.52	-46.25	-25.00	21.25	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	38					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2601	104.42	-90.45	13.97	-	-	RMS	Horizontal	NA
2	5202	46.69	-102.20	-55.51	-25.00	30.51	RMS	Horizontal	PASS
3	9510	38.45	-92.62	-54.17	-25.00	29.17	RMS	Horizontal	PASS
4	17350.5	38.97	-82.42	-43.45	-25.00	18.45	RMS	Horizontal	PASS




	Project Information							
Mode:	LTE	Band:	38					
Bandwidth:	20MHz	Channel:	Н					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]				
1	2601.1	101.94	-90.45	11.49	-	-	RMS	Vertical	NA	
2	5202	52.77	-102.20	-49.43	-25.00	24.43	RMS	Vertical	PASS	
3	7803	47.88	-96.04	-48.16	-25.00	23.16	RMS	Vertical	PASS	
4	10404.5	42.65	-91.72	-49.07	-25.00	24.07	RMS	Vertical	PASS	




	Project Information							
Mode:	LTE	Band:	41					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:	Polarity:X							
Test Standard: FCC F	est Standard: FCC PART 27							



Data	Data List									
NO.	Freq.	Reading	Factor	Level	Limit	Margin	Trace	Polarity	Verdict	
	[MHz]	[dBuV]	[dB]	[dBm]	[dBm]	[dB]				
1	2497.2	107.74	-90.95	16.79	-	-	RMS	Horizontal	NA	
2	7491.5	41.57	-96.79	-55.22	-25.00	30.22	RMS	Horizontal	PASS	
3	15074.5	37.99	-86.29	-48.30	-25.00	23.30	RMS	Horizontal	PASS	
4	17840.5	38.99	-82.60	-43.61	-25.00	18.61	RMS	Horizontal	PASS	




	Project Information							
Mode:	LTE	Band:	41					
Bandwidth:	20MHz	Channel:	L					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC F	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2497	103.50	-90.95	12.55	-	-	RMS	Vertical	NA	
2	7491	55.28	-96.79	-41.51	-25.00	16.51	RMS	Vertical	PASS	
3	9988.5	42.26	-91.79	-49.53	-25.00	24.53	RMS	Vertical	PASS	
4	12485.5	41.28	-89.85	-48.57	-25.00	23.57	RMS	Vertical	PASS	




	Project Information							
	Project information							
Mode:	LTE	Band:	41					
Bandwidth:	20MHz	Channel:	M					
IMEI:	868259070001568	Engineer:	王伟杰					
Remark:		Polarity:X						
Test Standard: FCC I	PART 27							



Data	Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict	
1	2584.1	106.19	-90.57	15.62	-	-	RMS	Horizontal	NA	
2	5168	46.52	-102.04	-55.52	-25.00	30.52	RMS	Horizontal	PASS	
3	7752	43.98	-96.49	-52.51	-25.00	27.51	RMS	Horizontal	PASS	
4	17362.5	40.21	-82.89	-42.68	-25.00	17.68	RMS	Horizontal	PASS	




Project Information							
Mode:	LTE Band: 41						
Bandwidth:	20MHz	Channel:	M				
IMEI:	868259070001568	Engineer:	王伟杰				
Remark:		Polarity:X					
Test Standard: FCC F	est Standard: FCC PART 27						



Data	Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2584.1	104.43	-90.57	13.86	-	-	RMS	Vertical	NA
2	5168	54.43	-102.04	-47.61	-25.00	22.61	RMS	Vertical	PASS
3	7752.5	52.52	-96.49	-43.97	-25.00	18.97	RMS	Vertical	PASS
4	10336	45.89	-91.51	-45.62	-25.00	20.62	RMS	Vertical	PASS




Project Information						
Mode:	LTE	Band:	41			
Bandwidth:	20MHz	Channel:	Н			
IMEI:	868259070001568	Engineer:	王伟杰			
Remark:	Polarity:X					
Test Standard: FCC PART 27						



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2671.1	107.22	-90.09	17.13	-	-	RMS	Horizontal	NA
2	8013	47.69	-95.39	-47.70	-25.00	22.70	RMS	Horizontal	PASS
3	15246	38.59	-86.01	-47.42	-25.00	22.42	RMS	Horizontal	PASS
4	17988	39.24	-82.59	-43.35	-25.00	18.35	RMS	Horizontal	PASS



Project Information						
Mode:	LTE	Band:	41			
Bandwidth:	20MHz	Channel:	Н			
IMEI:	868259070001568	Engineer:	王伟杰			
Remark:	Polarity:X					
Test Standard: FCC PART 27						



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2671.1	105.33	-90.09	15.24	-	-	RMS	Vertical	NA
2	5342	51.47	-101.95	-50.48	-25.00	25.48	RMS	Vertical	PASS
3	8013.5	54.38	-95.39	-41.01	-25.00	16.01	RMS	Vertical	PASS
4	10684	46.19	-91.71	-45.52	-25.00	20.52	RMS	Vertical	PASS