

## RF EXPOSURE REPORT



**Applicant:** Taijet Bointec Co. LTD.  
4F,#114,Zhouzi St., Neihu-Taipei 11493,Taiwan  
**Product Name:** DGF109A (a.k.a. DGF104A)  
**Brand Name:** Bointec  
**Model No.:** DGF109A, DGF104A  
**Model Difference:** Marketing Different  
**Report Number:** ER/2021/90007  
**FCC ID** 2AMAF-DGF109A104A  
**IC:** 23942-DGF109A104A  
**Issue Date:** November 30, 2021  
**Date of EUT Received:** September 8, 2021

Approved By

John Yeh

**We hereby certify that:**

The above equipment was evaluate by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091 and RSS-102.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Revision History

Report Number	Revision	Description	Issue Date	Revised By
ER/2021/90007	00	Original.	November 30, 2021	Yuri Tsai

**Note:**

- 1、Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received and are assessed as identical in hardware and firmware to each other.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT).....	4
2	MAXIMUM PERMISSIBLE EXPOSURE (MPE).....	8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

### 1.1 Product Description

Product Name:	DGF109A (a.k.a. DGF104A)
Brand Name:	Bointec
Model No.:	DGF109A, DGF104A
Model Difference:	Marketing Different
Hardware Version:	v01
Firmware Version:	v01
EUT Series No.:	Conducted: 20A7870094E6 Radiated: 20A7870094E6
Power Supply:	3.3V

### 1.2 Antenna Information:

#### 1.2.1 BT

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)
Dipole	INVAX /Cortec	NB1363-B310BX	2402 – 2480MHz	3.62

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1.2.2 WLAN 2.4GHz

Antenna Type	Brand	Model No.	Freq.(MHz)	Peak Gain (dBi)	Direction Gain(dBi)
WiFi Antenna	INVAX/Cortec	NB1363-B310BX	2412-2462	3.62	6.63
WiFi Antenna	Bointec	TWRN-9161201-102	2412-2462	2.9	
WiFi Antenna	Bointec	TWRN-9161202-101	2412-2462	1.73	
WiFi Antenna	Cortec	AN2450-5706RS	2412-2462	2.11	
WiFi Antenna	Maglayer	EDA-8709-25GR2-A20-TN	2412-2462	2.03	
WiFi Antenna	Bointec	TWRN-9161201-191	2412-2462	2.21	
WiFi Antenna	Bointec	TWRN-9161202-171	2412-2462	2.43	
WiFi Antenna	Bointec	TWRN-9113203-151	2412-2462	2.6	
WiFi Antenna	Bointec	TWRN-91G3203-151	2412-2462	2.6	
WiFi Antenna	Bointec	TWRN-9113204-151	2412-2462	0.9	
WiFi Antenna	Bointec	TWRN-91G3204-151	2412-2462	0.9	
WiFi Antenna	Bointec	TWRN-91G3203-351	2412-2462	2.6	
WiFi Antenna	Molex	479504012	2412-2462	2.13	
WiFi Antenna	Bointec	TWRN-91G3206-351	2412-2462	2.99	

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.2.3 WLAN 5GHz

Ant. Type	Brand	Part No.	Freq.(MHz)	Peak Gain (dBi)	Directional Gain (dBi)
WiFi Antenna	Bointec	TWRN-9161202-171	5150~5250	4.99	8.00
		TWRN-9161202-171	5250~5350	4.99	8.00
		TWRN-9161202-171	5470~5725	4.99	8.00
		TWRN-9161202-171	5725~5850	3.99	
WiFi Antenna	Bointec	TWRN-9161201-191	5150~5250	4.61	
		TWRN-9161201-191	5250~5350	4.61	
		TWRN-9161201-191	5470~5725	4.97	
		TWRN-9161201-191	5725~5850	4.88	7.98
WiFi Antenna	Bointec	TWRN-9161201-102	5150~5250	2.40	
		TWRN-9161201-102	5250~5350	2.40	
		TWRN-9161201-102	5470~5725	2.40	
		TWRN-9161201-102	5725~5850	2.40	
WiFi Antenna	Bointec	TWRN-9161202-101	5150~5250	1.79	
		TWRN-9161202-101	5250~5350	1.79	
		TWRN-9161202-101	5470~5725	1.79	
		TWRN-9161202-101	5725~5850	1.79	
WiFi Antenna	INVAX	AN2450-5706RS	5150~5251	4.08	
		AN2450-5706RS	5250~5351	4.35	
		AN2450-5706RS	5470~5726	4.26	
		AN2450-5706RS	5725~5851	4.61	
WiFi Antenna	Maglayer	EDA-8709-25GR2-A20-TN	5150~5252	2.29	
		EDA-8709-25GR2-A20-TN	5250~5352	2.29	
		EDA-8709-25GR2-A20-TN	5470~5727	2.29	
		EDA-8709-25GR2-A20-TN	5725~5852	2.29	
WiFi Antenna	Bointec	TWRN-9113203-151	5150~5253	3.30	
		TWRN-9113203-151	5250~5353	3.30	
		TWRN-9113203-151	5470~5728	3.30	
		TWRN-9113203-151	5725~5853	3.30	
WiFi Antenna	Bointec	TWRN-91G3203-151	5150~5254	3.30	
		TWRN-91G3203-151	5250~5354	3.30	
		TWRN-91G3203-151	5470~5729	3.30	
		TWRN-91G3203-151	5725~5854	3.30	
WiFi Antenna	Bointec	TWRN-9113204-151	5150~5255	3.80	
		TWRN-9113204-151	5250~5355	3.80	
		TWRN-9113204-151	5470~5730	3.80	
		TWRN-9113204-151	5725~5855	3.80	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WiFi Antenna	Bointec	TWRN-91G3204-151	5150~5256	3.80	
		TWRN-91G3204-151	5250~5356	3.80	
		TWRN-91G3204-151	5470~5731	3.80	
		TWRN-91G3204-151	5725~5856	3.80	
WiFi Antenna	Bointec	TWRN-91G3203-351	5150~5257	3.30	
		TWRN-91G3203-351	5250~5357	3.30	
		TWRN-91G3203-351	5470~5732	3.30	
		TWRN-91G3203-351	5725~5857	3.30	
WiFi Antenna	Molex	479504012	5150~5258	2.81	
		479504012	5250~5358	2.81	
		479504012	5470~5733	2.81	
		479504012	5725~5858	2.81	
WiFi Antenna	Bointec	TWRN-91G3206-351	5150~5259	2.60	
		TWRN-91G3206-351	5250~5359	2.60	
		TWRN-91G3206-351	5470~5734	2.60	
		TWRN-91G3206-351	5725~5859	2.60	
WiFi Antenna	INVAX/Cortec	NB1363-B310BX	5150~5260	2.71	
		NB1363-B310BX	5250~5360	2.71	
		NB1363-B310BX	5470~5735	2.71	
		NB1363-B310BX	5725~5860	2.71	

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

### 2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissible Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm <sup>2</sup> )	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100000	/	/	1.0	30

f = frequency in MHz

\* = Plane-wave equipment power density

Prediction of MPE limit at a given distance

$$S = PG/4\pi R^2$$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 2.2 ISED Standard Applicable

This submittal(s) (test report) is intended to comply with RSS-102 issue 5 Radio frequency Radiation Exposure requirement.

This is a Mobile device, the MPE is required.

Limits for Maximum Permissible Exposure (MPE)

RF Field Strength Limits for Devices Used by the General Public (Uncontrolled Environment)				
Frequency Range (MHz)	Electric Field (V/m rms)	Magnetic Field Strength (A/m rms)	Power Density (W/m <sup>2</sup> )	Reference Period (minutes)
0.003-10	83	90	-	Instantaneous*
0.1-10	-	0.73/ <i>f</i>	-	6**
1.1-10	87/ <i>f</i> <sup>0.5</sup>	-	-	6**
10-20	27.46	0.0728	2	6
20-48	58.07/ <i>f</i> <sup>0.25</sup>	0.1540/ <i>f</i> <sup>0.25</sup>	8.944/ <i>f</i> <sup>0.5</sup>	6
48-300	22.06	0.05852	1.291	6
300-6000	3.142 <i>f</i> <sup>0.3417</sup>	0.008335 <i>f</i> <sup>0.3417</sup>	0.02619 <i>f</i> <sup>0.6834</sup>	6
6000-15000	61.4	0.163	10	6
15000-150000	61.4	0.163	10	616000/ <i>f</i> <sup>1.2</sup>
150000-300000	0.158 <i>f</i> <sup>0.5</sup>	4.21 x 10 <sup>-4</sup> <i>f</i> <sup>0.5</sup>	6.67 x 10 <sup>-5</sup> <i>f</i>	616000/ <i>f</i> <sup>1.2</sup>

F = frequency in MHz

\* = Based on nerve stimulation (NS).

\*\* = Based on specific absorption rate (SAR)

Maximum Permissible Exposure (MPE) Evaluation

Prediction of MPE limit at a given distance

$$S = PG / 4\pi R^2$$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.3 Power Density Calculation (Worst Case)

### FCC Standalone MPE

Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. Output Power Include Tolerance (dBm)	Antenna Gain (dBi)	Max. EIRP (mW)	Power Density (PD) (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Pass / Fail	Power Density / Limit
BT	2402.00	20	6.98	3.62	11.48	0.0023	1.000	Pass	0.002
WLAN 2.4G	2437.00	20	23.02	6.63	922.57	0.184	1.000	Pass	0.184
WLAN 5G	5745.00	20	23.6	7.98	1438.80	0.286	1.000	Pass	0.286

### ISED Standalone MPE

Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. Output Power Include Tolerance (dBm)	Antenna Gain (dBi)	Max. EIRP (mW)	Power Density (PD) (W/m <sup>2</sup> )	Limit (W/m <sup>2</sup> )	Pass / Fail	Power Density / Limit
BT	2402.00	20	6.98	3.62	11.48	0.023	5.351	Pass	0.004
WLAN 2.4G	2437.00	20	23.02	6.63	922.57	1.836	5.404	Pass	0.340
WLAN 5G	5745.00	20	23.6	7.98	1438.80	2.864	9.710	Pass	0.295

## 2.4 Collocated Power Density Calculation

### FCC Collocated MPE

Operation Mode	Power Density / Limit	$\Sigma$ (Power Density / Limit)
BT	0.002	0.472
WLAN 2.4G	0.184	
WLAN 5G	0.286	

### ISED Collocated MPE

Operation Mode	Power Density / Limit	$\Sigma$ (Power Density / Limit)
BT	0.004	0.639
WLAN 2.4G	0.340	
WLAN 5G	0.295	

### Note:

1.  $\Sigma$ (Power Density / Limit): This is a summation of [(Power Density for each transmitter/antenna included in the simultaneous transmission) / (corresponding MPE limit)].

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. Considering the collocated transmitters, the aggregated (Power Density /limit) is smaller than 1, and MPE of collocated transmitters is compliant

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.