


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13521.8666	35.06	-88.51	-53.45	-40.00	13.45	RMS	Horizontal	PASS
2	14927	35.34	-87.22	-51.88	-40.00	11.88	RMS	Horizontal	PASS
3	17351.3333	33.24	-82.45	-49.21	-40.00	9.21	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3531.25	110.10	-87.42	22.68	-	-	RMS	Vertical	NA
2	3917.65	39.19	-86.45	-47.26	-40.00	7.26	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	12857.3333	36.01	-89.50	-53.49	-40.00	13.49	RMS	Vertical	PASS
2	14361.8666	35.08	-86.16	-51.08	-40.00	11.08	RMS	Vertical	PASS
3	17359.2666	33.60	-82.76	-49.16	-40.00	9.16	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	34638.4666	43.16	-97.10	-53.94	-40.00	13.94	RMS	Horizontal	PASS
2	36686.6666	41.99	-93.88	-51.89	-40.00	11.89	RMS	Horizontal	PASS
3	39488.5333	42.02	-91.31	-49.29	-40.00	9.29	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	36636.7333	41.37	-93.95	-52.58	-40.00	12.58	RMS	Vertical	PASS
2	38523	41.53	-92.16	-50.63	-40.00	10.63	RMS	Vertical	PASS
3	39506.7333	41.42	-91.31	-49.89	-40.00	9.89	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3601.3	116.69	-87.06	29.63	-	-	RMS	Horizontal	NA
2	3886	39.13	-86.34	-47.21	-40.00	7.21	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13834.0666	34.72	-86.78	-52.06	-40.00	12.06	RMS	Horizontal	PASS
2	15071.2	34.48	-86.30	-51.82	-40.00	11.82	RMS	Horizontal	PASS
3	17355.0666	33.60	-82.59	-48.99	-40.00	8.99	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3601.15	112.17	-87.06	25.11	-	-	RMS	Vertical	NA
2	3875.65	39.65	-86.39	-46.74	-40.00	6.74	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	10781.1333	36.81	-90.94	-54.13	-40.00	14.13	RMS	Vertical	PASS
2	14666.1333	33.95	-85.79	-51.84	-40.00	11.84	RMS	Vertical	PASS
3	17349	33.45	-82.44	-48.99	-40.00	8.99	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35992.2666	41.81	-94.80	-52.99	-40.00	12.99	RMS	Horizontal	PASS
2	38162.7333	41.31	-92.16	-50.85	-40.00	10.85	RMS	Horizontal	PASS
3	39683.6	41.92	-91.59	-49.67	-40.00	9.67	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	Mid
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	34609.0666	42.93	-97.02	-54.09	-40.00	14.09	RMS	Vertical	PASS
2	36760.8666	42.15	-94.04	-51.89	-40.00	11.89	RMS	Vertical	PASS
3	39462.8666	41.58	-91.37	-49.79	-40.00	9.79	RMS	Vertical	PASS


Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3651.1	115.79	-87.02	28.77	-	-	RMS	Horizontal	NA
2	3888.1	39.41	-86.32	-46.91	-40.00	6.91	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13660.9333	34.77	-87.89	-53.12	-40.00	13.12	RMS	Horizontal	PASS
2	14665.2	34.15	-85.76	-51.61	-40.00	11.61	RMS	Horizontal	PASS
3	17335	34.22	-83.09	-48.87	-40.00	8.87	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3651.25	115.15	-87.02	28.13	-	-	RMS	Vertical	NA
2	3879.85	39.60	-86.37	-46.77	-40.00	6.77	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	13849.4666	34.25	-86.54	-52.29	-40.00	12.29	RMS	Vertical	PASS
2	15072.1333	34.44	-86.29	-51.85	-40.00	11.85	RMS	Vertical	PASS
3	17349	33.98	-82.44	-48.46	-40.00	8.46	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	35681.9333	42.47	-95.74	-53.27	-40.00	13.27	RMS	Horizontal	PASS
2	37422.1333	40.53	-92.63	-52.10	-40.00	12.10	RMS	Horizontal	PASS
3	38736.2666	42.54	-92.23	-49.69	-40.00	9.69	RMS	Horizontal	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	50MHz	Channel:	High
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	34936.2	42.58	-96.59	-54.01	-40.00	14.01	RMS	Vertical	PASS
2	36636.2666	41.42	-93.95	-52.53	-40.00	12.53	RMS	Vertical	PASS
3	38555.2	43.08	-92.27	-49.19	-40.00	9.19	RMS	Vertical	PASS

Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	100MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph



Project Information			
Mode:	NR	Band:	n48 MIMO
Bandwidth:	100MHz	Channel:	Low
IMEI:	864419070020620		
Remark:	Polarity: Y		
Test Standard: FCC PART 96			

Test Graph

