




LCIE SUD EST
Laboratoire de Moirans
Z.I. Centr'Alp
170, Rue de Chatagnon
38430 MOIRANS - FRANCE

PRODUCT LABELING

FCCID: DWNBEECON

	TaHoma Beacon Labels	V1.1
--	----------------------	------

5. Product label



<u>Label dimensions:</u>	max 60 mm x 26 mm
<u>Product name:</u>	TaHoma Beacon , Minimal height H = 4 mm.
<u>Product reference:</u>	5143280 + Major index (minor index is not visible)
<u>Print quality:</u>	Black, full
<u>Font:</u>	Not specified, Minimal height H = 1.5 mm.
<u>printer ribbon:</u>	R6000 Halogen Free
<u>Logos:</u>	Standard logo: CE Standard logo: WEEE (Waste Electrical & Electronic Equipment) Standard logo: RCM Standard logo: FCC Standard logo: RIM (Read instruction manual) Standard logo: UL Minimal height H=5mm
<u>Fab code:</u>	AF (France) TU (Tunisia)

MYF	PRS000215A01_TaHoma Beacon - Labels Specification	5/9
This document and/or file is OVERKIZ's property. All information it contains is strictly confidential. This document and/or file shall not be used, reproduced or passed on in any way, in full or in part without OVERKIZ's prior written approval. All rights reserved.		



LCIE SUD EST
Laboratoire de Moirans
Z.I. Centr'Alp
170, Rue de Chatagnon
38430 MOIRANS - FRANCE

	TaHoma Beacon Labels	V1.1
---	----------------------	------

QR Code:

- Overkiz tracking code: 14 digits
- PIN number: 14 digits
- EMS serial number: 6 to 10 digits (size is EMS-dependent)
- Ad Hoc access data for WIFI Radio Module:
 - SSID: 8 uppercase characters
 - Password: 12 alphanumeric characters
- Somfy product reference 6 digits.

The product labels marking durability is tested according to standard EN62368.


6. Product Label positioning



MYF	PR5000215A01_ TaHoma Beacon - Labels Specification	6/9
This document and/or file is OVERKIZ's property. All information it contains is strictly confidential. This document and/or file shall not be used, reproduced or passed on in any way, in full or in part without OVERKIZ's prior written approval. All rights reserved.		

	Overkiz Smartkiz Labels	V0.9
---	-------------------------	------

5. Product label



Label dimensions: max 60 mm x 26 mm

Product name: **Smartkiz**, Minimal height H = 4 mm.

Product reference: **P000342 + Major index** (minor index is not visible)

Print quality: Black, full

Font: Not specified, **Minimal height H = 1.5 mm.**

Logos:

- Standard logo: CE
- Standard logo: WEEE (Waste Electrical & Electronic Equipment)
- Standard logo: FCC
- Standard logo: RIM (Read instruction manual)

Minimal height H=5mm

Fab code:

- AF (France)
- TU (Tunisia)

MYF	PR5000149X09_Overkiz Smartkiz - Labels Specification	5/9
This document and/or file is OVERKIZ's property. All information it contains is strictly confidential. This document and/or file shall not be used, reproduced or passed on in any way, in full or in part without OVERKIZ's prior written approval. All rights reserved.		



LCIE SUD EST
Laboratoire de Moirans
Z.I. Centr'Alp
170, Rue de Chatagnon
38430 MOIRANS - FRANCE

	Overkiz Smartkiz Labels	V0.9
---	-------------------------	------

QR Code:

Overkiz tracking code: 14 digits

PIN number: 14 digits

EMS serial number: 6 to 10 digits (size is EMS-dependent)

Ad Hoc access data for WIFI Radio Module:

➔ SSID: 8 uppercase characters

➔ Password: 12 alphanumeric characters

Radio Protocol: 2 to 3 digits (optional) Any from the list: IO, ZBEE.

The product labels marking durability is tested according to standard EN62368.

6. Product Label positioning



MYF	PRS000149X09_Overkiz Smartkiz - Labels Specification	6/9
This document and/or file is OVERKIZ's property. All information it contains is strictly confidential. This document and/or file shall not be used, reproduced or passed on in any way, in full or in part without OVERKIZ's prior written approval. All rights reserved.		