







n41 90M DFT-s-OFDM BPSK Outer\_Full Low




n41 90M DFT-s-OFDM QPSK Outer\_Full Low




n41 90M DFT-s-OFDM 16QAM Outer\_Full Low









n41 90M DFT-s-OFDM 64QAM Outer\_Full Low




n41 90M DFT-s-OFDM 256QAM Outer\_Full Low




n41 90M CP-OFDM QPSK Outer\_Full Low

n41 90M DFT-s-OFDM BPSK Outer\_Full  
Midn41 90M DFT-s-OFDM QPSK Outer\_Full  
Midn41 90M DFT-s-OFDM 16QAM Outer\_Full  
Midn41 90M DFT-s-OFDM 64QAM Outer\_Full  
Midn41 90M DFT-s-OFDM 256QAM  
Outer\_Full Mid


n41 90M CP-OFDM QPSK Outer\_Full Mid




n41 90M DFT-s-OFDM BPSK Outer\_Full High




n41 90M DFT-s-OFDM QPSK Outer\_Full High




n41 90M DFT-s-OFDM 16QAM Outer\_Full High




n41 90M DFT-s-OFDM 64QAM Outer\_Full High




n41 90M DFT-s-OFDM 256QAM Outer\_Full High




n41 90M CP-OFDM QPSK Outer\_Full High




n41 100M DFT-s-OFDM BPSK Outer\_Full Low




n41 100M DFT-s-OFDM QPSK Outer\_Full Low




n41 100M DFT-s-OFDM 16QAM Outer\_Full Low









n41 100M DFT-s-OFDM 64QAM Outer\_Full Low




n41 100M DFT-s-OFDM 256QAM Outer\_Full Low




n41 100M CP-OFDM QPSK Outer\_Full Low

n41 100M DFT-s-OFDM BPSK Outer\_Full  
Midn41 100M DFT-s-OFDM QPSK Outer\_Full  
Midn41 100M DFT-s-OFDM 16QAM  
Outer\_Full Midn41 100M DFT-s-OFDM 64QAM Outer\_Full  
Midn41 100M DFT-s-OFDM 256QAM  
Outer\_Full Mid


n41 100M CP-OFDM QPSK Outer\_Full Mid




n41 100M DFT-s-OFDM BPSK Outer\_Full High




n41 100M DFT-s-OFDM QPSK Outer\_Full High




n41 100M DFT-s-OFDM 16QAM Outer\_Full High



n41 100M DFT-s-OFDM 64QAM Outer\_Full High



n41 100M DFT-s-OFDM 256QAM Outer\_Full High



n41 100M CP-OFDM QPSK Outer\_Full High





| Band | SCS (kHz) | BW (MHz) | ARFCN  | Modulation              | RB   | OBW (MHz) | 26dB BW (MHz) | Verdict |
|------|-----------|----------|--------|-------------------------|------|-----------|---------------|---------|
| n48  | 30        | 20       | 637334 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 17.812    | 19.385        | PASS    |
| n48  | 30        | 20       | 637334 | DFT-s-OFDM<br>QPSK      | 50/0 | 17.805    | 19.082        | PASS    |
| n48  | 30        | 20       | 637334 | DFT-s-OFDM<br>16QAM     | 50/0 | 17.877    | 19.685        | PASS    |
| n48  | 30        | 20       | 637334 | DFT-s-OFDM<br>64QAM     | 50/0 | 17.850    | 19.044        | PASS    |
| n48  | 30        | 20       | 637334 | DFT-s-OFDM<br>256QAM    | 50/0 | 17.817    | 19.398        | PASS    |
| n48  | 30        | 20       | 637334 | CP-OFDM<br>QPSK         | 51/0 | 17.870    | 19.644        | PASS    |
| n48  | 30        | 20       | 641666 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 17.844    | 19.080        | PASS    |
| n48  | 30        | 20       | 641666 | DFT-s-OFDM<br>QPSK      | 50/0 | 17.890    | 18.870        | PASS    |
| n48  | 30        | 20       | 641666 | DFT-s-OFDM<br>16QAM     | 50/0 | 17.847    | 19.231        | PASS    |
| n48  | 30        | 20       | 641666 | DFT-s-OFDM<br>64QAM     | 50/0 | 17.833    | 19.012        | PASS    |
| n48  | 30        | 20       | 641666 | DFT-s-OFDM<br>256QAM    | 50/0 | 17.807    | 19.158        | PASS    |
| n48  | 30        | 20       | 641666 | CP-OFDM<br>QPSK         | 51/0 | 17.834    | 19.604        | PASS    |
| n48  | 30        | 20       | 646000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 17.827    | 19.260        | PASS    |
| n48  | 30        | 20       | 646000 | DFT-s-OFDM<br>QPSK      | 50/0 | 17.833    | 19.194        | PASS    |
| n48  | 30        | 20       | 646000 | DFT-s-OFDM<br>16QAM     | 50/0 | 17.853    | 19.705        | PASS    |




REPORT No.: SZ24090048W10

|     |    |    |        |                         |       |        |        |      |
|-----|----|----|--------|-------------------------|-------|--------|--------|------|
| n48 | 30 | 20 | 646000 | DFT-s-OFDM<br>64QAM     | 50/0  | 17.831 | 19.066 | PASS |
| n48 | 30 | 20 | 646000 | DFT-s-OFDM<br>256QAM    | 50/0  | 17.806 | 19.234 | PASS |
| n48 | 30 | 20 | 646000 | CP-OFDM<br>QPSK         | 51/0  | 17.834 | 19.221 | PASS |
| n48 | 30 | 40 | 638000 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 35.759 | 38.387 | PASS |
| n48 | 30 | 40 | 638000 | DFT-s-OFDM<br>QPSK      | 100/0 | 35.741 | 37.742 | PASS |
| n48 | 30 | 40 | 638000 | DFT-s-OFDM<br>16QAM     | 100/0 | 35.781 | 37.842 | PASS |
| n48 | 30 | 40 | 638000 | DFT-s-OFDM<br>64QAM     | 100/0 | 35.771 | 37.543 | PASS |
| n48 | 30 | 40 | 638000 | DFT-s-OFDM<br>256QAM    | 100/0 | 35.770 | 38.188 | PASS |
| n48 | 30 | 40 | 638000 | CP-OFDM<br>QPSK         | 106/0 | 35.689 | 37.790 | PASS |
| n48 | 30 | 40 | 641666 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 35.719 | 39.509 | PASS |
| n48 | 30 | 40 | 641666 | DFT-s-OFDM<br>QPSK      | 100/0 | 35.831 | 37.607 | PASS |
| n48 | 30 | 40 | 641666 | DFT-s-OFDM<br>16QAM     | 100/0 | 35.767 | 37.902 | PASS |
| n48 | 30 | 40 | 641666 | DFT-s-OFDM<br>64QAM     | 100/0 | 35.785 | 37.416 | PASS |
| n48 | 30 | 40 | 641666 | DFT-s-OFDM<br>256QAM    | 100/0 | 35.748 | 37.456 | PASS |
| n48 | 30 | 40 | 641666 | CP-OFDM<br>QPSK         | 106/0 | 35.610 | 37.513 | PASS |
| n48 | 30 | 40 | 645332 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 35.715 | 37.408 | PASS |







|     |    |    |        |                   |       |        |        |      |
|-----|----|----|--------|-------------------|-------|--------|--------|------|
| n48 | 30 | 40 | 645332 | DFT-s-OFDM QPSK   | 100/0 | 35.604 | 37.282 | PASS |
| n48 | 30 | 40 | 645332 | DFT-s-OFDM 16QAM  | 100/0 | 35.828 | 37.837 | PASS |
| n48 | 30 | 40 | 645332 | DFT-s-OFDM 64QAM  | 100/0 | 35.779 | 37.857 | PASS |
| n48 | 30 | 40 | 645332 | DFT-s-OFDM 256QAM | 100/0 | 35.764 | 38.647 | PASS |
| n48 | 30 | 40 | 645332 | CP-OFDM QPSK      | 106/0 | 35.699 | 37.981 | PASS |




n48 20M DFT-s-OFDM BPSK Outer\_Full  
Low





n48 20M DFT-s-OFDM QPSK Outer\_Full  
Low







n48 20M DFT-s-OFDM 16QAM Outer\_Full  
Low





n48 20M DFT-s-OFDM 64QAM Outer\_Full  
Low





n48 20M DFT-s-OFDM 256QAM  
Outer\_Full Low



n48 20M CP-OFDM QPSK Outer\_Full Low

n48 20M DFT-s-OFDM BPSK Outer\_Full  
Midn48 20M DFT-s-OFDM QPSK Outer\_Full  
Midn48 20M DFT-s-OFDM 16QAM Outer\_Full  
Midn48 20M DFT-s-OFDM 64QAM Outer\_Full  
Mid





n48 20M DFT-s-OFDM 256QAM  
Outer\_Full Mid



n48 20M CP-OFDM QPSK Outer\_Full Mid

n48 20M DFT-s-OFDM BPSK Outer\_Full  
Highn48 20M DFT-s-OFDM QPSK Outer\_Full  
Highn48 20M DFT-s-OFDM 16QAM Outer\_Full  
Highn48 20M DFT-s-OFDM 64QAM Outer\_Full  
High





n48 20M DFT-s-OFDM 256QAM  
Outer\_Full High



n48 20M CP-OFDM QPSK Outer\_Full High

n48 40M DFT-s-OFDM BPSK Outer\_Full  
Lown48 40M DFT-s-OFDM QPSK Outer\_Full  
Lown48 40M DFT-s-OFDM 16QAM Outer\_Full  
Lown48 40M DFT-s-OFDM 64QAM Outer\_Full  
Low





n48 40M DFT-s-OFDM 256QAM  
Outer\_Full Low

n48 40M CP-OFDM QPSK Outer\_Full Low


n48 40M DFT-s-OFDM BPSK Outer\_Full  
Midn48 40M DFT-s-OFDM QPSK Outer\_Full  
Midn48 40M DFT-s-OFDM 16QAM Outer\_Full  
Midn48 40M DFT-s-OFDM 64QAM Outer\_Full  
Mid

n48 40M DFT-s-OFDM 256QAM  
Outer\_Full Mid

n48 40M CP-OFDM QPSK Outer\_Full Mid

n48 40M DFT-s-OFDM BPSK Outer\_Full  
Highn48 40M DFT-s-OFDM QPSK Outer\_Full  
Highn48 40M DFT-s-OFDM 16QAM Outer\_Full  
Highn48 40M DFT-s-OFDM 64QAM Outer\_Full  
High





| Band | SCS (kHz) | BW (MHz) | ARFCN  | Modulation           | RB   | OBW (MHz) | 26dB BW (MHz) | Verdict |
|------|-----------|----------|--------|----------------------|------|-----------|---------------|---------|
| n66  | 15        | 5        | 342500 | DFT-s-OFDM PI/2 BPSK | 25/0 | 4.4881    | 5.131         | PASS    |
| n66  | 15        | 5        | 342500 | DFT-s-OFDM QPSK      | 25/0 | 4.4914    | 5.000         | PASS    |
| n66  | 15        | 5        | 342500 | DFT-s-OFDM 16QAM     | 25/0 | 4.4975    | 5.067         | PASS    |
| n66  | 15        | 5        | 342500 | DFT-s-OFDM 64QAM     | 25/0 | 4.4731    | 4.866         | PASS    |
| n66  | 15        | 5        | 342500 | DFT-s-OFDM 256QAM    | 25/0 | 4.4851    | 5.006         | PASS    |
| n66  | 15        | 5        | 342500 | CP-OFDM QPSK         | 25/0 | 4.4784    | 5.106         | PASS    |
| n66  | 15        | 5        | 349000 | DFT-s-OFDM PI/2 BPSK | 25/0 | 4.4885    | 5.099         | PASS    |
| n66  | 15        | 5        | 349000 | DFT-s-OFDM QPSK      | 25/0 | 4.4880    | 5.028         | PASS    |
| n66  | 15        | 5        | 349000 | DFT-s-OFDM 16QAM     | 25/0 | 4.4898    | 5.026         | PASS    |





REPORT No.: SZ24090048W10

|     |    |    |        |                         |      |        |        |      |
|-----|----|----|--------|-------------------------|------|--------|--------|------|
| n66 | 15 | 5  | 349000 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4705 | 4.904  | PASS |
| n66 | 15 | 5  | 349000 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4822 | 5.009  | PASS |
| n66 | 15 | 5  | 349000 | CP-OFDM<br>QPSK         | 25/0 | 4.4745 | 5.095  | PASS |
| n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4903 | 5.086  | PASS |
| n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.4882 | 4.974  | PASS |
| n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.4968 | 5.036  | PASS |
| n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4775 | 4.957  | PASS |
| n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4810 | 5.023  | PASS |
| n66 | 15 | 5  | 355500 | CP-OFDM<br>QPSK         | 25/0 | 4.4772 | 5.008  | PASS |
| n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9262 | 9.560  | PASS |
| n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9223 | 9.601  | PASS |
| n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9477 | 9.725  | PASS |
| n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9301 | 9.554  | PASS |
| n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9378 | 9.728  | PASS |
| n66 | 15 | 10 | 343000 | CP-OFDM<br>QPSK         | 52/0 | 9.3054 | 10.196 | PASS |
| n66 | 15 | 10 | 349000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9137 | 9.611  | PASS |







|     |    |    |        |                      |      |        |        |      |
|-----|----|----|--------|----------------------|------|--------|--------|------|
| n66 | 15 | 10 | 349000 | DFT-s-OFDM QPSK      | 50/0 | 8.9309 | 9.581  | PASS |
| n66 | 15 | 10 | 349000 | DFT-s-OFDM 16QAM     | 50/0 | 8.9423 | 9.582  | PASS |
| n66 | 15 | 10 | 349000 | DFT-s-OFDM 64QAM     | 50/0 | 8.9312 | 9.571  | PASS |
| n66 | 15 | 10 | 349000 | DFT-s-OFDM 256QAM    | 50/0 | 8.9344 | 9.573  | PASS |
| n66 | 15 | 10 | 349000 | CP-OFDM QPSK         | 52/0 | 9.2883 | 10.121 | PASS |
| n66 | 15 | 10 | 355000 | DFT-s-OFDM PI/2 BPSK | 50/0 | 8.9332 | 9.650  | PASS |
| n66 | 15 | 10 | 355000 | DFT-s-OFDM QPSK      | 50/0 | 8.9336 | 9.696  | PASS |
| n66 | 15 | 10 | 355000 | DFT-s-OFDM 16QAM     | 50/0 | 8.9454 | 9.738  | PASS |
| n66 | 15 | 10 | 355000 | DFT-s-OFDM 64QAM     | 50/0 | 8.9326 | 9.770  | PASS |
| n66 | 15 | 10 | 355000 | DFT-s-OFDM 256QAM    | 50/0 | 8.9327 | 9.643  | PASS |
| n66 | 15 | 10 | 355000 | CP-OFDM QPSK         | 52/0 | 9.2990 | 10.099 | PASS |
| n66 | 15 | 15 | 343500 | DFT-s-OFDM PI/2 BPSK | 75/0 | 13.417 | 14.278 | PASS |
| n66 | 15 | 15 | 343500 | DFT-s-OFDM QPSK      | 75/0 | 13.427 | 14.389 | PASS |
| n66 | 15 | 15 | 343500 | DFT-s-OFDM 16QAM     | 75/0 | 13.421 | 14.314 | PASS |
| n66 | 15 | 15 | 343500 | DFT-s-OFDM 64QAM     | 75/0 | 13.403 | 14.335 | PASS |
| n66 | 15 | 15 | 343500 | DFT-s-OFDM           | 75/0 | 13.427 | 14.195 | PASS |




|     |    |    |        |                             |       |        |        |      |
|-----|----|----|--------|-----------------------------|-------|--------|--------|------|
|     |    |    |        | 256QAM                      |       |        |        |      |
| n66 | 15 | 15 | 343500 | CP-OFDM<br>QPSK             | 79/0  | 14.121 | 16.984 | PASS |
| n66 | 15 | 15 | 349000 | DFT-s-<br>OFDM<br>PI/2 BPSK | 75/0  | 13.422 | 14.280 | PASS |
| n66 | 15 | 15 | 349000 | DFT-s-<br>OFDM<br>QPSK      | 75/0  | 13.419 | 14.441 | PASS |
| n66 | 15 | 15 | 349000 | DFT-s-<br>OFDM<br>16QAM     | 75/0  | 13.433 | 14.284 | PASS |
| n66 | 15 | 15 | 349000 | DFT-s-<br>OFDM<br>64QAM     | 75/0  | 13.400 | 14.339 | PASS |
| n66 | 15 | 15 | 349000 | DFT-s-<br>OFDM<br>256QAM    | 75/0  | 13.428 | 14.210 | PASS |
| n66 | 15 | 15 | 349000 | CP-OFDM<br>QPSK             | 79/0  | 14.115 | 16.703 | PASS |
| n66 | 15 | 15 | 354500 | DFT-s-<br>OFDM<br>PI/2 BPSK | 75/0  | 13.404 | 14.154 | PASS |
| n66 | 15 | 15 | 354500 | DFT-s-<br>OFDM<br>QPSK      | 75/0  | 13.431 | 14.426 | PASS |
| n66 | 15 | 15 | 354500 | DFT-s-<br>OFDM<br>16QAM     | 75/0  | 13.417 | 14.342 | PASS |
| n66 | 15 | 15 | 354500 | DFT-s-<br>OFDM<br>64QAM     | 75/0  | 13.395 | 14.288 | PASS |
| n66 | 15 | 15 | 354500 | DFT-s-<br>OFDM<br>256QAM    | 75/0  | 13.440 | 14.314 | PASS |
| n66 | 15 | 15 | 354500 | CP-OFDM<br>QPSK             | 79/0  | 14.114 | 16.522 | PASS |
| n66 | 15 | 20 | 344000 | DFT-s-<br>OFDM<br>PI/2 BPSK | 100/0 | 17.897 | 18.946 | PASS |
| n66 | 15 | 20 | 344000 | DFT-s-<br>OFDM<br>QPSK      | 100/0 | 17.885 | 19.254 | PASS |
| n66 | 15 | 20 | 344000 | DFT-s-                      | 100/0 | 17.923 | 19.029 | PASS |




|     |    |    |        |                             |       |        |        |      |
|-----|----|----|--------|-----------------------------|-------|--------|--------|------|
|     |    |    |        | OFDM<br>16QAM               |       |        |        |      |
| n66 | 15 | 20 | 344000 | DFT-s-<br>OFDM<br>64QAM     | 100/0 | 17.917 | 18.912 | PASS |
| n66 | 15 | 20 | 344000 | DFT-s-<br>OFDM<br>256QAM    | 100/0 | 17.876 | 18.830 | PASS |
| n66 | 15 | 20 | 344000 | CP-OFDM<br>QPSK             | 106/0 | 18.918 | 20.594 | PASS |
| n66 | 15 | 20 | 349000 | DFT-s-<br>OFDM<br>PI/2 BPSK | 100/0 | 17.886 | 19.886 | PASS |
| n66 | 15 | 20 | 349000 | DFT-s-<br>OFDM<br>QPSK      | 100/0 | 17.872 | 19.178 | PASS |
| n66 | 15 | 20 | 349000 | DFT-s-<br>OFDM<br>16QAM     | 100/0 | 17.893 | 19.008 | PASS |
| n66 | 15 | 20 | 349000 | DFT-s-<br>OFDM<br>64QAM     | 100/0 | 17.891 | 18.860 | PASS |
| n66 | 15 | 20 | 349000 | DFT-s-<br>OFDM<br>256QAM    | 100/0 | 17.859 | 18.792 | PASS |
| n66 | 15 | 20 | 349000 | CP-OFDM<br>QPSK             | 106/0 | 18.906 | 20.053 | PASS |
| n66 | 15 | 20 | 354000 | DFT-s-<br>OFDM<br>PI/2 BPSK | 100/0 | 17.879 | 20.082 | PASS |
| n66 | 15 | 20 | 354000 | DFT-s-<br>OFDM<br>QPSK      | 100/0 | 17.877 | 19.091 | PASS |
| n66 | 15 | 20 | 354000 | DFT-s-<br>OFDM<br>16QAM     | 100/0 | 17.892 | 19.020 | PASS |
| n66 | 15 | 20 | 354000 | DFT-s-<br>OFDM<br>64QAM     | 100/0 | 17.884 | 18.842 | PASS |
| n66 | 15 | 20 | 354000 | DFT-s-<br>OFDM<br>256QAM    | 100/0 | 17.852 | 18.738 | PASS |
| n66 | 15 | 20 | 354000 | CP-OFDM<br>QPSK             | 106/0 | 18.908 | 19.958 | PASS |


n66 5M DFT-s-OFDM BPSK Outer\_Full  
Lown66 5M DFT-s-OFDM QPSK Outer\_Full  
Lown66 5M DFT-s-OFDM 16QAM Outer\_Full  
Lown66 5M DFT-s-OFDM 64QAM Outer\_Full  
Low




n66 5M DFT-s-OFDM 256QAM Outer\_Full Low




n66 5M CP-OFDM QPSK Outer\_Full Low




n66 5M DFT-s-OFDM BPSK Outer\_Full Mid



n66 5M DFT-s-OFDM QPSK Outer\_Full Mid




n66 5M DFT-s-OFDM 16QAM Outer\_Full Mid




n66 5M DFT-s-OFDM 64QAM Outer\_Full Mid







n66 5M DFT-s-OFDM 256QAM Outer\_Full Mid




n66 5M CP-OFDM QPSK Outer\_Full Mid




n66 5M DFT-s-OFDM BPSK Outer\_Full High




n66 5M DFT-s-OFDM QPSK Outer\_Full High




n66 5M DFT-s-OFDM 16QAM Outer\_Full High




n66 5M DFT-s-OFDM 64QAM Outer\_Full High




n66 5M DFT-s-OFDM 256QAM Outer\_Full High




n66 5M CP-OFDM QPSK Outer\_Full High




n66 10M DFT-s-OFDM BPSK Outer\_Full Low





n66 10M DFT-s-OFDM QPSK Outer\_Full Low







n66 10M DFT-s-OFDM 16QAM Outer\_Full Low





n66 10M DFT-s-OFDM 64QAM Outer\_Full Low





n66 10M DFT-s-OFDM 256QAM  
Outer\_Full Low



n66 10M CP-OFDM QPSK Outer\_Full Low

n66 10M DFT-s-OFDM BPSK Outer\_Full  
Midn66 10M DFT-s-OFDM QPSK Outer\_Full  
Midn66 10M DFT-s-OFDM 16QAM Outer\_Full  
Midn66 10M DFT-s-OFDM 64QAM Outer\_Full  
Mid





n66 10M DFT-s-OFDM 256QAM  
Outer\_Full Mid



n66 10M CP-OFDM QPSK Outer\_Full Mid

n66 10M DFT-s-OFDM BPSK Outer\_Full  
Highn66 10M DFT-s-OFDM QPSK Outer\_Full  
Highn66 10M DFT-s-OFDM 16QAM Outer\_Full  
Highn66 10M DFT-s-OFDM 64QAM Outer\_Full  
High





n66 10M DFT-s-OFDM 256QAM  
Outer\_Full High

n66 10M CP-OFDM QPSK Outer\_Full High



n66 15M DFT-s-OFDM BPSK Outer\_Full  
Lown66 15M DFT-s-OFDM QPSK Outer\_Full  
Lown66 15M DFT-s-OFDM 16QAM Outer\_Full  
Lown66 15M DFT-s-OFDM 64QAM Outer\_Full  
Low

n66 15M DFT-s-OFDM 256QAM  
Outer\_Full Low





n66 15M CP-OFDM QPSK Outer\_Full Low

n66 15M DFT-s-OFDM BPSK Outer\_Full  
Midn66 15M DFT-s-OFDM QPSK Outer\_Full  
Midn66 15M DFT-s-OFDM 16QAM Outer\_Full  
Midn66 15M DFT-s-OFDM 64QAM Outer\_Full  
Mid





n66 15M DFT-s-OFDM 256QAM  
Outer\_Full Mid





n66 15M CP-OFDM QPSK Outer\_Full Mid



n66 15M DFT-s-OFDM BPSK Outer\_Full  
Highn66 15M DFT-s-OFDM QPSK Outer\_Full  
Highn66 15M DFT-s-OFDM 16QAM Outer\_Full  
Highn66 15M DFT-s-OFDM 64QAM Outer\_Full  
High







n66 15M DFT-s-OFDM 256QAM  
Outer\_Full High



n66 15M CP-OFDM QPSK Outer\_Full High

n66 20M DFT-s-OFDM BPSK Outer\_Full  
Lown66 20M DFT-s-OFDM QPSK Outer\_Full  
Lown66 20M DFT-s-OFDM 16QAM Outer\_Full  
Lown66 20M DFT-s-OFDM 64QAM Outer\_Full  
Low





n66 20M DFT-s-OFDM 256QAM  
Outer\_Full Low


n66 20M CP-OFDM QPSK Outer\_Full Low

n66 20M DFT-s-OFDM BPSK Outer\_Full  
Midn66 20M DFT-s-OFDM QPSK Outer\_Full  
Midn66 20M DFT-s-OFDM 16QAM Outer\_Full  
Midn66 20M DFT-s-OFDM 64QAM Outer\_Full  
Mid

n66 20M DFT-s-OFDM 256QAM  
Outer\_Full Mid

n66 20M CP-OFDM QPSK Outer\_Full Mid

n66 20M DFT-s-OFDM BPSK Outer\_Full  
Highn66 20M DFT-s-OFDM QPSK Outer\_Full  
Highn66 20M DFT-s-OFDM 16QAM Outer\_Full  
Highn66 20M DFT-s-OFDM 64QAM Outer\_Full  
High



| Band | SCS (kHz) | BW (MHz) | ARFCN  | Modulation           | RB   | OBW (MHz) | 26dB BW (MHz) | Verdict |
|------|-----------|----------|--------|----------------------|------|-----------|---------------|---------|
| n71  | 15        | 5        | 133100 | DFT-s-OFDM PI/2 BPSK | 25/0 | 4.4836    | 5.061         | PASS    |
| n71  | 15        | 5        | 133100 | DFT-s-OFDM QPSK      | 25/0 | 4.4859    | 5.123         | PASS    |
| n71  | 15        | 5        | 133100 | DFT-s-OFDM 16QAM     | 25/0 | 4.4865    | 4.987         | PASS    |
| n71  | 15        | 5        | 133100 | DFT-s-OFDM 64QAM     | 25/0 | 4.4755    | 4.951         | PASS    |
| n71  | 15        | 5        | 133100 | DFT-s-OFDM 256QAM    | 25/0 | 4.4736    | 4.918         | PASS    |
| n71  | 15        | 5        | 133100 | CP-OFDM QPSK         | 25/0 | 4.4765    | 5.065         | PASS    |
| n71  | 15        | 5        | 136100 | DFT-s-OFDM PI/2 BPSK | 25/0 | 4.4733    | 4.905         | PASS    |
| n71  | 15        | 5        | 136100 | DFT-s-OFDM QPSK      | 25/0 | 4.4986    | 5.157         | PASS    |



|     |    |    |        |                         |      |        |        |      |
|-----|----|----|--------|-------------------------|------|--------|--------|------|
| n71 | 15 | 5  | 136100 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.4854 | 4.996  | PASS |
| n71 | 15 | 5  | 136100 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4714 | 4.970  | PASS |
| n71 | 15 | 5  | 136100 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4805 | 5.045  | PASS |
| n71 | 15 | 5  | 136100 | CP-OFDM<br>QPSK         | 25/0 | 4.4732 | 5.051  | PASS |
| n71 | 15 | 5  | 139100 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.4785 | 4.954  | PASS |
| n71 | 15 | 5  | 139100 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.4798 | 5.104  | PASS |
| n71 | 15 | 5  | 139100 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.4879 | 5.046  | PASS |
| n71 | 15 | 5  | 139100 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.4711 | 4.922  | PASS |
| n71 | 15 | 5  | 139100 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.4912 | 5.047  | PASS |
| n71 | 15 | 5  | 139100 | CP-OFDM<br>QPSK         | 25/0 | 4.4770 | 4.982  | PASS |
| n71 | 15 | 10 | 133600 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9002 | 9.600  | PASS |
| n71 | 15 | 10 | 133600 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9063 | 9.668  | PASS |
| n71 | 15 | 10 | 133600 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9151 | 9.537  | PASS |
| n71 | 15 | 10 | 133600 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9034 | 9.649  | PASS |
| n71 | 15 | 10 | 133600 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9056 | 9.662  | PASS |
| n71 | 15 | 10 | 133600 | CP-OFDM<br>QPSK         | 52/0 | 9.2563 | 10.080 | PASS |



|     |    |    |        |                         |      |        |        |      |
|-----|----|----|--------|-------------------------|------|--------|--------|------|
| n71 | 15 | 10 | 136100 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9050 | 9.577  | PASS |
| n71 | 15 | 10 | 136100 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9158 | 9.687  | PASS |
| n71 | 15 | 10 | 136100 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9353 | 9.604  | PASS |
| n71 | 15 | 10 | 136100 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9163 | 9.606  | PASS |
| n71 | 15 | 10 | 136100 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9225 | 9.693  | PASS |
| n71 | 15 | 10 | 136100 | CP-OFDM<br>QPSK         | 52/0 | 9.2672 | 10.019 | PASS |
| n71 | 15 | 10 | 138600 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.9173 | 9.666  | PASS |
| n71 | 15 | 10 | 138600 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.9208 | 9.584  | PASS |
| n71 | 15 | 10 | 138600 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.9384 | 9.666  | PASS |
| n71 | 15 | 10 | 138600 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.9211 | 9.601  | PASS |
| n71 | 15 | 10 | 138600 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.9205 | 9.725  | PASS |
| n71 | 15 | 10 | 138600 | CP-OFDM<br>QPSK         | 52/0 | 9.2862 | 10.067 | PASS |
| n71 | 15 | 15 | 134100 | DFT-s-OFDM<br>PI/2 BPSK | 75/0 | 13.387 | 14.279 | PASS |
| n71 | 15 | 15 | 134100 | DFT-s-OFDM<br>QPSK      | 75/0 | 13.403 | 14.375 | PASS |
| n71 | 15 | 15 | 134100 | DFT-s-OFDM<br>16QAM     | 75/0 | 13.407 | 14.235 | PASS |
| n71 | 15 | 15 | 134100 | DFT-s-OFDM              | 75/0 | 13.358 | 14.258 | PASS |



|     |    |    |        |                         |       |        |        |      |
|-----|----|----|--------|-------------------------|-------|--------|--------|------|
|     |    |    |        | 64QAM                   |       |        |        |      |
| n71 | 15 | 15 | 134100 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.393 | 14.154 | PASS |
| n71 | 15 | 15 | 134100 | CP-OFDM<br>QPSK         | 79/0  | 14.083 | 14.990 | PASS |
| n71 | 15 | 15 | 136100 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.415 | 14.385 | PASS |
| n71 | 15 | 15 | 136100 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.407 | 14.296 | PASS |
| n71 | 15 | 15 | 136100 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.416 | 14.188 | PASS |
| n71 | 15 | 15 | 136100 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.385 | 14.250 | PASS |
| n71 | 15 | 15 | 136100 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.432 | 14.344 | PASS |
| n71 | 15 | 15 | 136100 | CP-OFDM<br>QPSK         | 79/0  | 14.102 | 15.102 | PASS |
| n71 | 15 | 15 | 138100 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.388 | 14.382 | PASS |
| n71 | 15 | 15 | 138100 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.407 | 14.420 | PASS |
| n71 | 15 | 15 | 138100 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.419 | 14.253 | PASS |
| n71 | 15 | 15 | 138100 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.387 | 14.259 | PASS |
| n71 | 15 | 15 | 138100 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.423 | 14.211 | PASS |
| n71 | 15 | 15 | 138100 | CP-OFDM<br>QPSK         | 79/0  | 14.109 | 15.097 | PASS |
| n71 | 15 | 20 | 134600 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.807 | 18.789 | PASS |
| n71 | 15 | 20 | 134600 | DFT-s-                  | 100/0 | 17.795 | 18.751 | PASS |










|     |    |    |        |                             |       |        |        |      |
|-----|----|----|--------|-----------------------------|-------|--------|--------|------|
|     |    |    |        | OFDM<br>QPSK                |       |        |        |      |
| n71 | 15 | 20 | 134600 | DFT-s-<br>OFDM<br>16QAM     | 100/0 | 17.825 | 18.842 | PASS |
| n71 | 15 | 20 | 134600 | DFT-s-<br>OFDM<br>64QAM     | 100/0 | 17.818 | 18.870 | PASS |
| n71 | 15 | 20 | 134600 | DFT-s-<br>OFDM<br>256QAM    | 100/0 | 17.803 | 18.789 | PASS |
| n71 | 15 | 20 | 134600 | CP-OFDM<br>QPSK             | 106/0 | 18.825 | 19.975 | PASS |
| n71 | 15 | 20 | 136100 | DFT-s-<br>OFDM<br>PI/2 BPSK | 100/0 | 17.853 | 18.836 | PASS |
| n71 | 15 | 20 | 136100 | DFT-s-<br>OFDM<br>QPSK      | 100/0 | 17.841 | 18.753 | PASS |
| n71 | 15 | 20 | 136100 | DFT-s-<br>OFDM<br>16QAM     | 100/0 | 17.869 | 18.832 | PASS |
| n71 | 15 | 20 | 136100 | DFT-s-<br>OFDM<br>64QAM     | 100/0 | 17.874 | 18.979 | PASS |
| n71 | 15 | 20 | 136100 | DFT-s-<br>OFDM<br>256QAM    | 100/0 | 17.847 | 18.747 | PASS |
| n71 | 15 | 20 | 136100 | CP-OFDM<br>QPSK             | 106/0 | 18.873 | 19.978 | PASS |
| n71 | 15 | 20 | 137600 | DFT-s-<br>OFDM<br>PI/2 BPSK | 100/0 | 17.845 | 18.836 | PASS |
| n71 | 15 | 20 | 137600 | DFT-s-<br>OFDM<br>QPSK      | 100/0 | 17.850 | 18.854 | PASS |
| n71 | 15 | 20 | 137600 | DFT-s-<br>OFDM<br>16QAM     | 100/0 | 17.857 | 18.851 | PASS |
| n71 | 15 | 20 | 137600 | DFT-s-<br>OFDM<br>64QAM     | 100/0 | 17.886 | 18.885 | PASS |
| n71 | 15 | 20 | 137600 | DFT-s-<br>OFDM<br>256QAM    | 100/0 | 17.831 | 18.819 | PASS |




|     |    |    |        |                 |       |        |        |      |
|-----|----|----|--------|-----------------|-------|--------|--------|------|
| n71 | 15 | 20 | 137600 | CP-OFDM<br>QPSK | 106/0 | 18.881 | 20.045 | PASS |
|-----|----|----|--------|-----------------|-------|--------|--------|------|


n71 5M DFT-s-OFDM BPSK Outer\_Full  
Lown71 5M DFT-s-OFDM QPSK Outer\_Full  
Lown71 5M DFT-s-OFDM 16QAM Outer\_Full  
Lown71 5M DFT-s-OFDM 64QAM Outer\_Full  
Low




n71 5M DFT-s-OFDM 256QAM Outer\_Full Low




n71 5M CP-OFDM QPSK Outer\_Full Low




n71 5M DFT-s-OFDM BPSK Outer\_Full Mid




n71 5M DFT-s-OFDM QPSK Outer\_Full Mid




n71 5M DFT-s-OFDM 16QAM Outer\_Full Mid




n71 5M DFT-s-OFDM 64QAM Outer\_Full Mid




n71 5M DFT-s-OFDM 256QAM Outer\_Full Mid




n71 5M CP-OFDM QPSK Outer\_Full Mid




n71 5M DFT-s-OFDM BPSK Outer\_Full High




n71 5M DFT-s-OFDM QPSK Outer\_Full High




n71 5M DFT-s-OFDM 16QAM Outer\_Full High




n71 5M DFT-s-OFDM 64QAM Outer\_Full High




n71 5M DFT-s-OFDM 256QAM Outer\_Full High




n71 5M CP-OFDM QPSK Outer\_Full High




n71 10M DFT-s-OFDM BPSK Outer\_Full Low





n71 10M DFT-s-OFDM QPSK Outer\_Full Low







n71 10M DFT-s-OFDM 16QAM Outer\_Full Low





n71 10M DFT-s-OFDM 64QAM Outer\_Full Low





n71 10M DFT-s-OFDM 256QAM  
Outer\_Full Low

n71 10M CP-OFDM QPSK Outer\_Full Low



n71 10M DFT-s-OFDM BPSK Outer\_Full  
Midn71 10M DFT-s-OFDM QPSK Outer\_Full  
Midn71 10M DFT-s-OFDM 16QAM Outer\_Full  
Midn71 10M DFT-s-OFDM 64QAM Outer\_Full  
Mid

n71 10M DFT-s-OFDM 256QAM  
Outer\_Full Mid





n71 10M CP-OFDM QPSK Outer\_Full Mid

n71 10M DFT-s-OFDM BPSK Outer\_Full  
Highn71 10M DFT-s-OFDM QPSK Outer\_Full  
Highn71 10M DFT-s-OFDM 16QAM Outer\_Full  
Highn71 10M DFT-s-OFDM 64QAM Outer\_Full  
High



n71 10M DFT-s-OFDM 256QAM  
Outer\_Full High

n71 10M CP-OFDM QPSK Outer\_Full High

n71 15M DFT-s-OFDM BPSK Outer\_Full  
Lown71 15M DFT-s-OFDM QPSK Outer\_Full  
Lown71 15M DFT-s-OFDM 16QAM Outer\_Full  
Lown71 15M DFT-s-OFDM 64QAM Outer\_Full  
Low