

Admit it

The product description:	The manufacturer: Welletronics Communication Technology Limited The name of the material/Model: MP02 BT antenna Material code: The version number: V1.0	Project type: MP02 Specification/Color: Sign the sample date: 2023.01.17 note:				
The attachment:	<input checked="" type="checkbox"/> Description of electrical and mechanical properties (Specification) <input type="checkbox"/> QCEngineering drawing <input type="checkbox"/> The sample <input type="checkbox"/> CPK report <input type="checkbox"/> Manufacturing flow chart <input type="checkbox"/> Reliability test report <input type="checkbox"/> The packing way <input type="checkbox"/> Raw material list report /RoHS report/HF/REACH <input type="checkbox"/> Full size measurement report					
Supplier sign and approve	artificial:	audit: approval:				
The above shall be filled in by the supplier and the following shall be filled in by Aidu						
	department	Confirm the content	Verify the results	Confirm person/date		
Technical confirmation column	Supplier quality	<input type="checkbox"/> RoHS material <input type="checkbox"/> no RoHS material	<input type="checkbox"/> Meet REACH requirements <input type="checkbox"/> Meet halogen-free requirements <input type="checkbox"/> Other Environmental Requirements			
	ID of Design Department	<input type="checkbox"/> The customer request ID <input type="checkbox"/> Color confirmation	<input type="checkbox"/> Surface process confirmation <input type="checkbox"/> Shell, hardware, key material			
	Structural engineer	<input type="checkbox"/> Confirm the size of 2D drawing files <input type="checkbox"/> Specifications and technical requirements	<input type="checkbox"/> Focus on size marking control <input type="checkbox"/> Electrical performance parameter <input type="checkbox"/> Adapter validation <input type="checkbox"/> function	<input type="checkbox"/> Shell, hardware, key material <input type="checkbox"/> The effect		
	Hardware engineer	<input type="checkbox"/> Confirm the size of 2D drawing files <input type="checkbox"/> Specifications and technical requirements	<input type="checkbox"/> Focus on size marking control <input type="checkbox"/> Electrical performance parameter <input type="checkbox"/> Adapter validation <input type="checkbox"/> function	<input type="checkbox"/> Shell, hardware, key material <input type="checkbox"/> The effect		
	R&d quality	<input type="checkbox"/> Test standard confirmation <input type="checkbox"/> appearance	<input type="checkbox"/> Standardization of dimension marking (key dimensions) <input type="checkbox"/> Reliability verification <input type="checkbox"/> Adapter validation	<input type="checkbox"/> function <input type="checkbox"/> The effect		
Final confirmation	Project Manager	<input type="checkbox"/> Acknowledge the completeness of the documents <input type="checkbox"/> Standardization of dimension marking (key dimensions) <input type="checkbox"/> Specifications and technical requirements <input type="checkbox"/> appearance	<input type="checkbox"/> Electrical performance parameter <input type="checkbox"/> function <input type="checkbox"/> The effect			
Admitted conditions:	<input type="checkbox"/> Official recognition <input type="checkbox"/> Set limit to admit <input type="checkbox"/> Refuse to admit					
Distribution department:	<input type="checkbox"/> IQC <input type="checkbox"/> supplier <input type="checkbox"/> The customer <input type="checkbox"/> after-sales <input type="checkbox"/> SQE/ Document control <input type="checkbox"/> other _____					

Catalog

One 、 The cover.....1

Two、 Directory.....2

Three 、 Change history..... 3

Four、 Electrical characteristics.....4-6


Three 、 Change history

Change of resume

Serial number	Date of change	entry name	Edition	Change content	Remarks

Four 、Electrical characteristics

1. Antenna Structur




2. Test Results

BT-Return Loss/VSWR

Test Repor Passive free space test efficiency/matching/pattern

BT SWR



BT efficiency


BT Free Space

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
2400	28.17	-5.5	0.95
2410	28.9	-5.39	0.87
2420	30.15	-5.21	0.97
2430	30.25	-5.19	1.47
2440	30.06	-5.22	0.91
2450	29.03	-5.37	0.75
2460	28.76	-5.41	0.86
2470	28	-5.53	0.78
2480	27.73	-5.57	0.73
2490	27.23	-5.65	0.7
2500	26.58	-5.76	0.42

BT Arm

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
2400	8.81	-10.55	-4.85
2410	9.2	-10.36	-4.8
2420	9.46	-10.24	-4.58
2430	9.71	-10.13	-4.56
2440	8.97	-10.47	-4.54
2450	8.37	-10.77	-4.65
2460	7.84	-11.06	-4.69
2470	7.32	-11.35	-4.63
2480	7.31	-11.36	-4.62
2490	7	-11.55	-4.75
2500	7.04	-11.52	-4.59

Match BT




天线	Element	Value
	E1	0.5PF
	E2	
	E3	
	E4	


Directional pattern

Free space pattern


2450.000MHz H



2450.000MHz E1




2450.000MHz E2




Add the arm

2450.000MHz H



2450.000MHz E1



2450.000MHz E2

