

Appendix Report

Report No.: CISRR25022008104

Test Engineer: Mark Fu


Supervised by: Rory Huang





1) Duty Cycle

Test Result

Mode	Channel	On Time (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle (linear)	Duty Cycle Factor (dB)	1/T
BLE 1M	0	2.133	2.499	85.37	0.8537	0.6869	0.4688
	19	2.133	2.499	85.37	0.8537	0.6869	0.4688
	39	2.133	2.500	85.33	0.8533	0.689	0.4688








BLE 1M_Channel 19





2) Power Spectral Density

Test Result

Mode	Channel	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
BLE 1M	0	-10.110	≤8	PASS
BLE 1M	19	-10.520	≤8	PASS
BLE 1M	39	-11.910	≤8	PASS












3) Conducted Output Power

Test Result

Mode	Channel	Peak Output Power (dBm)	Peak Output Power (mW)	Limit (dBm)	Result
BLE 1M	0	6.70	4.68	≤30	PASS
	19	6.23	4.2	≤30	PASS
	39	4.97	3.14	≤30	PASS


Test Graphs





BLE 1M_Channel 0

Peak Output Power BLE 1M_Channel 19




Peak Output Power BLE 1M_Channel 39




4) 6dB Bandwidth

Test Result

Mode	Channel	Center Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
BLE 1M	0	2402	0.6600		PASS
	19	2440	0.6700	≥0.5	PASS
	39	2480	0.6600		PASS








BLE 1M_Channel 19




5) Conducted Out Of Band Emission

Test Result

Mode	Channel	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
BLE 1M	0	2399.00	-34.449	-13.54	-20.909	PASS
		2400.00	-47.400	-13.54	-33.860	PASS
		9602.20	-40.833	-13.54	-27.293	PASS
	19	9753.73	-39.506	-14.01	-25.496	PASS
	20	2483.50	-44.940	-15.3	-29.640	PASS
	39	9914.37	-37.534	-15.3	-22.234	PASS







-----End of the report-----