

SECTION 3

LABELING INFORMATION

special note:

NOTE: A: MFG Date to be printed sequential by month as per placed sample (7/97)

For Example:
 March 1997 = 3/97
 April = 4/97
 May = 5/97

NOTE B: MFG ID code letter:
 For example:
 S= SUGA
 W= WHITWAYS

NOTE C: Place UL logo here
 TIFF File emailed sep. (ullogo.tif)

NOTE D:
 Do not print box. For placement only.

TC-100 MFG. Date 6/98 S

PET TRAINING SYSTEM CLASSIFIED BY UNDERWRITERS LABORATORIES INC. AS TO ELECTRIC SHOCK AND FIRE ONLY. NOT FOR USE ONLY WITH THE UNDERGROUND FENCE UL-330 RECEIVERS.

WARNING: Risk of fire or electric shock. Connect only to UL listed Class 3 transformer for supply connection. Output: Dual 15VAC 60Hz.

CAUTION: Risk of electric shock. Install Transformer indoors. Do Not expose to rain.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device must not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

SVM-A FCC ID: KE3TC100 CANADA: 402-018A

UL

Radio Systems CORPORATION The world leader in pet training products	Project:	TC-300
	Description:	LABEL, BACK HOUSING
	RSC Part:	402-018
	Revision:	A
	RSC File Name:	402018 Comp Version 7
Material: .044 Polyester (B423) w/acrylic adhesive	Date:	07/09/1999
	Drawn By:	JS
	Approval:	
Color: PMS Black Text on White Background	Date:	



