



TX CH38



Date: 28.JUN.2018 20:22:04

TX CH46




Date: 28.JUN.2018 20:25:06

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.40	16.40	>=500
CH157	5785	16.50	16.40	>=500
CH165	5825	16.40	16.40	>=500

TX CH 149




Date: 28.JUN.2018 15:48:55

TX CH 157



Date: 28.JUN.2018 15:50:10

TX CH 165




Date: 28.JUN.2018 15:51:23

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.55	17.60	>=500
CH157	5785	17.65	17.60	>=500
CH165	5825	17.59	17.60	>=500




TX CH 157



Date: 28.JUN.2018 16:41:21

TX CH 165




Date: 28.JUN.2018 16:42:27

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	31.99	36.00	>=500
CH159	5795	34.90	36.00	>=500

TX CH 151



Date: 28.JUN.2018 20:26:26

TX CH 159




Date: 28.JUN.2018 20:28:03

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.05	17.80
CH40	5200	20.85	17.80
CH48	5240	20.69	17.80

TX CH36




Date: 28.JUN.2018 16:45:43

TX CH40



Date: 28.JUN.2018 16:46:54

TX CH48




Date: 28.JUN.2018 16:47:45

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	40.90	36.00
CH46	5230	40.70	36.40

TX CH38



Date: 28.JUN.2018 20:32:14


TX CH46



Date: 28.JUN.2018 20:34:42

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	83.40	76.00




Date: 28.JUN.2018 21:13:02

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.49	17.60	>=500
CH165	5825	17.65	17.60	>=500

TX CH 149




Date: 28.JUN.2018 16:49:06

TX CH 157



Date: 28.JUN.2018 16:50:17

TX CH 165




Date: 28.JUN.2018 16:51:28

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	35.79	36.00	>=500
CH159	5795	35.40	36.00	>=500

TX CH 151



Date: 28.JUN.2018 20:36:07

TX CH 159




Date: 28.JUN.2018 20:37:31

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.60	76.00	>=500

TX CH 155




Date: 28.JUN.2018 21:14:19

Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.05	17.70
CH40	5200	20.99	17.80
CH48	5240	20.75	17.80

TX CH36




Date: 18.JUL.2018 13:46:28

TX CH40



Date: 18.JUL.2018 13:47:31

TX CH48




Date: 18.JUL.2018 13:48:33

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	40.61	36.00
CH46	5230	40.90	36.40

TX CH38



Date: 18.JUL.2018 14:33:11

TX CH46




Date: 18.JUL.2018 14:34:21

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.39	17.60	>=500
CH165	5825	17.29	17.60	>=500

TX CH 149




Date: 18.JUL.2018 13:49:43

TX CH 157



Date: 18.JUL.2018 13:51:33

TX CH 165




Date: 18.JUL.2018 13:52:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	34.01	36.00	>=500
CH159	5795	34.10	36.00	>=500

TX CH 151



Date: 18.JUL.2018 14:35:39

TX CH 159




Date: 18.JUL.2018 14:37:05

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.79	17.80
CH40	5200	21.35	17.80
CH48	5240	21.05	17.80

TX CH36




Date: 18.JUL.2018 14:12:17

TX CH40



Date: 18.JUL.2018 14:13:17

TX CH48




Date: 18.JUL.2018 14:14:15

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	40.80	36.00
CH46	5230	41.21	36.40

TX CH38



Date: 18.JUL.2018 14:54:30


TX CH46



Date: 18.JUL.2018 14:55:50

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	84.00	76.00




Date: 18.JUL.2018 15:18:03

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.65	17.60	>=500
CH165	5825	17.00	17.60	>=500

TX CH 149




Date: 18.JUL.2018 14:15:13

TX CH 157



Date: 18.JUL.2018 14:16:30

TX CH 165




Date: 18.JUL.2018 14:17:27

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	30.19	36.00	>=500
CH159	5795	35.40	36.00	>=500

TX CH 151



Date: 18.JUL.2018 14:57:17

TX CH 159




Date: 18.JUL.2018 14:58:45

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.99	76.40	>=500

TX CH 155



Date: 18.JUL.2018 15:16:43

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.83	0.15	19.98	27.30	0.54
CH40	5200	19.74	0.15	19.89	27.30	0.54
CH48	5240	19.89	0.15	20.04	27.30	0.54

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.73	0.15	19.88	27.30	0.54
CH40	5200	19.41	0.15	19.56	27.30	0.54
CH48	5240	19.48	0.15	19.63	27.30	0.54

Test Mode: UNII-1/TX A Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.92	0.15	20.07	27.30	0.54
CH40	5200	19.91	0.15	20.06	27.30	0.54
CH48	5240	19.58	0.15	19.73	27.30	0.54

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.75	27.30	0.54
CH40	5200	24.61	27.30	0.54
CH48	5240	24.58	27.30	0.54

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.58	0.00	19.58	27.30	0.54
CH40	5200	19.48	0.00	19.48	27.30	0.54
CH48	5240	19.53	0.00	19.53	27.30	0.54

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.26	0.00	19.26	27.30	0.54
CH40	5200	19.25	0.00	19.25	27.30	0.54
CH48	5240	19.16	0.00	19.16	27.30	0.54

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.72	0.00	19.72	27.30	0.54
CH40	5200	19.67	0.00	19.67	27.30	0.54
CH48	5240	19.35	0.00	19.35	27.30	0.54

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.30	27.30	0.54
CH40	5200	24.24	27.30	0.54
CH48	5240	24.12	27.30	0.54

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.06	0.17	18.23	27.30	0.54
CH46	5230	19.74	0.17	19.91	27.30	0.54

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.63	0.17	17.80	27.30	0.54
CH46	5230	19.85	0.17	20.02	27.30	0.54

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.28	0.17	18.45	27.30	0.54
CH46	5230	19.96	0.17	20.13	27.30	0.54

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	22.94	27.30	0.54
CH46	5230	24.80	27.30	0.54

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.41	0.15	19.56	27.30	0.54
CH157	5785	19.02	0.15	19.17	27.30	0.54
CH165	5825	18.08	0.15	18.23	27.30	0.54

Test Mode: UNII-3/ TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.37	0.15	19.52	27.30	0.54
CH157	5785	19.33	0.15	19.48	27.30	0.54
CH165	5825	18.91	0.15	19.06	27.30	0.54

Test Mode: UNII-3/ TX A Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.56	0.15	19.71	27.30	0.54
CH157	5785	19.46	0.15	19.61	27.30	0.54
CH165	5825	19.04	0.15	19.19	27.30	0.54

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.37	27.30	0.54
CH157	5785	24.20	27.30	0.54
CH165	5825	23.62	27.30	0.54

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.34	0.00	19.34	27.30	0.54
CH157	5785	19.42	0.00	19.42	27.30	0.54
CH165	5825	18.72	0.00	18.72	27.30	0.54

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.75	0.00	19.75	27.30	0.54
CH157	5785	19.63	0.00	19.63	27.30	0.54
CH165	5825	19.33	0.00	19.33	27.30	0.54

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.21	0.00	19.21	27.30	0.54
CH157	5785	19.57	0.00	19.57	27.30	0.54
CH165	5825	19.41	0.00	19.41	27.30	0.54

Test Mode: UNII-3/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.21	27.30	0.54
CH157	5785	24.31	27.30	0.54
CH165	5825	23.94	27.30	0.54

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.54	0.17	19.71	27.30	0.54
CH159	5795	19.14	0.17	19.31	27.30	0.54

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.73	0.17	19.90	27.30	0.54
CH159	5795	19.56	0.17	19.73	27.30	0.54

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.85	0.17	20.02	27.30	0.54
CH159	5795	19.67	0.17	19.84	27.30	0.54

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.65	27.30	0.54
CH159	5795	24.41	27.30	0.54

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.26	0.55	19.81	27.30	0.54
CH40	5200	18.95	0.55	19.50	27.30	0.54
CH48	5240	18.49	0.55	19.04	27.30	0.54

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.86	0.55	19.41	27.30	0.54
CH40	5200	18.61	0.55	19.16	27.30	0.54
CH48	5240	18.32	0.55	18.87	27.30	0.54

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.42	0.55	19.97	27.30	0.54
CH40	5200	19.38	0.55	19.93	27.30	0.54
CH48	5240	18.32	0.55	18.87	27.30	0.54

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.50	27.30	0.54
CH40	5200	24.31	27.30	0.54
CH48	5240	23.69	27.30	0.54

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.42	1.11	18.53	27.30	0.54
CH46	5230	19.15	1.11	20.26	27.30	0.54

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.95	1.11	18.06	27.30	0.54
CH46	5230	19.05	1.11	20.16	27.30	0.54

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.78	1.11	18.89	27.30	0.54
CH46	5230	19.67	1.11	20.78	27.30	0.54

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	23.27	27.30	0.54
CH46	5230	25.18	27.30	0.54

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.88	0.63	16.51	27.30	0.54

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.51	0.63	16.14	27.30	0.54

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.07	0.63	16.70	27.30	0.54

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	21.23	27.30	0.54

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.36	0.55	19.91	27.30	0.54
CH157	5785	19.02	0.55	19.57	27.30	0.54
CH165	5825	18.43	0.55	18.98	27.30	0.54

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.56	0.55	20.11	27.30	0.54
CH157	5785	19.56	0.55	20.11	27.30	0.54
CH165	5825	19.28	0.55	19.83	27.30	0.54

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.88	0.55	20.43	27.30	0.54
CH157	5785	19.71	0.55	20.26	27.30	0.54
CH165	5825	19.06	0.55	19.61	27.30	0.54

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.92	27.30	0.54
CH157	5785	24.76	27.30	0.54
CH165	5825	24.26	27.30	0.54

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.81	1.11	19.92	27.30	0.54
CH159	5795	18.44	1.11	19.55	27.30	0.54

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.95	1.11	20.06	27.30	0.54
CH159	5795	18.82	1.11	19.93	27.30	0.54

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.21	1.11	20.32	27.30	0.54
CH159	5795	19.13	1.11	20.24	27.30	0.54

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.87	27.30	0.54
CH159	5795	24.68	27.30	0.54

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.36	0.63	19.99	27.30	0.54

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.57	0.63	20.20	27.30	0.54

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.89	0.63	20.52	27.30	0.54

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.01	27.30	0.54

Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.48	0.00	19.48	27.26	0.53
CH40	5200	19.27	0.00	19.27	27.26	0.53
CH48	5240	19.43	0.00	19.43	27.26	0.53

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.21	0.00	19.21	27.26	0.53
CH40	5200	19.16	0.00	19.16	27.26	0.53
CH48	5240	19.12	0.00	19.12	27.26	0.53

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.52	0.00	19.52	27.26	0.53
CH40	5200	19.37	0.00	19.37	27.26	0.53
CH48	5240	19.15	0.00	19.15	27.26	0.53

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.18	27.26	0.53
CH40	5200	24.04	27.26	0.53
CH48	5240	24.01	27.26	0.53

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.04	0.17	18.21	27.26	0.53
CH46	5230	19.54	0.17	19.71	27.26	0.53

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.53	0.17	17.70	27.26	0.53
CH46	5230	19.65	0.17	19.82	27.26	0.53

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.21	0.17	18.38	27.26	0.53
CH46	5230	19.82	0.17	19.99	27.26	0.53

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	22.88	27.26	0.53
CH46	5230	24.62	27.26	0.53

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.24	0.00	19.24	27.26	0.53
CH157	5785	19.32	0.00	19.32	27.26	0.53
CH165	5825	18.52	0.00	18.52	27.26	0.53

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.55	0.00	19.55	27.26	0.53
CH157	5785	19.49	0.00	19.49	27.26	0.53
CH165	5825	19.13	0.00	19.13	27.26	0.53

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.09	0.00	19.09	27.26	0.53
CH157	5785	19.37	0.00	19.37	27.26	0.53
CH165	5825	19.31	0.00	19.31	27.26	0.53

Test Mode: UNII-3/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.07	27.26	0.53
CH157	5785	24.17	27.26	0.53
CH165	5825	23.77	27.26	0.53

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.48	0.17	19.65	27.26	0.53
CH159	5795	19.12	0.17	19.29	27.26	0.53

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.53	0.17	19.70	27.26	0.53
CH159	5795	19.46	0.17	19.63	27.26	0.53

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.65	0.17	19.82	27.26	0.53
CH159	5795	19.47	0.17	19.64	27.26	0.53

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.50	27.26	0.53
CH159	5795	24.30	27.26	0.53

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.21	0.55	19.76	27.26	0.53
CH40	5200	18.45	0.55	19.00	27.26	0.53
CH48	5240	18.29	0.55	18.84	27.26	0.53

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.56	0.55	19.11	27.26	0.53
CH40	5200	18.59	0.55	19.14	27.26	0.53
CH48	5240	18.19	0.55	18.74	27.26	0.53

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.35	0.55	19.90	27.26	0.53
CH40	5200	19.38	0.55	19.93	27.26	0.53
CH48	5240	18.25	0.55	18.80	27.26	0.53

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.37	27.26	0.53
CH40	5200	24.14	27.26	0.53
CH48	5240	23.56	27.26	0.53

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.32	1.11	18.43	27.26	0.53
CH46	5230	19.13	1.11	20.24	27.26	0.53

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.91	1.11	18.02	27.26	0.53
CH46	5230	19.02	1.11	20.13	27.26	0.53

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.58	1.11	18.69	27.26	0.53
CH46	5230	19.47	1.11	20.58	27.26	0.53

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	23.16	27.26	0.53
CH46	5230	25.09	27.26	0.53

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.68	0.63	16.31	27.26	0.53

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.49	0.63	16.12	27.26	0.53

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.02	0.63	16.65	27.26	0.53

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	21.14	27.26	0.53

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.16	0.55	19.71	27.26	0.53
CH157	5785	19.12	0.55	19.67	27.26	0.53
CH165	5825	18.29	0.55	18.84	27.26	0.53

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.31	0.55	19.86	27.26	0.53
CH157	5785	19.26	0.55	19.81	27.26	0.53
CH165	5825	19.07	0.55	19.62	27.26	0.53

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.48	0.55	20.03	27.26	0.53
CH157	5785	19.41	0.55	19.96	27.26	0.53
CH165	5825	19.02	0.55	19.57	27.26	0.53

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.64	27.26	0.53
CH157	5785	24.58	27.26	0.53
CH165	5825	24.12	27.26	0.53

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.34	1.11	19.45	27.26	0.53
CH159	5795	18.24	1.11	19.35	27.26	0.53

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.79	1.11	19.90	27.26	0.53
CH159	5795	18.82	1.11	19.93	27.26	0.53

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.11	1.11	20.22	27.26	0.53
CH159	5795	19.13	1.11	20.24	27.26	0.53

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.64	27.26	0.53
CH159	5795	24.62	27.26	0.53

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.31	0.63	19.94	27.26	0.53

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.27	0.63	19.90	27.26	0.53

Test Mode: UNII-3/TX AC80 Mode_ANT 3


Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.39	0.63	20.02	27.26	0.53

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	24.72	27.26	0.53


Worst case :

Test Mode: TX A Mode




Date: 21.AUG.2018 09:59:07

Test Mode: TX N20 Mode



Date: 21.AUG.2018 10:05:58


Test Mode: TX N40 Mode



Date: 21.AUG.2018 10:17:24


Test Mode: TX AC20 Mode

AC20_5745



Date: 21.AUG.2018 10:09:35


Test Mode:TX AC40 Mode



Date: 21.AUG.2018 10:18:52

Test Mode: TX AC80 Mode

AC80_5775




Date: 21.AUG.2018 10:22:40

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.95	0.15	9.10	14.30
CH40	5200	8.84	0.15	8.99	14.30
CH48	5240	8.92	0.15	9.07	14.30




Date: 28.JUN.2018 15:43:54

CH40



Date: 28.JUN.2018 15:46:10


CH48



Date: 28.JUN.2018 15:47:06


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.41	0.15	9.56	14.30
CH40	5200	9.26	0.15	9.41	14.30
CH48	5240	9.10	0.15	9.25	14.30




Date: 28.JUN.2018 15:55:25

CH40



Date: 28.JUN.2018 15:56:36


CH48



Date: 28.JUN.2018 15:57:47


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.95	0.15	9.10	14.30
CH40	5200	8.69	0.15	8.84	14.30
CH48	5240	8.10	0.15	8.25	14.30




Date: 28.JUN.2018 16:05:15

CH40



Date: 28.JUN.2018 16:06:11

CH48




Date: 28.JUN.2018 16:07:06

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.03	14.30
CH40	5200	13.86	14.30
CH48	5240	13.65	14.30


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.66	0.00	8.66	14.30
CH40	5200	8.43	0.00	8.43	14.30
CH48	5240	8.33	0.00	8.33	14.30




Date: 28.JUN.2018 16:34:33

CH40



Date: 28.JUN.2018 16:36:12

CH48




Date: 28.JUN.2018 16:37:46

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.27	0.00	8.27	14.30
CH40	5200	8.24	0.00	8.24	14.30
CH48	5240	8.29	0.00	8.29	14.30

CH36




Date: 28.JUN.2018 16:25:21

CH40



Date: 28.JUN.2018 16:26:47

CH48




Date: 28.JUN.2018 16:28:27

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.85	0.00	8.85	14.30
CH40	5200	8.72	0.00	8.72	14.30
CH48	5240	8.07	0.00	8.07	14.30

CH36




Date: 28.JUN.2018 16:16:34

CH40



Date: 28.JUN.2018 16:18:05

CH48



Date: 28.JUN.2018 16:19:28


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.37	14.30
CH40	5200	13.24	14.30
CH48	5240	13.00	14.30

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.57	0.17	3.74	14.30
CH46	5230	5.61	0.17	5.78	14.30

CH38



Date: 28.JUN.2018 20:22:18

CH46




Date: 28.JUN.2018 20:25:20

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.52	0.17	3.69	14.30
CH46	5230	5.78	0.17	5.95	14.30

CH38



Date: 28.JUN.2018 20:13:26

CH46




Date: 28.JUN.2018 20:14:30

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.25	0.17	4.42	14.30
CH46	5230	5.78	0.17	5.95	14.30

CH38



Date: 28.JUN.2018 17:50:40

CH46



Date: 28.JUN.2018 17:56:52


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	8.74	14.30
CH46	5230	10.67	14.30

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.86	0.15	5.01	27.30
CH157	5785	4.76	0.15	4.91	27.30
CH165	5825	4.52	0.15	4.67	27.30

TX CH149




Date: 28.JUN.2018 15:49:05

TX CH157



Date: 28.JUN.2018 15:50:20

TX CH165




Date: 28.JUN.2018 15:51:33

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.49	0.15	4.64	27.30
CH157	5785	4.14	0.15	4.29	27.30
CH165	5825	3.80	0.15	3.95	27.30

TX CH149




Date: 28.JUN.2018 15:59:43

TX CH157



Date: 28.JUN.2018 16:01:16

TX CH165




Date: 28.JUN.2018 16:02:38

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.46	0.15	6.61	27.30
CH157	5785	5.92	0.15	6.07	27.30
CH165	5825	5.26	0.15	5.41	27.30

TX CH149




Date: 28.JUN.2018 16:09:20

TX CH157



Date: 28.JUN.2018 16:10:30

TX CH165



Date: 28.JUN.2018 16:11:32


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.28	27.30
CH157	5785	9.93	27.30
CH165	5825	9.49	27.30

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.69	0.00	4.69	27.30
CH157	5785	4.54	0.00	4.54	27.30
CH165	5825	4.06	0.00	4.06	27.30

TX CH149




Date: 28.JUN.2018 16:39:27

TX CH157



Date: 28.JUN.2018 16:41:31

TX CH165




Date: 28.JUN.2018 16:42:37

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.26	0.00	5.26	27.30
CH157	5785	5.20	0.00	5.20	27.30
CH165	5825	4.84	0.00	4.84	27.30

TX CH149




Date: 28.JUN.2018 16:29:27

TX CH157



Date: 28.JUN.2018 16:31:01

TX CH165




Date: 28.JUN.2018 16:32:52

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.58	0.00	5.58	27.30
CH157	5785	5.07	0.00	5.07	27.30
CH165	5825	4.32	0.00	4.32	27.30

TX CH149




Date: 28.JUN.2018 16:20:49

TX CH157



Date: 28.JUN.2018 16:22:16

TX CH165



Date: 28.JUN.2018 16:23:17


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.96	27.30
CH157	5785	9.72	27.30
CH165	5825	9.19	27.30

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.47	0.17	2.64	27.30
CH159	5795	2.37	0.17	2.54	27.30

TX CH151



Date: 28.JUN.2018 20:26:39

TX CH159




Date: 28.JUN.2018 20:28:17

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.39	0.17	2.56	27.30
CH159	5795	2.46	0.17	2.63	27.30

TX CH151



Date: 28.JUN.2018 20:15:37

TX CH159




Date: 28.JUN.2018 20:16:50

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.73	0.17	2.90	27.30
CH159	5795	2.19	0.17	2.36	27.30

TX CH151



Date: 28.JUN.2018 17:57:59

TX CH159




Date: 28.JUN.2018 17:59:30

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.48	27.30
CH159	5795	7.29	27.30


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.50	0.55	9.05	14.30
CH40	5200	8.61	0.55	9.16	14.30
CH48	5240	8.95	0.55	9.50	14.30




Date: 10.OCT.2018 09:52:51

CH40



Date: 10.OCT.2018 09:53:17


CH48



Date: 28.JUN.2018 16:47:55


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.40	0.55	8.95	14.30
CH40	5200	8.57	0.55	9.12	14.30
CH48	5240	8.95	0.55	9.50	14.30




Date: 10.OCT.2018 09:54:50

CH40



Date: 10.OCT.2018 09:55:10


CH48



Date: 28.JUN.2018 16:58:03


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.15	0.55	9.70	14.30
CH40	5200	8.94	0.55	9.49	14.30
CH48	5240	8.82	0.55	9.37	14.30




Date: 10.OCT.2018 09:55:55

CH40



Date: 10.OCT.2018 09:56:16

CH48



Date: 28.JUN.2018 17:37:11


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.01	14.30
CH40	5200	14.03	14.30
CH48	5240	14.22	14.30

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.53	1.11	4.64	14.30
CH46	5230	5.70	1.11	6.81	14.30

CH38



Date: 28.JUN.2018 20:32:27

CH46



Date: 28.JUN.2018 20:34:55