


Appendix-C Field Strength of Spurious Radiation-NR

For NR SA:

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.10	102.15	-82.72	19.43	-	-	Horizontal	NA
2	10176.00	42.83	-91.86	-49.03	-25.00	24.03	Horizontal	PASS
3	15250.00	36.55	-85.91	-49.36	-25.00	24.36	Horizontal	PASS
4	17806.50	38.85	-83.10	-44.25	-25.00	19.25	Horizontal	PASS

Project Information

Mode:	NR SA(UL MIMO)	Band:	n41
Bandwidth:	100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2544.00	96.08	-82.72	13.36	-	-	Vertical	NA
2	10176.00	47.47	-91.86	-44.39	-25.00	19.39	Vertical	PASS
3	15100.00	37.05	-86.20	-49.15	-25.00	24.15	Vertical	PASS
4	17873.00	38.39	-82.73	-44.34	-25.00	19.34	Vertical	PASS

Project Information

Mode:	NR SA(UL MIMO)	Band:	n48
Bandwidth:	40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3605.90	103.75	-88.67	15.08	-	-	Horizontal	NA
2	6439.23	31.86	-80.28	-48.42	-40.00	8.42	Horizontal	PASS
3	13696.94	33.37	-85.86	-52.49	-40.00	12.49	Horizontal	PASS
4	17888.45	32.00	-81.77	-49.77	-40.00	9.77	Horizontal	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n48
Bandwidth:	40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3606.18	108.28	-88.67	19.61	-	-	Vertical	NA
2	6498.63	31.41	-79.72	-48.31	-40.00	8.31	Vertical	PASS
3	7212.26	40.25	-95.98	-55.73	-40.00	15.73	Vertical	PASS
4	17986.20	32.37	-81.67	-49.30	-40.00	9.30	Vertical	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	98.93	-78.42	20.51	-	-	Horizontal	NA
2	5832.85	31.92	-70.99	-39.07	-13.00	26.07	Horizontal	PASS
3	15067.88	34.49	-86.11	-51.62	-13.00	38.62	Horizontal	PASS
4	17878.10	32.16	-81.63	-49.47	-13.00	36.47	Horizontal	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n77(3450-3550MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	100.32	-78.42	21.90	-	-	Vertical	NA
2	6290.73	32.14	-70.07	-37.93	-13.00	24.93	Vertical	PASS
3	15072.48	34.01	-86.12	-52.11	-13.00	39.11	Vertical	PASS
4	17380.15	33.58	-83.12	-49.54	-13.00	36.54	Vertical	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	97.35	-77.73	19.62	-	-	Horizontal	NA
2	6173.30	32.12	-69.76	-37.64	-13.00	24.64	Horizontal	PASS
3	13423.77	35.51	-88.28	-52.77	-13.00	39.77	Horizontal	PASS
4	17858.55	31.86	-81.38	-49.52	-13.00	36.52	Horizontal	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n77(3700-3980MHz)
Bandwidth:	100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	99.83	-77.73	22.10	-	-	Vertical	NA
2	6231.88	32.69	-70.05	-37.36	-	-	Vertical	NA
3	7581.77	39.75	-96.15	-56.40	-13.00	43.40	Vertical	PASS
4	15085.52	33.97	-86.18	-52.21	-13.00	39.21	Vertical	PASS
5	17995.02	32.79	-81.54	-48.75	-13.00	35.75	Vertical	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	98.96	-79.66	19.30	-	-	Horizontal	NA
2	2979.80	35.68	-74.97	-39.29	-13.00	26.29	Horizontal	PASS
3	15081.00	33.57	-86.26	-52.69	-13.00	39.69	Horizontal	PASS
4	17360.50	32.52	-82.81	-50.29	-13.00	37.29	Horizontal	PASS
5	17360.50	32.52	-82.81	-50.29	-13.00	37.29	Horizontal	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n25
Bandwidth:	40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	100.25	-79.66	20.59	-	-	Vertical	NA
2	2964.20	35.69	-74.88	-39.19	-13.00	26.19	Vertical	PASS
3	13861.00	33.94	-86.72	-52.78	-13.00	39.78	Vertical	PASS
4	17348.50	32.62	-82.47	-49.85	-13.00	36.85	Vertical	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	97.08	-79.95	17.13	-	-	Horizontal	NA
2	2964.60	31.42	-74.88	-43.46	-13.00	30.46	Horizontal	PASS
3	15248.00	36.72	-85.96	-49.24	-13.00	36.24	Horizontal	PASS
4	17350.00	38.12	-82.40	-44.28	-13.00	31.28	Horizontal	PASS

Project Information

Mode:	NR SA(UL MIMO)	Band:	n66
Bandwidth:	40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	104.02	-79.95	24.07	-	-	Vertical	NA
2	2982.60	31.60	-75.03	-43.43	-13.00	30.43	Vertical	PASS
3	15241.50	36.87	-86.11	-49.24	-13.00	36.24	Vertical	PASS
4	17902.00	38.23	-83.05	-44.82	-13.00	31.82	Vertical	PASS

Project Information			
Mode:	NR SA(UL MIMO)	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1714.35	57.94	-114.13	-56.19	-13.00	43.19	Horizontal	PASS
2	2638.35	54.87	-110.51	-55.64	-13.00	42.64	Horizontal	PASS
3	4853.15	50.88	-103.57	-52.69	-13.00	39.69	Horizontal	PASS

Project Information

Mode:	NR SA(UL MIMO)	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	63.01	-113.97	-50.96	-13.00	37.96	Vertical	PASS
2	2661.45	50.80	-110.49	-59.69	-13.00	46.69	Vertical	PASS
3	3623.25	42.30	-107.14	-64.84	-13.00	51.84	Vertical	PASS

For NR NSA:

Project Information			
Mode:	NSA	Band:	DC_2A_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	96.75	-79.95	16.80	-	-	Horizontal	NA
2	1871.00	100.57	-79.70	20.87	-	-	Horizontal	NA
3	2666.20	33.02	-76.64	-43.62	-13.00	30.62	Horizontal	PASS
4	2924.40	31.81	-75.20	-43.39	-13.00	30.39	Horizontal	PASS
5	17937.50	38.19	-83.09	-44.90	-13.00	31.90	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_2A_n66A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	102.15	-79.95	22.20	-	-	Vertical	NA
2	1871.00	99.33	-79.70	19.63	-	-	Vertical	NA
3	2759.60	31.93	-76.07	-44.14	-13.00	31.14	Vertical	PASS
4	2967.40	31.36	-74.87	-43.51	-13.00	30.51	Vertical	PASS
5	17865.00	38.22	-82.64	-44.42	-13.00	31.42	Vertical	PASS

Project Information

Mode:	NSA	Band:	DC_2A_n71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	115.13	-95.06	20.07	-	-	Horizontal	NA
2	1966.80	50.79	-94.69	-43.90	-	-	Horizontal	NA
3	2800.20	39.59	-91.14	-51.55	-13.00	38.55	Horizontal	PASS
4	15078.00	36.97	-86.27	-49.30	-13.00	36.30	Horizontal	PASS
5	17862.50	38.13	-82.60	-44.47	-13.00	31.47	Horizontal	PASS

Project Information

Mode:	NSA	Band:	DC_2A_n71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	113.84	-95.06	18.78	-	-	Vertical	NA
2	1952.80	47.98	-94.54	-46.56	-	-	Vertical	NA
3	2920.80	39.07	-90.48	-51.41	-13.00	38.41	Vertical	PASS
4	15084.50	37.94	-86.25	-48.31	-13.00	35.31	Vertical	PASS
5	17859.00	37.80	-82.56	-44.76	-13.00	31.76	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_66A_n71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.00	40.41	-95.09	-54.68	-13.00	41.68	Horizontal	PASS
2	1746.00	113.50	-94.83	18.67	-	-	Horizontal	NA
3	2013.00	50.17	-94.96	-44.79	-13.00	31.79	Horizontal	PASS
4	2156.80	47.36	-94.65	-47.29	-	-	Horizontal	NA
5	17848.00	37.84	-82.49	-44.65	-13.00	31.65	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_66A_n71A
Bandwidth:	20MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.00	114.98	-94.83	20.15	-	-	Vertical	NA
2	2158.80	45.93	-94.64	-48.71	-	-	Vertical	NA
3	3498.00	45.61	-106.98	-61.37	-13.00	48.37	Vertical	PASS
4	10141.00	39.08	-92.04	-52.96	-13.00	39.96	Vertical	PASS
5	17997.50	38.22	-82.46	-44.24	-13.00	31.24	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_66A_n25A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	97.91	-79.78	18.13	-	-	Horizontal	NA
2	1863.20	101.10	-79.66	21.44	-	-	Horizontal	NA
3	3324.00	48.12	-108.04	-59.92	-13.00	46.92	Horizontal	PASS
4	15080.00	37.32	-86.27	-48.95	-13.00	35.95	Horizontal	PASS
5	17803.00	38.35	-83.14	-44.79	-13.00	31.79	Horizontal	PASS

Project Information			
Mode:	NSA	Band:	DC_66A_n25A
Bandwidth:	20MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.20	100.06	-79.78	20.28	-	-	Vertical	NA
2	1863.00	96.86	-79.66	17.20	-	-	Vertical	NA
3	2155.00	33.33	-79.28	-45.95	-	-	Vertical	NA
4	3211.00	48.20	-107.96	-59.76	-13.00	46.76	Vertical	PASS
5	10749.50	38.16	-90.95	-52.79	-13.00	39.79	Vertical	PASS
6	17352.00	38.02	-82.48	-44.46	-13.00	31.46	Vertical	PASS

Project Information			
Mode:	NSA	Band:	DC_2A_n41A
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.90	103.27	-79.70	23.57	-	-	Horizontal	NA
2	2544.00	97.22	-77.52	19.70	-	-	Horizontal	NA
3	2968.10	36.95	-74.87	-37.92	-25.00	12.92	Horizontal	PASS
4	15060.00	37.00	-86.34	-49.34	-25.00	24.34	Horizontal	PASS
5	17354.50	38.28	-82.58	-44.30	-25.00	19.30	Horizontal	PASS

Project Information

Mode:	NSA	Band:	DC_2A_n41A
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	102.88	-79.70	23.18	-	-	Vertical	NA
2	2543.90	95.36	-77.52	17.84	-	-	Vertical	NA
3	2938.20	37.08	-75.03	-37.95	-25.00	12.95	Vertical	PASS
4	10176.50	45.85	-91.86	-46.01	-25.00	21.01	Vertical	PASS
5	17846.50	38.25	-82.51	-44.26	-25.00	19.26	Vertical	PASS

For NR CA:

Project Information			
Mode:	NR CA	Band:	CA_n25A_n41A
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.10	97.55	-79.66	17.89	-	-	Horizontal	NA
2	1974.20	42.50	-79.56	-37.06	-	-	Horizontal	NA
3	2543.80	92.70	-77.53	15.17	-	-	Horizontal	NA
4	10176.50	40.62	-91.86	-51.24	-25.00	26.24	Horizontal	PASS
5	15081.00	37.24	-86.26	-49.02	-25.00	24.02	Horizontal	PASS
6	17818.00	38.54	-82.92	-44.38	-25.00	19.38	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n41A
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.30	101.97	-79.66	22.31	-	-	Vertical	NA
2	2544.00	100.75	-77.52	23.23	-	-	Vertical	NA
3	10175.50	44.96	-91.87	-46.91	-25.00	21.91	Vertical	PASS
4	15134.00	37.47	-86.67	-49.20	-25.00	24.20	Vertical	PASS
5	17877.50	38.45	-82.78	-44.33	-25.00	19.33	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	98.57	-79.95	18.62	-	-	Horizontal	NA
2	2146.40	42.43	-79.30	-36.87	-	-	Horizontal	NA
3	3450.98	106.96	-88.75	18.21	-	-	Horizontal	NA
4	6154.20	37.45	-81.40	-43.95	-13.00	30.95	Horizontal	PASS
5	14351.05	34.60	-86.26	-51.66	-13.00	38.66	Horizontal	PASS
6	17850.50	32.21	-81.28	-49.07	-13.00	36.07	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	103.20	-79.95	23.25	-	-	Vertical	NA
2	3450.98	105.62	-88.75	16.87	-	-	Vertical	NA
3	6295.78	37.27	-80.82	-43.55	-13.00	30.55	Vertical	PASS
4	13700.53	34.02	-85.87	-51.85	-13.00	38.85	Vertical	PASS
5	17865.83	31.78	-81.48	-49.70	-13.00	36.70	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	97.11	-79.95	17.16	-	-	Horizontal	NA
2	2162.60	42.02	-79.19	-37.17	-	-	Horizontal	NA
3	3791.18	106.70	-88.11	18.59	-	-	Horizontal	NA
4	6178.70	38.40	-80.93	-42.53	-13.00	29.53	Horizontal	PASS
5	15251.50	32.85	-85.36	-52.51	-13.00	39.51	Horizontal	PASS
6	17835.55	32.29	-81.89	-49.60	-13.00	36.60	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	102.61	-79.95	22.66	-	-	Vertical	NA
2	2065.40	40.32	-79.42	-39.10	-13.00	26.10	Vertical	PASS
3	3791.00	102.67	-88.11	14.56	-	-	Vertical	NA
4	11372.93	39.97	-90.06	-50.09	-13.00	37.09	Vertical	PASS
5	17999.23	32.48	-81.48	-49.00	-13.00	36.00	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	104.36	-84.97	19.39	-	-	Horizontal	NA
2	2761.70	33.78	-81.17	-47.39	-40.00	7.39	Horizontal	PASS
3	3606.03	100.33	-88.49	11.84	-	-	Horizontal	NA
4	6175.20	32.54	-80.84	-48.30	-40.00	8.30	Horizontal	PASS
5	17894.96	32.38	-81.85	-49.47	-40.00	9.47	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n48A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.30	106.30	-84.97	21.33	-	-	Vertical	NA
2	2981.80	32.58	-80.01	-47.43	-40.00	7.43	Vertical	PASS
3	3606.03	103.15	-88.49	14.66	-	-	Vertical	NA
4	6300.15	31.95	-80.76	-48.81	-40.00	8.81	Vertical	PASS
5	17896.11	32.47	-81.87	-49.40	-40.00	9.40	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n77A(3450-3550MHz)
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	99.28	-79.66	19.62	-	-	Horizontal	NA
2	1978.40	41.30	-79.58	-38.28	-	-	Horizontal	NA
3	2937.60	31.95	-75.04	-43.09	-13.00	30.09	Horizontal	PASS
4	3450.98	112.99	-88.75	24.24	-	-	Horizontal	NA
5	6351.08	36.89	-80.49	-43.60	-13.00	30.60	Horizontal	PASS
6	17850.88	31.98	-81.28	-49.30	-13.00	36.30	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n77A(3450-3550MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	99.80	-79.66	20.14	-	-	Vertical	NA
2	3450.80	110.98	-88.75	22.23	-	-	Vertical	NA
3	6221.75	37.59	-80.97	-43.38	-13.00	30.38	Vertical	PASS
4	13693.25	33.52	-85.89	-52.37	-13.00	39.37	Vertical	PASS
5	17846.67	32.43	-81.42	-48.99	-13.00	35.99	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	97.63	-79.66	17.97	-	-	Horizontal	NA
2	2969.80	31.62	-74.87	-43.25	-13.00	30.25	Horizontal	PASS
3	3791.00	106.68	-88.11	18.57	-	-	Horizontal	NA
4	6341.63	41.04	-80.73	-39.69	-13.00	26.69	Horizontal	PASS
5	17380.15	33.24	-83.12	-49.88	-13.00	36.88	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n77A(3700-3980MHz)
Bandwidth:	40MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.00	100.56	-79.66	20.90	-	-	Vertical	NA
2	2898.40	32.15	-75.50	-43.35	-13.00	30.35	Vertical	PASS
3	3791.00	103.94	-88.11	15.83	-	-	Vertical	NA
4	6165.05	41.14	-81.10	-39.96	-13.00	26.96	Vertical	PASS
5	11372.55	40.34	-90.07	-49.73	-13.00	36.73	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n71A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1341.83	39.98	-95.09	-55.11	-13.00	42.11	Horizontal	PASS
2	3451.08	111.00	-88.97	22.03	-	-	Horizontal	NA
3	6365.53	40.36	-80.04	-39.68	-13.00	26.68	Horizontal	PASS
4	6902.12	42.00	-96.98	-54.98	-13.00	41.98	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n71A_n77A(3450-3550MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.10	47.07	-95.09	-48.02	-13.00	35.02	Vertical	PASS
2	3451.08	109.67	-88.97	20.70	-	-	Vertical	NA
3	6346.28	40.77	-79.91	-39.14	-13.00	26.14	Vertical	PASS
4	6902.12	41.58	-96.98	-55.40	-13.00	42.40	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n71A_n77A(3700-3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	109.61	-88.23	21.38	-	-	Horizontal	NA
2	6347.10	41.01	-79.91	-38.90	-13.00	25.90	Horizontal	PASS
3	8020.30	37.29	-95.05	-57.76	-13.00	44.76	Horizontal	PASS
4	17888.83	32.16	-81.77	-49.61	-13.00	36.61	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n71A_n77A(3700-3980MHz)
Bandwidth:	20MHz+100MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1341.83	43.82	-95.09	-51.27	-13.00	38.27	Vertical	PASS
2	3790.98	111.35	-88.23	23.12	-	-	Vertical	NA
3	7581.77	40.13	-96.15	-56.02	-13.00	43.02	Vertical	PASS
4	11372.93	45.61	-90.06	-44.45	-13.00	31.45	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n41A_n71A
Bandwidth:	100MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.10	40.01	-95.09	-55.08	-25.00	30.08	Horizontal	PASS
2	2544.00	110.04	-93.46	16.58	-	-	Horizontal	NA
3	10176.00	43.03	-91.86	-48.83	-25.00	23.83	Horizontal	PASS
4	17858.00	38.99	-82.55	-43.56	-25.00	18.56	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n41A_n71A
Bandwidth:	100MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.00	44.94	-95.09	-50.15	-25.00	25.15	Vertical	PASS
2	2544.00	111.24	-93.46	17.78	-	-	Vertical	NA
3	10176.50	47.34	-91.86	-44.52	-25.00	19.52	Vertical	PASS
4	17353.00	37.92	-82.52	-44.60	-25.00	19.60	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n41A_n66A
Bandwidth:	100MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.80	101.67	-79.95	21.72	-	-	Horizontal	NA
2	2158.80	40.22	-79.24	-39.02	-	-	Horizontal	NA
3	2544.10	101.56	-77.52	24.04	-	-	Horizontal	NA
4	2981.80	36.92	-75.02	-38.10	-25.00	13.10	Horizontal	PASS
5	10175.50	46.55	-91.87	-45.32	-25.00	20.32	Horizontal	PASS
6	17873.00	38.60	-82.73	-44.13	-25.00	19.13	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n41A_n66A
Bandwidth:	100MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.70	104.31	-79.95	24.36	-	-	Vertical	NA
2	2128.50	40.05	-79.13	-39.08	-	-	Vertical	NA
3	2544.10	95.63	-77.52	18.11	-	-	Vertical	NA
4	3213.00	48.38	-107.96	-59.58	-25.00	34.58	Vertical	PASS
5	10176.00	47.26	-91.86	-44.60	-25.00	19.60	Vertical	PASS
6	17916.00	38.86	-83.07	-44.21	-25.00	19.21	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	107.62	-85.27	22.35	-	-	Horizontal	NA
2	2161.40	43.75	-84.52	-40.77	-	-	Horizontal	NA
3	2943.70	31.22	-80.08	-48.86	-40.00	8.86	Horizontal	PASS
4	3606.03	104.75	-88.49	16.26	-	-	Horizontal	NA
5	6346.35	31.98	-80.58	-48.60	-40.00	8.60	Horizontal	PASS
6	17989.27	31.95	-81.62	-49.67	-40.00	9.67	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.70	108.85	-85.27	23.58	-	-	Vertical	NA
2	2129.10	43.88	-84.48	-40.60	-	-	Vertical	NA
3	3606.03	105.48	-88.49	16.99	-	-	Vertical	NA
4	6247.13	32.51	-81.05	-48.54	-40.00	8.54	Vertical	PASS
5	7212.26	39.06	-95.98	-56.92	-40.00	16.92	Vertical	PASS
6	17974.32	32.40	-81.84	-49.44	-40.00	9.44	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2013.10	37.44	-94.96	-57.52	-40.00	17.52	Horizontal	PASS
2	3606.18	104.66	-88.67	15.99	-	-	Horizontal	NA
3	6343.80	31.58	-79.94	-48.36	-40.00	8.36	Horizontal	PASS
4	17985.82	31.83	-81.68	-49.85	-40.00	9.85	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n48A_n71A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.10	37.38	-95.09	-57.71	-40.00	17.71	Vertical	PASS
2	2013.10	38.76	-94.96	-56.20	-40.00	16.20	Vertical	PASS
3	3606.18	107.59	-88.67	18.92	-	-	Vertical	NA
4	7212.26	39.20	-95.98	-56.78	-40.00	16.78	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	110.68	-95.09	15.59	-	-	Horizontal	NA
2	1974.60	55.72	-94.77	-39.05	-	-	Horizontal	NA
3	2997.20	39.41	-90.91	-51.50	-13.00	38.50	Horizontal	PASS
4	15237.50	34.04	-86.21	-52.17	-13.00	39.17	Horizontal	PASS
5	17342.50	32.59	-82.75	-50.16	-13.00	37.16	Horizontal	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1863.20	113.10	-95.09	18.01	-	-	Vertical	NA
2	2665.20	41.31	-92.32	-51.01	-13.00	38.01	Vertical	PASS
3	15244.00	33.30	-86.05	-52.75	-13.00	39.75	Vertical	PASS
4	17361.00	32.89	-82.83	-49.94	-13.00	36.94	Vertical	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	110.72	-95.00	15.72	-	-	Horizontal	NA
2	2145.00	56.20	-94.67	-38.47	-	-	Horizontal	NA
3	2929.20	39.33	-90.47	-51.14	-13.00	38.14	Horizontal	PASS
4	14405.50	34.06	-87.06	-53.00	-13.00	40.00	Horizontal	PASS
5	17345.00	32.50	-82.62	-50.12	-13.00	37.12	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n66A_n71A
Bandwidth:	40MHz+20MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	115.26	-95.00	20.26	-	-	Vertical	NA
2	2127.60	42.67	-94.70	-52.03	-	-	Vertical	NA
3	2993.60	39.71	-90.88	-51.17	-13.00	38.17	Vertical	PASS
4	15128.50	34.32	-86.60	-52.28	-13.00	39.28	Vertical	PASS
5	17347.50	32.42	-82.51	-50.09	-13.00	37.09	Vertical	PASS

Project Information

Mode:	NR CA	Band:	CA_n25A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	91.68	-79.95	11.73	-	-	Horizontal	NA
2	1863.20	96.25	-79.66	16.59	-	-	Horizontal	NA
3	1952.00	42.06	-79.27	-37.21	-	-	Horizontal	NA
4	2158.60	40.12	-79.24	-39.12	-	-	Horizontal	NA
5	2974.60	39.12	-74.86	-35.74	-13.00	22.74	Horizontal	PASS
6	14172.00	34.16	-87.56	-53.40	-13.00	40.40	Horizontal	PASS
7	17330.50	32.89	-83.29	-50.40	-13.00	37.40	Horizontal	PASS

Project Information			
Mode:	NR CA	Band:	CA_n25A_n66A
Bandwidth:	40MHz+40MHz	Channel:	Mid
IMEI:	355660790005120	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1725.60	93.46	-79.95	13.51	-	-	Vertical	NA
2	1863.20	98.94	-79.66	19.28	-	-	Vertical	NA
3	2951.20	39.58	-74.90	-35.32	-13.00	22.32	Vertical	PASS
4	3213.00	50.28	-107.96	-57.68	-13.00	44.68	Vertical	PASS
5	17352.50	32.52	-82.50	-49.98	-13.00	36.98	Vertical	PASS

~The End~