

Appendix Test Data

Report No.:	18220WC10100801	Test Date:	2021.6.2
Test Engineer:	<i>Tony He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	22.3°C	Relative Humidity:	55 %
Pressure:	1012 hPa		

1. Duty Cycle


1.1 Ant1

1.1.1 Test Result


Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T _{on} (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	/	/	8.36	8.47	98.70	0.06	0.12
		2437	/	/	8.36	8.47	98.70	0.06	0.12
		2462	/	/	8.38	8.47	98.94	0.05	0.12
802.11g	SISO	2412	/	/	1.39	1.41	98.51	0.07	0.00
		2437	/	/	1.39	1.41	98.51	0.07	0.10
		2462	/	/	1.39	1.41	98.44	0.07	0.11
802.11n (HT20)	SISO	2412	/	/	1.30	1.32	98.48	0.07	0.10
		2437	/	/	1.29	1.31	98.48	0.07	0.00
		2462	/	/	1.30	1.32	98.56	0.06	0.00
802.11n (HT40)	SISO	2422	/	/	100.00	100.00	100.00	0.00	0.00
		2437	/	/	100.00	100.00	100.00	0.00	0.00
		2452	/	/	100.00	100.00	100.00	0.00	0.00

1.1.2 Test Graph


802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



2. Bandwidth


2.1 OBW


2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	99% Occupied Bandwidth (MHz)	Limit (MHz)	Verdict
					Ant1		
802.11b	SISO	2412	/	/	15.251	/	Note1
		2437	/	/	15.281	/	Note1
		2462	/	/	15.276	/	Note1
802.11g	SISO	2412	/	/	17.540	/	Note1
		2437	/	/	17.554	/	Note1
		2462	/	/	17.551	/	Note1
802.11n (HT20)	SISO	2412	/	/	18.432	/	Note1
		2437	/	/	18.431	/	Note1
		2462	/	/	18.432	/	Note1
802.11n (HT40)	SISO	2422	/	/	35.773	/	Note1
		2437	/	/	35.772	/	Note1
		2452	/	/	35.761	/	Note1


Note1: Only for Report Use

2.1.2 Test Graph





802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline

400-003-0500

www.anbotek.com



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline

400-003-0500


www.anbotek.com




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com


2.2 XDB

2.2.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	6dB Bandwidth (MHz)	Limit (MHz)	Verdict
					Ant1		
802.11b	SISO	2412	/	/	12.090	≥ 0.5	Pass
		2437	/	/	12.087	≥ 0.5	Pass
		2462	/	/	12.064	≥ 0.5	Pass
802.11g	SISO	2412	/	/	15.180	≥ 0.5	Pass
		2437	/	/	15.178	≥ 0.5	Pass
		2462	/	/	15.176	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	/	/	15.062	≥ 0.5	Pass
		2437	/	/	13.854	≥ 0.5	Pass
		2462	/	/	15.061	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	/	/	35.114	≥ 0.5	Pass
		2437	/	/	35.101	≥ 0.5	Pass
		2452	/	/	35.109	≥ 0.5	Pass

2.2.2 Test Graph







802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Measured Peak Output Power (dBm)	Limit (dBm)	Verdict
					Ant1		
802.11b	SISO	2412	/	/	20.88	<=30	Pass
		2437	/	/	20.57	<=30	Pass
		2462	/	/	19.93	<=30	Pass
802.11g	SISO	2412	/	/	15.30	<=30	Pass
		2437	/	/	14.89	<=30	Pass
		2462	/	/	14.36	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	15.42	<=30	Pass
		2437	/	/	14.83	<=30	Pass
		2462	/	/	14.39	<=30	Pass
802.11n (HT40)	SISO	2422	/	/	13.98	<=30	Pass
		2437	/	/	13.50	<=30	Pass
		2452	/	/	13.10	<=30	Pass

Note1: Antenna Gain: 0dBi;

4. Maximum Power Spectral Density


4.1 PSD



4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
					Ant1		
802.11b	SISO	2412	/	/	-6.53	<=8	Pass
		2437	/	/	-6.75	<=8	Pass
		2462	/	/	-6.96	<=8	Pass
802.11g	SISO	2412	/	/	-17.15	<=8	Pass
		2437	/	/	-17.74	<=8	Pass
		2462	/	/	-18.91	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-17.16	<=8	Pass
		2437	/	/	-17.50	<=8	Pass
		2462	/	/	-18.18	<=8	Pass
802.11n (HT40)	SISO	2422	/	/	-20.60	<=8	Pass
		2437	/	/	-20.99	<=8	Pass
		2452	/	/	-20.71	<=8	Pass


Note1: Antenna Gain: 0dBi;

4.1.2 Test Graph







802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV





802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV

**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

5. Unwanted Emissions In Non-restricted Frequency Bands


5.1 Ref


5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Ant	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	7.56	/	/
		2437	/	/	1	7.22	/	/
		2462	/	/	1	6.79	/	/
802.11g	SISO	2412	/	/	1	-2.81	/	/
		2437	/	/	1	-3.26	/	/
		2462	/	/	1	-3.88	/	/
802.11n (HT20)	SISO	2412	/	/	1	-0.07	/	/
		2437	/	/	1	-0.67	/	/
		2462	/	/	1	-1.11	/	/
802.11n (HT40)	SISO	2422	/	/	1	-6.86	/	/
		2437	/	/	1	-7.16	/	/
		2452	/	/	1	-7.59	/	/


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.1.2 Test Graph





802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.



Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com





Hotline

400-003-0500



www.anbotek.com




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


5.2 CSE


5.2.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Ant	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	Refer To Test Graph	<=-12.44	Pass
		2437	/	/	1	Refer To Test Graph	<=-12.44	Pass
		2462	/	/	1	Refer To Test Graph	<=-12.44	Pass
802.11g	SISO	2412	/	/	1	Refer To Test Graph	<=-22.81	Pass
		2437	/	/	1	Refer To Test Graph	<=-22.81	Pass
		2462	/	/	1	Refer To Test Graph	<=-22.81	Pass
802.11n (HT20)	SISO	2412	/	/	1	Refer To Test Graph	<=-20.07	Pass
		2437	/	/	1	Refer To Test Graph	<=-20.07	Pass
		2462	/	/	1	Refer To Test Graph	<=-20.07	Pass
802.11n (HT40)	SISO	2422	/	/	1	Refer To Test Graph	<=-20.07	Pass
		2437	/	/	1	Refer To Test Graph	<=-20.07	Pass
		2452	/	/	1	Refer To Test Graph	<=-20.07	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.2.2 Test Graph







802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



---End---