

深圳市深联宇电子有限公司
Shenzhen Shenlianyu Electronics Co., Ltd

产品规格承认书

客户名称:
CUSTOMER 乔威

客户品名: JP336
Product Name of Customer

我方产品名 (材质):
product Mame of Ours(Maternal) A11双槽42.5*1MM 出线37MM背胶
中间加15MM小磁片 出线套管

承 认:
APPROVED

核准: 制表: 日期:
APPROVED 邓湘 **DRAWN** 赖伟 **DATE** 2024.6.24



地址: 深圳市宝安区松岗溪头社区工业1路3号
Address: No. 3, Industrial 1st Road, Xitou Community, Songgang, Bao'an District, Shenzhen, China

电话: 15112322462 传真: 0755-29909524

变更记录

REVISED RECORD

PEVISON NO 版次	DATE 日期	REVISE DESCRIPTION 变更内容描述		Change person 变更人
REV:01	2024.6.24			赖伟
REV:02				
ESCRINED 拟制		CHECKED 审核	APPROVED 批准	PAGE 页 码
赖伟		邓湘	陈展良	




* Dimension without tolerance is approx.

3. Coils Specification

3-1. Connection (Bottom View)

“●” START



Note:

Spec. No.

Specifcation 规格内容					CUSTOMERP/N: 客户名称			
					PARTNUMBER: 制造商料号			
5.WINDING DETAILS(绕线详细说明):								
Wdy.NO. 绕组	Start 开始	Finish 结束	Turns 圈数	Wire Dia 线径	Wdg.TyepeSprad/lose 绕线方法疏/密绕	Wdg.Direction 绕线方向	Turns/Layer 层数/每层圈数	
	S	F	12TS	0.08*80P 漆包线	单层密绕	逆时针	1 层/12TS	
6.ELECTRICAL CHARACTERISTICS(电气特性):								
PARAMETERS				UNIN		LIMTI		
Inductance Is@100KHz/1v				uh		8.4 ± 5%		
Q @100KHz/1v						75MIN		
DCR @100KHz/1v				m Ω		90MAX		
APPROVED BY 承认		CHECKED BY 审查		PREPARED BY 制作		DATE 日期		PAGE 页码
				赖伟		2024.6.24		

MATERIAL LIST 材料清单			CUSTOMER P/N: 客户品名		
			PARTNUMBER: 制造商料号		
NO.	Material name 材料名称	Description 品名描述	Manufacturer 制造商	Material 材质	
1	丝包线	0.08*80P			
2	无铅锡条	高温			
3	磁片	42.5*0.5			
4	高温胶带	3mm			
5	磁片	15*1			
APPROVED BY 承认		CHECKED BY 审查	PREPARED BY 制作	DATE 日期	PAGE 页码
			赖伟	2024.6.24	

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.