



Appendix B

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: AC1200 Gigabit Router

Test Model: J8301

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Can Kun
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



B.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant3	23.447	---	Pass
NVNT	a	5200	Ant3	23.1	---	Pass
NVNT	a	5240	Ant3	24.005	---	Pass
NVNT	n20	5180	Ant3	24.009	---	Pass
NVNT	n20	5200	Ant3	25.783	---	Pass
NVNT	n20	5240	Ant3	25.342	---	Pass
NVNT	n40	5190	Ant3	43.719	---	Pass
NVNT	n40	5230	Ant3	47.802	---	Pass
NVNT	ac20	5180	Ant3	25.044	---	Pass
NVNT	ac20	5200	Ant3	25.772	---	Pass
NVNT	ac20	5240	Ant3	27.796	---	Pass
NVNT	ac40	5190	Ant3	42.01	---	Pass
NVNT	ac40	5230	Ant3	43.711	---	Pass
NVNT	ac80	5210	Ant3	81.652	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant3




-26dB Bandwidth NVNT a 5200MHz Ant3






-26dB Bandwidth NVNT a 5240MHz Ant3




-26dB Bandwidth NVNT n20 5180MHz Ant3






-26dB Bandwidth NVNT n20 5200MHz Ant3




-26dB Bandwidth NVNT n20 5240MHz Ant3






-26dB Bandwidth NVNT n40 5190MHz Ant3




-26dB Bandwidth NVNT n40 5230MHz Ant3






-26dB Bandwidth NVNT ac20 5180MHz Ant3




-26dB Bandwidth NVNT ac20 5200MHz Ant3






-26dB Bandwidth NVNT ac20 5240MHz Ant3




-26dB Bandwidth NVNT ac40 5190MHz Ant3






-26dB Bandwidth NVNT ac40 5230MHz Ant3



-26dB Bandwidth NVNT ac80 5210MHz Ant3





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant4	22.564	---	Pass
NVNT	a	5200	Ant4	23.061	---	Pass
NVNT	a	5240	Ant4	23.729	---	Pass
NVNT	n20	5180	Ant4	26.702	---	Pass
NVNT	n20	5200	Ant4	25.244	---	Pass
NVNT	n20	5240	Ant4	25.742	---	Pass
NVNT	n40	5190	Ant4	40.904	---	Pass
NVNT	n40	5230	Ant4	46.238	---	Pass
NVNT	ac20	5180	Ant4	28.186	---	Pass
NVNT	ac20	5200	Ant4	27.033	---	Pass
NVNT	ac20	5240	Ant4	24.841	---	Pass
NVNT	ac40	5190	Ant4	45.168	---	Pass
NVNT	ac40	5230	Ant4	45.3	---	Pass
NVNT	ac80	5210	Ant4	86.364	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant4




-26dB Bandwidth NVNT a 5200MHz Ant4






-26dB Bandwidth NVNT a 5240MHz Ant4




-26dB Bandwidth NVNT n20 5180MHz Ant4






-26dB Bandwidth NVNT n20 5200MHz Ant4




-26dB Bandwidth NVNT n20 5240MHz Ant4




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



-26dB Bandwidth NVNT n40 5190MHz Ant4




-26dB Bandwidth NVNT n40 5230MHz Ant4






-26dB Bandwidth NVNT ac20 5180MHz Ant4




-26dB Bandwidth NVNT ac20 5200MHz Ant4






-26dB Bandwidth NVNT ac20 5240MHz Ant4




-26dB Bandwidth NVNT ac40 5190MHz Ant4






-26dB Bandwidth NVNT ac40 5230MHz Ant4



-26dB Bandwidth NVNT ac80 5210MHz Ant4





B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant3	12.15	0.24	12.39	30	Pass
NVNT	a	5200	Ant3	12.98	0.24	13.22	30	Pass
NVNT	a	5240	Ant3	12.53	0.24	12.77	30	Pass
NVNT	n20	5180	Ant3	11.63	0.12	11.75	30	Pass
NVNT	n20	5200	Ant3	11.5	0.12	11.62	30	Pass
NVNT	n20	5240	Ant3	11.58	0.12	11.7	30	Pass
NVNT	n40	5190	Ant3	10.9	0.24	11.14	30	Pass
NVNT	n40	5230	Ant3	10.94	0.24	11.18	30	Pass
NVNT	ac20	5180	Ant3	11.3	0.12	11.42	30	Pass
NVNT	ac20	5200	Ant3	11.2	0.12	11.32	30	Pass
NVNT	ac20	5240	Ant3	11.16	0.12	11.28	30	Pass
NVNT	ac40	5190	Ant3	10.8	0.24	11.04	30	Pass
NVNT	ac40	5230	Ant3	10.49	0.24	10.73	30	Pass
NVNT	ac80	5210	Ant3	9.25	0.25	9.5	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant4	11.88	0.24	12.12	30	Pass
NVNT	a	5200	Ant4	10.98	0.24	11.22	30	Pass
NVNT	a	5240	Ant4	11.79	0.24	12.03	30	Pass
NVNT	n20	5180	Ant4	10.67	0.12	10.79	30	Pass
NVNT	n20	5200	Ant4	10.56	0.12	10.68	30	Pass
NVNT	n20	5240	Ant4	10.25	0.12	10.37	30	Pass
NVNT	n40	5190	Ant4	9.94	0.24	10.18	30	Pass
NVNT	n40	5230	Ant4	9.61	0.24	9.85	30	Pass
NVNT	ac20	5180	Ant4	10.41	0.12	10.53	30	Pass
NVNT	ac20	5200	Ant4	10.33	0.12	10.45	30	Pass
NVNT	ac20	5240	Ant4	10.7	0.12	10.82	30	Pass
NVNT	ac40	5190	Ant4	9.98	0.24	10.22	30	Pass
NVNT	ac40	5230	Ant4	9.39	0.24	9.63	30	Pass
NVNT	ac80	5210	Ant4	8.32	0.25	8.57	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant3	Ant4	Ant3+Ant4		
NVNT	n20	5180	11.75	10.79	14.31	30	Pass
NVNT	n20	5200	11.62	10.68	14.19	30	Pass
NVNT	n20	5240	11.7	10.37	14.10	30	Pass
NVNT	n40	5190	11.14	10.18	13.70	30	Pass
NVNT	n40	5230	11.18	9.85	13.58	30	Pass
NVNT	ac20	5180	11.42	10.53	14.01	30	Pass
NVNT	ac20	5200	11.32	10.45	13.92	30	Pass
NVNT	ac20	5240	11.28	10.82	14.07	30	Pass
NVNT	ac40	5190	11.04	10.22	13.66	30	Pass
NVNT	ac40	5230	10.73	9.63	13.23	30	Pass
NVNT	ac80	5210	9.5	8.57	12.07	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant3	1.78	0.24	2.02	17	Pass
NVNT	a	5200	Ant3	2.33	0.24	2.57	17	Pass
NVNT	a	5240	Ant3	1.75	0.24	1.99	17	Pass
NVNT	n20	5180	Ant3	0.77	0.12	0.89	17	Pass
NVNT	n20	5200	Ant3	0.5	0.12	0.62	17	Pass
NVNT	n20	5240	Ant3	0.86	0.12	0.98	17	Pass
NVNT	n40	5190	Ant3	-3.03	0.24	-2.79	17	Pass
NVNT	n40	5230	Ant3	-2.37	0.24	-2.13	17	Pass
NVNT	ac20	5180	Ant3	0.82	0.12	0.94	17	Pass
NVNT	ac20	5200	Ant3	0.38	0.12	0.5	17	Pass
NVNT	ac20	5240	Ant3	0.44	0.12	0.56	17	Pass
NVNT	ac40	5190	Ant3	-3.08	0.24	-2.84	17	Pass
NVNT	ac40	5230	Ant3	-3.08	0.24	-2.84	17	Pass
NVNT	ac80	5210	Ant3	-7.24	0.25	-6.99	17	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant4	1.11	0.24	1.35	17	Pass
NVNT	a	5200	Ant4	0.57	0.24	0.81	17	Pass
NVNT	a	5240	Ant4	1.24	0.24	1.48	17	Pass
NVNT	n20	5180	Ant4	-0.14	0.12	-0.02	17	Pass
NVNT	n20	5200	Ant4	-0.24	0.12	-0.12	17	Pass
NVNT	n20	5240	Ant4	-0.34	0.12	-0.22	17	Pass
NVNT	n40	5190	Ant4	-4.03	0.24	-3.79	17	Pass
NVNT	n40	5230	Ant4	-3.83	0.24	-3.59	17	Pass
NVNT	ac20	5180	Ant4	-0.2	0.12	-0.08	17	Pass
NVNT	ac20	5200	Ant4	-0.23	0.12	-0.11	17	Pass
NVNT	ac20	5240	Ant4	0.15	0.12	0.27	17	Pass
NVNT	ac40	5190	Ant4	-3.93	0.24	-3.69	17	Pass
NVNT	ac40	5230	Ant4	-3.89	0.24	-3.65	17	Pass
NVNT	ac80	5210	Ant4	-8.15	0.25	-7.9	17	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant3	Ant4	Ant3+Ant4		
NVNT	n20	5180	0.89	-0.02	3.47	16.02	Pass
NVNT	n20	5200	0.62	-0.12	3.28	16.02	Pass
NVNT	n20	5240	0.98	-0.22	3.43	16.02	Pass
NVNT	n40	5190	-2.79	-3.79	-0.25	16.02	Pass
NVNT	n40	5230	-2.13	-3.59	0.21	16.02	Pass
NVNT	ac20	5180	0.94	-0.08	3.47	16.02	Pass
NVNT	ac20	5200	0.5	-0.11	3.22	16.02	Pass
NVNT	ac20	5240	0.56	0.27	3.43	16.02	Pass
NVNT	ac40	5190	-2.84	-3.69	-0.23	16.02	Pass
NVNT	ac40	5230	-2.84	-3.65	-0.22	16.02	Pass
NVNT	ac80	5210	-6.99	-7.9	-4.41	16.02	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1





PSD NVNT a 5200MHz Ant1







PSD NVNT a 5240MHz Ant1







Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



















Test Graphs

PSD NVNT a 5180MHz Ant2




PSD NVNT a 5200MHz Ant2










PSD NVNT a 5240MHz Ant2







PSD NVNT n20 5180MHz Ant2



















Test Graphs

PSD NVNT a 5180MHz Ant3




PSD NVNT a 5200MHz Ant3










PSD NVNT a 5240MHz Ant3







PSD NVNT n20 5180MHz Ant3





















Test Graphs



PSD NVNT a 5180MHz Ant4







PSD NVNT a 5200MHz Ant4





















B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant3	4500	-48.46	3.98	-	50.75	Peak	68.2	Pass
NVNT	a	5180	Ant3	4500	-57.39	3.98	0.24	42.06	Average	54	Pass
NVNT	a	5180	Ant3	5083.8	-44.66	3.98	-	54.55	Peak	68.2	Pass
NVNT	a	5180	Ant3	5149.6	-54.51	3.98	0.24	44.94	Average	54	Pass
NVNT	a	5180	Ant3	5150	-45.19	3.98	-	54.02	Peak	68.2	Pass
NVNT	a	5180	Ant3	5150	-55.22	3.98	0.24	44.23	Average	54	Pass
NVNT	a	5240	Ant3	5350	-49.18	3.98	-	50.03	Peak	68.2	Pass
NVNT	a	5240	Ant3	5350	-57.56	3.98	0.24	41.89	Average	54	Pass
NVNT	a	5240	Ant3	5424	-46.44	3.98	-	52.77	Peak	68.2	Pass
NVNT	a	5240	Ant3	5457.12	-56.04	3.98	0.24	43.41	Average	54	Pass
NVNT	a	5240	Ant3	5460	-48.1	3.98	-	51.11	Peak	68.2	Pass
NVNT	a	5240	Ant3	5460	-57.29	3.98	0.24	42.16	Average	54	Pass
NVNT	n20	5180	Ant3	4500	-49.36	3.98	-	49.85	Peak	68.2	Pass
NVNT	n20	5180	Ant3	4500	-57.78	3.98	0.12	41.55	Average	54	Pass
NVNT	n20	5180	Ant3	5146.8	-44.56	3.98	-	54.65	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5148.9	-54.33	3.98	0.12	45.00	Average	54	Pass
NVNT	n20	5180	Ant3	5150	-44.32	3.98	-	54.89	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5150	-53.47	3.98	0.12	45.86	Average	54	Pass
NVNT	n20	5240	Ant3	5350	-49.02	3.98	-	50.19	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5350	-56.87	3.98	0.12	42.46	Average	54	Pass
NVNT	n20	5240	Ant3	5421.6	-45.86	3.98	-	53.35	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5381.76	-56.3	3.98	0.12	43.03	Average	54	Pass
NVNT	n20	5240	Ant3	5460	-49.99	3.98	-	49.22	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5460	-57.27	3.98	0.12	42.06	Average	54	Pass
NVNT	n40	5190	Ant3	4500	-48.81	3.98	-	50.40	Peak	68.2	Pass
NVNT	n40	5190	Ant3	4500	-57.44	3.98	0.24	42.01	Average	54	Pass
NVNT	n40	5190	Ant3	5148.97	-42.19	3.98	-	57.02	Peak	68.2	Pass
NVNT	n40	5190	Ant3	5148.97	-53.21	3.98	0.24	46.24	Average	54	Pass
NVNT	n40	5190	Ant3	5150	-44.39	3.98	-	54.82	Peak	68.2	Pass
NVNT	n40	5190	Ant3	5150	-53.36	3.98	0.24	46.09	Average	54	Pass
NVNT	n40	5230	Ant3	5350	-49.63	3.98	-	49.58	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5350	-57.43	3.98	0.24	42.02	Average	54	Pass
NVNT	n40	5230	Ant3	5445.69	-46.44	3.98	-	52.77	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5350.92	-56.19	3.98	0.24	43.26	Average	54	Pass
NVNT	n40	5230	Ant3	5460	-48.4	3.98	-	50.81	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	n40	5230	Ant3	5460	-57.09	3.98	0.24	42.36	Average	54	Pass
NVNT	ac20	5180	Ant3	4500	-49.94	3.98	-	49.27	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	4500	-57.2	3.98	0.12	42.13	Average	54	Pass
NVNT	ac20	5180	Ant3	5149.6	-42.99	3.98	-	56.22	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5149.6	-53.46	3.98	0.12	45.87	Average	54	Pass
NVNT	ac20	5180	Ant3	5150	-42.41	3.98	-	56.80	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5150	-53.27	3.98	0.12	46.06	Average	54	Pass
NVNT	ac20	5240	Ant3	5350	-48.3	3.98	-	50.91	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5350	-56.76	3.98	0.12	42.57	Average	54	Pass
NVNT	ac20	5240	Ant3	5418.48	-45.89	3.98	-	53.32	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5384.88	-56.15	3.98	0.12	43.18	Average	54	Pass
NVNT	ac20	5240	Ant3	5460	-48.66	3.98	-	50.55	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5460	-57.43	3.98	0.12	41.90	Average	54	Pass
NVNT	ac40	5190	Ant3	4500	-49.07	3.98	-	50.14	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	4500	-57.71	3.98	0.24	41.74	Average	54	Pass
NVNT	ac40	5190	Ant3	5148.97	-40.95	3.98	-	58.26	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	5149.7	-53.83	3.98	0.24	45.62	Average	54	Pass
NVNT	ac40	5190	Ant3	5150	-41.41	3.98	-	57.80	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	5150	-53.83	3.98	0.24	45.62	Average	54	Pass
NVNT	ac40	5230	Ant3	5350	-50.43	3.98	-	48.78	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5350	-57.48	3.98	0.24	41.97	Average	54	Pass
NVNT	ac40	5230	Ant3	5457.03	-46.83	3.98	-	52.38	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5369.55	-56.14	3.98	0.24	43.31	Average	54	Pass
NVNT	ac40	5230	Ant3	5460	-49.36	3.98	-	49.85	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5460	-56.82	3.98	0.24	42.63	Average	54	Pass
NVNT	ac80	5210	Ant3	5350	-47	3.98	-	52.21	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5350	-56.23	3.98	0.25	43.23	Average	54	Pass
NVNT	ac80	5210	Ant3	5383.77	-45.96	3.98	-	53.25	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5356.71	-55.52	3.98	0.25	43.94	Average	54	Pass
NVNT	ac80	5210	Ant3	5460	-47.51	3.98	-	51.70	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5460	-56.17	3.98	0.25	43.29	Average	54	Pass
NVNT	ac80	5210	Ant3	4500	-49.5	3.98	-	49.71	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	4500	-57.56	3.98	0.25	41.90	Average	54	Pass
NVNT	ac80	5210	Ant3	5147.8	-42.81	3.98	-	56.40	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5149.38	-53.35	3.98	0.25	46.11	Average	54	Pass
NVNT	ac80	5210	Ant3	5150	-43.31	3.98	-	55.90	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5150	-53.41	3.98	0.25	46.05	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant3 Peak




Restrict Band NVNT a 5180MHz Ant3 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT a 5240MHz Ant3 Peak




Restrict Band NVNT a 5240MHz Ant3 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant3 Peak




Restrict Band NVNT n20 5180MHz Ant3 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Restrict Band NVNT n20 5240MHz Ant3 Peak



Restrict Band NVNT n20 5240MHz Ant3 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Ant3 Peak




Restrict Band NVNT n40 5230MHz Ant3 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Ant3 Peak




Restrict Band NVNT ac20 5180MHz Ant3 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Ant3 Peak



Restrict Band NVNT ac20 5240MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity

