


HYPERJUICE NEXT Qi2 4-in-1 Magnetic Charging Stand



USER GUIDE

Product Name: Wireless Charger

Model: HJ3004



Table of Contents

Copyright	1
Trademarks	1
Regulatory Compliance	2
FCC Conditions	2
CE	2
WEEE Information	3
Introduction	4
Package Contents	4
Product Compatibility	4
Product Overview	5
Operational Instructions	6
Specifications	7
Warranty	9
Safety Instructions	11
Technical Support	11

Before attempting to connect, operate or adjust this product, please save and read the User Guide completely. The style of the product shown in this User Guide may be different from the actual unit due to various models

Copyright

This document contains proprietary information protected by copyright. All rights are reserved. No part of this guide may be reproduced by any mechanical, electronic or other means, in any form, without prior written permission of the manufacturer.

Trademarks

Hyper, the ++Hyper logo, and HyperJuice, are trademarks or registered trademarks of Targus International LLC in the U.S. and in certain other countries. iPhone, Apple Watch and AirPod is a trademark of Apple Inc., registered in the U.S. and other countries.

Regulatory Compliance

Radiation Exposure Statement:

This product complies with CE/UK radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

FCC Conditions

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body.

IC

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux

deux conditions suivantes:

1) L'appareil ne doit pas produire de brouillage;

Cappareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.
 Radiation Exposure Statement:

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body. Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé.

Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

WEEE Information

For EU (European Union) member users: According to the WEEE (Waste electrical and electronic equipment) Directive, do not dispose of this product as household waste or commercial waste. Waste electrical and electronic equipment should be appropriately collected and recycled as required by practices established for your country. For information on recycling of this product, waste disposal service or the shop where you purchased the product.













2 3

Introduction

The HyperJuice Next Qi2 4-in-1 Magnetic Charging Stand is able to charge your iPhone, Apple Watch, and AirPods with the latest Qi2 15W technology. Compact for portability and efficiently designed for home, or office use.

The charging stand also contains 100% recycled zinc and 30% recycled plastics.


Package Contents

- · Qi2 4in1 Magnetic Charging Stand
- · 45W DC Power Adaptor
- · US, EU, UK & AU Plug
- · User Guide

Product Compatibility


- · iPhone 12 and Later
- · Apple Watch
- Apple AirPods
- · Android Devices

Product Overview



Ite	m	Description
1.	A. Qi2 iPhone charger B. Qi Phone charger	Charge iPhone
2.	Apple Watch charger	Charge Apple Watch
3.	AirPods charger	Charge AirPods
4.	DC Port Input	Connects to DC adapter
5.	USB-C Port Input	Connect to USB-C power adapter

Operation Instructions



Specifications

Manufacturer	Gopod Group Limited		
Address	6/F., 235 Wing Lok Trade Centre, Sheung Wan, Hong Kong, China		
Commercial Registration Number	52717881-000-08-24-8		
Model / Reg	НЈ3004		
Interface: Input	Input 1: USB-C Port Input: 5V/9V/12V/15V@3A (QC2.0/3.0) Input 2: DC Port Input: 12V/15V@3A		
Interface: Output	Output 1: (iPhone) Qi2 5V 5W, 7.5V 7.5W, 9V 10W		
	Output 2: (iPhone/ Android Phone) Qi 5V === 5W, 7.5V === 7.5W, 12V === 15W		
	Output 3: (Apple Watch)		
	Output 4: (AirPods)		
Frequency & Max. RF Power	Frequency band in which the radio equipment operates: 110-205KHz, 127.7KHz, 326.5KHz, 360KHz, 1.778MHz Maximum power transmitted: <18.76 dBµA/m@10m		
Dimension &	Length:	202mm / 7.95inches	
Weight	Width:	202mm / 3.94inches	
	Height:	Adjustable	
	Weight:	630g / 1.39lb	

6 7

Manufacturer's name or trade mark, commercial registration number and address for Adapter	Zhuzhou Dachuan Electronic Technology Co., Ltd. Building A5, Nanzhou Industrial Park, Zhuzhou, 412101 Hunan P.R. China
Model	DCT48W150300ZZ-D0
Input voltage	100 - 240V~
Input AC frequency	50 / 60Hz 1.3A max.
Output voltage	15.0V DC
Output current	3.0A
Output power	45.0W
Average active efficiency	91.54%
Min. active energy efficiency of 10% load	86.45%
No-load power consumption	0.07W

*Only test for nameplate output power (Po) greater than 10W. Above information have free access websites www.dachuan-tech.com of manufacturers, importers or authorized representatives

2 YEAR LIMITED WARRANTY

PORTUGAL AND SPAIN CUSTOMERS: 3 YEARS LIMITED WARRANTY

OR AS REQUIRED BY LOCAL LAWS.

We pride ourselves on the quality of our products. For complete warranty details and a list of our Worldwide offices, please visit www. HyperShop.com. Hyper product warranty does not cover any device or product that is not manufactured by Hyper (including), but not limited to, laptops, smartphones, devices, or any other product that may be used in connection with the Hyper product). Hyper Limited Warranty provided is subject to any rights and remedies the purchaser may have under local laws. Australian customers: For complete warranty details, see warranty statement enclosed.

GARANTIE LIMITÉE DE 2 ANS CLIENTS DU PORTUGAL ET DE L'ESPAGNE :

GARANTIE LIMITÉE DE 3 ANS OU SELON LES LOIS LOCALES.

déclaration de garantie jointe.

Nous sommes fiers de la qualité de nos produits. Pour obtenir les détails complets de la garantie et la liste de nos bureaux dans le monde, veuillez consulter le site www.HyperShop.com. La garantie des produits Hyper no couvre aucun appareil ou produit qui n'est pas fabriqué par Hyper (y compris, mais sans s y limiter, les ordinateurs portables, les smartphones, les appareils ou tout autre produit pouvant être utilisé en relation avec le produit Hyper). La garantie limitée Hyper fournie est soumise à tous les droits et recours dont l'acheteur peut disposer en vertu des lois locales. Clients australiens: Pour les détails complets de la garantie, voir la

2 AÑOS DE GARANTÍA LIMITADA CLIENTES DE PORTUGAL Y ESPAÑA: 3 AÑOS DE GARANTÍA LIMITADA

O LA ESTIPULADA POR LA LEGISLACIÓN LOCAL.

Estamos orgullosos de la calidad de nuestros productos. Para obtener información acerca de la garantía completa y consultar nuestra lista de oficinas en todo el mundo, visite www.HyperShop.com. La garantía del producto de Hyper no cubre ningún dispositivo o producto que no haya sido fabricado por Hyper (incluyendo, entre otros, ordenadores portátiles, smartphones, dispositivos o cualquier otro producto que pueda utilizarse con el producto de Hyper). La Garantía Limitada de Hyper proporcionada está sujeta a cualquier derecho y recurso que el comprador pueda tener según la legislación local. Clientes australianos: Para obtener información acerca de la quarntía completa. consulte la declaración de agrantía adjunta.

AUSTRALIAN AND NEW ZEALAND CONSUMERS ONLY

Thank you for your purchase. Hyper warrants to the original purchaser that its products are free from defects in materials and workmanship and, during the specified warranty period, and lasts as long as the original purchaser owns the product. The warranty period is stated on the packaging or in the documentation provided with this Hyper product. Hyper's Limited Product Warranty excludes damage caused by accident, neglect, abuse, misuse, improper care, normal wear and tear, ownership transfer, or alteration. The limited warranty also excludes any product that is not manufactured by Hyper (including, without limitation, laptops, smartphones, devices, tablets, or any other non-Hyper item) that is used in connection with the Hyper product. In the event that the Hyper product has a defect in materials or workmanship Hyper will, after receiving a warranty claim and inspecting the product, at its discretion, do one of the following; repair, replace, or refund with the same or a similar product (or part) of no lesser quality and ship it to the original purchaser at Hyper's expense. As part of this inspection, proof of purchase will be required. There is no charge for inspection. To make a warranty claim, please contact Hyper Australia or New Zealand (see details below), or return the product to the place of purchase. The original purchaser must bear the cost of the delivery to Hyper. Under Australian and/or New Zealand Consumer Laws, in addition to any warranty Hyper gives, our products come with guarantees that cannot be excluded. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are entitled to have the products repaired or replaced if they fail to be of acceptable quality and the failure does not amount to a major failure.

For any warranty question, contact Targus Australia Pty. Ltd. (i) by mail at Suite 2, Level 8, 5 Rider Boulevard, Rhodes NSW 2138, by phone AUS 1800 641 645 or NZ 0800 633 222 or by Email: infoaust@targus.com. For additional information, check out our website at targus.com/au/warranty.

Safety Instructions

- · Do not expose to moisture or submerge in liquid.
- Store in a cool, dry place. Recommended storage temperature: -10°C/14°F to 70°C/158°F; Operating temperature: 0°C/32°F to 25°C/77°F.
- Do not disassemble or attempt to re-purpose or modify the product in any manner.
- Stop using and contact manufacturer if the product is excessively hot, emitting odor, deformed or if you witness any other abnormalities.
- Avoid strenuous vibration, impact, extrusion on transportation, and keep the product away from intense sunlight and rain.
- Please dispose of discarded products properly according to local regulations.
- Do not clean with harmful chemicals or detergents.
- · Keep away from children for safety.
- · Be cautious of drops, bumps, abrasions, or impact.

TECHNICAL SUPPORT

For technical questions, please visit:

Hyper Customer Support Email: support@hypershop.com Hyper Customer Support Phone:

1-888-202-1888 (USA); +1-408-737-7878 (non-USA)

US Internet: http://targus.com/us/support

Canada Internet: http://www.targus.com/ca/support Australia Internet: http://www.targus.com/au/support

Email: infoaust@targus.com Telephone: 1-800-641-645

New Zealand Telephone: 0800-633-222 Latin America Email: latam.soporte@targus.com

10 11



ϵ

Declaration of Conformity

Now here on Copie Copie United

Animal Print Program in Copie Copie State

From 17 1 is

From 17 1 is

Animal Print Prin

We here of confirm the following designated policy <u>graduates and explosions</u> and the <u>Configuration of the first and the Configuration</u> and the <u>Configuration of the first and the Configuration of </u>

for the evolution region in the above the distribution and stability and the $t \in \{0,1,\cdots,0,1\}$

CONTROL OF THE CONTRO

HARDAN BASE COMMENSATION OF THE PROPERTY OF PRESENT Member (2016) And the commence of Manches (1906) NAME DRIED MODEL 2017

(c) De contracto, especiar reproducir en extractor de carter o colorente se care, contractor de care, contractor de care de

This code within all conformity is based under the sole responsibility of the hard-factory. Posters basin COmmittee 2004

Haddina dje Nilosija Regionija

SHEAT HOUSE.

Jul





Beckration of Conformity

pour viscos terror autoracioned de la particular remignació de maio est se a l'accidente en constante de la compania del compania de la compania de la compania de la compania de la compania del compania de la compania del la compania de la compania del la compania

CTOCKET (CETYLLICE)
 CTOCKET (CETYLLICE)
 CTOCKET (CETYLLICE)
 CTOCKET (CETYLLICE)
 CTOCKET (CETYLLICE)
 CTOCKET (CETYLLICE)

The marketing representations are according to the stronglement, and forms a particle bedaning as the particle of the strong as the particle of the strong control of the strong

Fish No. 1991 Com See: See 40 Schedelings

has contained to the first own production to be a separated of the name addition.

Here'd State of Legacy Science Scien

SyllySur Hard Collection

wa a r a r al 4 d 4 4 4