

Bullitt Group

One Valpy, Valpy Street, Reading, Berkshire, England RG1 1AR, United Kingdom

Tel: +44 118 9580449

Date: July 13, 2018

Federal Communications Commission
Office of Engineering and Technology Laboratory Division
7435 Oakland Mills Rd
Columbia MD 21046-1609


SUBJECT: FCC Application for
FCC ID: ZL5S48C

To Whom It May Concern:

We hereby attest that, LTE release 12 limitations and support restrictions of **FCC ID: ZL5S48C** are:

- a) LTE Rel. 12
- b) Uplink Carrier Aggregation (CA) is and Downlink Carrier Aggregation (CA) is supported.
 - Uplink CA B41 intra-band.
 - Downlink CA is supported both inter-band and intra-band
 - Up to a maximum of 3 DL carriers
 - DL CA Max aggregate bandwidth supported is 60 MHz
 - UL CA Max aggregate bandwidth supported is 40 MHz
- c) Power setting varied in different BW, modulation, RB allocation, channels, w/ or w/o CA, etc.
- d) Enhanced SC-FDMA is not supported.
- e) LTE uplink MIMO and other transmit diversity is not supported
- f) UE category is Rel. 12, DL Category 12, UL Category 13
- g) No significant SAR influence was discovered with respect to the hardware or firmware associated with LTE Rel. 10 features.
- h) SVLTE is not supported
- i) Wi-Fi 802.11 a/b/g/n/ac; Bluetooth v5.0 with LE transmitters and NFC are contained in this device.

Sincerely yours,



Wayne Huang
whuang@bullitt-group.com