

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-10.89	-0.0042	PASS
					20	-12.92	-0.00498	PASS
					30	-12.29	-0.00474	PASS
					40	-13.40	-0.00516	PASS
					50	-16.78	-0.00647	PASS
			HCH	VN	-30	-13.73	-0.00525	PASS
					-20	-11.36	-0.00434	PASS
					-10	-15.71	-0.00601	PASS
					0	-18.67	-0.00714	PASS
					10	-19.10	-0.0073	PASS
					20	-14.62	-0.00559	PASS
					30	-17.40	-0.00665	PASS
					40	-16.02	-0.00613	PASS
					50	-15.96	-0.0061	PASS
		15	LCH	VN	-30	-9.37	-0.00364	PASS
					-20	-20.16	-0.00782	PASS
					-10	-20.64	-0.00801	PASS
					0	-22.80	-0.00885	PASS
					10	-21.77	-0.00845	PASS
					20	-21.69	-0.00842	PASS
					30	-22.09	-0.00857	PASS
					40	-18.04	-0.007	PASS
					50	-22.02	-0.00854	PASS
			MCH	VN	-30	-13.62	-0.00525	PASS
					-20	-14.86	-0.00573	PASS
					-10	-6.42	-0.00247	PASS
					0	-10.66	-0.00411	PASS
					10	-13.38	-0.00516	PASS
					20	-14.41	-0.00555	PASS
					30	-17.41	-0.00671	PASS
					40	-14.15	-0.00545	PASS
					50	-13.00	-0.00501	PASS
			HCH	VN	-30	-14.98	-0.00573	PASS
					-20	-17.05	-0.00653	PASS
					-10	-11.34	-0.00434	PASS
					0	-14.82	-0.00567	PASS
					10	-9.77	-0.00374	PASS
					20	-14.72	-0.00563	PASS
					30	-13.59	-0.0052	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		20			40	-15.49	-0.00593	PASS
					50	-15.32	-0.00586	PASS
			LCH	VN	-30	-16.38	-0.00635	PASS
					-20	-18.17	-0.00704	PASS
					-10	-16.32	-0.00633	PASS
					0	-20.30	-0.00787	PASS
					10	-20.87	-0.00809	PASS
					20	-17.84	-0.00691	PASS
					30	-18.93	-0.00734	PASS
					40	-17.28	-0.0067	PASS
					50	-19.51	-0.00756	PASS
			MCH	VN	-30	-16.32	-0.00629	PASS
					-20	-15.16	-0.00584	PASS
					-10	-10.91	-0.0042	PASS
					0	-11.00	-0.00424	PASS
					10	-14.10	-0.00543	PASS
					20	-12.85	-0.00495	PASS
					30	-11.72	-0.00452	PASS
					40	-16.57	-0.00639	PASS
					50	-11.30	-0.00435	PASS
			HCH	VN	-30	-12.87	-0.00493	PASS
					-20	-12.30	-0.00471	PASS
					-10	-17.15	-0.00657	PASS
					0	-12.77	-0.00489	PASS
					10	-13.36	-0.00512	PASS
					20	-13.65	-0.00523	PASS
					30	-11.93	-0.00457	PASS
					40	-17.07	-0.00654	PASS
					50	-11.13	-0.00426	PASS

END