



Profile: 2231093R	Page No.: 64
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5550MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5418.640	60.926	20.145	-13.074	74.000	40.781	PK
2	*	5456.150	63.522	22.528	-10.478	74.000	40.994	PK
3		5460.000	61.328	20.322	-12.672	74.000	41.006	PK

Profile: 2231093R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 12:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5590MHz by 11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.701	5.695	-7.299	54.000	41.006	AV

Profile: 2231093R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 12:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5590MHz by 11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.610	59.729	18.748	-14.271	74.000	40.980	PK
2		5460.000	57.340	16.334	-16.660	74.000	41.006	PK

Profile: 2231093R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 12:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5590MHz by 11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.569	6.563	-6.431	54.000	41.006	AV

Profile: 2231093R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 12:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5590MHz by 11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5454.780	62.938	21.949	-11.062	74.000	40.989	PK
2		5460.000	59.500	18.494	-14.500	74.000	41.006	PK

Profile: 2231093R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:06
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.270	70.232	31.338	-31.482	101.714	38.894	PK
2		5711.000	73.091	34.180	-35.191	108.282	38.911	PK
3		5723.480	73.051	34.132	-45.685	118.735	38.919	PK

Profile: 2231093R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:13
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5755MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.530	65.025	26.131	-36.880	101.905	38.894	PK
2		5711.130	68.140	29.229	-40.179	108.319	38.912	PK
3		5722.050	67.293	28.375	-48.182	115.475	38.917	PK

Profile: 2231093R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:13
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.065	61.707	22.659	-55.783	117.491	39.048	PK
2		5859.490	63.164	24.107	-46.377	109.541	39.057	PK
3	*	5883.520	58.059	18.971	-40.814	98.873	39.088	PK

Profile: 2231093R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:14
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.065	61.172	22.124	-56.318	117.491	39.048	PK
2		5866.510	56.147	17.082	-51.428	107.575	39.065	PK
3	*	5882.845	54.417	15.330	-44.957	99.374	39.087	PK

Profile: 2231093R	Page No.: 37
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:13
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4925.040	37.131	-0.136	-16.869	54.000	37.267	AV
2	*	5150.000	38.766	0.706	-15.234	54.000	38.060	AV

Profile: 2231093R	Page No.: 38
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:16
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5131.350	60.798	22.802	-13.202	74.000	37.996	PK
2	*	5150.000	62.972	24.912	-11.028	74.000	38.060	PK

Profile: 2231093R	Page No.: 39
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:17
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.259	-0.801	-16.741	54.000	38.060	AV

Profile: 2231093R	Page No.: 40
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:18
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	60.557	22.497	-13.443	74.000	38.060	PK

Profile: 2231093R	Page No.: 65
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5200MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.646	7.185	-6.354	54.000	40.461	AV

Profile: 2231093R	Page No.: 66
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5200MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5114.505	61.292	21.162	-12.708	74.000	40.131	PK
2	*	5142.195	64.917	24.485	-9.083	74.000	40.433	PK
3		5150.000	63.851	23.390	-10.149	74.000	40.461	PK

Profile: 2231093R	Page No.: 67
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5200MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.147	6.686	-6.853	54.000	40.461	AV

Profile: 2231093R	Page No.: 68
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5200MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4654.425	57.534	17.094	-16.466	74.000	40.440	PK
2	*	5150.000	65.643	25.182	-8.357	74.000	40.461	PK

Profile: 2231093R	Page No.: 69
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5220MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.775	5.314	-8.225	54.000	40.461	AV

Profile: 2231093R	Page No.: 70
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.807	18.346	-15.193	74.000	40.461	PK

Profile: 2231093R	Page No.: 71
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5220MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.611	5.150	-8.389	54.000	40.461	AV

Profile: 2231093R	Page No.: 72
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4734.695	58.388	18.198	-15.612	74.000	40.189	PK
2		5150.000	57.057	16.596	-16.943	74.000	40.461	PK

Profile: 2231093R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.162	6.701	-6.838	54.000	40.461	AV

Profile: 2231093R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	55.864	15.403	-18.136	74.000	40.461	PK

Profile: 2231093R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.474	5.013	-8.526	54.000	40.461	AV

Profile: 2231093R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4917.750	56.681	16.164	-17.319	74.000	40.517	PK
2		5150.000	55.294	14.833	-18.706	74.000	40.461	PK

Profile: 2231093R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.414	4.953	-8.586	54.000	40.461	AV
2	*	5350.000	47.639	6.523	-6.361	54.000	41.116	AV

Profile: 2231093R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.386	14.925	-18.614	74.000	40.461	PK
2	*	5350.000	58.248	17.132	-15.752	74.000	41.116	PK

Profile: 2231093R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	44.923	4.462	-9.077	54.000	40.461	AV
2	*	5350.000	46.464	5.348	-7.536	54.000	41.116	AV

Profile: 2231093R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	54.908	14.447	-19.092	74.000	40.461	PK
2	*	5350.000	56.328	15.212	-17.672	74.000	41.116	PK

Profile: 2231093R	Page No.: 73
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5280MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.748	5.632	-7.252	54.000	41.116	AV

Profile: 2231093R	Page No.: 74
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5280MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.408	18.292	-14.592	74.000	41.116	PK
2	*	5352.650	62.279	21.135	-11.721	74.000	41.144	PK

Profile: 2231093R	Page No.: 75
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5280MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.034	5.918	-6.966	54.000	41.116	AV

Profile: 2231093R	Page No.: 76
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5280MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.268	15.152	-17.732	74.000	41.116	PK
2	*	5356.640	59.704	18.646	-14.296	74.000	41.058	PK

Profile: 2231093R	Page No.: 77
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.178	8.062	-4.822	54.000	41.116	AV

Profile: 2231093R	Page No.: 78
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.651	21.535	-11.349	74.000	41.116	PK
2	*	5365.055	64.559	23.683	-9.441	74.000	40.876	PK

Profile: 2231093R	Page No.: 79
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.683	6.567	-6.317	54.000	41.116	AV

Profile: 2231093R	Page No.: 80
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.854	18.738	-14.146	74.000	41.116	PK
2	*	5350.945	64.852	23.716	-9.148	74.000	41.136	PK

Profile: 2231093R	Page No.: 41
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:20
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	39.355	0.768	-14.645	54.000	38.588	AV

Profile: 2231093R	Page No.: 42
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:22
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	65.676	27.089	-8.324	74.000	38.588	PK
2	*	5353.200	69.411	30.822	-4.589	74.000	38.589	PK

Profile: 2231093R	Page No.: 43
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:22
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	37.151	-1.436	-16.849	54.000	38.588	AV

Profile: 2231093R	Page No.: 44
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:24
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.640	24.053	-11.360	74.000	38.588	PK
2	*	5356.350	66.009	27.418	-7.991	74.000	38.591	PK

Profile: 2231093R	Page No.: 45
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:25
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	36.986	-1.689	-17.014	54.000	38.675	AV

Profile: 2231093R	Page No.: 46
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:28
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.680	61.970	23.296	-12.030	74.000	38.674	PK
2		5460.000	59.280	20.605	-14.720	74.000	38.675	PK

Profile: 2231093R	Page No.: 47
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:29
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.789	-3.886	-19.211	54.000	38.675	AV

Profile: 2231093R	Page No.: 48
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:30
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.600	56.623	17.950	-17.377	74.000	38.673	PK
2		5460.000	54.585	15.910	-19.415	74.000	38.675	PK

Profile: 2231093R	Page No.: 81
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.764	4.758	-8.236	54.000	41.006	AV

Profile: 2231093R	Page No.: 82
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5451.610	61.501	20.552	-12.499	74.000	40.949	PK
2	*	5458.810	63.811	22.809	-10.189	74.000	41.003	PK
3		5460.000	60.322	19.316	-13.678	74.000	41.006	PK

Profile: 2231093R	Page No.: 83
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.233	4.227	-8.767	54.000	41.006	AV

Profile: 2231093R	Page No.: 84
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.800	60.531	19.526	-13.469	74.000	41.006	PK
2		5460.000	55.527	14.521	-18.473	74.000	41.006	PK

Profile: 2231093R	Page No.: 85
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5540MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.133	6.127	-6.867	54.000	41.006	AV

Profile: 2231093R	Page No.: 86
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5540MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.200	61.137	20.143	-12.863	74.000	40.994	PK
2		5460.000	58.574	17.568	-15.426	74.000	41.006	PK

Profile: 2231093R	Page No.: 87
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5540MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.825	4.819	-8.175	54.000	41.006	AV

Profile: 2231093R	Page No.: 88
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5540MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.600	58.781	17.789	-15.219	74.000	40.992	PK
2		5460.000	57.420	16.414	-16.580	74.000	41.006	PK

Profile: 2231093R	Page No.: 37
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5560MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.966	5.960	-7.034	54.000	41.006	AV

Profile: 2231093R	Page No.: 38
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5560MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.950	58.786	17.800	-15.214	74.000	40.986	PK
2		5460.000	57.273	16.267	-16.727	74.000	41.006	PK

Profile: 2231093R	Page No.: 39
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5560MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.976	3.970	-9.024	54.000	41.006	AV

Profile: 2231093R	Page No.: 40
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5560MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.820	58.082	17.089	-15.918	74.000	40.992	PK
2		5460.000	55.430	14.424	-18.570	74.000	41.006	PK

Profile: 2231093R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:15
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.330	64.353	25.458	-38.142	102.495	38.895	PK
2		5712.170	68.502	29.590	-40.108	108.610	38.912	PK
3		5723.170	72.003	33.084	-46.026	118.029	38.919	PK

Profile: 2231093R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:19
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5690.060	55.589	16.702	-42.281	97.870	38.887	PK
2		5707.550	60.970	22.062	-46.346	107.316	38.908	PK
3		5722.180	69.563	30.645	-46.209	115.772	38.918	PK

Profile: 2231093R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:21
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.660	55.616	16.722	-46.385	102.001	38.894	PK
2		5710.830	59.551	20.640	-48.684	108.235	38.911	PK
3		5723.335	65.252	26.333	-53.153	118.405	38.919	PK
4	*	5783.810	102.832	63.852	-19.368	122.200	38.980	PK
5		5852.485	58.324	19.275	-58.209	116.533	39.049	PK
6		5866.835	55.720	16.654	-51.764	107.484	39.066	PK
7		5885.080	50.781	11.690	-46.935	97.716	39.091	PK

Profile: 2231093R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:21
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.430	52.415	13.522	-48.679	101.094	38.893	PK
2		5709.190	52.435	13.525	-55.341	107.776	38.910	PK
3		5723.130	54.496	15.578	-63.441	117.938	38.919	PK
4	*	5783.810	100.978	61.998	-21.222	122.200	38.980	PK
5		5852.075	56.188	17.140	-61.279	117.468	39.048	PK
6		5862.325	53.277	14.217	-55.469	108.747	39.060	PK
7		5882.210	49.794	10.708	-50.052	99.845	39.086	PK

Profile: 2231093R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:22
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.440	68.389	29.341	-50.527	118.916	39.048	PK
2	*	5872.320	62.889	23.817	-43.060	105.949	39.072	PK
3		5883.360	55.016	15.928	-43.976	98.992	39.088	PK

Profile: 2231093R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:22
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.640	61.827	22.778	-54.353	116.180	39.049	PK
2		5867.600	59.530	20.463	-47.740	107.270	39.067	PK
3	*	5882.320	53.397	14.311	-46.367	99.764	39.086	PK

Profile: 2231093R	Page No.: 49
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:33
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.450	10.390	-5.550	54.000	38.060	AV

Profile: 2231093R	Page No.: 50
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:43
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.405	26.345	-9.595	74.000	38.060	PK

Profile: 2231093R	Page No.: 51
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:44
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4859.260	38.511	1.518	-15.489	54.000	36.993	AV
2	*	5150.000	46.780	8.720	-7.220	54.000	38.060	AV

Profile: 2231093R	Page No.: 52
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:45
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.124	23.064	-12.876	74.000	38.060	PK

Profile: 2231093R	Page No.: 89
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5230MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4912.500	45.028	4.258	-8.972	54.000	40.769	AV
2	*	5150.000	49.721	9.260	-4.279	54.000	40.461	AV

Profile: 2231093R	Page No.: 90
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5230MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5145.000	67.226	26.820	-6.774	74.000	40.406	PK
2		5150.000	64.682	24.221	-9.318	74.000	40.461	PK

Profile: 2231093R	Page No.: 91
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5230MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.831	8.370	-5.169	54.000	40.461	AV

Profile: 2231093R	Page No.: 92
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5230MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.207	24.746	-8.793	74.000	40.461	PK

Profile: 2231093R	Page No.: 93
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.863	8.747	-4.137	54.000	41.116	AV

Profile: 2231093R	Page No.: 94
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.393	23.277	-9.607	74.000	41.116	PK
2	*	5357.730	66.254	25.220	-7.746	74.000	41.034	PK
3		5381.880	63.494	22.726	-10.506	74.000	40.768	PK

Profile: 2231093R	Page No.: 95
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.378	7.262	-5.622	54.000	41.116	AV

Profile: 2231093R	Page No.: 96
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.684	20.568	-12.316	74.000	41.116	PK
2	*	5352.060	63.339	22.182	-10.661	74.000	41.157	PK
3		5369.280	62.513	21.722	-11.487	74.000	40.791	PK

Profile: 2231093R	Page No.: 53
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:47
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.978	9.391	-6.022	54.000	38.588	AV

Profile: 2231093R	Page No.: 54
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:48
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.577	25.990	-9.423	74.000	38.588	PK
2	*	5353.580	67.391	28.802	-6.609	74.000	38.590	PK

Profile: 2231093R	Page No.: 55
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:50
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.768	7.181	-8.232	54.000	38.588	AV

Profile: 2231093R	Page No.: 56
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:51
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	61.824	23.237	-12.176	74.000	38.588	PK

Profile: 2231093R	Page No.: 57
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:53
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.548	-0.127	-15.452	54.000	38.675	AV

Profile: 2231093R	Page No.: 58
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:54
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	54.536	15.861	-19.464	74.000	38.675	PK

Profile: 2231093R	Page No.: 59
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:55
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.738	-2.937	-18.262	54.000	38.675	AV

Profile: 2231093R	Page No.: 60
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:56
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.151	9.476	-25.849	74.000	38.675	PK

Profile: 2231093R	Page No.: 101
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5550MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.416	6.410	-6.584	54.000	41.006	AV

Profile: 2231093R	Page No.: 102
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5550MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.470	61.232	20.234	-12.768	74.000	40.998	PK
2		5460.000	58.977	17.971	-15.023	74.000	41.006	PK

Profile: 2231093R	Page No.: 103
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5550MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.976	4.970	-8.024	54.000	41.006	AV

Profile: 2231093R	Page No.: 104
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5550MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.950	58.776	17.790	-15.224	74.000	40.986	PK
2		5460.000	56.147	15.141	-17.853	74.000	41.006	PK

Profile: 2231093R	Page No.: 53
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5590MHz by 11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.430	48.206	7.214	-5.794	54.000	40.992	AV
2		5460.000	47.906	6.900	-6.094	54.000	41.006	AV

Profile: 2231093R	Page No.: 54
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5590MHz by 11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5439.440	60.599	19.846	-13.401	74.000	40.753	PK
2		5460.000	58.215	17.209	-15.785	74.000	41.006	PK

Profile: 2231093R	Page No.: 55
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5590MHz by 11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.604	4.598	-8.396	54.000	41.006	AV

Profile: 2231093R	Page No.: 56
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5590MHz by 11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.030	58.097	17.097	-15.903	74.000	40.999	PK
2		5460.000	55.891	14.885	-18.109	74.000	41.006	PK

Profile: 2231093R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:23
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.890	64.839	25.949	-34.382	99.221	38.890	PK
2		5710.610	68.620	29.709	-39.554	108.173	38.911	PK
3		5722.700	70.964	32.046	-45.993	116.957	38.918	PK

Profile: 2231093R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:24
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5755MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.540	58.525	19.634	-41.176	99.700	38.891	PK
2		5711.260	64.033	25.122	-44.322	108.355	38.911	PK
3		5723.740	62.267	23.348	-57.061	119.328	38.919	PK

Profile: 2231093R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:25
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.605	58.686	19.637	-57.573	116.259	39.049	PK
2		5863.000	58.239	19.178	-50.319	108.558	39.061	PK
3	*	5882.305	52.967	13.881	-46.808	99.775	39.086	PK

Profile: 2231093R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.390	55.041	15.993	-63.989	119.030	39.048	PK
2		5858.815	56.919	17.863	-52.811	109.730	39.056	PK
3	*	5883.520	50.645	11.557	-48.228	98.873	39.088	PK

Profile: 2231093R	Page No.: 61
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 01:58
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.585	11.525	-4.415	54.000	38.060	AV

Profile: 2231093R	Page No.: 62
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:10
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.574	28.514	-7.426	74.000	38.060	PK

Profile: 2231093R	Page No.: 63
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:11
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.589	11.529	-4.411	54.000	38.060	AV

Profile: 2231093R	Page No.: 64
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:14
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	63.659	25.599	-10.341	74.000	38.060	PK

Profile: 2231093R	Page No.: 65
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:15
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.123	10.536	-4.877	54.000	38.588	AV

Profile: 2231093R	Page No.: 66
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:20
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	65.683	27.096	-8.317	74.000	38.588	PK
2	*	5352.480	68.158	29.569	-5.842	74.000	38.589	PK

Profile: 2231093R	Page No.: 67
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:22
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.686	9.099	-6.314	54.000	38.588	AV

Profile: 2231093R	Page No.: 68
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:23
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.804	24.217	-11.196	74.000	38.588	PK
2	*	5356.260	63.754	25.163	-10.246	74.000	38.591	PK

Profile: 2231093R	Page No.: 69
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:24
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.219	5.544	-9.781	54.000	38.675	AV

Profile: 2231093R	Page No.: 70
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:37
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	57.573	18.898	-16.427	74.000	38.675	PK

Profile: 2231093R	Page No.: 71
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:38
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.216	1.541	-13.784	54.000	38.675	AV

Profile: 2231093R	Page No.: 72
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 02:39
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.400	55.131	16.460	-18.869	74.000	38.671	PK
2		5460.000	52.523	13.848	-21.477	74.000	38.675	PK

Profile: 2231093R	Page No.: 105
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5610MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.612	2.606	-10.388	54.000	41.006	AV

Profile: 2231093R	Page No.: 106
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5610MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5451.550	57.786	16.838	-16.214	74.000	40.948	PK
2		5460.000	55.181	14.175	-18.819	74.000	41.006	PK

Profile: 2231093R	Page No.: 107
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5610MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.095	2.089	-10.905	54.000	41.006	AV

Profile: 2231093R	Page No.: 108
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5610MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	55.184	14.178	-18.816	74.000	41.006	PK

Profile: 2231093R	Page No.: 109
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5690MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.033	3.027	-9.967	54.000	41.006	AV

Profile: 2231093R	Page No.: 110
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5690MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	58.221	17.215	-15.779	74.000	41.006	PK

Profile: 2231093R	Page No.: 111
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5690MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.461	2.455	-10.539	54.000	41.006	AV

Profile: 2231093R	Page No.: 112
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5690MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	54.580	13.574	-19.420	74.000	41.006	PK

Profile: 2231093R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:26
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5659.000	57.655	18.796	-17.229	74.884	38.859	PK
2		5711.500	66.939	28.028	-41.483	108.422	38.911	PK
3		5723.500	66.506	27.587	-52.275	118.781	38.919	PK
4		5779.500	96.692	57.718	-25.508	122.200	38.974	PK
5		5851.750	65.073	26.025	-53.136	118.209	39.048	PK
6		5869.250	63.728	24.659	-43.081	106.808	39.069	PK
7		5888.750	58.489	19.392	-36.504	94.994	39.097	PK

Profile: 2231093R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2021/12/17 - 03:27
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5664.750	54.942	16.080	-24.207	79.149	38.862	PK
2		5708.500	60.652	21.743	-46.930	107.582	38.909	PK
3		5723.250	60.402	21.483	-57.810	118.211	38.919	PK
4		5777.750	92.455	53.484	-29.745	122.200	38.971	PK
5		5852.250	60.355	21.306	-56.714	117.069	39.049	PK
6		5866.750	60.758	21.692	-46.750	107.508	39.066	PK
7		5896.250	56.978	17.868	-32.458	89.437	39.110	PK

Profile: 2231093R	Page No.: 73
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:44
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4916.760	39.167	1.933	-14.833	54.000	37.234	AV
2		5150.000	38.724	0.664	-15.276	54.000	38.060	AV

Profile: 2231093R	Page No.: 74
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:45
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.860	24.800	-11.140	74.000	38.060	PK

Profile: 2231093R	Page No.: 75
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:46
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.787	0.727	-15.213	54.000	38.060	AV

Profile: 2231093R	Page No.: 76
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:47
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5180MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	60.932	22.872	-13.068	74.000	38.060	PK

Profile: 2231093R	Page No.: 113
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5200MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.438	6.977	-6.562	54.000	40.461	AV

Profile: 2231093R	Page No.: 114
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5200MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5010.845	57.083	17.096	-16.917	74.000	39.987	PK
2	*	5150.000	61.099	20.638	-12.901	74.000	40.461	PK

Profile: 2231093R	Page No.: 115
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5200MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.554	7.093	-6.446	54.000	40.461	AV

Profile: 2231093R	Page No.: 116
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5200MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5129.060	60.040	19.551	-13.960	74.000	40.489	PK
2	*	5150.000	60.358	19.897	-13.642	74.000	40.461	PK

Profile: 2231093R	Page No.: 117
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5220MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.265	4.804	-8.735	54.000	40.461	AV

Profile: 2231093R	Page No.: 118
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5220MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4752.215	56.909	16.555	-17.091	74.000	40.355	PK
2		5150.000	56.261	15.800	-17.739	74.000	40.461	PK

Profile: 2231093R	Page No.: 119
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5220MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.280	4.819	-8.720	54.000	40.461	AV

Profile: 2231093R	Page No.: 120
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5220MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4916.465	57.384	16.805	-16.616	74.000	40.579	PK
2		5150.000	57.034	16.573	-16.966	74.000	40.461	PK

Profile: 2231093R	Page No.: 41
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5240MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.100	5.639	-7.900	54.000	40.461	AV

Profile: 2231093R	Page No.: 42
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5240MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4878.000	56.979	16.616	-17.021	74.000	40.363	PK
2	*	5150.000	57.382	16.921	-16.618	74.000	40.461	PK

Profile: 2231093R	Page No.: 43
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5240MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.399	4.938	-8.601	54.000	40.461	AV

Profile: 2231093R	Page No.: 44
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5240MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	55.009	14.548	-18.991	74.000	40.461	PK

Profile: 2231093R	Page No.: 45
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5260MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.736	5.275	-8.264	54.000	40.461	AV
2	*	5350.000	49.168	8.052	-4.832	54.000	41.116	AV

Profile: 2231093R	Page No.: 46
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5260MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.581	15.120	-18.419	74.000	40.461	PK
2	*	5350.000	57.439	16.323	-16.561	74.000	41.116	PK

Profile: 2231093R	Page No.: 47
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5260MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.377	4.916	-8.623	54.000	40.461	AV
2	*	5350.000	46.911	5.795	-7.089	54.000	41.116	AV

Profile: 2231093R	Page No.: 48
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5260MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	55.449	14.988	-18.551	74.000	40.461	PK
2	*	5350.000	57.908	16.792	-16.092	74.000	41.116	PK

Profile: 2231093R	Page No.: 121
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5280MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.134	7.018	-5.866	54.000	41.116	AV

Profile: 2231093R	Page No.: 122
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5280MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.079	17.963	-14.921	74.000	41.116	PK
2	*	5357.305	61.335	20.292	-12.665	74.000	41.043	PK

Profile: 2231093R	Page No.: 123
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5280MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.018	5.902	-6.982	54.000	41.116	AV

Profile: 2231093R	Page No.: 124
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5280MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	59.142	18.026	-14.858	74.000	41.116	PK
2		5364.335	58.046	17.154	-15.954	74.000	40.892	PK

Profile: 2231093R	Page No.: 125
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5300MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.597	8.481	-4.403	54.000	41.116	AV

Profile: 2231093R	Page No.: 126
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5300MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.773	23.657	-9.227	74.000	41.116	PK
2	*	5351.285	67.024	25.881	-6.976	74.000	41.143	PK

Profile: 2231093R	Page No.: 127
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5300MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.295	6.179	-6.705	54.000	41.116	AV

Profile: 2231093R	Page No.: 128
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5300MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	60.864	19.748	-13.136	74.000	41.116	PK
2	*	5355.705	63.472	22.394	-10.528	74.000	41.078	PK

Profile: 2231093R	Page No.: 77
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:48
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5320MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	40.941	2.354	-13.059	54.000	38.588	AV

Profile: 2231093R	Page No.: 78
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:49
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5320MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	67.350	28.763	-6.650	74.000	38.588	PK
2	*	5359.050	68.995	30.402	-5.005	74.000	38.592	PK

Profile: 2231093R	Page No.: 79
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:50
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5320MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	39.050	0.463	-14.950	54.000	38.588	AV

Profile: 2231093R	Page No.: 80
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:50
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.933	23.346	-12.067	74.000	38.588	PK
2	*	5354.700	65.860	27.270	-8.140	74.000	38.590	PK

Profile: 2231093R	Page No.: 81
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:52
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	36.592	-2.083	-17.408	54.000	38.675	AV

Profile: 2231093R	Page No.: 82
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:54
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.880	61.219	22.546	-12.781	74.000	38.673	PK
2		5460.000	59.351	20.676	-14.649	74.000	38.675	PK

Profile: 2231093R	Page No.: 83
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:54
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	36.749	-1.926	-17.251	54.000	38.675	AV

Profile: 2231093R	Page No.: 84
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 01:55
Limit: FCC-15.209	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5500MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5454.960	55.743	17.071	-18.257	74.000	38.672	PK
2		5460.000	52.585	13.910	-21.415	74.000	38.675	PK

Profile: 2231093R	Page No.: 129
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5520MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.603	4.597	-8.397	54.000	41.006	AV

Profile: 2231093R	Page No.: 130
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5520MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.050	62.153	21.181	-11.847	74.000	40.971	PK
2		5460.000	60.327	19.321	-13.673	74.000	41.006	PK

Profile: 2231093R	Page No.: 131
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5520MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.080	4.074	-8.920	54.000	41.006	AV

Profile: 2231093R	Page No.: 132
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5520MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5459.080	59.442	18.439	-14.558	74.000	41.003	PK
2		5460.000	58.089	17.083	-15.911	74.000	41.006	PK

Profile: 2231093R	Page No.: 133
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5540MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.724	6.718	-6.276	54.000	41.006	AV

Profile: 2231093R	Page No.: 134
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5540MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.300	63.653	22.652	-10.347	74.000	41.001	PK
2		5460.000	59.634	18.628	-14.366	74.000	41.006	PK

Profile: 2231093R	Page No.: 135
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5540MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.940	4.934	-8.060	54.000	41.006	AV

Profile: 2231093R	Page No.: 136
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 02:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5540MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.000	59.449	18.456	-14.551	74.000	40.994	PK
2		5460.000	55.688	14.682	-18.312	74.000	41.006	PK

Profile: 2231093R	Page No.: 49
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5560MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.407	4.401	-8.593	54.000	41.006	AV

Profile: 2231093R	Page No.: 50
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5560MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5386.850	57.395	16.619	-16.605	74.000	40.775	PK
2		5460.000	56.086	15.080	-17.914	74.000	41.006	PK

Profile: 2231093R	Page No.: 51
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5560MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.887	3.881	-9.113	54.000	41.006	AV

Profile: 2231093R	Page No.: 52
Engineer: Pengchengyang	
Site: AC5	Time: 2022/05/25 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5560MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5405.220	58.095	17.082	-15.905	74.000	41.013	PK
2		5460.000	54.823	13.817	-19.177	74.000	41.006	PK

Profile: 2231093R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 04:15
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5745MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.770	63.743	24.847	-39.077	102.820	38.896	PK
2	*	5713.380	70.225	31.313	-38.723	108.949	38.912	PK
3		5723.830	72.280	33.361	-47.253	119.533	38.918	PK

Profile: 2231093R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 04:16
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5745MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.840	56.615	17.728	-41.093	97.708	38.886	PK
2		5709.860	61.749	22.839	-46.214	107.963	38.910	PK
3		5723.500	68.249	29.330	-50.532	118.781	38.919	PK

Profile: 2231093R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 04:18
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5785MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.840	54.751	15.858	-46.645	101.397	38.893	PK
2		5707.755	56.897	17.988	-50.477	107.374	38.909	PK
3		5723.130	58.311	19.393	-59.626	117.938	38.919	PK
4	*	5786.680	102.939	63.955	-19.261	122.200	38.984	PK
5		5851.460	55.002	15.954	-63.869	118.870	39.048	PK
6		5866.425	53.916	14.851	-53.682	107.599	39.065	PK
7		5882.005	49.750	10.665	-50.247	99.997	39.085	PK

Profile: 2231093R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 04:19
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5785MHz by 11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.815	47.248	8.356	-53.393	100.641	38.892	PK
2		5711.445	52.148	13.237	-56.259	108.407	38.911	PK
3		5722.515	56.051	17.133	-60.484	116.535	38.918	PK
4	*	5786.680	99.225	60.241	-22.975	122.200	38.984	PK
5		5851.255	50.796	11.749	-68.541	119.338	39.047	PK
6		5865.810	47.766	8.702	-60.004	107.771	39.064	PK
7		5881.185	47.867	8.783	-52.739	100.606	39.084	PK

Profile: 2231093R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 04:20
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Horizontal
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5825MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.040	66.224	27.175	-49.043	115.268	39.049	PK
2		5864.240	62.641	23.578	-45.570	108.210	39.063	PK
3	*	5884.080	55.158	16.069	-43.299	98.457	39.089	PK

Profile: 2231093R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2022/04/01 - 04:21
Limit: FCC-15.407	Margin: 0
Probe: FCC_ANT-1-18G	Polarity: Vertical
EUT: BARCODE SCANNER	Power: DC3.7V
Note: Mode 7:Transmit at 5825MHz by 11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.160	61.501	22.453	-55.773	117.274	39.048	PK
2		5865.760	55.929	16.865	-51.855	107.785	39.064	PK
3	*	5884.160	51.815	12.726	-46.583	98.398	39.089	PK