



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.147G	42.32	54.00	-11.68	3	Horizontal	314	1.99
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.147G	43.26	54.00	-10.74	3	Horizontal	312	1.91
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	44.02	54.00	-9.98	3	Horizontal	314	1.85
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	43.00	54.00	-11.00	3	Horizontal	48	1.39
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.1118G	56.30	68.20	-11.90	3	Horizontal	289	1.76
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.97126G	56.94	68.20	-11.26	3	Horizontal	288	1.93
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.9698G	56.56	68.20	-11.64	3	Horizontal	308	2.01
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.9922G	56.00	68.20	-12.20	3	Vertical	66	1.87

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1476G	41.92	54.00	-12.08	3	Vertical	61	1.00
5180MHz_TX	Pass	AV	5.1874G	98.47	Inf	-Inf	3	Vertical	61	1.00
5180MHz_TX	Pass	PK	5.1488G	54.74	74.00	-19.26	3	Vertical	61	1.00
5180MHz_TX	Pass	PK	5.1778G	108.78	Inf	-Inf	3	Vertical	61	1.00
5180MHz_TX	Pass	AV	5.147G	42.32	54.00	-11.68	3	Horizontal	314	1.99
5180MHz_TX	Pass	AV	5.1866G	100.33	Inf	-Inf	3	Horizontal	314	1.99
5180MHz_TX	Pass	PK	5.1476G	55.97	74.00	-18.03	3	Horizontal	314	1.99
5180MHz_TX	Pass	PK	5.1862G	111.13	Inf	-Inf	3	Horizontal	314	1.99
5180MHz_TX	Pass	PK	10.3501G	47.80	68.20	-20.40	3	Vertical	321	1.50
5180MHz_TX	Pass	PK	10.34626G	48.21	68.20	-19.99	3	Horizontal	53	1.50
5200MHz_TX	Pass	AV	5.1476G	40.98	54.00	-13.02	3	Vertical	62	1.01
5200MHz_TX	Pass	AV	5.1928G	98.26	Inf	-Inf	3	Vertical	62	1.01
5200MHz_TX	Pass	PK	5.1448G	54.43	74.00	-19.57	3	Vertical	62	1.01
5200MHz_TX	Pass	PK	5.1976G	108.89	Inf	-Inf	3	Vertical	62	1.01
5200MHz_TX	Pass	AV	5.1496G	41.48	54.00	-12.52	3	Horizontal	316	2.07
5200MHz_TX	Pass	AV	5.2064G	100.84	Inf	-Inf	3	Horizontal	316	2.07
5200MHz_TX	Pass	PK	5.1468G	55.33	74.00	-18.67	3	Horizontal	316	2.07
5200MHz_TX	Pass	PK	5.2068G	111.39	Inf	-Inf	3	Horizontal	316	2.07
5200MHz_TX	Pass	PK	10.40894G	48.97	68.20	-19.23	3	Vertical	193	2.12
5200MHz_TX	Pass	PK	10.41476G	48.62	68.20	-19.58	3	Horizontal	194	1.50
5240MHz_TX	Pass	AV	5.1428G	40.53	54.00	-13.47	3	Vertical	54	1.57
5240MHz_TX	Pass	AV	5.2436G	97.48	Inf	-Inf	3	Vertical	54	1.57
5240MHz_TX	Pass	AV	5.3702G	40.56	54.00	-13.44	3	Vertical	54	1.57
5240MHz_TX	Pass	PK	5.1398G	54.31	74.00	-19.69	3	Vertical	54	1.57
5240MHz_TX	Pass	PK	5.2436G	107.67	Inf	-Inf	3	Vertical	54	1.57
5240MHz_TX	Pass	PK	5.3618G	54.21	74.00	-19.79	3	Vertical	54	1.57
5240MHz_TX	Pass	AV	5.15G	40.83	54.00	-13.17	3	Horizontal	314	2.15
5240MHz_TX	Pass	AV	5.2472G	101.17	Inf	-Inf	3	Horizontal	314	2.15
5240MHz_TX	Pass	AV	5.3738G	41.09	54.00	-12.91	3	Horizontal	314	2.15
5240MHz_TX	Pass	PK	5.1014G	54.34	74.00	-19.66	3	Horizontal	314	2.15
5240MHz_TX	Pass	PK	5.2466G	111.63	Inf	-Inf	3	Horizontal	314	2.15
5240MHz_TX	Pass	PK	5.381G	54.44	74.00	-19.56	3	Horizontal	314	2.15
5240MHz_TX	Pass	PK	10.4656G	47.95	68.20	-20.25	3	Vertical	49	1.68
5240MHz_TX	Pass	PK	10.49266G	47.94	68.20	-20.26	3	Horizontal	340	1.50
5745MHz_TX	Pass	AV	5.445G	40.19	54.00	-13.81	3	Vertical	71	1.92
5745MHz_TX	Pass	AV	5.7378G	94.03	Inf	-Inf	3	Vertical	71	1.92
5745MHz_TX	Pass	PK	5.6406G	54.71	68.20	-13.49	3	Vertical	71	1.92
5745MHz_TX	Pass	PK	5.7426G	104.45	Inf	-Inf	3	Vertical	71	1.92
5745MHz_TX	Pass	PK	5.9574G	55.92	68.20	-12.28	3	Vertical	71	1.92
5745MHz_TX	Pass	AV	5.445G	41.35	54.00	-12.65	3	Horizontal	291	2.34
5745MHz_TX	Pass	AV	5.7378G	101.02	Inf	-Inf	3	Horizontal	291	2.34
5745MHz_TX	Pass	PK	5.5278G	54.72	68.20	-13.48	3	Horizontal	291	2.34
5745MHz_TX	Pass	PK	5.7426G	111.28	Inf	-Inf	3	Horizontal	291	2.34
5745MHz_TX	Pass	PK	5.931G	56.21	68.20	-11.99	3	Horizontal	291	2.34
5745MHz_TX	Pass	AV	11.49066G	36.11	54.00	-17.89	3	Vertical	197	1.50
5745MHz_TX	Pass	PK	11.48874G	49.45	74.00	-24.55	3	Vertical	197	1.50
5745MHz_TX	Pass	AV	11.49402G	36.13	54.00	-17.87	3	Horizontal	13	2.26
5745MHz_TX	Pass	PK	11.4909G	49.12	74.00	-24.88	3	Horizontal	13	2.26
5785MHz_TX	Pass	AV	5.77766G	95.43	Inf	-Inf	3	Vertical	71	2.00
5785MHz_TX	Pass	PK	5.58406G	54.32	68.20	-13.88	3	Vertical	71	2.00
5785MHz_TX	Pass	PK	5.77766G	105.54	Inf	-Inf	3	Vertical	71	2.00
5785MHz_TX	Pass	PK	6.02087G	55.73	68.20	-12.47	3	Vertical	71	2.00
5785MHz_TX	Pass	AV	5.78008G	101.38	Inf	-Inf	3	Horizontal	292	1.50
5785MHz_TX	Pass	PK	5.61673G	54.12	68.20	-14.08	3	Horizontal	292	1.50
5785MHz_TX	Pass	PK	5.78008G	111.46	Inf	-Inf	3	Horizontal	292	1.50
5785MHz_TX	Pass	PK	5.9398G	55.98	68.20	-12.22	3	Horizontal	292	1.50
5785MHz_TX	Pass	AV	11.57012G	36.03	54.00	-17.97	3	Vertical	142	1.50
5785MHz_TX	Pass	PK	11.57654G	49.35	74.00	-24.65	3	Vertical	142	1.50
5785MHz_TX	Pass	AV	11.57162G	36.03	54.00	-17.97	3	Horizontal	265	1.50
5785MHz_TX	Pass	PK	11.5673G	49.28	74.00	-24.72	3	Horizontal	265	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz_TX	Pass	AV	5.8286G	94.56	Inf	-Inf	3	Vertical	5	1.21
5825MHz_TX	Pass	PK	5.6402G	53.96	68.20	-14.24	3	Vertical	5	1.21
5825MHz_TX	Pass	PK	5.8286G	104.71	Inf	-Inf	3	Vertical	5	1.21
5825MHz_TX	Pass	PK	6.0206G	55.94	68.20	-12.26	3	Vertical	5	1.21
5825MHz_TX	Pass	AV	5.8202G	101.96	Inf	-Inf	3	Horizontal	289	1.76
5825MHz_TX	Pass	PK	5.6426G	54.77	68.20	-13.43	3	Horizontal	289	1.76
5825MHz_TX	Pass	PK	5.8202G	112.16	Inf	-Inf	3	Horizontal	289	1.76
5825MHz_TX	Pass	PK	6.1118G	56.30	68.20	-11.90	3	Horizontal	289	1.76
5825MHz_TX	Pass	AV	11.63518G	35.68	54.00	-18.32	3	Vertical	73	1.50
5825MHz_TX	Pass	PK	11.64808G	48.93	74.00	-25.07	3	Vertical	73	1.50
5825MHz_TX	Pass	AV	11.65228G	35.66	54.00	-18.34	3	Horizontal	49	1.50
5825MHz_TX	Pass	PK	11.65276G	48.93	74.00	-25.07	3	Horizontal	49	1.50
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	43.12	54.00	-10.88	3	Vertical	320	3.00
5180MHz_TX	Pass	AV	5.1712G	98.80	Inf	-Inf	3	Vertical	320	3.00
5180MHz_TX	Pass	PK	5.1492G	56.94	74.00	-17.06	3	Vertical	320	3.00
5180MHz_TX	Pass	PK	5.1718G	112.47	Inf	-Inf	3	Vertical	320	3.00
5180MHz_TX	Pass	AV	5.147G	43.26	54.00	-10.74	3	Horizontal	312	1.91
5180MHz_TX	Pass	AV	5.1826G	100.94	Inf	-Inf	3	Horizontal	312	1.91
5180MHz_TX	Pass	PK	5.147G	57.15	74.00	-16.85	3	Horizontal	312	1.91
5180MHz_TX	Pass	PK	5.184G	114.73	Inf	-Inf	3	Horizontal	312	1.91
5180MHz_TX	Pass	PK	10.37158G	48.66	68.20	-19.54	3	Vertical	117	1.06
5180MHz_TX	Pass	PK	10.34632G	48.98	68.20	-19.22	3	Horizontal	139	1.50
5200MHz_TX	Pass	AV	5.1496G	41.30	54.00	-12.70	3	Vertical	319	2.78
5200MHz_TX	Pass	AV	5.208G	99.29	Inf	-Inf	3	Vertical	319	2.78
5200MHz_TX	Pass	PK	5.15G	54.88	74.00	-19.12	3	Vertical	319	2.78
5200MHz_TX	Pass	PK	5.2084G	112.30	Inf	-Inf	3	Vertical	319	2.78
5200MHz_TX	Pass	AV	5.1464G	41.41	54.00	-12.59	3	Horizontal	312	1.49
5200MHz_TX	Pass	AV	5.1988G	100.13	Inf	-Inf	3	Horizontal	312	1.49
5200MHz_TX	Pass	PK	5.1468G	54.87	74.00	-19.13	3	Horizontal	312	1.49
5200MHz_TX	Pass	PK	5.1984G	112.67	Inf	-Inf	3	Horizontal	312	1.49
5200MHz_TX	Pass	PK	10.412G	48.24	68.20	-19.96	3	Vertical	205	1.50
5200MHz_TX	Pass	PK	10.38596G	48.24	68.20	-19.96	3	Horizontal	151	1.50
5240MHz_TX	Pass	AV	5.1428G	40.51	54.00	-13.49	3	Vertical	47	1.50
5240MHz_TX	Pass	AV	5.2484G	96.55	Inf	-Inf	3	Vertical	47	1.50
5240MHz_TX	Pass	AV	5.3756G	40.49	54.00	-13.51	3	Vertical	47	1.50
5240MHz_TX	Pass	PK	5.144G	53.70	74.00	-20.30	3	Vertical	47	1.50
5240MHz_TX	Pass	PK	5.2472G	109.60	Inf	-Inf	3	Vertical	47	1.50
5240MHz_TX	Pass	PK	5.369G	54.76	74.00	-19.24	3	Vertical	47	1.50
5240MHz_TX	Pass	AV	5.1464G	40.94	54.00	-13.06	3	Horizontal	313	2.15
5240MHz_TX	Pass	AV	5.2472G	101.09	Inf	-Inf	3	Horizontal	313	2.15
5240MHz_TX	Pass	AV	5.3714G	41.04	54.00	-12.96	3	Horizontal	313	2.15
5240MHz_TX	Pass	PK	5.132G	54.75	74.00	-19.25	3	Horizontal	313	2.15
5240MHz_TX	Pass	PK	5.249G	114.05	Inf	-Inf	3	Horizontal	313	2.15
5240MHz_TX	Pass	PK	5.372G	54.39	74.00	-19.61	3	Horizontal	313	2.15
5240MHz_TX	Pass	PK	10.4938G	47.81	68.20	-20.39	3	Vertical	135	2.58
5240MHz_TX	Pass	PK	10.4704G	48.62	68.20	-19.58	3	Horizontal	137	2.79
5745MHz_TX	Pass	AV	5.4462G	40.34	54.00	-13.66	3	Vertical	67	2.02
5745MHz_TX	Pass	AV	5.7534G	93.79	Inf	-Inf	3	Vertical	67	2.02
5745MHz_TX	Pass	PK	5.6166G	54.20	68.20	-14.00	3	Vertical	67	2.02
5745MHz_TX	Pass	PK	5.7546G	107.01	Inf	-Inf	3	Vertical	67	2.02
5745MHz_TX	Pass	PK	5.9298G	55.93	68.20	-12.27	3	Vertical	67	2.02
5745MHz_TX	Pass	AV	5.4462G	40.85	54.00	-13.15	3	Horizontal	301	2.01
5745MHz_TX	Pass	AV	5.7366G	100.91	Inf	-Inf	3	Horizontal	301	2.01
5745MHz_TX	Pass	PK	5.6394G	54.68	68.20	-13.52	3	Horizontal	301	2.01
5745MHz_TX	Pass	PK	5.739G	113.78	Inf	-Inf	3	Horizontal	301	2.01
5745MHz_TX	Pass	PK	6.0222G	56.02	68.20	-12.18	3	Horizontal	301	2.01
5745MHz_TX	Pass	AV	11.48178G	36.11	54.00	-17.89	3	Vertical	24	1.50
5745MHz_TX	Pass	PK	11.4816G	49.16	74.00	-24.84	3	Vertical	24	1.50
5745MHz_TX	Pass	AV	11.4849G	36.15	54.00	-17.85	3	Horizontal	64	1.74
5745MHz_TX	Pass	PK	11.47812G	48.98	74.00	-25.02	3	Horizontal	64	1.74
5785MHz_TX	Pass	AV	5.77766G	94.76	Inf	-Inf	3	Vertical	73	2.01



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz_TX	Pass	PK	5.60221G	54.81	68.20	-13.39	3	Vertical	73	2.01
5785MHz_TX	Pass	PK	5.77645G	106.97	Inf	-Inf	3	Vertical	73	2.01
5785MHz_TX	Pass	PK	5.98336G	56.33	68.20	-11.87	3	Vertical	73	2.01
5785MHz_TX	Pass	AV	5.78734G	101.60	Inf	-Inf	3	Horizontal	288	1.93
5785MHz_TX	Pass	PK	5.5042G	54.33	68.20	-13.87	3	Horizontal	288	1.93
5785MHz_TX	Pass	PK	5.78976G	113.46	Inf	-Inf	3	Horizontal	288	1.93
5785MHz_TX	Pass	PK	5.97126G	56.94	68.20	-11.26	3	Horizontal	288	1.93
5785MHz_TX	Pass	AV	11.5667G	36.06	54.00	-17.94	3	Vertical	150	1.88
5785MHz_TX	Pass	PK	11.56586G	49.30	74.00	-24.70	3	Vertical	150	1.88
5785MHz_TX	Pass	AV	11.56562G	36.07	54.00	-17.93	3	Horizontal	170	1.50
5785MHz_TX	Pass	PK	11.58332G	48.75	74.00	-25.25	3	Horizontal	170	1.50
5825MHz_TX	Pass	AV	5.8274G	93.65	Inf	-Inf	3	Vertical	61	1.50
5825MHz_TX	Pass	PK	5.633G	53.87	68.20	-14.33	3	Vertical	61	1.50
5825MHz_TX	Pass	PK	5.8274G	107.09	Inf	-Inf	3	Vertical	61	1.50
5825MHz_TX	Pass	PK	5.945G	56.51	68.20	-11.69	3	Vertical	61	1.50
5825MHz_TX	Pass	AV	5.8226G	101.29	Inf	-Inf	3	Horizontal	295	1.02
5825MHz_TX	Pass	PK	5.5766G	54.40	68.20	-13.80	3	Horizontal	295	1.02
5825MHz_TX	Pass	PK	5.8202G	114.23	Inf	-Inf	3	Horizontal	295	1.02
5825MHz_TX	Pass	PK	6.0938G	56.34	68.20	-11.86	3	Horizontal	295	1.02
5825MHz_TX	Pass	AV	11.66314G	35.57	54.00	-18.43	3	Vertical	203	1.50
5825MHz_TX	Pass	PK	11.65408G	48.84	74.00	-25.16	3	Vertical	203	1.50
5825MHz_TX	Pass	AV	11.6641G	35.64	54.00	-18.36	3	Horizontal	63	1.50
5825MHz_TX	Pass	PK	11.64148G	48.41	74.00	-25.59	3	Horizontal	63	1.50
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.142G	42.44	54.00	-11.56	3	Vertical	63	1.04
5190MHz_TX	Pass	AV	5.1808G	94.60	Inf	-Inf	3	Vertical	63	1.04
5190MHz_TX	Pass	PK	5.1412G	56.05	74.00	-17.95	3	Vertical	63	1.04
5190MHz_TX	Pass	PK	5.2008G	108.30	Inf	-Inf	3	Vertical	63	1.04
5190MHz_TX	Pass	AV	5.15G	44.02	54.00	-9.98	3	Horizontal	314	1.85
5190MHz_TX	Pass	AV	5.1924G	97.66	Inf	-Inf	3	Horizontal	314	1.85
5190MHz_TX	Pass	PK	5.146G	58.43	74.00	-15.57	3	Horizontal	314	1.85
5190MHz_TX	Pass	PK	5.1736G	111.48	Inf	-Inf	3	Horizontal	314	1.85
5190MHz_TX	Pass	PK	10.37736G	48.43	68.20	-19.77	3	Vertical	149	1.50
5190MHz_TX	Pass	PK	10.41G	48.69	68.20	-19.51	3	Horizontal	287	1.60
5230MHz_TX	Pass	AV	5.144G	40.88	54.00	-13.12	3	Vertical	58	1.00
5230MHz_TX	Pass	AV	5.2388G	94.43	Inf	-Inf	3	Vertical	58	1.00
5230MHz_TX	Pass	PK	5.1396G	54.86	74.00	-19.14	3	Vertical	58	1.00
5230MHz_TX	Pass	PK	5.2392G	107.76	Inf	-Inf	3	Vertical	58	1.00
5230MHz_TX	Pass	AV	5.1476G	41.09	54.00	-12.91	3	Horizontal	51	1.20
5230MHz_TX	Pass	AV	5.2472G	97.46	Inf	-Inf	3	Horizontal	51	1.20
5230MHz_TX	Pass	PK	5.1488G	54.80	74.00	-19.20	3	Horizontal	51	1.20
5230MHz_TX	Pass	PK	5.2272G	110.50	Inf	-Inf	3	Horizontal	51	1.20
5230MHz_TX	Pass	PK	10.4702G	48.94	68.20	-19.26	3	Vertical	23	1.50
5230MHz_TX	Pass	PK	10.47224G	48.46	68.20	-19.74	3	Horizontal	310	1.10
5755MHz_TX	Pass	AV	5.4562G	40.46	54.00	-13.54	3	Vertical	70	1.99
5755MHz_TX	Pass	AV	5.7658G	91.18	Inf	-Inf	3	Vertical	70	1.99
5755MHz_TX	Pass	PK	5.5282G	55.20	68.20	-13.00	3	Vertical	70	1.99
5755MHz_TX	Pass	PK	5.7634G	104.43	Inf	-Inf	3	Vertical	70	1.99
5755MHz_TX	Pass	PK	5.9278G	56.38	68.20	-11.82	3	Vertical	70	1.99
5755MHz_TX	Pass	AV	5.4598G	41.37	54.00	-12.63	3	Horizontal	308	2.01
5755MHz_TX	Pass	AV	5.7718G	98.23	Inf	-Inf	3	Horizontal	308	2.01
5755MHz_TX	Pass	PK	5.6062G	54.86	68.20	-13.34	3	Horizontal	308	2.01
5755MHz_TX	Pass	PK	5.7706G	111.26	Inf	-Inf	3	Horizontal	308	2.01
5755MHz_TX	Pass	PK	5.9698G	56.56	68.20	-11.64	3	Horizontal	308	2.01
5755MHz_TX	Pass	AV	11.49044G	36.31	54.00	-17.69	3	Vertical	292	1.50
5755MHz_TX	Pass	PK	11.52788G	48.99	74.00	-25.01	3	Vertical	292	1.50
5755MHz_TX	Pass	AV	11.48852G	36.29	54.00	-17.71	3	Horizontal	202	1.69
5755MHz_TX	Pass	PK	11.52656G	49.29	74.00	-24.71	3	Horizontal	202	1.69
5795MHz_TX	Pass	AV	5.7842G	92.22	Inf	-Inf	3	Vertical	68	1.87
5795MHz_TX	Pass	PK	5.5298G	54.92	68.20	-13.28	3	Vertical	68	1.87
5795MHz_TX	Pass	PK	5.7866G	104.84	Inf	-Inf	3	Vertical	68	1.87
5795MHz_TX	Pass	PK	5.939G	55.84	68.20	-12.36	3	Vertical	68	1.87




RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz_TX	Pass	AV	5.777G	98.44	Inf	-Inf	3	Horizontal	293	1.50
5795MHz_TX	Pass	PK	5.5082G	54.63	68.20	-13.57	3	Horizontal	293	1.50
5795MHz_TX	Pass	PK	5.777G	111.02	Inf	-Inf	3	Horizontal	293	1.50
5795MHz_TX	Pass	PK	6.0182G	56.24	68.20	-11.96	3	Horizontal	293	1.50
5795MHz_TX	Pass	AV	11.56108G	36.09	54.00	-17.91	3	Vertical	14	1.50
5795MHz_TX	Pass	PK	11.57044G	48.94	74.00	-25.06	3	Vertical	14	1.50
5795MHz_TX	Pass	AV	11.56732G	36.09	54.00	-17.91	3	Horizontal	135	2.18
5795MHz_TX	Pass	PK	11.56468G	49.32	74.00	-24.68	3	Horizontal	135	2.18
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.142G	42.52	54.00	-11.48	3	Vertical	58	1.00
5210MHz_TX	Pass	AV	5.18G	91.69	Inf	-Inf	3	Vertical	58	1.00
5210MHz_TX	Pass	AV	5.382G	40.84	54.00	-13.16	3	Vertical	58	1.00
5210MHz_TX	Pass	PK	5.139G	55.68	74.00	-18.32	3	Vertical	58	1.00
5210MHz_TX	Pass	PK	5.238G	105.96	Inf	-Inf	3	Vertical	58	1.00
5210MHz_TX	Pass	PK	5.444G	54.59	74.00	-19.41	3	Vertical	58	1.00
5210MHz_TX	Pass	AV	5.147G	43.00	54.00	-11.00	3	Horizontal	48	1.39
5210MHz_TX	Pass	AV	5.247G	94.31	Inf	-Inf	3	Horizontal	48	1.39
5210MHz_TX	Pass	AV	5.366G	41.31	54.00	-12.69	3	Horizontal	48	1.39
5210MHz_TX	Pass	PK	5.146G	56.13	74.00	-17.87	3	Horizontal	48	1.39
5210MHz_TX	Pass	PK	5.246G	106.92	Inf	-Inf	3	Horizontal	48	1.39
5210MHz_TX	Pass	PK	5.384G	55.28	74.00	-18.72	3	Horizontal	48	1.39
5210MHz_TX	Pass	PK	10.42648G	47.99	68.20	-20.21	3	Vertical	4	1.50
5210MHz_TX	Pass	PK	10.36024G	48.53	68.20	-19.67	3	Horizontal	202	1.50
5775MHz_TX	Pass	AV	5.7846G	88.59	Inf	-Inf	3	Vertical	66	1.87
5775MHz_TX	Pass	PK	5.4762G	54.60	68.20	-13.60	3	Vertical	66	1.87
5775MHz_TX	Pass	PK	5.763G	101.35	Inf	-Inf	3	Vertical	66	1.87
5775MHz_TX	Pass	PK	5.9922G	56.00	68.20	-12.20	3	Vertical	66	1.87
5775MHz_TX	Pass	AV	5.7786G	95.37	Inf	-Inf	3	Horizontal	289	1.97
5775MHz_TX	Pass	PK	5.6322G	55.20	68.20	-13.00	3	Horizontal	289	1.97
5775MHz_TX	Pass	PK	5.7594G	108.19	Inf	-Inf	3	Horizontal	289	1.97
5775MHz_TX	Pass	PK	6.0618G	55.61	68.20	-12.59	3	Horizontal	289	1.97
5775MHz_TX	Pass	AV	11.526G	36.30	54.00	-17.70	3	Vertical	180	1.50
5775MHz_TX	Pass	PK	11.51184G	49.10	74.00	-24.90	3	Vertical	180	1.50
5775MHz_TX	Pass	AV	11.4948G	36.20	54.00	-17.80	3	Horizontal	93	1.00
5775MHz_TX	Pass	PK	11.50728G	49.30	74.00	-24.70	3	Horizontal	93	1.00


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.12	54.00	-10.88	1.02	3	Vertical	320	3.00	42.10	33.50	4.81	37.29
AV	5.1712G	98.80	Inf	-Inf	0.94	3	Vertical	320	3.00	97.86	33.42	4.82	37.30
PK	5.1492G	56.94	74.00	-17.06	1.02	3	Vertical	320	3.00	55.92	33.50	4.81	37.29
PK	5.1718G	112.47	Inf	-Inf	0.93	3	Vertical	320	3.00	111.54	33.41	4.82	37.30

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	43.26	54.00	-10.74	1.00	3	Horizontal	312	1.91	42.26	33.48	4.81	37.29
AV	5.1826G	100.94	Inf	-Inf	0.90	3	Horizontal	312	1.91	100.04	33.37	4.83	37.30
PK	5.147G	57.15	74.00	-16.85	1.00	3	Horizontal	312	1.91	56.15	33.48	4.81	37.29
PK	5.184G	114.73	Inf	-Inf	0.89	3	Horizontal	312	1.91	113.84	33.36	4.83	37.30


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	42.44	54.00	-11.56	0.97	3	Vertical	63	1.04	41.47	33.45	4.81	37.29
AV	5.1808G	94.60	Inf	-Inf	0.91	3	Vertical	63	1.04	93.69	33.38	4.83	37.30
PK	5.1412G	56.05	74.00	-17.95	0.97	3	Vertical	63	1.04	55.08	33.45	4.81	37.29
PK	5.2008G	108.30	Inf	-Inf	0.84	3	Vertical	63	1.04	107.46	33.30	4.84	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.02	54.00	-9.98	1.02	3	Horizontal	314	1.85	43.00	33.50	4.81	37.29
AV	5.1924G	97.66	Inf	-Inf	0.87	3	Horizontal	314	1.85	96.79	33.33	4.84	37.30
PK	5.146G	58.43	74.00	-15.57	1.00	3	Horizontal	314	1.85	57.43	33.48	4.81	37.29
PK	5.1736G	111.48	Inf	-Inf	0.94	3	Horizontal	314	1.85	110.54	33.41	4.83	37.30




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	42.52	54.00	-11.48	0.97	3	Vertical	58	1.00	41.55	33.45	4.81	37.29
AV	5.18G	91.69	Inf	-Inf	0.91	3	Vertical	58	1.00	90.78	33.38	4.83	37.30
AV	5.382G	40.84	54.00	-13.16	0.62	3	Vertical	58	1.00	40.22	33.04	4.92	37.34
PK	5.139G	55.68	74.00	-18.32	0.95	3	Vertical	58	1.00	54.73	33.43	4.81	37.29
PK	5.238G	105.96	Inf	-Inf	0.77	3	Vertical	58	1.00	105.19	33.22	4.86	37.31
PK	5.444G	54.59	74.00	-19.41	0.58	3	Vertical	58	1.00	54.01	33.00	4.94	37.36

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	43.00	54.00	-11.00	1.00	3	Horizontal	48	1.39	42.00	33.48	4.81	37.29
AV	5.247G	94.31	Inf	-Inf	0.76	3	Horizontal	48	1.39	93.55	33.21	4.86	37.31
AV	5.366G	41.31	54.00	-12.69	0.64	3	Horizontal	48	1.39	40.67	33.07	4.91	37.34
PK	5.146G	56.13	74.00	-17.87	1.00	3	Horizontal	48	1.39	55.13	33.48	4.81	37.29
PK	5.246G	106.92	Inf	-Inf	0.76	3	Horizontal	48	1.39	106.16	33.21	4.86	37.31
PK	5.384G	55.28	74.00	-18.72	0.61	3	Horizontal	48	1.39	54.67	33.03	4.92	37.34


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX






5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	40.46	54.00	-13.54	0.62	3	Vertical	70	1.99	39.84	33.04	4.94	37.36
AV	5.7658G	91.18	Inf	-Inf	1.95	3	Vertical	70	1.99	89.23	34.06	5.15	37.26
PK	5.5282G	55.20	68.20	-13.00	0.84	3	Vertical	70	1.99	54.36	33.24	4.96	37.36
PK	5.7634G	104.43	Inf	-Inf	1.93	3	Vertical	70	1.99	102.50	34.05	5.14	37.26
PK	5.9278G	56.38	68.20	-11.82	2.36	3	Vertical	70	1.99	54.02	34.44	5.11	37.19

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	41.37	54.00	-12.63	0.64	3	Horizontal	308	2.01	40.73	33.06	4.94	37.36
AV	5.7718G	98.23	Inf	-Inf	1.98	3	Horizontal	308	2.01	96.25	34.09	5.15	37.26
PK	5.6062G	54.86	68.20	-13.34	0.88	3	Horizontal	308	2.01	53.98	33.22	4.99	37.33
PK	5.7706G	111.26	Inf	-Inf	1.97	3	Horizontal	308	2.01	109.29	34.08	5.15	37.26
PK	5.9698G	56.56	68.20	-11.64	2.32	3	Horizontal	308	2.01	54.24	34.40	5.09	37.17




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_O-435 Appendix E.4


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_Radio 2_Multi-RU
_O-435**

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	AV	5.114G	42.50	54.00	-11.50	3	Horizontal	314	2.05
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.6502G	65.35	68.35	-3.00	3	Horizontal	299	1.01



RSE TX above 1GHz_Non-Beamforming_Radio 2_Multi-RU O-435


Appendix E.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.123G	41.57	54.00	-12.43	3	Vertical	54	2.34
5210MHz	Pass	AV	5.184G	92.25	Inf	-Inf	3	Vertical	54	2.34
5210MHz	Pass	AV	5.38G	40.75	54.00	-13.25	3	Vertical	54	2.34
5210MHz	Pass	PK	5.145G	55.57	74.00	-18.43	3	Vertical	54	2.34
5210MHz	Pass	PK	5.185G	106.01	Inf	-Inf	3	Vertical	54	2.34
5210MHz	Pass	PK	5.419G	55.13	74.00	-18.87	3	Vertical	54	2.34
5210MHz	Pass	AV	5.114G	42.50	54.00	-11.50	3	Horizontal	314	2.05
5210MHz	Pass	AV	5.238G	94.64	Inf	-Inf	3	Horizontal	314	2.05
5210MHz	Pass	AV	5.439G	41.29	54.00	-12.71	3	Horizontal	314	2.05
5210MHz	Pass	PK	5.15G	56.09	74.00	-17.91	3	Horizontal	314	2.05
5210MHz	Pass	PK	5.238G	109.18	Inf	-Inf	3	Horizontal	314	2.05
5210MHz	Pass	PK	5.413G	55.43	74.00	-18.57	3	Horizontal	314	2.05
5210MHz	Pass	PK	10.42544G	50.32	68.20	-17.88	3	Vertical	183	1.50
5210MHz	Pass	PK	10.37584G	50.59	68.20	-17.61	3	Horizontal	314	1.80
5775MHz	Pass	AV	5.7366G	88.04	Inf	-Inf	3	Vertical	293	1.97
5775MHz	Pass	PK	5.613G	58.49	68.20	-9.71	3	Vertical	293	1.97
5775MHz	Pass	PK	5.739G	100.90	Inf	-Inf	3	Vertical	293	1.97
5775MHz	Pass	PK	5.9898G	55.72	68.20	-12.48	3	Vertical	293	1.97
5775MHz	Pass	AV	5.7534G	95.76	Inf	-Inf	3	Horizontal	299	1.01
5775MHz	Pass	PK	5.6502G	65.35	68.35	-3.00	3	Horizontal	299	1.01
5775MHz	Pass	PK	5.7522G	108.30	Inf	-Inf	3	Horizontal	299	1.01
5775MHz	Pass	PK	6.0702G	56.51	68.20	-11.69	3	Horizontal	299	1.01
5775MHz	Pass	AV	11.49848G	37.34	54.00	-16.66	3	Vertical	163	1.18
5775MHz	Pass	PK	11.57304G	50.55	74.00	-23.45	3	Vertical	163	1.18
5775MHz	Pass	AV	11.49592G	37.28	54.00	-16.72	3	Horizontal	38	1.50
5775MHz	Pass	PK	11.58008G	50.36	74.00	-23.64	3	Horizontal	38	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.123G	41.57	54.00	-12.43	0.85	3	Vertical	54	2.34	40.72	33.34	4.80	37.29
AV	5.184G	92.25	Inf	-Inf	0.89	3	Vertical	54	2.34	91.36	33.36	4.83	37.30
AV	5.38G	40.75	54.00	-13.25	0.62	3	Vertical	54	2.34	40.13	33.04	4.92	37.34
PK	5.145G	55.57	74.00	-18.43	0.99	3	Vertical	54	2.34	54.58	33.47	4.81	37.29
PK	5.185G	106.01	Inf	-Inf	0.89	3	Vertical	54	2.34	105.12	33.36	4.83	37.30
PK	5.419G	55.13	74.00	-18.87	0.58	3	Vertical	54	2.34	54.55	33.00	4.93	37.35

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.114G	42.50	54.00	-11.50	0.78	3	Horizontal	314	2.05	41.72	33.28	4.79	37.29
AV	5.238G	94.64	Inf	-Inf	0.77	3	Horizontal	314	2.05	93.87	33.22	4.86	37.31
AV	5.439G	41.29	54.00	-12.71	0.58	3	Horizontal	314	2.05	40.71	33.00	4.94	37.36
PK	5.15G	56.09	74.00	-17.91	1.02	3	Horizontal	314	2.05	55.07	33.50	4.81	37.29
PK	5.238G	109.18	Inf	-Inf	0.77	3	Horizontal	314	2.05	108.41	33.22	4.86	37.31
PK	5.413G	55.43	74.00	-18.57	0.58	3	Horizontal	314	2.05	54.85	33.00	4.93	37.35


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 2
_Channel Puncturing_O-435

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	Pass	AV	5.15G	43.96	54.00	-10.04	3	Horizontal	51	1.67
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	PK	5.9718G	56.17	68.20	-12.03	3	Vertical	69	1.95



RSE TX above 1GHz_Non-Beamforming_Radio 2
Channel Puncturing_O-435


Appendix E.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.143G	42.67	54.00	-11.33	3	Vertical	57	1.47
5210MHz	Pass	AV	5.202G	92.41	Inf	-Inf	3	Vertical	57	1.47
5210MHz	Pass	AV	5.358G	40.74	54.00	-13.26	3	Vertical	57	1.47
5210MHz	Pass	PK	5.118G	56.60	74.00	-17.40	3	Vertical	57	1.47
5210MHz	Pass	PK	5.203G	105.75	Inf	-Inf	3	Vertical	57	1.47
5210MHz	Pass	PK	5.415G	54.48	74.00	-19.52	3	Vertical	57	1.47
5210MHz	Pass	AV	5.15G	43.96	54.00	-10.04	3	Horizontal	51	1.67
5210MHz	Pass	AV	5.229G	95.26	Inf	-Inf	3	Horizontal	51	1.67
5210MHz	Pass	AV	5.369G	41.31	54.00	-12.69	3	Horizontal	51	1.67
5210MHz	Pass	PK	5.131G	59.64	74.00	-14.36	3	Horizontal	51	1.67
5210MHz	Pass	PK	5.206G	108.18	Inf	-Inf	3	Horizontal	51	1.67
5210MHz	Pass	PK	5.388G	55.89	74.00	-18.11	3	Horizontal	51	1.67
5210MHz	Pass	PK	10.39184G	50.00	68.20	-18.20	3	Vertical	315	2.59
5210MHz	Pass	PK	10.42096G	49.32	68.20	-18.88	3	Horizontal	22	1.75
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7654G	88.60	Inf	-Inf	3	Vertical	69	1.95
5775MHz	Pass	PK	5.6442G	54.94	68.20	-13.26	3	Vertical	69	1.95
5775MHz	Pass	PK	5.8038G	102.24	Inf	-Inf	3	Vertical	69	1.95
5775MHz	Pass	PK	5.9718G	56.17	68.20	-12.03	3	Vertical	69	1.95
5775MHz	Pass	AV	5.7414G	94.91	Inf	-Inf	3	Horizontal	284	1.98
5775MHz	Pass	PK	5.583G	55.49	68.20	-12.71	3	Horizontal	284	1.98
5775MHz	Pass	PK	5.7618G	108.26	Inf	-Inf	3	Horizontal	284	1.98
5775MHz	Pass	PK	6.0198G	56.13	68.20	-12.07	3	Horizontal	284	1.98
5775MHz	Pass	AV	11.49816G	37.37	54.00	-16.63	3	Vertical	300	2.20
5775MHz	Pass	PK	11.49656G	51.07	74.00	-22.93	3	Vertical	300	2.20
5775MHz	Pass	AV	11.48504G	37.33	54.00	-16.67	3	Horizontal	299	1.50
5775MHz	Pass	PK	11.5708G	50.97	74.00	-23.03	3	Horizontal	299	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	42.67	54.00	-11.33	0.98	3	Vertical	57	1.47	41.69	33.46	4.81	37.29
AV	5.202G	92.41	Inf	-Inf	0.84	3	Vertical	57	1.47	91.57	33.30	4.84	37.30
AV	5.358G	40.74	54.00	-13.26	0.65	3	Vertical	57	1.47	40.09	33.08	4.91	37.34
PK	5.118G	56.60	74.00	-17.40	0.81	3	Vertical	57	1.47	55.79	33.31	4.79	37.29
PK	5.203G	105.75	Inf	-Inf	0.83	3	Vertical	57	1.47	104.92	33.29	4.84	37.30
PK	5.415G	54.48	74.00	-19.52	0.58	3	Vertical	57	1.47	53.90	33.00	4.93	37.35

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.96	54.00	-10.04	1.02	3	Horizontal	51	1.67	42.94	33.50	4.81	37.29
AV	5.229G	95.26	Inf	-Inf	0.78	3	Horizontal	51	1.67	94.48	33.24	4.85	37.31
AV	5.369G	41.31	54.00	-12.69	0.64	3	Horizontal	51	1.67	40.67	33.06	4.92	37.34
PK	5.131G	59.64	74.00	-14.36	0.90	3	Horizontal	51	1.67	58.74	33.39	4.80	37.29
PK	5.206G	108.18	Inf	-Inf	0.82	3	Horizontal	51	1.67	107.36	33.29	4.84	37.31
PK	5.388G	55.89	74.00	-18.11	0.59	3	Horizontal	51	1.67	55.30	33.02	4.92	37.35


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	88.60	Inf	-Inf	1.95	3	Vertical	69	1.95	86.65	34.06	5.15	37.26
PK	5.6442G	54.94	68.20	-13.26	1.09	3	Vertical	69	1.95	53.85	33.38	5.02	37.31
PK	5.8038G	102.24	Inf	-Inf	2.15	3	Vertical	69	1.95	100.09	34.21	5.18	37.24
PK	5.9718G	56.17	68.20	-12.03	2.32	3	Vertical	69	1.95	53.85	34.40	5.09	37.17

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	94.91	Inf	-Inf	1.82	3	Horizontal	284	1.98	93.09	33.97	5.12	37.27
PK	5.583G	55.49	68.20	-12.71	0.84	3	Horizontal	284	1.98	54.65	33.20	4.98	37.34
PK	5.7618G	108.26	Inf	-Inf	1.93	3	Horizontal	284	1.98	106.33	34.05	5.14	37.26
PK	6.0198G	56.13	68.20	-12.07	2.33	3	Horizontal	284	1.98	53.80	34.40	5.09	37.16




RSE TX above 1GHz_Non-Beamforming_Radio 2
_Channel Puncturing_O-435

Appendix E.6


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	385.02M	40.95	46.00	-5.05	3	Horizontal	0	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 0_Full RU
_O-435E**


Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	31.67	40.00	-8.33	3	Vertical	360	1.00
5775MHz	Pass	PK	90.14M	35.13	43.50	-8.37	3	Vertical	360	1.00
5775MHz	Pass	PK	278.32M	26.04	46.00	-19.96	3	Vertical	360	1.00
5775MHz	Pass	PK	383.08M	32.98	46.00	-13.02	3	Vertical	360	1.00
5775MHz	Pass	PK	526.64M	37.20	46.00	-8.80	3	Vertical	360	1.00
5775MHz	Pass	PK	608.12M	35.26	46.00	-10.74	3	Vertical	360	1.00
5775MHz	Pass	PK	30M	24.18	40.00	-15.82	3	Horizontal	0	1.00
5775MHz	Pass	PK	142.52M	28.16	43.50	-15.34	3	Horizontal	0	1.00
5775MHz	Pass	PK	278.32M	31.70	46.00	-14.30	3	Horizontal	0	1.00
5775MHz	Pass	PK	385.02M	40.95	46.00	-5.05	3	Horizontal	0	1.00
5775MHz	Pass	PK	606.18M	36.18	46.00	-9.82	3	Horizontal	0	1.00
5775MHz	Pass	PK	664.38M	33.93	46.00	-12.07	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	31.67	40.00	-8.33	-19.10	3	Vertical	360	1.00	50.77	24.72	0.45	44.27
PK	90.14M	35.13	43.50	-8.37	-28.68	3	Vertical	360	1.00	63.81	15.09	0.84	44.61
PK	278.32M	26.04	46.00	-19.96	-24.24	3	Vertical	360	1.00	50.28	18.89	1.18	44.31
PK	383.08M	32.98	46.00	-13.02	-21.28	3	Vertical	360	1.00	54.26	21.38	1.40	44.06
PK	526.64M	37.20	46.00	-8.80	-17.74	3	Vertical	360	1.00	54.94	24.47	1.66	43.87
PK	608.12M	35.26	46.00	-10.74	-16.29	3	Vertical	360	1.00	51.55	25.86	1.71	43.86

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	24.18	40.00	-15.82	-19.10	3	Horizontal	0	1.00	43.28	24.72	0.45	44.27
PK	142.52M	28.16	43.50	-15.34	-26.02	3	Horizontal	0	1.00	54.18	17.57	0.99	44.58
PK	278.32M	31.70	46.00	-14.30	-24.24	3	Horizontal	0	1.00	55.94	18.89	1.18	44.31
PK	385.02M	40.95	46.00	-5.05	-21.21	3	Horizontal	0	1.00	62.16	21.44	1.41	44.06
PK	606.18M	36.18	46.00	-9.82	-16.28	3	Horizontal	0	1.00	52.46	25.88	1.70	43.86
PK	664.38M	33.93	46.00	-12.07	-15.69	3	Horizontal	0	1.00	49.62	26.34	1.83	43.86



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1488G	42.32	54.00	-11.68	3	Vertical	28	2.21
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1476G	43.27	54.00	-10.73	3	Vertical	26	2.36
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	43.80	54.00	-10.20	3	Vertical	26	2.15
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.141G	45.78	54.00	-8.22	3	Vertical	27	2.15
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.94948G	56.56	68.20	-11.64	3	Vertical	44	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.06685G	57.92	68.20	-10.28	3	Horizontal	344	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.9626G	56.67	68.20	-11.53	3	Horizontal	342	1.61
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.9802G	57.13	68.20	-11.07	3	Vertical	12	1.38



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1474G	42.31	54.00	-11.69	3	Vertical	28	2.36
5180MHz	Pass	AV	5.1728G	98.80	Inf	-Inf	3	Vertical	28	2.36
5180MHz	Pass	PK	5.1454G	55.92	74.00	-18.08	3	Vertical	28	2.36
5180MHz	Pass	PK	5.173G	109.27	Inf	-Inf	3	Vertical	28	2.36
5180MHz	Pass	AV	5.148G	42.00	54.00	-12.00	3	Horizontal	34	2.86
5180MHz	Pass	AV	5.1726G	97.17	Inf	-Inf	3	Horizontal	34	2.86
5180MHz	Pass	PK	5.1448G	55.60	74.00	-18.40	3	Horizontal	34	2.86
5180MHz	Pass	PK	5.1778G	108.13	Inf	-Inf	3	Horizontal	34	2.86
5180MHz	Pass	PK	10.36294G	48.83	68.20	-19.37	3	Vertical	0	2.50
5180MHz	Pass	PK	10.35352G	48.97	68.20	-19.23	3	Horizontal	0	2.50
5200MHz	Pass	AV	5.1488G	42.32	54.00	-11.68	3	Vertical	28	2.21
5200MHz	Pass	AV	5.2028G	99.19	Inf	-Inf	3	Vertical	28	2.21
5200MHz	Pass	PK	5.1448G	55.56	74.00	-18.44	3	Vertical	28	2.21
5200MHz	Pass	PK	5.2032G	109.36	Inf	-Inf	3	Vertical	28	2.21
5200MHz	Pass	AV	5.1496G	41.56	54.00	-12.44	3	Horizontal	11	1.92
5200MHz	Pass	AV	5.2072G	97.92	Inf	-Inf	3	Horizontal	11	1.92
5200MHz	Pass	PK	5.1452G	55.14	74.00	-18.86	3	Horizontal	11	1.92
5200MHz	Pass	PK	5.202G	109.39	Inf	-Inf	3	Horizontal	11	1.92
5200MHz	Pass	PK	10.3852G	49.19	68.20	-19.01	3	Vertical	279	1.50
5200MHz	Pass	PK	10.39448G	49.92	68.20	-18.28	3	Horizontal	186	1.50
5240MHz	Pass	AV	5.15G	40.85	54.00	-13.15	3	Vertical	23	2.31
5240MHz	Pass	AV	5.2472G	98.83	Inf	-Inf	3	Vertical	23	2.31
5240MHz	Pass	AV	5.3618G	40.76	54.00	-13.24	3	Vertical	23	2.31
5240MHz	Pass	PK	5.126G	54.28	74.00	-19.72	3	Vertical	23	2.31
5240MHz	Pass	PK	5.2328G	108.75	Inf	-Inf	3	Vertical	23	2.31
5240MHz	Pass	PK	5.3534G	54.86	74.00	-19.14	3	Vertical	23	2.31
5240MHz	Pass	AV	5.15G	40.77	54.00	-13.23	3	Horizontal	23	2.04
5240MHz	Pass	AV	5.2328G	97.30	Inf	-Inf	3	Horizontal	23	2.04
5240MHz	Pass	AV	5.3618G	40.79	54.00	-13.21	3	Horizontal	23	2.04
5240MHz	Pass	PK	5.1176G	54.53	74.00	-19.47	3	Horizontal	23	2.04
5240MHz	Pass	PK	5.2328G	108.19	Inf	-Inf	3	Horizontal	23	2.04
5240MHz	Pass	PK	5.381G	54.58	74.00	-19.42	3	Horizontal	23	2.04
5240MHz	Pass	PK	10.48264G	48.95	68.20	-19.25	3	Vertical	102	1.50
5240MHz	Pass	PK	10.47336G	48.83	68.20	-19.37	3	Horizontal	308	2.83
5745MHz	Pass	AV	5.4594G	40.30	54.00	-13.70	3	Vertical	12	1.38
5745MHz	Pass	AV	5.7486G	97.82	Inf	-Inf	3	Vertical	12	1.38
5745MHz	Pass	PK	5.6286G	54.41	68.20	-13.79	3	Vertical	12	1.38
5745MHz	Pass	PK	5.7498G	107.83	Inf	-Inf	3	Vertical	12	1.38
5745MHz	Pass	PK	6.015G	56.00	68.20	-12.20	3	Vertical	12	1.38
5745MHz	Pass	AV	5.4594G	40.32	54.00	-13.68	3	Horizontal	338	1.96
5745MHz	Pass	AV	5.7402G	97.35	Inf	-Inf	3	Horizontal	338	1.96
5745MHz	Pass	PK	5.5926G	54.74	68.20	-13.46	3	Horizontal	338	1.96
5745MHz	Pass	PK	5.7402G	108.95	Inf	-Inf	3	Horizontal	338	1.96
5745MHz	Pass	PK	5.9622G	56.12	68.20	-12.08	3	Horizontal	338	1.96
5745MHz	Pass	AV	11.49928G	35.92	54.00	-18.08	3	Vertical	250	1.63
5745MHz	Pass	PK	11.49912G	49.28	74.00	-24.72	3	Vertical	250	1.63
5745MHz	Pass	AV	11.4968G	35.89	54.00	-18.11	3	Horizontal	119	2.20
5745MHz	Pass	PK	11.498G	49.29	74.00	-24.71	3	Horizontal	119	2.20
5785MHz	Pass	AV	5.79218G	97.24	Inf	-Inf	3	Vertical	44	1.50
5785MHz	Pass	PK	5.53687G	54.35	68.20	-13.85	3	Vertical	44	1.50
5785MHz	Pass	PK	5.79218G	107.34	Inf	-Inf	3	Vertical	44	1.50
5785MHz	Pass	PK	5.94948G	56.56	68.20	-11.64	3	Vertical	44	1.50
5785MHz	Pass	AV	5.77766G	96.94	Inf	-Inf	3	Horizontal	351	1.50
5785MHz	Pass	PK	5.6373G	55.16	68.20	-13.04	3	Horizontal	351	1.50
5785MHz	Pass	PK	5.78734G	108.51	Inf	-Inf	3	Horizontal	351	1.50
5785MHz	Pass	PK	6.08016G	56.00	68.20	-12.20	3	Horizontal	351	1.50
5785MHz	Pass	AV	11.58088G	35.47	54.00	-18.53	3	Vertical	218	3.00
5785MHz	Pass	PK	11.584G	48.57	74.00	-25.43	3	Vertical	218	3.00
5785MHz	Pass	AV	11.58088G	35.53	54.00	-18.47	3	Horizontal	84	3.00
5785MHz	Pass	PK	11.57256G	48.81	74.00	-25.19	3	Horizontal	84	3.00



RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	AV	5.8322G	97.09	Inf	-Inf	3	Vertical	45	1.53
5825MHz	Pass	PK	5.6186G	54.13	68.20	-14.07	3	Vertical	45	1.53
5825MHz	Pass	PK	5.8322G	107.29	Inf	-Inf	3	Vertical	45	1.53
5825MHz	Pass	PK	6.107G	56.40	68.20	-11.80	3	Vertical	45	1.53
5825MHz	Pass	AV	5.8178G	97.45	Inf	-Inf	3	Horizontal	350	1.57
5825MHz	Pass	PK	5.615G	54.96	68.20	-13.24	3	Horizontal	350	1.57
5825MHz	Pass	PK	5.819G	108.53	Inf	-Inf	3	Horizontal	350	1.57
5825MHz	Pass	PK	5.939G	56.30	68.20	-11.90	3	Horizontal	350	1.57
5825MHz	Pass	AV	11.6632G	35.11	54.00	-18.89	3	Vertical	168	1.50
5825MHz	Pass	PK	11.66088G	48.94	74.00	-25.06	3	Vertical	168	1.50
5825MHz	Pass	AV	11.66288G	35.09	54.00	-18.91	3	Horizontal	175	2.33
5825MHz	Pass	PK	11.66384G	48.55	74.00	-25.45	3	Horizontal	175	2.33
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1476G	43.27	54.00	-10.73	3	Vertical	26	2.36
5180MHz	Pass	AV	5.1712G	99.34	Inf	-Inf	3	Vertical	26	2.36
5180MHz	Pass	PK	5.135G	56.12	74.00	-17.88	3	Vertical	26	2.36
5180MHz	Pass	PK	5.171G	112.74	Inf	-Inf	3	Vertical	26	2.36
5180MHz	Pass	AV	5.149G	42.75	54.00	-11.25	3	Horizontal	33	2.70
5180MHz	Pass	AV	5.189G	97.56	Inf	-Inf	3	Horizontal	33	2.70
5180MHz	Pass	PK	5.1354G	55.18	74.00	-18.82	3	Horizontal	33	2.70
5180MHz	Pass	PK	5.1884G	110.34	Inf	-Inf	3	Horizontal	33	2.70
5180MHz	Pass	PK	10.3792G	48.43	68.20	-19.77	3	Vertical	171	1.50
5180MHz	Pass	PK	10.34936G	48.45	68.20	-19.75	3	Horizontal	166	1.15
5200MHz	Pass	AV	5.1472G	43.23	54.00	-10.77	3	Vertical	26	2.22
5200MHz	Pass	AV	5.192G	98.87	Inf	-Inf	3	Vertical	26	2.22
5200MHz	Pass	PK	5.1484G	55.83	74.00	-18.17	3	Vertical	26	2.22
5200MHz	Pass	PK	5.1936G	111.19	Inf	-Inf	3	Vertical	26	2.22
5200MHz	Pass	AV	5.1452G	42.47	54.00	-11.53	3	Horizontal	18	1.96
5200MHz	Pass	AV	5.2076G	97.73	Inf	-Inf	3	Horizontal	18	1.96
5200MHz	Pass	PK	5.1496G	54.83	74.00	-19.17	3	Horizontal	18	1.96
5200MHz	Pass	PK	5.2076G	110.99	Inf	-Inf	3	Horizontal	18	1.96
5200MHz	Pass	PK	10.40064G	49.04	68.20	-19.16	3	Vertical	143	1.50
5200MHz	Pass	PK	10.41432G	48.89	68.20	-19.31	3	Horizontal	327	1.50
5240MHz	Pass	AV	5.1482G	41.66	54.00	-12.34	3	Vertical	25	1.47
5240MHz	Pass	AV	5.2418G	98.47	Inf	-Inf	3	Vertical	25	1.47
5240MHz	Pass	AV	5.3564G	41.50	54.00	-12.50	3	Vertical	25	1.47
5240MHz	Pass	PK	5.1302G	54.46	74.00	-19.54	3	Vertical	25	1.47
5240MHz	Pass	PK	5.2436G	110.85	Inf	-Inf	3	Vertical	25	1.47
5240MHz	Pass	PK	5.3732G	55.21	74.00	-18.79	3	Vertical	25	1.47
5240MHz	Pass	AV	5.1482G	41.43	54.00	-12.57	3	Horizontal	29	1.50
5240MHz	Pass	AV	5.2322G	96.60	Inf	-Inf	3	Horizontal	29	1.50
5240MHz	Pass	AV	5.3702G	41.34	54.00	-12.66	3	Horizontal	29	1.50
5240MHz	Pass	PK	5.1452G	53.94	74.00	-20.06	3	Horizontal	29	1.50
5240MHz	Pass	PK	5.231G	108.74	Inf	-Inf	3	Horizontal	29	1.50
5240MHz	Pass	PK	5.3702G	53.83	74.00	-20.17	3	Horizontal	29	1.50
5240MHz	Pass	PK	10.49912G	48.62	68.20	-19.58	3	Vertical	52	1.40
5240MHz	Pass	PK	10.46256G	48.88	68.20	-19.32	3	Horizontal	163	1.49
5745MHz	Pass	AV	5.4534G	41.14	54.00	-12.86	3	Vertical	13	1.44
5745MHz	Pass	AV	5.7414G	97.69	Inf	-Inf	3	Vertical	13	1.44
5745MHz	Pass	PK	5.5026G	54.68	68.20	-13.52	3	Vertical	13	1.44
5745MHz	Pass	PK	5.7414G	110.57	Inf	-Inf	3	Vertical	13	1.44
5745MHz	Pass	PK	5.9946G	56.25	68.20	-11.95	3	Vertical	13	1.44
5745MHz	Pass	AV	5.4582G	40.95	54.00	-13.05	3	Horizontal	341	1.95
5745MHz	Pass	AV	5.7462G	97.22	Inf	-Inf	3	Horizontal	341	1.95
5745MHz	Pass	PK	5.5866G	54.93	68.20	-13.27	3	Horizontal	341	1.95
5745MHz	Pass	PK	5.7486G	109.63	Inf	-Inf	3	Horizontal	341	1.95
5745MHz	Pass	PK	5.9346G	56.71	68.20	-11.49	3	Horizontal	341	1.95
5745MHz	Pass	AV	11.48016G	36.77	54.00	-17.23	3	Vertical	323	1.50
5745MHz	Pass	PK	11.4956G	50.08	74.00	-23.92	3	Vertical	323	1.50
5745MHz	Pass	AV	11.4776G	36.73	54.00	-17.27	3	Horizontal	200	1.50
5745MHz	Pass	PK	11.48952G	49.61	74.00	-24.39	3	Horizontal	200	1.50
5785MHz	Pass	AV	5.79339G	97.54	Inf	-Inf	3	Vertical	44	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.48484G	54.26	68.20	-13.94	3	Vertical	44	1.50
5785MHz	Pass	PK	5.79218G	109.51	Inf	-Inf	3	Vertical	44	1.50
5785MHz	Pass	PK	5.99183G	56.56	68.20	-11.64	3	Vertical	44	1.50
5785MHz	Pass	AV	5.79339G	97.24	Inf	-Inf	3	Horizontal	344	1.50
5785MHz	Pass	PK	5.57922G	55.09	68.20	-13.11	3	Horizontal	344	1.50
5785MHz	Pass	PK	5.79218G	109.57	Inf	-Inf	3	Horizontal	344	1.50
5785MHz	Pass	PK	6.06685G	57.92	68.20	-10.28	3	Horizontal	344	1.50
5785MHz	Pass	AV	11.5664G	36.41	54.00	-17.59	3	Vertical	292	1.50
5785MHz	Pass	PK	11.57424G	49.49	74.00	-24.51	3	Vertical	292	1.50
5785MHz	Pass	AV	11.56728G	36.30	54.00	-17.70	3	Horizontal	171	1.50
5785MHz	Pass	PK	11.57448G	49.90	74.00	-24.10	3	Horizontal	171	1.50
5825MHz	Pass	AV	5.8226G	96.77	Inf	-Inf	3	Vertical	13	1.09
5825MHz	Pass	PK	5.6462G	55.07	68.20	-13.13	3	Vertical	13	1.09
5825MHz	Pass	PK	5.8226G	109.93	Inf	-Inf	3	Vertical	13	1.09
5825MHz	Pass	PK	6.0914G	57.23	68.20	-10.97	3	Vertical	13	1.09
5825MHz	Pass	AV	5.8298G	97.19	Inf	-Inf	3	Horizontal	15	1.49
5825MHz	Pass	PK	5.6246G	54.39	68.20	-13.81	3	Horizontal	15	1.49
5825MHz	Pass	PK	5.8274G	109.00	Inf	-Inf	3	Horizontal	15	1.49
5825MHz	Pass	PK	6.1142G	56.05	68.20	-12.15	3	Horizontal	15	1.49
5825MHz	Pass	AV	11.66232G	36.08	54.00	-17.92	3	Vertical	263	1.50
5825MHz	Pass	PK	11.63256G	48.28	74.00	-25.72	3	Vertical	263	1.50
5825MHz	Pass	AV	11.66184G	35.93	54.00	-18.07	3	Horizontal	16	2.49
5825MHz	Pass	PK	11.65808G	48.56	74.00	-25.44	3	Horizontal	16	2.49
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	43.80	54.00	-10.20	3	Vertical	26	2.15
5190MHz	Pass	AV	5.2008G	95.84	Inf	-Inf	3	Vertical	26	2.15
5190MHz	Pass	PK	5.1492G	57.94	74.00	-16.06	3	Vertical	26	2.15
5190MHz	Pass	PK	5.2G	109.82	Inf	-Inf	3	Vertical	26	2.15
5190MHz	Pass	AV	5.15G	42.31	54.00	-11.69	3	Horizontal	31	2.70
5190MHz	Pass	AV	5.1988G	93.91	Inf	-Inf	3	Horizontal	31	2.70
5190MHz	Pass	PK	5.1496G	56.32	74.00	-17.68	3	Horizontal	31	2.70
5190MHz	Pass	PK	5.2004G	107.12	Inf	-Inf	3	Horizontal	31	2.70
5190MHz	Pass	PK	10.38192G	48.38	68.20	-19.82	3	Vertical	255	1.63
5190MHz	Pass	PK	10.36272G	48.47	68.20	-19.73	3	Horizontal	211	1.50
5230MHz	Pass	AV	5.15G	41.85	54.00	-12.15	3	Vertical	27	1.50
5230MHz	Pass	AV	5.212G	95.41	Inf	-Inf	3	Vertical	27	1.50
5230MHz	Pass	PK	5.1464G	55.16	74.00	-18.84	3	Vertical	27	1.50
5230MHz	Pass	PK	5.2144G	108.01	Inf	-Inf	3	Vertical	27	1.50
5230MHz	Pass	AV	5.1444G	41.24	54.00	-12.76	3	Horizontal	29	1.50
5230MHz	Pass	AV	5.2212G	93.31	Inf	-Inf	3	Horizontal	29	1.50
5230MHz	Pass	PK	5.148G	54.57	74.00	-19.43	3	Horizontal	29	1.50
5230MHz	Pass	PK	5.2184G	107.16	Inf	-Inf	3	Horizontal	29	1.50
5230MHz	Pass	PK	10.42176G	48.45	68.20	-19.75	3	Vertical	171	1.50
5230MHz	Pass	PK	10.43232G	48.57	68.20	-19.63	3	Horizontal	107	1.50
5755MHz	Pass	AV	5.4586G	40.44	54.00	-13.56	3	Vertical	12	1.57
5755MHz	Pass	AV	5.7514G	94.23	Inf	-Inf	3	Vertical	12	1.57
5755MHz	Pass	PK	5.6458G	55.51	68.20	-12.69	3	Vertical	12	1.57
5755MHz	Pass	PK	5.7514G	107.04	Inf	-Inf	3	Vertical	12	1.57
5755MHz	Pass	PK	5.947G	56.05	68.20	-12.15	3	Vertical	12	1.57
5755MHz	Pass	AV	5.4562G	40.39	54.00	-13.61	3	Horizontal	342	1.61
5755MHz	Pass	AV	5.7418G	93.39	Inf	-Inf	3	Horizontal	342	1.61
5755MHz	Pass	PK	5.6338G	54.79	68.20	-13.41	3	Horizontal	342	1.61
5755MHz	Pass	PK	5.7394G	106.87	Inf	-Inf	3	Horizontal	342	1.61
5755MHz	Pass	PK	5.9626G	56.67	68.20	-11.53	3	Horizontal	342	1.61
5755MHz	Pass	AV	11.48264G	36.00	54.00	-18.00	3	Vertical	166	1.50
5755MHz	Pass	PK	11.49784G	48.64	74.00	-25.36	3	Vertical	166	1.50
5755MHz	Pass	AV	11.49784G	36.00	54.00	-18.00	3	Horizontal	93	1.50
5755MHz	Pass	PK	11.54296G	49.54	74.00	-24.46	3	Horizontal	93	1.50
5795MHz	Pass	AV	5.777G	93.75	Inf	-Inf	3	Vertical	331	2.06
5795MHz	Pass	PK	5.6222G	55.15	68.20	-13.05	3	Vertical	331	2.06
5795MHz	Pass	PK	5.7914G	107.21	Inf	-Inf	3	Vertical	331	2.06
5795MHz	Pass	PK	6.0242G	56.45	68.20	-11.75	3	Vertical	331	2.06




RSE TX above 1GHz_Non-Beamforming_Radio 0_Full RU_O-435E Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	AV	5.7794G	93.76	Inf	-Inf	3	Horizontal	13	1.48
5795MHz	Pass	PK	5.5754G	54.89	68.20	-13.31	3	Horizontal	13	1.48
5795MHz	Pass	PK	5.7794G	106.65	Inf	-Inf	3	Horizontal	13	1.48
5795MHz	Pass	PK	6.0374G	56.38	68.20	-11.82	3	Horizontal	13	1.48
5795MHz	Pass	AV	11.58248G	35.57	54.00	-18.43	3	Vertical	147	1.50
5795MHz	Pass	PK	11.5788G	49.23	74.00	-24.77	3	Vertical	147	1.50
5795MHz	Pass	AV	11.57928G	35.64	54.00	-18.36	3	Horizontal	71	1.50
5795MHz	Pass	PK	11.61912G	49.00	74.00	-25.00	3	Horizontal	71	1.50
802.11be EHT80_Nss1,(MCS0)_2TX										
5210MHz	Pass	AV	5.141G	45.78	54.00	-8.22	3	Vertical	27	2.15
5210MHz	Pass	AV	5.201G	92.72	Inf	-Inf	3	Vertical	27	2.15
5210MHz	Pass	AV	5.379G	41.97	54.00	-12.03	3	Vertical	27	2.15
5210MHz	Pass	PK	5.118G	59.44	74.00	-14.56	3	Vertical	27	2.15
5210MHz	Pass	PK	5.241G	105.40	Inf	-Inf	3	Vertical	27	2.15
5210MHz	Pass	PK	5.377G	55.46	74.00	-18.54	3	Vertical	27	2.15
5210MHz	Pass	AV	5.142G	44.99	54.00	-9.01	3	Horizontal	29	1.50
5210MHz	Pass	AV	5.223G	90.20	Inf	-Inf	3	Horizontal	29	1.50
5210MHz	Pass	AV	5.355G	41.29	54.00	-12.71	3	Horizontal	29	1.50
5210MHz	Pass	PK	5.15G	59.07	74.00	-14.93	3	Horizontal	29	1.50
5210MHz	Pass	PK	5.202G	103.34	Inf	-Inf	3	Horizontal	29	1.50
5210MHz	Pass	PK	5.356G	54.70	74.00	-19.30	3	Horizontal	29	1.50
5210MHz	Pass	PK	10.348G	48.62	68.20	-19.58	3	Vertical	121	1.50
5210MHz	Pass	PK	10.40176G	48.75	68.20	-19.45	3	Horizontal	256	1.87
5775MHz	Pass	AV	5.7522G	91.04	Inf	-Inf	3	Vertical	12	1.38
5775MHz	Pass	PK	5.5674G	55.03	68.20	-13.17	3	Vertical	12	1.38
5775MHz	Pass	PK	5.7498G	104.62	Inf	-Inf	3	Vertical	12	1.38
5775MHz	Pass	PK	5.9802G	57.13	68.20	-11.07	3	Vertical	12	1.38
5775MHz	Pass	AV	5.8014G	90.57	Inf	-Inf	3	Horizontal	15	1.54
5775MHz	Pass	PK	5.5842G	54.89	68.20	-13.31	3	Horizontal	15	1.54
5775MHz	Pass	PK	5.8014G	104.09	Inf	-Inf	3	Horizontal	15	1.54
5775MHz	Pass	PK	5.9694G	56.56	68.20	-11.64	3	Horizontal	15	1.54
5775MHz	Pass	AV	11.48376G	36.13	54.00	-17.87	3	Vertical	360	1.50
5775MHz	Pass	PK	11.48408G	49.32	74.00	-24.68	3	Vertical	360	1.50
5775MHz	Pass	AV	11.48408G	36.14	54.00	-17.86	3	Horizontal	116	1.50
5775MHz	Pass	PK	11.59864G	49.86	74.00	-24.14	3	Horizontal	116	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	43.27	54.00	-10.73	1.01	3	Vertical	26	2.36	42.26	33.49	4.81	37.29
AV	5.1712G	99.34	Inf	-Inf	0.94	3	Vertical	26	2.36	98.40	33.42	4.82	37.30
PK	5.135G	56.12	74.00	-17.88	0.92	3	Vertical	26	2.36	55.20	33.41	4.80	37.29
PK	5.171G	112.74	Inf	-Inf	0.94	3	Vertical	26	2.36	111.80	33.42	4.82	37.30

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	42.75	54.00	-11.25	1.01	3	Horizontal	33	2.70	41.74	33.49	4.81	37.29
AV	5.189G	97.56	Inf	-Inf	0.87	3	Horizontal	33	2.70	96.69	33.34	4.83	37.30
PK	5.1354G	55.18	74.00	-18.82	0.92	3	Horizontal	33	2.70	54.26	33.41	4.80	37.29
PK	5.1884G	110.34	Inf	-Inf	0.88	3	Horizontal	33	2.70	109.46	33.35	4.83	37.30




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.80	54.00	-10.20	1.02	3	Vertical	26	2.15	42.78	33.50	4.81	37.29
AV	5.2008G	95.84	Inf	-Inf	0.84	3	Vertical	26	2.15	95.00	33.30	4.84	37.30
PK	5.1492G	57.94	74.00	-16.06	1.02	3	Vertical	26	2.15	56.92	33.50	4.81	37.29
PK	5.2G	109.82	Inf	-Inf	0.84	3	Vertical	26	2.15	108.98	33.30	4.84	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	42.31	54.00	-11.69	1.02	3	Horizontal	31	2.70	41.29	33.50	4.81	37.29
AV	5.1988G	93.91	Inf	-Inf	0.84	3	Horizontal	31	2.70	93.07	33.30	4.84	37.30
PK	5.1496G	56.32	74.00	-17.68	1.02	3	Horizontal	31	2.70	55.30	33.50	4.81	37.29
PK	5.2004G	107.12	Inf	-Inf	0.84	3	Horizontal	31	2.70	106.28	33.30	4.84	37.30


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	45.78	54.00	-8.22	0.97	3	Vertical	27	2.15	44.81	33.45	4.81	37.29
AV	5.201G	92.72	Inf	-Inf	0.84	3	Vertical	27	2.15	91.88	33.30	4.84	37.30
AV	5.379G	41.97	54.00	-12.03	0.62	3	Vertical	27	2.15	41.35	33.04	4.92	37.34
PK	5.118G	59.44	74.00	-14.56	0.81	3	Vertical	27	2.15	58.63	33.31	4.79	37.29
PK	5.241G	105.40	Inf	-Inf	0.77	3	Vertical	27	2.15	104.63	33.22	4.86	37.31
PK	5.377G	55.46	74.00	-18.54	0.63	3	Vertical	27	2.15	54.83	33.05	4.92	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	44.99	54.00	-9.01	0.97	3	Horizontal	29	1.50	44.02	33.45	4.81	37.29
AV	5.223G	90.20	Inf	-Inf	0.79	3	Horizontal	29	1.50	89.41	33.25	4.85	37.31
AV	5.355G	41.29	54.00	-12.71	0.66	3	Horizontal	29	1.50	40.63	33.09	4.91	37.34
PK	5.15G	59.07	74.00	-14.93	1.02	3	Horizontal	29	1.50	58.05	33.50	4.81	37.29
PK	5.202G	103.34	Inf	-Inf	0.84	3	Horizontal	29	1.50	102.50	33.30	4.84	37.30
PK	5.356G	54.70	74.00	-19.30	0.66	3	Horizontal	29	1.50	54.04	33.09	4.91	37.34




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.79218G	97.24	Inf	-Inf	2.09	3	Vertical	44	1.50	95.15	34.17	5.17	37.25
PK	5.53687G	54.35	68.20	-13.85	0.84	3	Vertical	44	1.50	53.51	33.23	4.96	37.35
PK	5.79218G	107.34	Inf	-Inf	2.09	3	Vertical	44	1.50	105.25	34.17	5.17	37.25
PK	5.94948G	56.56	68.20	-11.64	2.32	3	Vertical	44	1.50	54.24	34.40	5.10	37.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.77766G	96.94	Inf	-Inf	2.02	3	Horizontal	351	1.50	94.92	34.11	5.16	37.25
PK	5.6373G	55.16	68.20	-13.04	1.06	3	Horizontal	351	1.50	54.10	33.35	5.02	37.31
PK	5.78734G	108.51	Inf	-Inf	2.07	3	Horizontal	351	1.50	106.44	34.15	5.17	37.25
PK	6.08016G	56.00	68.20	-12.20	2.31	3	Horizontal	351	1.50	53.69	34.34	5.13	37.16


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.79339G	97.54	Inf	-Inf	2.09	3	Vertical	44	1.50	95.45	34.17	5.17	37.25
PK	5.48484G	54.26	68.20	-13.94	0.79	3	Vertical	44	1.50	53.47	33.21	4.95	37.37
PK	5.79218G	109.51	Inf	-Inf	2.09	3	Vertical	44	1.50	107.42	34.17	5.17	37.25
PK	5.99183G	56.56	68.20	-11.64	2.31	3	Vertical	44	1.50	54.25	34.40	5.07	37.16

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.79339G	97.24	Inf	-Inf	2.09	3	Horizontal	344	1.50	95.15	34.17	5.17	37.25
PK	5.57922G	55.09	68.20	-13.11	0.83	3	Horizontal	344	1.50	54.26	33.20	4.97	37.34
PK	5.79218G	109.57	Inf	-Inf	2.09	3	Horizontal	344	1.50	107.48	34.17	5.17	37.25
PK	6.06685G	57.92	68.20	-10.28	2.33	3	Horizontal	344	1.50	55.59	34.37	5.12	37.16




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	40.44	54.00	-13.56	0.63	3	Vertical	12	1.57	39.81	33.05	4.94	37.36
AV	5.7514G	94.23	Inf	-Inf	1.88	3	Vertical	12	1.57	92.35	34.01	5.13	37.26
PK	5.6458G	55.51	68.20	-12.69	1.10	3	Vertical	12	1.57	54.41	33.38	5.03	37.31
PK	5.7514G	107.04	Inf	-Inf	1.88	3	Vertical	12	1.57	105.16	34.01	5.13	37.26
PK	5.947G	56.05	68.20	-12.15	2.33	3	Vertical	12	1.57	53.72	34.41	5.10	37.18

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	40.39	54.00	-13.61	0.62	3	Horizontal	342	1.61	39.77	33.04	4.94	37.36
AV	5.7418G	93.39	Inf	-Inf	1.82	3	Horizontal	342	1.61	91.57	33.97	5.12	37.27
PK	5.6338G	54.79	68.20	-13.41	1.04	3	Horizontal	342	1.61	53.75	33.34	5.01	37.31
PK	5.7394G	106.87	Inf	-Inf	1.81	3	Horizontal	342	1.61	105.06	33.96	5.12	37.27
PK	5.9626G	56.67	68.20	-11.53	2.31	3	Horizontal	342	1.61	54.36	34.40	5.09	37.18




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	91.04	Inf	-Inf	1.88	3	Vertical	12	1.38	89.16	34.01	5.13	37.26
PK	5.5674G	55.03	68.20	-13.17	0.83	3	Vertical	12	1.38	54.20	33.20	4.97	37.34
PK	5.7498G	104.62	Inf	-Inf	1.86	3	Vertical	12	1.38	102.76	34.00	5.13	37.27
PK	5.9802G	57.13	68.20	-11.07	2.31	3	Vertical	12	1.38	54.82	34.40	5.08	37.17

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8014G	90.57	Inf	-Inf	2.14	3	Horizontal	15	1.54	88.43	34.20	5.18	37.24
PK	5.5842G	54.89	68.20	-13.31	0.85	3	Horizontal	15	1.54	54.04	33.20	4.98	37.33
PK	5.8014G	104.09	Inf	-Inf	2.14	3	Horizontal	15	1.54	101.95	34.20	5.18	37.24
PK	5.9694G	56.56	68.20	-11.64	2.32	3	Horizontal	15	1.54	54.24	34.40	5.09	37.17




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	383.08M	40.89	46.00	-5.11	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	32.55	40.00	-7.45	3	Vertical	360	1.00
5775MHz	Pass	PK	90.14M	34.13	43.50	-9.37	3	Vertical	360	1.00
5775MHz	Pass	PK	278.32M	26.07	46.00	-19.93	3	Vertical	360	1.00
5775MHz	Pass	PK	383.08M	32.03	46.00	-13.97	3	Vertical	360	1.00
5775MHz	Pass	PK	526.64M	37.08	46.00	-8.92	3	Vertical	360	1.00
5775MHz	Pass	PK	606.18M	35.71	46.00	-10.29	3	Vertical	360	1.00
5775MHz	Pass	PK	30M	23.80	40.00	-16.20	3	Horizontal	0	1.00
5775MHz	Pass	PK	140.58M	26.92	43.50	-16.58	3	Horizontal	0	1.00
5775MHz	Pass	PK	278.32M	32.93	46.00	-13.07	3	Horizontal	0	1.00
5775MHz	Pass	PK	383.08M	40.89	46.00	-5.11	3	Horizontal	0	1.00
5775MHz	Pass	PK	606.18M	37.29	46.00	-8.71	3	Horizontal	0	1.00
5775MHz	Pass	PK	736.16M	34.29	46.00	-11.71	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.55	40.00	-7.45	-19.10	3	Vertical	360	1.00	51.65	24.72	0.45	44.27
PK	90.14M	34.13	43.50	-9.37	-28.68	3	Vertical	360	1.00	62.81	15.09	0.84	44.61
PK	278.32M	26.07	46.00	-19.93	-24.24	3	Vertical	360	1.00	50.31	18.89	1.18	44.31
PK	383.08M	32.03	46.00	-13.97	-21.28	3	Vertical	360	1.00	53.31	21.38	1.40	44.06
PK	526.64M	37.08	46.00	-8.92	-17.74	3	Vertical	360	1.00	54.82	24.47	1.66	43.87
PK	606.18M	35.71	46.00	-10.29	-16.28	3	Vertical	360	1.00	51.99	25.88	1.70	43.86

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.80	40.00	-16.20	-19.10	3	Horizontal	0	1.00	42.90	24.72	0.45	44.27
PK	140.58M	26.92	43.50	-16.58	-26.11	3	Horizontal	0	1.00	53.03	17.48	0.99	44.58
PK	278.32M	32.93	46.00	-13.07	-24.24	3	Horizontal	0	1.00	57.17	18.89	1.18	44.31
PK	383.08M	40.89	46.00	-5.11	-21.28	3	Horizontal	0	1.00	62.17	21.38	1.40	44.06
PK	606.18M	37.29	46.00	-8.71	-16.28	3	Horizontal	0	1.00	53.57	25.88	1.70	43.86
PK	736.16M	34.29	46.00	-11.71	-13.61	3	Horizontal	0	1.00	47.90	28.19	2.00	43.80



**RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU
_O-435E**

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	44.44	54.00	-9.56	3	Vertical	301	1.07
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	43.42	54.00	-10.58	3	Horizontal	325	1.92
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	45.78	54.00	-8.22	3	Vertical	302	1.02
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	46.16	54.00	-7.84	3	Vertical	307	1.96
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.02692G	56.39	68.20	-11.81	3	Vertical	298	2.09
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.0446G	56.31	68.20	-11.89	3	Vertical	56	1.97
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.9618G	56.74	68.20	-11.46	3	Horizontal	333	1.10
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.9322G	56.19	68.20	-12.01	3	Vertical	315	1.68

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	44.44	54.00	-9.56	3	Vertical	301	1.07
5180MHz_TX	Pass	AV	5.1756G	102.68	Inf	-Inf	3	Vertical	301	1.07
5180MHz_TX	Pass	PK	5.15G	56.63	74.00	-17.37	3	Vertical	301	1.07
5180MHz_TX	Pass	PK	5.1808G	111.54	Inf	-Inf	3	Vertical	301	1.07
5180MHz_TX	Pass	AV	5.1482G	42.99	54.00	-11.01	3	Horizontal	324	1.92
5180MHz_TX	Pass	AV	5.1836G	100.30	Inf	-Inf	3	Horizontal	324	1.92
5180MHz_TX	Pass	PK	5.1464G	55.44	74.00	-18.56	3	Horizontal	324	1.92
5180MHz_TX	Pass	PK	5.1836G	108.66	Inf	-Inf	3	Horizontal	324	1.92
5180MHz_TX	Pass	PK	10.34806G	49.51	68.20	-18.69	3	Vertical	276	1.50
5180MHz_TX	Pass	PK	10.36006G	49.19	68.20	-19.01	3	Horizontal	15	2.48
5200MHz_TX	Pass	AV	5.15G	42.42	54.00	-11.58	3	Vertical	313	1.50
5200MHz_TX	Pass	AV	5.206G	101.77	Inf	-Inf	3	Vertical	313	1.50
5200MHz_TX	Pass	PK	5.1416G	54.49	74.00	-19.51	3	Vertical	313	1.50
5200MHz_TX	Pass	PK	5.196G	110.38	Inf	-Inf	3	Vertical	313	1.50
5200MHz_TX	Pass	AV	5.1496G	42.31	54.00	-11.69	3	Horizontal	323	1.87
5200MHz_TX	Pass	AV	5.1936G	99.99	Inf	-Inf	3	Horizontal	323	1.87
5200MHz_TX	Pass	PK	5.112G	54.42	74.00	-19.58	3	Horizontal	323	1.87
5200MHz_TX	Pass	PK	5.1936G	108.50	Inf	-Inf	3	Horizontal	323	1.87
5200MHz_TX	Pass	PK	10.41248G	49.59	68.20	-18.61	3	Vertical	360	1.50
5200MHz_TX	Pass	PK	10.39624G	49.28	68.20	-18.92	3	Horizontal	310	1.71
5240MHz_TX	Pass	AV	5.147G	42.29	54.00	-11.71	3	Vertical	304	1.93
5240MHz_TX	Pass	AV	5.2352G	102.63	Inf	-Inf	3	Vertical	304	1.93
5240MHz_TX	Pass	AV	5.357G	42.37	54.00	-11.63	3	Vertical	304	1.93
5240MHz_TX	Pass	PK	5.1098G	54.84	74.00	-19.16	3	Vertical	304	1.93
5240MHz_TX	Pass	PK	5.2352G	110.78	Inf	-Inf	3	Vertical	304	1.93
5240MHz_TX	Pass	PK	5.369G	55.22	74.00	-18.78	3	Vertical	304	1.93
5240MHz_TX	Pass	AV	5.1494G	42.19	54.00	-11.81	3	Horizontal	318	1.97
5240MHz_TX	Pass	AV	5.2334G	100.99	Inf	-Inf	3	Horizontal	318	1.97
5240MHz_TX	Pass	AV	5.3648G	42.09	54.00	-11.91	3	Horizontal	318	1.97
5240MHz_TX	Pass	PK	5.1488G	54.23	74.00	-19.77	3	Horizontal	318	1.97
5240MHz_TX	Pass	PK	5.2328G	109.34	Inf	-Inf	3	Horizontal	318	1.97
5240MHz_TX	Pass	PK	5.369G	53.74	74.00	-20.26	3	Horizontal	318	1.97
5240MHz_TX	Pass	PK	10.4724G	49.70	68.20	-18.50	3	Vertical	67	1.50
5240MHz_TX	Pass	PK	10.48136G	49.42	68.20	-18.78	3	Horizontal	279	1.39
5745MHz_TX	Pass	AV	5.4462G	41.86	54.00	-12.14	3	Vertical	304	1.81
5745MHz_TX	Pass	AV	5.7402G	99.96	Inf	-Inf	3	Vertical	304	1.81
5745MHz_TX	Pass	PK	5.559G	54.81	68.20	-13.39	3	Vertical	304	1.81
5745MHz_TX	Pass	PK	5.751G	108.82	Inf	-Inf	3	Vertical	304	1.81
5745MHz_TX	Pass	PK	6.003G	55.49	68.20	-12.71	3	Vertical	304	1.81
5745MHz_TX	Pass	AV	5.445G	41.86	54.00	-12.14	3	Horizontal	327	1.05
5745MHz_TX	Pass	AV	5.7402G	98.81	Inf	-Inf	3	Horizontal	327	1.05
5745MHz_TX	Pass	PK	5.5146G	54.53	68.20	-13.67	3	Horizontal	327	1.05
5745MHz_TX	Pass	PK	5.739G	107.19	Inf	-Inf	3	Horizontal	327	1.05
5745MHz_TX	Pass	PK	5.9718G	55.91	68.20	-12.29	3	Horizontal	327	1.05
5745MHz_TX	Pass	AV	11.48456G	38.19	54.00	-15.81	3	Vertical	134	1.46
5745MHz_TX	Pass	PK	11.49712G	50.43	74.00	-23.57	3	Vertical	134	1.46
5745MHz_TX	Pass	AV	11.4844G	38.23	54.00	-15.77	3	Horizontal	316	1.50
5745MHz_TX	Pass	PK	11.47168G	49.59	74.00	-24.41	3	Horizontal	316	1.50
5785MHz_TX	Pass	AV	5.78008G	99.92	Inf	-Inf	3	Vertical	298	2.09
5785MHz_TX	Pass	PK	5.5768G	54.54	68.20	-13.66	3	Vertical	298	2.09
5785MHz_TX	Pass	PK	5.78129G	108.65	Inf	-Inf	3	Vertical	298	2.09
5785MHz_TX	Pass	PK	6.02692G	56.39	68.20	-11.81	3	Vertical	298	2.09
5785MHz_TX	Pass	AV	5.78008G	99.91	Inf	-Inf	3	Horizontal	333	1.04
5785MHz_TX	Pass	PK	5.61431G	54.42	68.20	-13.78	3	Horizontal	333	1.04
5785MHz_TX	Pass	PK	5.78976G	108.24	Inf	-Inf	3	Horizontal	333	1.04
5785MHz_TX	Pass	PK	6.01603G	55.77	68.20	-12.43	3	Horizontal	333	1.04
5785MHz_TX	Pass	AV	11.55016G	37.57	54.00	-16.43	3	Vertical	228	1.50
5785MHz_TX	Pass	PK	11.58384G	49.57	74.00	-24.43	3	Vertical	228	1.50
5785MHz_TX	Pass	AV	11.55168G	37.55	54.00	-16.45	3	Horizontal	35	1.55
5785MHz_TX	Pass	PK	11.56432G	49.32	74.00	-24.68	3	Horizontal	35	1.55



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU O-435E

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz_TX	Pass	AV	5.8202G	100.49	Inf	-Inf	3	Vertical	307	1.96
5825MHz_TX	Pass	PK	5.5346G	54.38	68.20	-13.82	3	Vertical	307	1.96
5825MHz_TX	Pass	PK	5.8202G	109.62	Inf	-Inf	3	Vertical	307	1.96
5825MHz_TX	Pass	PK	5.9774G	55.64	68.20	-12.56	3	Vertical	307	1.96
5825MHz_TX	Pass	AV	5.8202G	99.77	Inf	-Inf	3	Horizontal	329	1.12
5825MHz_TX	Pass	PK	5.5646G	54.05	68.20	-14.15	3	Horizontal	329	1.12
5825MHz_TX	Pass	PK	5.819G	107.88	Inf	-Inf	3	Horizontal	329	1.12
5825MHz_TX	Pass	PK	5.9954G	55.80	68.20	-12.40	3	Horizontal	329	1.12
5825MHz_TX	Pass	AV	11.66384G	37.18	54.00	-16.82	3	Vertical	254	1.50
5825MHz_TX	Pass	PK	11.65072G	48.73	74.00	-25.27	3	Vertical	254	1.50
5825MHz_TX	Pass	AV	11.66528G	37.15	54.00	-16.85	3	Horizontal	166	1.50
5825MHz_TX	Pass	PK	11.66968G	48.77	74.00	-25.23	3	Horizontal	166	1.50
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1456G	43.41	54.00	-10.59	3	Vertical	299	1.10
5180MHz_TX	Pass	AV	5.1824G	101.50	Inf	-Inf	3	Vertical	299	1.10
5180MHz_TX	Pass	PK	5.1428G	55.56	74.00	-18.44	3	Vertical	299	1.10
5180MHz_TX	Pass	PK	5.1814G	112.99	Inf	-Inf	3	Vertical	299	1.10
5180MHz_TX	Pass	AV	5.15G	43.42	54.00	-10.58	3	Horizontal	325	1.92
5180MHz_TX	Pass	AV	5.1752G	99.10	Inf	-Inf	3	Horizontal	325	1.92
5180MHz_TX	Pass	PK	5.15G	55.45	74.00	-18.55	3	Horizontal	325	1.92
5180MHz_TX	Pass	PK	5.1764G	110.78	Inf	-Inf	3	Horizontal	325	1.92
5180MHz_TX	Pass	PK	10.36464G	49.03	68.20	-19.17	3	Vertical	357	1.50
5180MHz_TX	Pass	PK	10.35616G	48.62	68.20	-19.58	3	Horizontal	140	1.38
5200MHz_TX	Pass	AV	5.15G	42.49	54.00	-11.51	3	Vertical	309	1.50
5200MHz_TX	Pass	AV	5.2028G	100.74	Inf	-Inf	3	Vertical	309	1.50
5200MHz_TX	Pass	PK	5.1G	54.62	74.00	-19.38	3	Vertical	309	1.50
5200MHz_TX	Pass	PK	5.2032G	112.82	Inf	-Inf	3	Vertical	309	1.50
5200MHz_TX	Pass	AV	5.1496G	42.34	54.00	-11.66	3	Horizontal	324	1.87
5200MHz_TX	Pass	AV	5.1936G	99.10	Inf	-Inf	3	Horizontal	324	1.87
5200MHz_TX	Pass	PK	5.1484G	54.56	74.00	-19.44	3	Horizontal	324	1.87
5200MHz_TX	Pass	PK	5.1956G	110.90	Inf	-Inf	3	Horizontal	324	1.87
5200MHz_TX	Pass	PK	10.3888G	48.50	68.20	-19.70	3	Vertical	165	1.50
5200MHz_TX	Pass	PK	10.39512G	48.27	68.20	-19.93	3	Horizontal	253	1.50
5240MHz_TX	Pass	AV	5.1452G	42.24	54.00	-11.76	3	Vertical	305	1.50
5240MHz_TX	Pass	AV	5.243G	101.03	Inf	-Inf	3	Vertical	305	1.50
5240MHz_TX	Pass	AV	5.3684G	42.27	54.00	-11.73	3	Vertical	305	1.50
5240MHz_TX	Pass	PK	5.1368G	54.44	74.00	-19.56	3	Vertical	305	1.50
5240MHz_TX	Pass	PK	5.2424G	112.39	Inf	-Inf	3	Vertical	305	1.50
5240MHz_TX	Pass	PK	5.3558G	54.90	74.00	-19.10	3	Vertical	305	1.50
5240MHz_TX	Pass	AV	5.147G	42.13	54.00	-11.87	3	Horizontal	320	1.98
5240MHz_TX	Pass	AV	5.2322G	99.84	Inf	-Inf	3	Horizontal	320	1.98
5240MHz_TX	Pass	AV	5.3582G	42.05	54.00	-11.95	3	Horizontal	320	1.98
5240MHz_TX	Pass	PK	5.1116G	54.72	74.00	-19.28	3	Horizontal	320	1.98
5240MHz_TX	Pass	PK	5.2316G	111.66	Inf	-Inf	3	Horizontal	320	1.98
5240MHz_TX	Pass	PK	5.3666G	54.46	74.00	-19.54	3	Horizontal	320	1.98
5240MHz_TX	Pass	PK	10.46992G	48.85	68.20	-19.35	3	Vertical	242	2.59
5240MHz_TX	Pass	PK	10.47568G	49.09	68.20	-19.11	3	Horizontal	33	1.50
5745MHz_TX	Pass	AV	5.445G	41.95	54.00	-12.05	3	Vertical	316	1.68
5745MHz_TX	Pass	AV	5.7486G	98.66	Inf	-Inf	3	Vertical	316	1.68
5745MHz_TX	Pass	PK	5.6034G	54.84	68.20	-13.36	3	Vertical	316	1.68
5745MHz_TX	Pass	PK	5.7474G	111.06	Inf	-Inf	3	Vertical	316	1.68
5745MHz_TX	Pass	PK	6.0114G	55.82	68.20	-12.38	3	Vertical	316	1.68
5745MHz_TX	Pass	AV	5.4462G	41.87	54.00	-12.13	3	Horizontal	327	1.00
5745MHz_TX	Pass	AV	5.7438G	98.11	Inf	-Inf	3	Horizontal	327	1.00
5745MHz_TX	Pass	PK	5.6478G	54.27	68.20	-13.93	3	Horizontal	327	1.00
5745MHz_TX	Pass	PK	5.7402G	108.75	Inf	-Inf	3	Horizontal	327	1.00
5745MHz_TX	Pass	PK	5.9898G	55.71	68.20	-12.49	3	Horizontal	327	1.00
5745MHz_TX	Pass	AV	11.48448G	38.11	54.00	-15.89	3	Vertical	0	1.50
5745MHz_TX	Pass	PK	11.5016G	50.55	74.00	-23.45	3	Vertical	0	1.50
5745MHz_TX	Pass	AV	11.48464G	38.16	54.00	-15.84	3	Horizontal	14	1.88
5745MHz_TX	Pass	PK	11.50984G	49.89	74.00	-24.11	3	Horizontal	14	1.88
5785MHz_TX	Pass	AV	5.78734G	98.79	Inf	-Inf	3	Vertical	309	1.64



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU O-435E

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz_TX	Pass	PK	5.62157G	54.40	68.20	-13.80	3	Vertical	309	1.64
5785MHz_TX	Pass	PK	5.78855G	109.65	Inf	-Inf	3	Vertical	309	1.64
5785MHz_TX	Pass	PK	6.05475G	55.64	68.20	-12.56	3	Vertical	309	1.64
5785MHz_TX	Pass	AV	5.78613G	99.00	Inf	-Inf	3	Horizontal	333	1.14
5785MHz_TX	Pass	PK	5.63125G	54.53	68.20	-13.67	3	Horizontal	333	1.14
5785MHz_TX	Pass	PK	5.78613G	110.43	Inf	-Inf	3	Horizontal	333	1.14
5785MHz_TX	Pass	PK	5.97368G	55.65	68.20	-12.55	3	Horizontal	333	1.14
5785MHz_TX	Pass	AV	11.55G	37.39	54.00	-16.61	3	Vertical	68	1.50
5785MHz_TX	Pass	PK	11.55792G	49.46	74.00	-24.54	3	Vertical	68	1.50
5785MHz_TX	Pass	AV	11.5504G	37.41	54.00	-16.59	3	Horizontal	15	1.01
5785MHz_TX	Pass	PK	11.55464G	49.15	74.00	-24.85	3	Horizontal	15	1.01
5825MHz_TX	Pass	AV	5.819G	98.75	Inf	-Inf	3	Vertical	56	1.97
5825MHz_TX	Pass	PK	5.6366G	55.20	68.20	-13.00	3	Vertical	56	1.97
5825MHz_TX	Pass	PK	5.8178G	109.77	Inf	-Inf	3	Vertical	56	1.97
5825MHz_TX	Pass	PK	6.0446G	56.31	68.20	-11.89	3	Vertical	56	1.97
5825MHz_TX	Pass	AV	5.8238G	98.61	Inf	-Inf	3	Horizontal	327	1.50
5825MHz_TX	Pass	PK	5.633G	54.16	68.20	-14.04	3	Horizontal	327	1.50
5825MHz_TX	Pass	PK	5.8226G	110.33	Inf	-Inf	3	Horizontal	327	1.50
5825MHz_TX	Pass	PK	5.9294G	55.78	68.20	-12.42	3	Horizontal	327	1.50
5825MHz_TX	Pass	AV	11.66216G	37.04	54.00	-16.96	3	Vertical	283	1.50
5825MHz_TX	Pass	PK	11.65376G	48.99	74.00	-25.01	3	Vertical	283	1.50
5825MHz_TX	Pass	AV	11.66192G	37.03	54.00	-16.97	3	Horizontal	155	1.50
5825MHz_TX	Pass	PK	11.66432G	48.91	74.00	-25.09	3	Horizontal	155	1.50
802.11be EHT40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	45.78	54.00	-8.22	3	Vertical	302	1.02
5190MHz_TX	Pass	AV	5.1924G	98.34	Inf	-Inf	3	Vertical	302	1.02
5190MHz_TX	Pass	PK	5.1484G	57.61	74.00	-16.39	3	Vertical	302	1.02
5190MHz_TX	Pass	PK	5.192G	110.48	Inf	-Inf	3	Vertical	302	1.02
5190MHz_TX	Pass	AV	5.1412G	43.32	54.00	-10.68	3	Horizontal	323	2.05
5190MHz_TX	Pass	AV	5.2036G	95.89	Inf	-Inf	3	Horizontal	323	2.05
5190MHz_TX	Pass	PK	5.1444G	55.24	74.00	-18.76	3	Horizontal	323	2.05
5190MHz_TX	Pass	PK	5.1832G	107.91	Inf	-Inf	3	Horizontal	323	2.05
5190MHz_TX	Pass	PK	10.39648G	48.69	68.20	-19.51	3	Vertical	282	1.82
5190MHz_TX	Pass	PK	10.40032G	48.99	68.20	-19.21	3	Horizontal	142	1.50
5230MHz_TX	Pass	AV	5.1488G	42.53	54.00	-11.47	3	Vertical	306	1.97
5230MHz_TX	Pass	AV	5.212G	98.58	Inf	-Inf	3	Vertical	306	1.97
5230MHz_TX	Pass	PK	5.1456G	54.38	74.00	-19.62	3	Vertical	306	1.97
5230MHz_TX	Pass	PK	5.2316G	109.35	Inf	-Inf	3	Vertical	306	1.97
5230MHz_TX	Pass	AV	5.1452G	42.37	54.00	-11.63	3	Horizontal	317	1.99
5230MHz_TX	Pass	AV	5.2224G	96.59	Inf	-Inf	3	Horizontal	317	1.99
5230MHz_TX	Pass	PK	5.1436G	55.54	74.00	-18.46	3	Horizontal	317	1.99
5230MHz_TX	Pass	PK	5.2212G	108.22	Inf	-Inf	3	Horizontal	317	1.99
5230MHz_TX	Pass	PK	10.46288G	49.04	68.20	-19.16	3	Vertical	0	1.35
5230MHz_TX	Pass	PK	10.44528G	48.64	68.20	-19.56	3	Horizontal	315	2.76
5755MHz_TX	Pass	AV	5.455G	42.12	54.00	-11.88	3	Vertical	304	1.80
5755MHz_TX	Pass	AV	5.737G	96.29	Inf	-Inf	3	Vertical	304	1.80
5755MHz_TX	Pass	PK	5.5942G	55.29	68.20	-12.91	3	Vertical	304	1.80
5755MHz_TX	Pass	PK	5.7358G	107.17	Inf	-Inf	3	Vertical	304	1.80
5755MHz_TX	Pass	PK	5.9962G	55.59	68.20	-12.61	3	Vertical	304	1.80
5755MHz_TX	Pass	AV	5.4598G	41.81	54.00	-12.19	3	Horizontal	334	1.14
5755MHz_TX	Pass	AV	5.773G	95.01	Inf	-Inf	3	Horizontal	334	1.14
5755MHz_TX	Pass	PK	5.4766G	54.56	68.20	-13.64	3	Horizontal	334	1.14
5755MHz_TX	Pass	PK	5.773G	108.03	Inf	-Inf	3	Horizontal	334	1.14
5755MHz_TX	Pass	PK	6.0274G	55.83	68.20	-12.37	3	Horizontal	334	1.14
5755MHz_TX	Pass	AV	11.48856G	38.21	54.00	-15.79	3	Vertical	117	1.50
5755MHz_TX	Pass	PK	11.50296G	49.85	74.00	-24.15	3	Vertical	117	1.50
5755MHz_TX	Pass	AV	11.48792G	38.23	54.00	-15.77	3	Horizontal	55	1.50
5755MHz_TX	Pass	PK	11.52936G	49.47	74.00	-24.53	3	Horizontal	55	1.50
5795MHz_TX	Pass	AV	5.777G	96.58	Inf	-Inf	3	Vertical	301	1.92
5795MHz_TX	Pass	PK	5.5982G	54.20	68.20	-14.00	3	Vertical	301	1.92
5795MHz_TX	Pass	PK	5.7794G	109.20	Inf	-Inf	3	Vertical	301	1.92
5795MHz_TX	Pass	PK	6.0614G	56.24	68.20	-11.96	3	Vertical	301	1.92




RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU O-435E

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz_TX	Pass	AV	5.777G	96.01	Inf	-Inf	3	Horizontal	333	1.10
5795MHz_TX	Pass	PK	5.5466G	54.82	68.20	-13.38	3	Horizontal	333	1.10
5795MHz_TX	Pass	PK	5.777G	107.87	Inf	-Inf	3	Horizontal	333	1.10
5795MHz_TX	Pass	PK	5.9618G	56.74	68.20	-11.46	3	Horizontal	333	1.10
5795MHz_TX	Pass	AV	11.55016G	37.52	54.00	-16.48	3	Vertical	150	1.50
5795MHz_TX	Pass	PK	11.5868G	49.30	74.00	-24.70	3	Vertical	150	1.50
5795MHz_TX	Pass	AV	11.55048G	37.48	54.00	-16.52	3	Horizontal	168	1.50
5795MHz_TX	Pass	PK	11.5668G	49.49	74.00	-24.51	3	Horizontal	168	1.50
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.15G	46.16	54.00	-7.84	3	Vertical	307	1.96
5210MHz_TX	Pass	AV	5.211G	95.00	Inf	-Inf	3	Vertical	307	1.96
5210MHz_TX	Pass	AV	5.425G	42.61	54.00	-11.39	3	Vertical	307	1.96
5210MHz_TX	Pass	PK	5.149G	57.77	74.00	-16.23	3	Vertical	307	1.96
5210MHz_TX	Pass	PK	5.211G	106.85	Inf	-Inf	3	Vertical	307	1.96
5210MHz_TX	Pass	PK	5.396G	55.49	74.00	-18.51	3	Vertical	307	1.96
5210MHz_TX	Pass	AV	5.141G	43.76	54.00	-10.24	3	Horizontal	320	1.95
5210MHz_TX	Pass	AV	5.223G	92.95	Inf	-Inf	3	Horizontal	320	1.95
5210MHz_TX	Pass	AV	5.37G	42.16	54.00	-11.84	3	Horizontal	320	1.95
5210MHz_TX	Pass	PK	5.124G	55.49	74.00	-18.51	3	Horizontal	320	1.95
5210MHz_TX	Pass	PK	5.205G	104.68	Inf	-Inf	3	Horizontal	320	1.95
5210MHz_TX	Pass	PK	5.385G	54.92	74.00	-19.08	3	Horizontal	320	1.95
5210MHz_TX	Pass	PK	10.4184G	49.18	68.20	-19.02	3	Vertical	129	2.53
5210MHz_TX	Pass	PK	10.34736G	49.00	68.20	-19.20	3	Horizontal	52	1.50
5775MHz_TX	Pass	AV	5.739G	92.70	Inf	-Inf	3	Vertical	315	1.68
5775MHz_TX	Pass	PK	5.5098G	55.68	68.20	-12.52	3	Vertical	315	1.68
5775MHz_TX	Pass	PK	5.7378G	105.06	Inf	-Inf	3	Vertical	315	1.68
5775MHz_TX	Pass	PK	5.9322G	56.19	68.20	-12.01	3	Vertical	315	1.68
5775MHz_TX	Pass	AV	5.7762G	92.31	Inf	-Inf	3	Horizontal	334	1.05
5775MHz_TX	Pass	PK	5.4894G	54.49	68.20	-13.71	3	Horizontal	334	1.05
5775MHz_TX	Pass	PK	5.7762G	103.87	Inf	-Inf	3	Horizontal	334	1.05
5775MHz_TX	Pass	PK	6.057G	55.93	68.20	-12.27	3	Horizontal	334	1.05
5775MHz_TX	Pass	AV	11.48472G	38.33	54.00	-15.67	3	Vertical	248	1.50
5775MHz_TX	Pass	PK	11.51288G	49.11	74.00	-24.89	3	Vertical	248	1.50
5775MHz_TX	Pass	AV	11.48504G	38.27	54.00	-15.73	3	Horizontal	269	1.50
5775MHz_TX	Pass	PK	11.526G	49.86	74.00	-24.14	3	Horizontal	269	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.78	54.00	-8.22	1.02	3	Vertical	302	1.02	44.76	33.50	4.81	37.29
AV	5.1924G	98.34	Inf	-Inf	0.87	3	Vertical	302	1.02	97.47	33.33	4.84	37.30
PK	5.1484G	57.61	74.00	-16.39	1.01	3	Vertical	302	1.02	56.60	33.49	4.81	37.29
PK	5.192G	110.48	Inf	-Inf	0.87	3	Vertical	302	1.02	109.61	33.33	4.84	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	43.32	54.00	-10.68	0.97	3	Horizontal	323	2.05	42.35	33.45	4.81	37.29
AV	5.2036G	95.89	Inf	-Inf	0.83	3	Horizontal	323	2.05	95.06	33.29	4.84	37.30
PK	5.1444G	55.24	74.00	-18.76	0.99	3	Horizontal	323	2.05	54.25	33.47	4.81	37.29
PK	5.1832G	107.91	Inf	-Inf	0.90	3	Horizontal	323	2.05	107.01	33.37	4.83	37.30


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.16	54.00	-7.84	1.02	3	Vertical	307	1.96	45.14	33.50	4.81	37.29
AV	5.21G	95.00	Inf	-Inf	0.81	3	Vertical	307	1.96	94.19	33.28	4.84	37.31
AV	5.425G	42.61	54.00	-11.39	0.59	3	Vertical	307	1.96	42.02	33.00	4.94	37.35
PK	5.149G	57.77	74.00	-16.23	1.01	3	Vertical	307	1.96	56.76	33.49	4.81	37.29
PK	5.21G	106.85	Inf	-Inf	0.81	3	Vertical	307	1.96	106.04	33.28	4.84	37.31
PK	5.396G	55.49	74.00	-18.51	0.59	3	Vertical	307	1.96	54.90	33.01	4.93	37.35

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	43.76	54.00	-10.24	0.97	3	Horizontal	320	1.95	42.79	33.45	4.81	37.29
AV	5.223G	92.95	Inf	-Inf	0.79	3	Horizontal	320	1.95	92.16	33.25	4.85	37.31
AV	5.37G	42.16	54.00	-11.84	0.64	3	Horizontal	320	1.95	41.52	33.06	4.92	37.34
PK	5.124G	55.49	74.00	-18.51	0.85	3	Horizontal	320	1.95	54.64	33.34	4.80	37.29
PK	5.205G	104.68	Inf	-Inf	0.82	3	Horizontal	320	1.95	103.86	33.29	4.84	37.31
PK	5.385G	54.92	74.00	-19.08	0.61	3	Horizontal	320	1.95	54.31	33.03	4.92	37.34


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	99.92	Inf	-Inf	2.03	3	Vertical	298	2.09	97.89	34.12	5.16	37.25
PK	5.5768G	54.54	68.20	-13.66	0.83	3	Vertical	298	2.09	53.71	33.20	4.97	37.34
PK	5.78129G	108.65	Inf	-Inf	2.04	3	Vertical	298	2.09	106.61	34.13	5.16	37.25
PK	6.02692G	56.39	68.20	-11.81	2.33	3	Vertical	298	2.09	54.06	34.40	5.09	37.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	99.91	Inf	-Inf	2.03	3	Horizontal	333	1.04	97.88	34.12	5.16	37.25
PK	5.61431G	54.42	68.20	-13.78	0.93	3	Horizontal	333	1.04	53.49	33.26	4.99	37.32
PK	5.78976G	108.24	Inf	-Inf	2.08	3	Horizontal	333	1.04	106.16	34.16	5.17	37.25
PK	6.01603G	55.77	68.20	-12.43	2.32	3	Horizontal	333	1.04	53.45	34.40	5.08	37.16


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	92.70	Inf	-Inf	1.81	3	Vertical	315	1.68	90.89	33.96	5.12	37.27
PK	5.5098G	55.68	68.20	-12.52	0.87	3	Vertical	315	1.68	54.81	33.28	4.96	37.37
PK	5.7378G	105.06	Inf	-Inf	1.80	3	Vertical	315	1.68	103.26	33.95	5.12	37.27
PK	5.9322G	56.19	68.20	-12.01	2.36	3	Vertical	315	1.68	53.83	34.44	5.11	37.19

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	92.31	Inf	-Inf	2.01	3	Horizontal	334	1.05	90.30	34.10	5.16	37.25
PK	5.4894G	54.49	68.20	-13.71	0.82	3	Horizontal	334	1.05	53.67	33.24	4.95	37.37
PK	5.7762G	103.87	Inf	-Inf	2.01	3	Horizontal	334	1.05	101.86	34.10	5.16	37.25
PK	6.057G	55.93	68.20	-12.27	2.35	3	Horizontal	334	1.05	53.58	34.39	5.12	37.16


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 2
Multi-RU_O-435E

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.143G	48.33	54.00	-5.67	3	Horizontal	11	1.62
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	6.0426G	60.38	68.20	-7.82	3	Horizontal	339	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 Multi-RU O-435E


Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.143G	46.88	54.00	-7.12	3	Vertical	305	2.90
5210MHz	Pass	AV	5.181G	90.30	Inf	-Inf	3	Vertical	305	2.90
5210MHz	Pass	AV	5.356G	46.46	54.00	-7.54	3	Vertical	305	2.90
5210MHz	Pass	PK	5.072G	59.23	74.00	-14.77	3	Vertical	305	2.90
5210MHz	Pass	PK	5.179G	102.33	Inf	-Inf	3	Vertical	305	2.90
5210MHz	Pass	PK	5.429G	59.28	74.00	-14.72	3	Vertical	305	2.90
5210MHz	Pass	AV	5.143G	48.33	54.00	-5.67	3	Horizontal	11	1.62
5210MHz	Pass	AV	5.203G	97.98	Inf	-Inf	3	Horizontal	11	1.62
5210MHz	Pass	AV	5.352G	46.70	54.00	-7.30	3	Horizontal	11	1.62
5210MHz	Pass	PK	5.145G	62.65	74.00	-11.35	3	Horizontal	11	1.62
5210MHz	Pass	PK	5.202G	110.79	Inf	-Inf	3	Horizontal	11	1.62
5210MHz	Pass	PK	5.428G	59.15	74.00	-14.85	3	Horizontal	11	1.62
5210MHz	Pass	PK	10.41932G	54.20	68.20	-14.00	3	Vertical	30	1.24
5210MHz	Pass	PK	10.42304G	55.19	68.20	-13.01	3	Horizontal	139	1.25
5775MHz	Pass	AV	5.751G	85.29	Inf	-Inf	3	Vertical	321	3.00
5775MHz	Pass	PK	5.523G	59.46	68.20	-8.74	3	Vertical	321	3.00
5775MHz	Pass	PK	5.7534G	96.20	Inf	-Inf	3	Vertical	321	3.00
5775MHz	Pass	PK	6.0138G	59.67	68.20	-8.53	3	Vertical	321	3.00
5775MHz	Pass	AV	5.7582G	96.98	Inf	-Inf	3	Horizontal	339	1.50
5775MHz	Pass	PK	5.5446G	59.19	68.20	-9.01	3	Horizontal	339	1.50
5775MHz	Pass	PK	5.7594G	109.41	Inf	-Inf	3	Horizontal	339	1.50
5775MHz	Pass	PK	6.0426G	60.38	68.20	-7.82	3	Horizontal	339	1.50
5775MHz	Pass	AV	11.54782G	42.58	54.00	-11.42	3	Vertical	1	2.33
5775MHz	Pass	PK	11.55164G	55.48	74.00	-18.52	3	Vertical	1	2.33
5775MHz	Pass	AV	11.54768G	42.56	54.00	-11.44	3	Horizontal	205	2.84
5775MHz	Pass	PK	11.54578G	55.83	74.00	-18.17	3	Horizontal	205	2.84


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	85.29	Inf	-Inf	8.11	3	Vertical	321	3.00	77.18	33.70	8.50	34.09
PK	5.523G	59.46	68.20	-8.74	7.27	3	Vertical	321	3.00	52.19	32.95	8.31	33.99
PK	5.7534G	96.20	Inf	-Inf	8.12	3	Vertical	321	3.00	88.08	33.71	8.50	34.09
PK	6.0138G	59.67	68.20	-8.53	8.56	3	Vertical	321	3.00	51.11	34.10	8.66	34.20

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7582G	96.98	Inf	-Inf	8.15	3	Horizontal	339	1.50	88.83	33.73	8.51	34.09
PK	5.5446G	59.19	68.20	-9.01	7.23	3	Horizontal	339	1.50	51.96	32.91	8.32	34.00
PK	5.7594G	109.41	Inf	-Inf	8.16	3	Horizontal	339	1.50	101.25	33.74	8.51	34.09
PK	6.0426G	60.38	68.20	-7.82	8.60	3	Horizontal	339	1.50	51.78	34.10	8.71	34.21


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Channel Puncturing_O-435E**

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	Pass	AV	5.15G	44.07	54.00	-9.93	3	Vertical	303	1.83
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	PK	5.973G	58.13	68.20	-10.07	3	Vertical	308	1.60



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Channel Puncturing_O-435E**


Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	44.07	54.00	-9.93	3	Vertical	303	1.83
5210MHz	Pass	AV	5.212G	94.46	Inf	-Inf	3	Vertical	303	1.83
5210MHz	Pass	AV	5.357G	42.96	54.00	-11.04	3	Vertical	303	1.83
5210MHz	Pass	PK	5.148G	57.32	74.00	-16.68	3	Vertical	303	1.83
5210MHz	Pass	PK	5.213G	107.69	Inf	-Inf	3	Vertical	303	1.83
5210MHz	Pass	PK	5.373G	56.85	74.00	-17.15	3	Vertical	303	1.83
5210MHz	Pass	AV	5.145G	43.11	54.00	-10.89	3	Horizontal	319	1.78
5210MHz	Pass	AV	5.183G	91.77	Inf	-Inf	3	Horizontal	319	1.78
5210MHz	Pass	AV	5.407G	42.58	54.00	-11.42	3	Horizontal	319	1.78
5210MHz	Pass	PK	5.14G	56.40	74.00	-17.60	3	Horizontal	319	1.78
5210MHz	Pass	PK	5.203G	105.11	Inf	-Inf	3	Horizontal	319	1.78
5210MHz	Pass	PK	5.41G	56.44	74.00	-17.56	3	Horizontal	319	1.78
5210MHz	Pass	PK	10.38752G	50.78	68.20	-17.42	3	Vertical	298	2.46
5210MHz	Pass	PK	10.40736G	50.77	68.20	-17.43	3	Horizontal	35	2.39
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.757G	92.08	Inf	-Inf	3	Vertical	308	1.60
5775MHz	Pass	PK	5.5026G	57.19	68.20	-11.01	3	Vertical	308	1.60
5775MHz	Pass	PK	5.7582G	105.60	Inf	-Inf	3	Vertical	308	1.60
5775MHz	Pass	PK	5.973G	58.13	68.20	-10.07	3	Vertical	308	1.60
5775MHz	Pass	AV	5.7498G	89.92	Inf	-Inf	3	Horizontal	318	1.62
5775MHz	Pass	PK	5.5518G	56.58	68.20	-11.62	3	Horizontal	318	1.62
5775MHz	Pass	PK	5.769G	102.27	Inf	-Inf	3	Horizontal	318	1.62
5775MHz	Pass	PK	5.991G	57.95	68.20	-10.25	3	Horizontal	318	1.62
5775MHz	Pass	AV	11.5364G	36.99	54.00	-17.01	3	Vertical	340	1.50
5775MHz	Pass	PK	11.57176G	51.33	74.00	-22.67	3	Vertical	340	1.50
5775MHz	Pass	AV	11.53864G	37.04	54.00	-16.96	3	Horizontal	20	1.50
5775MHz	Pass	PK	11.57832G	51.48	74.00	-22.52	3	Horizontal	20	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.07	54.00	-9.93	1.02	3	Vertical	303	1.83	43.05	33.50	4.81	37.29
AV	5.212G	94.46	Inf	-Inf	0.82	3	Vertical	303	1.83	93.64	33.28	4.85	37.31
AV	5.357G	42.96	54.00	-11.04	0.66	3	Vertical	303	1.83	42.30	33.09	4.91	37.34
PK	5.148G	57.32	74.00	-16.68	1.01	3	Vertical	303	1.83	56.31	33.49	4.81	37.29
PK	5.213G	107.69	Inf	-Inf	0.81	3	Vertical	303	1.83	106.88	33.27	4.85	37.31
PK	5.373G	56.85	74.00	-17.15	0.63	3	Vertical	303	1.83	56.22	33.05	4.92	37.34

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	43.11	54.00	-10.89	0.99	3	Horizontal	319	1.78	42.12	33.47	4.81	37.29
AV	5.183G	91.77	Inf	-Inf	0.90	3	Horizontal	319	1.78	90.87	33.37	4.83	37.30
AV	5.407G	42.58	54.00	-11.42	0.58	3	Horizontal	319	1.78	42.00	33.00	4.93	37.35
PK	5.14G	56.40	74.00	-17.60	0.96	3	Horizontal	319	1.78	55.44	33.44	4.81	37.29
PK	5.203G	105.11	Inf	-Inf	0.83	3	Horizontal	319	1.78	104.28	33.29	4.84	37.30
PK	5.41G	56.44	74.00	-17.56	0.58	3	Horizontal	319	1.78	55.86	33.00	4.93	37.35


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5775MHz_TX






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.80404G	47.99	54.00	-6.01	Vertical
Mode 2	Pass	AV	4.80394G	47.72	54.00	-6.28	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80404G	47.99	54.00	-6.01	3	Vertical	314	1.01
Mode 1	Pass	AV	4.82403G	37.85	54.00	-16.15	3	Vertical	0	2.50
Mode 1	Pass	AV	10.40033G	43.77	68.20	-24.43	3	Vertical	190	1.50
Mode 1	Pass	PK	4.80434G	54.19	74.00	-19.81	3	Vertical	314	1.01
Mode 1	Pass	PK	4.82403G	47.32	74.00	-26.68	3	Vertical	0	2.50
Mode 1	Pass	PK	10.40069G	56.23	68.20	-11.97	3	Vertical	190	1.50
Mode 1	Pass	AV	4.80397G	44.95	54.00	-9.05	3	Horizontal	32	1.00
Mode 1	Pass	AV	4.82394G	39.56	54.00	-14.44	3	Horizontal	302	1.05
Mode 1	Pass	AV	10.40035G	43.81	68.20	-24.39	3	Horizontal	360	2.62
Mode 1	Pass	PK	4.80464G	51.92	74.00	-22.08	3	Horizontal	32	1.00
Mode 1	Pass	PK	4.82402G	47.91	74.00	-26.09	3	Horizontal	302	1.05
Mode 1	Pass	PK	10.39989G	55.50	68.20	-12.70	3	Horizontal	360	2.62
Mode 2	Pass	AV	4.80394G	47.72	54.00	-6.28	3	Vertical	313	1.00
Mode 2	Pass	AV	4.82393G	37.70	54.00	-16.30	3	Vertical	0	2.51
Mode 2	Pass	AV	10.40049G	43.90	54.00	-10.10	3	Vertical	76	2.61
Mode 2	Pass	AV	10.46044G	44.15	54.00	-9.85	3	Vertical	355	1.50
Mode 2	Pass	PK	4.80456G	53.98	74.00	-20.02	3	Vertical	313	1.00
Mode 2	Pass	PK	4.82375G	47.82	74.00	-26.18	3	Vertical	0	2.51
Mode 2	Pass	PK	10.40023G	56.18	74.00	-17.82	3	Vertical	76	2.61
Mode 2	Pass	PK	10.46062G	56.94	74.00	-17.06	3	Vertical	355	1.50
Mode 2	Pass	AV	4.80404G	44.68	54.00	-9.32	3	Horizontal	34	1.00
Mode 2	Pass	AV	4.82406G	37.58	54.00	-16.42	3	Horizontal	0	1.20
Mode 2	Pass	AV	10.40026G	43.88	54.00	-10.12	3	Horizontal	325	2.44
Mode 2	Pass	AV	10.45981G	44.14	54.00	-9.86	3	Horizontal	247	1.69
Mode 2	Pass	PK	4.80348G	52.26	74.00	-21.74	3	Horizontal	34	1.00
Mode 2	Pass	PK	4.82418G	48.51	74.00	-25.49	3	Horizontal	0	1.20
Mode 2	Pass	PK	10.39904G	56.33	74.00	-17.67	3	Horizontal	325	2.44
Mode 2	Pass	PK	10.4595G	56.42	74.00	-17.58	3	Horizontal	247	1.69


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.80388G	45.45	54.00	-8.55	Vertical
Mode 2	Pass	AV	15.58563G	47.19	54.00	-6.81	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80388G	45.45	54.00	-8.55	3	Vertical	328	1.43
Mode 1	Pass	AV	4.92476G	34.30	54.00	-19.70	3	Vertical	62	1.50
Mode 1	Pass	AV	7.27434G	39.60	54.00	-14.40	3	Vertical	266	1.02
Mode 1	Pass	AV	10.47146G	43.92	68.20	-24.28	3	Vertical	297	1.50
Mode 1	Pass	PK	4.80427G	51.94	74.00	-22.06	3	Vertical	328	1.43
Mode 1	Pass	PK	4.92767G	46.48	74.00	-27.52	3	Vertical	62	1.50
Mode 1	Pass	PK	7.27356G	51.64	74.00	-22.36	3	Vertical	266	1.02
Mode 1	Pass	PK	10.48802G	56.25	68.20	-11.95	3	Vertical	297	1.50
Mode 1	Pass	AV	4.80408G	40.69	54.00	-13.31	3	Horizontal	64	1.50
Mode 1	Pass	AV	4.92698G	34.49	54.00	-19.51	3	Horizontal	18	1.00
Mode 1	Pass	AV	7.27933G	39.53	54.00	-14.47	3	Horizontal	319	1.50
Mode 1	Pass	AV	10.4874G	44.05	68.20	-24.15	3	Horizontal	269	1.50
Mode 1	Pass	PK	4.80382G	49.36	74.00	-24.64	3	Horizontal	64	1.50
Mode 1	Pass	PK	4.9217G	47.72	74.00	-26.28	3	Horizontal	18	1.00
Mode 1	Pass	PK	7.27466G	51.61	74.00	-22.39	3	Horizontal	319	1.50
Mode 1	Pass	PK	10.47134G	55.84	68.20	-12.36	3	Horizontal	269	1.50
Mode 2	Pass	AV	4.80407G	46.06	54.00	-7.94	3	Vertical	72	1.09
Mode 2	Pass	AV	7.28034G	39.62	54.00	-14.38	3	Vertical	16	1.05
Mode 2	Pass	AV	10.48549G	44.14	68.20	-24.06	3	Vertical	262	2.98
Mode 2	Pass	AV	15.58563G	47.19	54.00	-6.81	3	Vertical	31	3.00
Mode 2	Pass	PK	4.8043G	52.73	74.00	-21.27	3	Vertical	72	1.09
Mode 2	Pass	PK	7.27188G	51.59	74.00	-22.41	3	Vertical	16	1.05
Mode 2	Pass	PK	10.4848G	56.72	68.20	-11.48	3	Vertical	262	2.98
Mode 2	Pass	PK	15.58683G	58.94	74.00	-15.06	3	Vertical	31	3.00
Mode 2	Pass	AV	4.80413G	40.42	54.00	-13.58	3	Horizontal	65	1.59
Mode 2	Pass	AV	7.27848G	39.44	54.00	-14.56	3	Horizontal	334	2.99
Mode 2	Pass	AV	10.46953G	44.12	68.20	-24.08	3	Horizontal	261	1.50
Mode 2	Pass	AV	15.60279G	47.16	54.00	-6.84	3	Horizontal	7	2.62
Mode 2	Pass	PK	4.80437G	49.40	74.00	-24.60	3	Horizontal	65	1.59
Mode 2	Pass	PK	7.26822G	51.61	74.00	-22.39	3	Horizontal	334	2.99
Mode 2	Pass	PK	10.4704G	57.46	68.20	-10.74	3	Horizontal	261	1.50
Mode 2	Pass	PK	15.58506G	59.40	74.00	-14.60	3	Horizontal	7	2.62


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80407G	46.06	54.00	-7.94	3.77	3	Vertical	72	1.09	42.29	32.32	6.51	35.06
AV	7.28034G	39.62	54.00	-14.38	9.82	3	Vertical	16	1.05	29.80	36.80	8.27	35.25
AV	10.48549G	44.14	68.20	-24.06	14.28	3	Vertical	262	2.98	29.86	38.50	10.36	34.58
AV	15.58563G	47.19	54.00	-6.81	16.99	3	Vertical	31	3.00	30.20	38.00	13.04	34.05
PK	4.8043G	52.73	74.00	-21.27	3.77	3	Vertical	72	1.09	48.96	32.32	6.51	35.06
PK	7.27188G	51.59	74.00	-22.41	9.80	3	Vertical	16	1.05	41.79	36.80	8.26	35.26
PK	10.4848G	56.72	68.20	-11.48	14.27	3	Vertical	262	2.98	42.45	38.50	10.36	34.59
PK	15.58683G	58.94	74.00	-15.06	16.99	3	Vertical	31	3.00	41.95	38.00	13.04	34.05

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80413G	40.42	54.00	-13.58	3.77	3	Horizontal	65	1.59	36.65	32.32	6.51	35.06
AV	7.27848G	39.44	54.00	-14.56	9.82	3	Horizontal	334	2.99	29.62	36.80	8.27	35.25
AV	10.46953G	44.12	68.20	-24.08	14.26	3	Horizontal	261	1.50	29.86	38.50	10.36	34.60
AV	15.60279G	47.16	54.00	-6.84	16.99	3	Horizontal	7	2.62	30.17	37.99	13.05	34.05
PK	4.80437G	49.40	74.00	-24.60	3.77	3	Horizontal	65	1.59	45.63	32.32	6.51	35.06
PK	7.26822G	51.61	74.00	-22.39	9.80	3	Horizontal	334	2.99	41.81	36.80	8.26	35.26
PK	10.4704G	57.46	68.20	-10.74	14.26	3	Horizontal	261	1.50	43.20	38.50	10.36	34.60
PK	15.58506G	59.40	74.00	-14.60	16.99	3	Horizontal	7	2.62	42.41	38.00	13.04	34.05