

SPEAKERCRAFT™

STATUS

MODEL: HRSi-8

Designed and Engineered in the USA
Manufactured in China

Nortek Security & Control LLC
5919 Sea Otter Place
Carlsbad, CA 92010

OPTIONAL WIRELESS RECEIVER

R L/LFE
IN
OUT
LOW LEVEL



C US



ATTENTION RISQUE DE CHOC ELECTRIQUE
NE PAS OUVRIR

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CANICES-3 (B) / NMB-3 (B)

FCC ID: EF400213
IC: 1078A-00213




USB POWER
5V === 500mA




ON


OFF



POWER



100-120V~ 220-240V~



FUSE T6.3AL/250V
100-120V~60Hz 4A/
220-240V~50Hz 2A

PROFICIENT®



STATUS

MODEL: FRS-8

Designed and Engineered in the USA
Manufactured in China

Nortek Security & Control LLC
5919 Sea Otter Place
Carlsbad, CA 92010

OPTIONAL WIRELESS RECEIVER





ATTENTION RISQUE DE CHOC ELECTRIQUE
NE PAS OUVRIR

CAUTION: For continued protection against risk of fire, replace only with the same type fuse and rating.
ATTENTION: Utiliser un fusible de rechange de meme type et calibre.

This device complies with Part 15 of the FCC Rules and with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3 (B) / NMB-3 (B)

FCC ID: EF400213
IC: 1078A-00213



Label location

