


Band edge measurements


Test Result

Test Mode	Antenna	Ch Name	Frequency [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BLE_1M	Ant1	Low	2402	3.46	-49.35	≤ -16.54	PASS
BLE_1M	Ant1	High	2480	4.46	-48.81	≤ -15.54	PASS
BLE_2M	Ant1	Low	2402	0.29	-47	≤ -19.72	PASS
BLE_2M	Ant1	High	2480	5.08	-49.54	≤ -14.92	PASS

Test Graphs



TEST REPORT





Conducted Spurious Emission


Test Result


Test Mode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	2.55	2.55	---	PASS
BLE_1M	Ant1	2402	30~1000	2.55	-61.29	≤ -17.45	PASS
BLE_1M	Ant1	2402	1000~26500	2.55	-50.63	≤ -17.45	PASS
BLE_1M	Ant1	2440	0~Reference	3.20	3.20	---	PASS
BLE_1M	Ant1	2440	30~1000	3.20	-56.95	≤ -16.8	PASS
BLE_1M	Ant1	2440	1000~26500	3.20	-49.09	≤ -16.8	PASS
BLE_1M	Ant1	2480	0~Reference	3.49	3.49	---	PASS
BLE_1M	Ant1	2480	30~1000	3.49	-58.19	≤ -16.51	PASS
BLE_1M	Ant1	2480	1000~26500	3.49	-49.92	≤ -16.51	PASS
BLE_2M	Ant1	2402	0~Reference	1.98	1.98	---	PASS
BLE_2M	Ant1	2402	30~1000	1.98	-53.02	≤ -18.02	PASS
BLE_2M	Ant1	2402	1000~26500	1.98	-50.17	≤ -18.02	PASS
BLE_2M	Ant1	2440	0~Reference	1.03	1.03	---	PASS
BLE_2M	Ant1	2440	30~1000	1.03	-59.13	≤ -18.97	PASS
BLE_2M	Ant1	2440	1000~26500	1.03	-49.96	≤ -18.97	PASS
BLE_2M	Ant1	2480	0~Reference	5.26	5.26	---	PASS
BLE_2M	Ant1	2480	30~1000	5.26	-57.36	≤ -14.74	PASS
BLE_2M	Ant1	2480	1000~26500	5.26	-49.49	≤ -14.74	PASS


Test Graphs














TEST REPORT


Duty Cycle

Test Result

Test Mode	Antenna	Frequency [MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	2.10	2.50	84.00	0.76
BLE_1M	Ant1	2440	2.10	2.50	84.00	0.76
BLE_1M	Ant1	2480	2.10	2.50	84.00	0.76
BLE_2M	Ant1	2402	1.06	1.88	56.38	2.49
BLE_2M	Ant1	2440	1.06	1.87	56.68	2.47
BLE_2M	Ant1	2480	1.06	1.88	56.38	2.49

Test Graphs





***** END *****