

EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 1 of 11

FCC ID: OJFDLRUG21719235

RF EXPOSURE EVALUATION REPORT

Application No.: GZCR2303000248AT

Applicant: Corning Optical Communications LLC

Address of Applicant: 6 Concord Road, Shrewsbury, Massachusetts, United States

Manufacturer: Comba Network Systems Company Limited

Address of Manufacturer: No.10 Shenzhou Road, Guangzhou Science City, Guangzhou 510663,

Guangdong, P.R.China

Equipment Under Test (EUT):

EUT Name: Medium Band dRAU Model No.: dLRU-G2-17192325

Trade Mark: Corning

Standard(s): 47 CFR Part 2.1091

47 CFR Part 1.1310, Part 1.1307

 Date of Receipt:
 2023-03-08

 Date of Evaluation:
 2023-09-08

 Date of Issue:
 2023-09-08

Test Result: Pass*

Ricky Liu Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspect for report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspect for report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-

ho.198/fazh Read, Sientech Park, Cuangzhou Econnenie & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.c 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 2 of 11

	Revision Record				
Version Report No. Date Remark					
01	GZCR230300024804	2023-09-08	Original		

Authorized for issue by:		
	Kevin Zhang	
	Kevin Zhang/Project Engineer	
	Jery Chen	
	Jerry Chan/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s). Better a retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CSD. Doccheck@sgs.com.

. No.198 Kezhu Road, Göerlech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮編: 510663 t (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 3 of 11

2 Evaluation Summary

Radio Spectrum Technical Requirement						
Item	Standard	Requirement	Method	Result		
RF Exposure	47 CFR Part 2.1091 47 CFR Part 1.1310 47 CFR Part 1.1307	47 CFR Part 1.1310	47 CFR Part 1.1310	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CSD. Doccheck@sgs.com").

No.1981を担いRoad、Globaltech Park, Guargythou Economic & Technology Development District, Guargythou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1

Report No.: GZCR230300024804

Page: 4 of 11

3 Contents

1	Cove	ers Page
2	Eval	uation Summary
	_	
3	Cont	tents
Ū	0011	
4	Gene	eral Information
7		
	4.1	Details of E.U.T.
	4.2	Details of E.U.T. Evaluatation Location
	4.3	Facility
	4.4	Deviation from Standards
	4.5	Abnormalities from Standard Conditions
5	Radi	o Spectrum Technical Requirement
	5.1	RF Exposure
	511	Requirement
	5.1.1	Method
	5.1.3	Conclusion
6	EUT	Constructional Details1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CNI_Doccheck@sgs.com").

S.Co.,Lid. No.198 Kezhu Road, Sciented Park, Guargizhou Economic & Technology Development District, Guargizhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn boration/ 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 5 of 11

4 General Information

4.1 Details of E.U.T.

Power Supply: DC 36-57V
Test Voltage: DC 48V
Cable: N/A

Operating Temperature: -40 to +55 °C Operating Humidity: 5 to 95 %

RF Characters: Refer to report GZCR230300024802 & GZCR230300024803

4.2 Evaluatation Location

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059





EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 6 of 11

4.3 Facility

The test facility is recognized, certified, or accredited by the following organizations:

ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian C-Tick mark as a result of our NVLAP accreditation.

SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

FCC Recognized 2.948 Listed Test Firm(Registration No.: 282399)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 282399, May 31, 2002.

• FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818, Jul 13, 2017.

• Industry Canada (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

VCCI (Registration No.: R-12460, C-12584, G-10449 and T-11179)

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-10449 and T-11179 respectively.

• CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2005, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

4.4 Deviation from Standards

None

4.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1981ka?iu l/toad, Scientech Park, Guargyhou Exonomic & Technology Development District, Guargyhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 7 of 11

5 Radio Spectrum Technical Requirement

5.1 RF Exposure

5.1.1 Requirement

In accordance with 47 CFR FCC Part 2.1091, this device has been defined as a mobile device whereby a distance of 0.2m normally can be maintained between the user and the device.

According to 47 CFR FCC Part 1310, the criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in Part1.1307(b).

Table 1 To §1.1310(E)(1)—Limits For Maximum Permissible Exposure (Mpe)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)
(i) Limits for Occi	upational/Control	led Exposure		
3-3.0	614	1.63	*(100)	≤6
3.0-30	1842/f	4.89/f	*(900/f ²)	<6
30-300	61.4	0.163	1.0	<6
300-1,500			f/300	<6
1,500-100,000			5	<6
(ii) Limits for Gen	eral Population/U	ncontrolled Expos	sure	
0.3-1.34	614	1.63	*(100)	<30
1.34-30	824/f	2.19/f	*(180/f ²)	<30
30-300	27.5	0.073	0.2	<30
300-1,500			f/1500	<30
1,500-100,000			1.0	<30
f = frequency in MI	Hz. * = Plane-wave	equivalent power d	ensity	

5.1.2 Method

According to IEEE C95.3:2002 section 5.5.1.1, the power density S at a point on the axis at a distance d from a transmitting antenna is given by the Friis free-space transmission formula:

$$S = \frac{PG}{4\pi d^2}$$

 $S = power density (mW/cm^2)$

P = the net power delivered to the antenna (mW)

G = gain of the antenna in linear scale

d = distance between observation point and center of the radiator (cm)

From the maximum EUT RF output power, as well as the gain of the used antenna, according toe the RF power density limit stated in above table, the mimimum distance between the antenna and human body will be calculated.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.198 kežniu Nora, Scientech Park, Guargzhou Ezonomic & Technology Development District, Guargzhou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 8 of 11

5.1.3 Conclusion

For AWS-1 (only for downlink: 2110-2155MHz)

- 1. According to the test report GZCR230300024902, the tested maximum conducted power was within the tune up power range (20 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 21dBm+10lg(2)= 24.02dBm= 0.26W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limit1}) (W/m²)	Power Density (S ₁) (W/m ²)
35.481	0.26	10	0.74/d ²

For AWS-3 (only for downlink: 2155-2180MHz)

- 1. According to the the test report GZCR230300024902, the tested maximum conducted power was within the tune up power range (20 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 21dBm+10lg(2)= 24.02dBm= 0.26W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limit2}) (W/m²)	Power Density (S ₂) (W/m ²)
35.481	0.26	10	0.74/d²



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of iliability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.198(Azhu Road, Sciented Park, Guargzhou Ezonomic & Technology Development District, Guargzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 9 of 11

For Broadband PCS (only for downlink: 1930-1995MHz)

- 1. According to the test report GZCR230300024902, the tested maximum conducted power was within the tune up power range (20 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 21dBm+10lg(2)= 24.02dBm= 0.26W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limit3}) (W/m²)	Power Density (S ₃) (W/m ²)
35.481	0.26	10	0.74/d²

For WCS (only for downlink: 2350-2360MHz)

- 1. According to the the test report GZCR230300024902, the tested maximum conducted power was within the tune up power range (18 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 19dBm+10lg(2)= 22.02dBm= 0.16W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limit4}) (W/m²)	Power Density (S ₄) (W/m ²)
35.481	0.16	10	0.46/d²

For BRS/EBS (only for downlink: 2496-2690MHz)

- 1. According to the test report GZCR230300024902, the tested maximum conducted power was within the tune up power range (20 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 21dBm+10lg(2)= 22.02dBm= 0.26W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limits}) (W/m²)	Power Density (S₅) (W/m²)
35.481	0.26	10	0.74/d ²



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) served are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sss.com.

No.198(Azhu Road, Sciented Park, Guargzhou Ezonomic & Technology Development District, Guargzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 10 of 11

For AWS-2 & AWS-4 (only for downlink: 1995-2020MHz)

- 1. According to the test report GZCR230300024903, the tested maximum conducted power was within the tune up power range (20 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 21dBm+10lg(2)= 24.02dBm= 0.26W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limit6}) (W/m²)	Power Density (S ₆) (W/m ²)
35.481	0.26	10	0.74/d²

For AWS-4 (only for downlink: 2180-2200MHz)

- 1. According to the the test report GZCR230300024903, the tested maximum conducted power was within the tune up power range (20 ± 1 dBm) and the maximum tune up power was utilized as worst case for RF exposure evaluation.
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The maximum total tune up tolerance power is 21dBm+10lg(2)= 24.02dBm= 0.26W.
- 4. The limit of Power Density (S)(mW/cm²) = 1mW/cm²

Maximum Antenna Gain (Numeric)	Total conducted power (W)	Limit of Power Density (S _{limit7}) (W/m²)	Power Density (S ₇) (W/m ²)
35.481	0.26	10	0.74/d²

For multiple simultaneous transmission sources, the calculated Power Density should comply with: $(S_1/S_{limit1}) + (S_2/S_{limit2}) + (S_3/S_{limit3}) + (S_4/S_{limit4}) + (S_5/S_{limit5}) + (S_6/S_{limit6}) + (S_7/S_{limit7}) \leq 1$ $(0.074/d^2) + (0.074/d^2) + (0.074/d^2) + (0.074/d^2) + (0.074/d^2) + (0.074/d^2) + (0.074/d^2) \leq 1$ $d \geq 0.719m$

So the permitted use distance away from EUT external antenna is larger than 0.72m.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ss.com.com

|Mo.1981/kaplu Road, Scientech Park, Guangzhou Exonomic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn
中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



EMC-TRF-01 Rev 1.1 Report No.: GZCR230300024804

Page: 11 of 11

6 EUT Constructional Details

Refer to Appendix - External and Internal Photos for GZCR2303000248AT.

--Report End--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CSI. Doccheck@sgs.com").

No.1981を担いRoad、Globaltech Park, Guargythou Economic & Technology Development District, Guargythou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com