


Appendix B

Peak Output Power



Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att	50 dB
25 dBm	-0.04 dBm	VBW	1 MHz		
	2.40215030 GHz	SWT	5 ms	Unit	dBm




Center 2.402 GHz 1 MHz/ Span 10 MHz

Title: Peak Output Power Ch.: 0
Comment A: GN Netcom Bluetooth Wireless Headset Shark
Date: 5.JUL.2002 20:14:52




Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att	50 dB
25 dBm	0.24 dBm	VBW	1 MHz		
	2.44090982 GHz	SWT	5 ms	Unit	dBm



Title: Peak Output Power Ch.: 39
Comment A: GN Netcom Bluetooth Wireless Headset Shark
Date: 5.JUL.2002 20:16:27




Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att	50 dB
25 dBm	0.24 dBm	VBW	1 MHz		
	2.48013026 GHz	SWT	5 ms	Unit	dBm



Title: Peak Output Power Ch.: 78
Comment A: GN Netcom Bluetooth Wireless Headset Shark
Date: 5.JUL.2002 20:18:01


Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: -0.85dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.402GHz, Pmax: 2.91dBm, RBW: 5MHz




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247	
Comment 1:	Dist.: 3m, Ant.: BBHA9120D	
Comment 2:	Freq: 2.441GHz, Pmax: -0.20dBm, RBW: 5MHz	




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247	
Comment 1:	Dist.: 3m, Ant.: BBHA9120D	
Comment 2:	Freq: 2.441GHz, Pmax: 2.01dBm, RBW: 5MHz	




Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2480
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.481GHz, Pmax: 2.62dBm, RBW: 5MHz



Carrier power (dBm)
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2480
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: BBHA9120D
Comment 2: Freq: 2.480GHz, Pmax: -0.28dBm, RBW: 5MHz




Appendix C

Spurious Emissions radiated - Transmitter operating


Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 193.527MHz, Emax: 32.35dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 172.405MHz, Emax: 32.34dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247	
Comment 1:	Dist.: 3m, Ant.: HL 223, amplif.	
Comment 2:	Freq: 688.978MHz, Emax: 25.73dBµV/m, RBW: 100kHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247	
Comment 1:	Dist.: 3m, Ant.: HL 223, amplif.	
Comment 2:	Freq: 900.601MHz, Emax: 27.23dBμV/m, RBW: 100kHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 2.400GHz, Emax: 72.04dBµV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 2.400GHz, Emax: 72.04dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, amplif.
Comment 2: Freq: 2.400GHz, Emax: 72.20dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 2.400GHz, Emax: 72.20dBµV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 7.888GHz, Emax: 40.16dBµV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 7.527GHz, Emax: 38.74dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to S15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 11.230GHz, Emax: 44.63dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 11.174GHz, Emax: 44.29dBµV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to S15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 14.756GHz, Emax: 47.22dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2402 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 16.770GHz, Emax: 46.62dBµV/m, RBW: 1MHz	



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C


EUT : Bluetooth Wireless Headset Tx 2402 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.324GHz, Emax: 47.82dBμV/m, RBW: 1MHz



Spurious emissions Field Strength FCC RULES PART 15, SUBPART C


EUT : Bluetooth Wireless Headset
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.171GHz, Emax: 47.44dBμV/m, RBW: 1MHz

Tx 2402 MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247	
Comment 1:	Dist.: 3m, Ant.: HK 116	
Comment 2:	Freq: 195.230MHz, Emax: 31.77dBµV/m, RBW: 100kHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247	
Comment 1:	Dist.: 3m, Ant.: HK 116	
Comment 2:	Freq: 194.890MHz, Emax: 31.97dBuV/m, RBW: 100kHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247
Comment 1: Dist.: 3m, Ant.: HL 223, amplif.
Comment 2: Freq: 687.375MHz, Emax: 26.64dBµV/m, RBW: 100kHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to S15.247	
Comment 1:	Dist.: 3m, Ant.: HL 223, amplif.	
Comment 2:	Freq: 575.150MHz, Emax: 24.68dBμV/m, RBW: 100kHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 3.849GHz, Emax: 43.99dBµV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 3.849GHz, Emax: 43.99dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 3.894GHz, Emax: 43.83dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, amplif.	
Comment 2:	Freq: 3.894GHz, Emax: 43.83dBµV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 7.824GHz, Emax: 39.71dBµV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 4.882GHz, Emax: 41.63dBμV/m, RBW: 1MHz




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 11.222GHz, Emax: 43.60dBμV/m, RSW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 11.711GHz, Emax: 44.28dBμV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT :	Bluetooth Wireless Headset	Tx 2441 MHz
Model:	Shark Siemens/ Jabra	
Approval Holder:	GN Netcom	
Operating Condition:	Tnom:23°C / Unom: 3.7 V DC	
Test Site / Operator:	ETS / Mr. F.Schulz	
Test Specification:	according to §15.247, Limit 20 dB up peak detector	
Comment 1:	Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.	
Comment 2:	Freq: 14.385GHz, Emax: 46.89dBuV/m, RBW: 1MHz	




Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: BBHA2190D, ampl.+HP.
Comment 2: Freq: 14.375GHz, Emax: 46.42dBµV/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to S15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.86dB μ V/m, RBW: 1MHz



Spurious emissions Field Strength
FCC RULES PART 15, SUBPART C

EUT : Bluetooth Wireless Headset Tx 2441 MHz
Model: Shark Siemens/ Jabra
Approval Holder: GN Netcom
Operating Condition: Tnom:23°C / Unom: 3.7 V DC
Test Site / Operator: ETS / Mr. F.Schulz
Test Specification: according to §15.247, Limit 20 dB up peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 17.000GHz, Emax: 47.50dBμV/m, RBW: 1MHz

