



Digital: 418.05 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	224.3000	-33.20	-20	PASS
(Fc + Test BW) to <2Fc	497.2000	-29.69	-20	PASS
2Fc to 1GHz	870.6226	-53.35	-20	PASS
	836.1000	-55.92	-20	PASS
1GHz to 10Fc	3099.2440	-39.86	-20	PASS
	1254.1500	-45.09	-20	PASS
	1672.2000	-45.61	-20	PASS
	2090.2500	-44.52	-20	PASS
	2508.3000	-43.81	-20	PASS
	2926.3500	-42.64	-20	PASS
	3344.4000	-42.02	-20	PASS
	3762.4500	-43.01	-20	PASS
	4180.5000	-43.18	-20	PASS

Digital: 429.9875 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	321.9000	-31.09	-20	PASS
(Fc + Test BW) to <2Fc	617.0000	-31.92	-20	PASS
2Fc to 1GHz	993.0388	-52.93	-20	PASS
	859.9750	-56.07	-20	PASS
1GHz to 10Fc	3161.3880	-40.38	-20	PASS
	1289.9630	-45.17	-20	PASS
	1719.9500	-45.79	-20	PASS
	2149.9370	-44.57	-20	PASS
	2579.9250	-44.52	-20	PASS
	3009.9120	-43.09	-20	PASS
	3439.9000	-42.15	-20	PASS
	3869.8870	-43.38	-20	PASS
	4299.8750	-44.07	-20	PASS

Digital: 434.9875 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	366.2141	-20.63	-20	PASS
(Fc + Test BW) to <2Fc	469.0077	-21.13	-20	PASS
2Fc to 1GHz	885.4988	-54.08	-20	PASS
	869.9750	-56.88	-20	PASS
1GHz to 10Fc	3080.0230	-40.57	-20	PASS
	1304.9630	-45.04	-20	PASS
	1739.9500	-45.39	-20	PASS
	2174.9370	-44.36	-20	PASS
	2609.9250	-45.10	-20	PASS
	3044.9120	-42.98	-20	PASS
	3479.9000	-42.60	-20	PASS
	3914.8870	-44.15	-20	PASS
	4349.8750	-44.54	-20	PASS

Digital: 380.0125 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-25.54	-20	PASS
(Fc + Test BW) to <2Fc	473.0574	-31.50	-20	PASS
2Fc to 1GHz	971.0929	-54.25	-20	PASS
	760.0250	-56.97	-20	PASS
1GHz to 10Fc	3350.6950	-41.31	-20	PASS
	1140.0370	-46.02	-20	PASS
	1520.0500	-45.43	-20	PASS
	1900.0620	-45.26	-20	PASS
	2280.0750	-45.35	-20	PASS
	2660.0880	-43.66	-20	PASS
	3040.1000	-44.01	-20	PASS
	3420.1130	-43.41	-20	PASS
	3800.1250	-43.49	-20	PASS

Digital: 406.2 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-26.05	-20	PASS
(Fc + Test BW) to <2Fc	478.5000	-31.83	-20	PASS
2Fc to 1GHz	987.8662	-54.45	-20	PASS
	812.4000	-57.30	-20	PASS
1GHz to 10Fc	3226.6420	-40.96	-20	PASS
	1218.6000	-45.03	-20	PASS
	1624.8000	-45.80	-20	PASS
	2031.0000	-45.26	-20	PASS
	2437.2000	-44.10	-20	PASS
	2843.4000	-43.46	-20	PASS
	3249.6000	-42.71	-20	PASS
	3655.8000	-43.33	-20	PASS
	4062.0000	-44.36	-20	PASS

Digital: 418.05 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-26.38	-20	PASS
(Fc + Test BW) to <2Fc	472.2079	-32.19	-20	PASS
2Fc to 1GHz	982.2655	-54.32	-20	PASS
	836.1000	-57.01	-20	PASS
1GHz to 10Fc	3061.0190	-41.23	-20	PASS
	1254.1500	-45.06	-20	PASS
	1672.2000	-45.88	-20	PASS
	2090.2500	-44.89	-20	PASS
	2508.3000	-44.21	-20	PASS
	2926.3500	-43.83	-20	PASS
	3344.4000	-43.07	-20	PASS
	3762.4500	-43.44	-20	PASS
	4180.5000	-44.28	-20	PASS

Digital: 429.9875 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-26.96	-20	PASS
(Fc + Test BW) to <2Fc	487.8339	-32.25	-20	PASS
2Fc to 1GHz	894.1318	-54.35	-20	PASS
	859.9750	-55.43	-20	PASS
1GHz to 10Fc	3111.8150	-41.30	-20	PASS
	1289.9630	-45.01	-20	PASS
	1719.9500	-45.76	-20	PASS
	2149.9370	-45.11	-20	PASS
	2579.9250	-45.17	-20	PASS
	3009.9120	-41.49	-20	PASS
	3439.9000	-43.66	-20	PASS
	3869.8870	-43.54	-20	PASS
	4299.8750	-43.78	-20	PASS

Digital: 434.9875 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-28.21	-20	PASS
(Fc + Test BW) to <2Fc	481.0458	-32.21	-20	PASS
2Fc to 1GHz	998.5147	-54.01	-20	PASS
	869.9750	-56.28	-20	PASS
1GHz to 10Fc	3170.6040	-41.21	-20	PASS
	1304.9630	-45.19	-20	PASS
	1739.9500	-45.25	-20	PASS
	2174.9370	-45.10	-20	PASS
	2609.9250	-44.62	-20	PASS
	3044.9120	-43.99	-20	PASS
	3479.9000	-43.01	-20	PASS
	3914.8870	-43.84	-20	PASS
	4349.8750	-44.16	-20	PASS

Phase II: 380.0125 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	348.3000	-32.50	-20	PASS
(Fc + Test BW) to <2Fc	499.3750	-31.71	-20	PASS
2Fc to 1GHz	858.4044	-53.98	-20	PASS
	760.0250	-56.71	-20	PASS
1GHz to 10Fc	3263.7360	-40.25	-20	PASS
	1140.0370	-45.22	-20	PASS
	1520.0500	-45.52	-20	PASS
	1900.0620	-45.72	-20	PASS
	2280.0750	-44.91	-20	PASS
	2660.0880	-43.97	-20	PASS
	3040.1000	-43.17	-20	PASS
	3420.1130	-42.12	-20	PASS
	3800.1250	-43.39	-20	PASS

Phase II: 406.2 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	351.3000	-31.55	-20	PASS
(Fc + Test BW) to <2Fc	638.9000	-30.07	-20	PASS
2Fc to 1GHz	851.1202	-52.66	-20	PASS
	812.4000	-57.05	-20	PASS
1GHz to 10Fc	3205.1730	-40.29	-20	PASS
	1218.6000	-45.19	-20	PASS
	1624.8000	-45.82	-20	PASS
	2031.0000	-44.86	-20	PASS
	2437.2000	-44.28	-20	PASS
	2843.4000	-43.96	-20	PASS
	3249.6000	-42.26	-20	PASS
	3655.8000	-42.85	-20	PASS
	4062.0000	-42.98	-20	PASS

Phase II: 418.05 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	306.5000	-31.76	-20	PASS
(Fc + Test BW) to <2Fc	491.1000	-30.91	-20	PASS
2Fc to 1GHz	851.1991	-52.10	-20	PASS
	836.1000	-56.34	-20	PASS
1GHz to 10Fc	3057.8330	-51.41	-20	PASS
	1254.1500	-45.33	-20	PASS
	1672.2000	-45.44	-20	PASS
	2090.2500	-44.42	-20	PASS
	2508.3000	-44.50	-20	PASS
	2926.3500	-42.89	-20	PASS
	3344.4000	-42.22	-20	PASS
	3762.4500	-43.37	-20	PASS
	4180.5000	-43.58	-20	PASS

Phase II: 429.9875 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	371.2000	-31.31	-20	PASS
(Fc + Test BW) to <2Fc	497.3000	-30.57	-20	PASS
2Fc to 1GHz	872.8131	-54.59	-20	PASS
	859.9750	-56.17	-20	PASS
1GHz to 10Fc	3210.9610	-40.87	-20	PASS
	1289.9630	-45.31	-20	PASS
	1719.9500	-45.83	-20	PASS
	2149.9370	-44.71	-20	PASS
	2579.9250	-43.73	-20	PASS
	3009.9120	-43.11	-20	PASS
	3439.9000	-42.92	-20	PASS
	3869.8870	-43.96	-20	PASS
	4299.8750	-44.14	-20	PASS

Phase II: 434.9875 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	353.0000	-31.81	-20	PASS
(Fc + Test BW) to <2Fc	624.9000	-30.16	-20	PASS
2Fc to 1GHz	877.1273	-54.15	-20	PASS
	869.9750	-56.12	-20	PASS
1GHz to 10Fc	3093.4420	-40.01	-20	PASS
	1304.9630	-43.91	-20	PASS
	1739.9500	-44.75	-20	PASS
	2174.9370	-44.63	-20	PASS
	2609.9250	-44.43	-20	PASS
	3044.9120	-43.07	-20	PASS
	3479.9000	-42.37	-20	PASS
	3914.8870	-42.27	-20	PASS
	4349.8750	-43.75	-20	PASS

Phase II: 380.0125 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-25.43	-20	PASS
(Fc + Test BW) to <2Fc	439.3113	-32.62	-20	PASS
2Fc to 1GHz	889.2713	-54.26	-20	PASS
	760.0250	-56.91	-20	PASS
1GHz to 10Fc	3092.6230	-41.01	-20	PASS
	1140.0370	-45.06	-20	PASS
	1520.0500	-45.42	-20	PASS
	1900.0620	-45.66	-20	PASS
	2280.0750	-45.29	-20	PASS
	2660.0880	-44.16	-20	PASS
	3040.1000	-43.98	-20	PASS
	3420.1130	-43.53	-20	PASS
	3800.1250	-43.56	-20	PASS

Phase II: 406.2 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-26.44	-20	PASS
(Fc + Test BW) to <2Fc	468.0319	-32.70	-20	PASS
2Fc to 1GHz	880.9732	-54.19	-20	PASS
	812.4000	-56.13	-20	PASS
1GHz to 10Fc	3051.8230	-41.03	-20	PASS
	1218.6000	-45.75	-20	PASS
	1624.8000	-45.37	-20	PASS
	2031.0000	-44.57	-20	PASS
	2437.2000	-45.04	-20	PASS
	2843.4000	-44.12	-20	PASS
	3249.6000	-42.57	-20	PASS
	3655.8000	-43.79	-20	PASS
	4062.0000	-43.92	-20	PASS

Phase II: 418.05 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-26.06	-20	PASS
(Fc + Test BW) to <2Fc	826.9701	-32.48	-20	PASS
2Fc to 1GHz	892.4107	-53.47	-20	PASS
	836.1000	-56.71	-20	PASS
1GHz to 10Fc	3280.8180	-49.87	-20	PASS
	1254.1500	-44.86	-20	PASS
	1672.2000	-45.26	-20	PASS
	2090.2500	-44.37	-20	PASS
	2508.3000	-43.86	-20	PASS
	2926.3500	-43.05	-20	PASS
	3344.4000	-42.86	-20	PASS
	3762.4500	-43.14	-20	PASS
	4180.5000	-43.11	-20	PASS

Phase II: 429.9875 MHz, 12.5kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-27.52	-20	PASS
(Fc + Test BW) to <2Fc	472.1114	-32.46	-20	PASS
2Fc to 1GHz	859.4708	-54.07	-20	PASS
	859.9750	-55.90	-20	PASS
1GHz to 10Fc	3164.6930	-40.89	-20	PASS
	1289.9630	-45.55	-20	PASS
	1719.9500	-45.75	-20	PASS
	2149.9370	-45.43	-20	PASS
	2579.9250	-44.79	-20	PASS
	3009.9120	-44.28	-20	PASS
	3439.9000	-43.28	-20	PASS
	3869.8870	-43.39	-20	PASS
	4299.8750	-44.13	-20	PASS

Phase II: 434.9875 MHz, 12.5kHz Channel Spacing, Low Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (MHz)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.4000	-27.19	-20	PASS
(Fc + Test BW) to <2Fc	766.0907	-31.81	-20	PASS
2Fc to 1GHz	887.2541	-51.85	-20	PASS
	869.9750	-56.28	-20	PASS
1GHz to 10Fc	3069.9580	-40.71	-20	PASS
	1304.9630	-45.06	-20	PASS
	1739.9500	-45.17	-20	PASS
	2174.9370	-44.12	-20	PASS
	2609.9250	-44.32	-20	PASS
	3044.9120	-43.14	-20	PASS
	3479.9000	-42.44	-20	PASS
	3914.8870	-42.81	-20	PASS
	4349.8750	-43.17	-20	PASS

FSK DIGITAL: 380.0125 MHz, 25kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	372.4000	-33.2110	-13.00	PASS
(Fc + Test BW) to <2Fc	444.5607	-29.6200	-13.00	PASS
2Fc to 1GHz	760.0250	-44.3400	-13.00	PASS
1GHz to 10Fc	1140.0370	-34.5700	-13.00	PASS
	1520.0500	-45.8234	-13.00	PASS
	1900.0620	-45.1165	-13.00	PASS
	2280.0750	-45.2573	-13.00	PASS
	2660.0880	-43.7915	-13.00	PASS
	3040.1000	-44.1041	-13.00	PASS
	3420.1130	-43.3960	-13.00	PASS
	3800.1250	-43.5454	-13.00	PASS

FSK DIGITAL: 406.2 MHz, 25kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	179.9000	-33.3890	-13.00	PASS
(Fc + Test BW) to <2Fc	691.4693	-29.8400	-13.00	PASS
2Fc to 1GHz	812.4000	-43.9900	-13.00	PASS
1GHz to 10Fc	1218.6000	-37.4500	-13.00	PASS
	1624.8000	-45.4819	-13.00	PASS
	2031.0000	-44.7803	-13.00	PASS
	2437.2000	-44.1460	-13.00	PASS
	2843.4000	-43.1868	-13.00	PASS
	3249.6000	-42.3104	-13.00	PASS
	3655.8000	-43.1249	-13.00	PASS
	4062.0000	-43.8567	-13.00	PASS

FSK DIGITAL: 418.05 MHz, 25kHz Channel Spacing, Max Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	226.6000	-32.6370	-13.00	PASS
(Fc + Test BW) to <2Fc	511.0294	-30.6200	-13.00	PASS
2Fc to 1GHz	836.1000	-46.7300	-13.00	PASS
1GHz to 10Fc	1254.1500	-37.9700	-13.00	PASS
	1672.2000	-45.1665	-13.00	PASS
	2090.2500	-44.8675	-13.00	PASS
	2508.3000	-44.5002	-13.00	PASS
	2926.3500	-44.5262	-13.00	PASS
	3344.4000	-43.6601	-13.00	PASS
	3762.4500	-44.5435	-13.00	PASS
	4180.5000	-44.4820	-13.00	PASS

FSK DIGITAL: 429.9875 MHz, 25kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	419.6000	-32.2590	-13.00	PASS
(Fc + Test BW) to <2Fc	433.8675	-30.4900	-13.00	PASS
2Fc to 1GHz	859.9750	-46.2800	-13.00	PASS
1GHz to 10Fc	1290.0000	-35.2100	-13.00	PASS
	1289.9630	-36.7581	-13.00	PASS
	1719.9500	-46.0620	-13.00	PASS
	2149.9370	-45.2667	-13.00	PASS
	2579.9250	-44.9817	-13.00	PASS
	3009.9120	-43.7634	-13.00	PASS
	3439.9000	-43.6173	-13.00	PASS
	3869.8870	-44.1636	-13.00	PASS
	4299.8750	-44.4621	-13.00	PASS

FSK DIGITAL: 434.9875 MHz, 25kHz Channel Spacing, Max Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	261.4000	-32.0800	-13.00	PASS
(Fc + Test BW) to <2Fc	765.2308	-29.4800	-13.00	PASS
2Fc to 1GHz	869.9750	-53.0300	-13.00	PASS
1GHz to 10Fc	1304.9630	-35.4000	-13.00	PASS
	1739.9500	-45.3893	-13.00	PASS
	2174.9370	-44.8588	-13.00	PASS
	2609.9250	-44.0012	-13.00	PASS
	3044.9120	-44.0348	-13.00	PASS
	3479.9000	-43.4006	-13.00	PASS
	3914.8870	-43.8437	-13.00	PASS
	4349.8750	-44.1384	-13.00	PASS

FSK DIGITAL: 380.0125 MHz, 25kHz Channel Spacing, Low Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	367.8000	-33.5620	-13.00	PASS
(Fc + Test BW) to <2Fc	482.8063	-29.8200	-13.00	PASS
2Fc to 1GHz	865.9987	-54.5400	-13.00	PASS
1GHz to 10Fc	3075.7930	-41.4000	-13.00	PASS
	1140.0370	-46.2223	-13.00	PASS
	1520.0500	-46.0071	-13.00	PASS
	1900.0620	-45.3434	-13.00	PASS
	2280.0750	-45.1023	-13.00	PASS
	2660.0880	-43.8638	-13.00	PASS
	3040.1000	-44.3578	-13.00	PASS
	3420.1130	-43.4401	-13.00	PASS
	3800.1250	-43.3094	-13.00	PASS

FSK DIGITAL: 406.2 MHz, 25kHz Channel Spacing, Low Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	399.6000	-33.0160	-13.00	PASS
(Fc + Test BW) to <2Fc	486.8856	-30.9600	-13.00	PASS
2Fc to 1GHz	821.4598	-54.8400	-13.00	PASS
1GHz to 10Fc	3278.7810	-40.8400	-13.00	PASS
	1218.6000	-45.9573	-13.00	PASS
	1624.8000	-46.1116	-13.00	PASS
	2031.0000	-44.7310	-13.00	PASS
	2437.2000	-45.7699	-13.00	PASS
	2843.4000	-44.2619	-13.00	PASS
	3249.6000	-42.7861	-13.00	PASS
	3655.8000	-44.1486	-13.00	PASS
	4062.0000	-44.0501	-13.00	PASS

FSK DIGITAL: 418.05 MHz, 25kHz Channel Spacing, Low Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	116.6000	-34.4890	-13.00	PASS
(Fc + Test BW) to <2Fc	458.9921	-30.2400	-13.00	PASS
2Fc to 1GHz	884.9791	-54.5900	-13.00	PASS
1GHz to 10Fc	3143.8410	-41.4300	-13.00	PASS
	1254.1500	-45.2810	-13.00	PASS
	1672.2000	-46.0154	-13.00	PASS
	2090.2500	-45.2191	-13.00	PASS
	2508.3000	-44.4883	-13.00	PASS
	2926.3500	-43.0703	-13.00	PASS
	3344.4000	-43.5683	-13.00	PASS
	3762.4500	-43.9746	-13.00	PASS
	4180.5000	-43.3205	-13.00	PASS

FSK DIGITAL: 429.9875 MHz, 25kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	408.4000	-32.7570	-13.00	PASS
(Fc + Test BW) to <2Fc	458.9385	-29.3800	-13.00	PASS
2Fc to 1GHz	883.9800	-54.0300	-13.00	PASS
1GHz to 10Fc	3052.3270	-40.5600	-13.00	PASS
	1289.9630	-45.0686	-13.00	PASS
	1719.9500	-45.0154	-13.00	PASS
	2149.9370	-44.3926	-13.00	PASS
	2579.9250	-44.3718	-13.00	PASS
	3009.9120	-43.7251	-13.00	PASS
	3439.9000	-43.1733	-13.00	PASS
	3869.8870	-42.2639	-13.00	PASS
	4299.8750	-43.3824	-13.00	PASS

FSK DIGITAL: 434.9875 MHz, 25kHz Channel Spacing, Low Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	166.1000	-32.5340	-13.00	PASS
(Fc + Test BW) to <2Fc	465.9982	-30.3600	-13.00	PASS
2Fc to 1GHz	967.8641	-54.8400	-13.00	PASS
1GHz to 10Fc	3116.9260	-41.2400	-13.00	PASS
	1304.9630	-46.2971	-13.00	PASS
	1739.9500	-46.2074	-13.00	PASS
	2174.9370	-45.0429	-13.00	PASS
	2609.9250	-45.6432	-13.00	PASS
	3044.9120	-44.5100	-13.00	PASS
	3479.9000	-43.7943	-13.00	PASS
	3914.8870	-43.6007	-13.00	PASS
	4349.8750	-44.5182	-13.00	PASS

LSM: 380.0125 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	342.0000	-31.0010	-20.00	PASS
(Fc + Test BW) to <2Fc	384.5676	-30.5300	-20.00	PASS
2Fc to 1GHz	760.0250	-40.4100	-20.00	PASS
1GHz to 10Fc	1140.0000	-29.5100	-20.00	PASS
	1520.0500	-45.7435	-20.00	PASS
	1900.0620	-45.5036	-20.00	PASS
	2280.0750	-45.3640	-20.00	PASS
	2660.0880	-44.9291	-20.00	PASS
	3040.1000	-43.4988	-20.00	PASS
	3420.1130	-43.2327	-20.00	PASS
	3800.1250	-44.5902	-20.00	PASS

LSM: 406.2 MHz, 12.5kHz Channel Spacing, Max Power




Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	381.8000	-32.9500	-20.00	PASS
(Fc + Test BW) to <2Fc	480.8685	-29.6100	-20.00	PASS
2Fc to 1GHz	812.4000	-40.2300	-20.00	PASS
1GHz to 10Fc	1219.0000	-32.5200	-20.00	PASS
	2031.0000	-45.3110	-20.00	PASS
	2437.2000	-45.1478	-20.00	PASS
	2843.4000	-43.0799	-20.00	PASS
	3249.6000	-43.3495	-20.00	PASS
	3655.8000	-43.3864	-20.00	PASS
	4062.0000	-43.4259	-20.00	PASS
	1220.8240	-38.1600	-20.00	PASS

LSM: 418.05 MHz, 12.5kHz Channel Spacing, Max Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	266.7000	-34.0010	-20.00	PASS
(Fc + Test BW) to <2Fc	821.6011	-30.4900	-20.00	PASS
2Fc to 1GHz	836.1000	-43.5700	-20.00	PASS
1GHz to 10Fc	1254.0000	-32.6700	-20.00	PASS
	1672.2000	-45.9247	-20.00	PASS
	2090.2500	-45.0288	-20.00	PASS
	2508.3000	-44.8266	-20.00	PASS
	2926.3500	-44.2539	-20.00	PASS
	3344.4000	-42.5131	-20.00	PASS
	3762.4500	-44.0896	-20.00	PASS
	4180.5000	-44.5931	-20.00	PASS

LSM: 429.9875 MHz, 12.5kHz Channel Spacing, Max Power



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	150.9000	-33.4920	-20.00	PASS
(Fc + Test BW) to <2Fc	472.5363	-30.5700	-20.00	PASS
2Fc to 1GHz	859.9750	-44.0000	-20.00	PASS
1GHz to 10Fc	1290.0000	-30.1600	-20.00	PASS
	2149.9370	-45.5194	-20.00	PASS
	2579.9250	-44.2947	-20.00	PASS
	3009.9120	-44.6042	-20.00	PASS
	3439.9000	-44.1349	-20.00	PASS
	3869.8870	-43.8012	-20.00	PASS
	4299.8750	-43.9150	-20.00	PASS

LSM: 434.9875 MHz, 12.5kHz Channel Spacing, Max Power



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	382.3000	-32.5330	-20.00	PASS
(Fc + Test BW) to <2Fc	484.9152	-29.6900	-20.00	PASS
2Fc to 1GHz	869.9750	-52.9400	-20.00	PASS
1GHz to 10Fc	1305.0000	-31.1200	-20.00	PASS
	1739.9500	-46.1713	-20.00	PASS
	2174.9370	-45.4133	-20.00	PASS
	2609.9250	-44.9197	-20.00	PASS
	3044.9120	-44.0906	-20.00	PASS
	3479.9000	-43.5838	-20.00	PASS
	3914.8870	-43.6771	-20.00	PASS
	4349.8750	-44.5337	-20.00	PASS