

TABLE 1
FIELD STRENGTH
RADIATED EMISSIONS DATA SHEET

EMISSION FREQUENCY (MHZ)	ANTENNA POLARITY (H,V)	EMISSION LEVEL (dBuV)	ANTENNA FACTOR AND CABLE LOSS (dB)	EMISSION LEVEL (dBuV/m)	FCC LIMIT (3 METERS) (dBuV/m)
27.145	V	64.1	0.0	64.1	80
27.145	H	69.2	0.0	69.2	80
54.292	V	28.3	5.4	33.7	40
54.292	H	<21.0	5.4	<26.4	40
81.438	V&H	<22.0	9.2	<31.2	40
108.584	V&H	<15.0	13.2	<28.2	40
135.730	V&H	<12.0	15.5	<27.5	40
162.871	V&H	<10.5	17.1	<27.6	40
190.022	V&H	<10.5	19.0	<29.5	40
217.168	V&H	<10.5	19.9	<30.4	46
244.314	V&H	<10.5	20.9	<31.4	46
271.460	V&H	<10.5	22.0	<32.5	46

All limits are specified in Quasi-Peak, all data reported in Peak.

CLIENT:	TAIYO KOGYO
FCC ID:	AEKA10127
MODEL:	
TEST DATE:	05/09/01
TEST ENGINEER:	Michael A. Nicolay

