



Smart Battery Camera

Quick Operation Guide



I. Standard Configuration




Camera X1



Screw Pack X1



Power Cord X1



Upper wall X1



Manual X1




Rotate clockwise to tighten and tighten the bracket.



Rotating counterclockwise can loosen the bracket and adjust the installation direction of the equipment.

The picture is for reference only. Please refer to the actual product.

II. Widget Indication



Pay attention to waterproofing. Make sure the waterproof rubber plug is fully closed before use.

III. Start Using



Android/iOS self-adaptive
Scanning QR code to download APP.




Open the APP, click "Click the button to add a device" or the "+" icon in the upper - right corner, and follow the APP prompts to perform the next - step operations.

IV. Connect the camera

1. Press and hold the power button for 3-5 seconds until the device sends a voice, and broadcast "The device has been turned on, please use the APP to bind the device".

Click the "Add" button of the APP or the "+" number in the upper right corner to scan the QR code of the camera body with your mobile phone.




2. Enter the wifi account and password to be connected on the APP (currently only 2.4G wifi is supported). Then follow the APP prompts to perform the next step to complete the binding.



V. Quick Installation

The camera supports three installation methods: desktop placement, wall punching, and magnetic attraction.


Approximately 15° - 20°



Installation height: 2 meters is recommended, and the angle is about 15-20 ° downward.

VI. Camera Charging

When the battery is low, the APP will remind you to charge, please use a 5V charger to charge.



VII. PortIndicator Status

Operation	State
Distribution network	Blue light flashing
The device is working normally	Blue light is always on
Charging	red light is always on

VIII.FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party. Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.