

# Compliance Statement Insert

**Device Name:** Pen Notepad Computer

**Model Number:** Model 700C (740/741, 750/751, & 760/761 Configurations)

**The responsible party for the compliance of this device is:**

**Intermec Technologies Corporation**  
6001 36<sup>th</sup> Avenue West  
Everett, WA 98203 USA  
(425) 348-2600

**CAUTION:** See users guide instructions for handling, charging, and replacing batteries. Failure to follow those instructions can result in personal injury, fire, or battery explosion.

**This product conforms to the following approvals. The user(s) of this product are cautioned to use accessories and peripherals approved by Intermec Technologies Corporation. The use of accessories other than those recommended, or changes to this product that are not approved by Intermec Technologies Corporation, may void the compliance of this product and may result in the loss of the users authority to operate the equipment.**

## **FCC Digital Emissions Compliance**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the radio or television receiving antenna.
- Increase the separation between the computer equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the radio or television receiver is connected.
- Consult the dealer or an experienced radio television technician for help.

## **Canadian Digital Apparatus Compliance**

This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.

Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

## **Radio Wave Exposure and Specific Absorption Rate (SAR) Information for Model 700C Configurations Used with the Optional IP3 RFID Tag Reader**

When installing and using the Intermec IP3 scan handle RFID tag reader on the 700C, a 20-cm (8-inch) passing distance must be maintained from any body part of the user or nearby persons and the tag reader. The antenna must not be touched during transmitter operation.

## **Radio Wave Exposure and Specific Absorption Rate (SAR) Information for Model 700C Configurations with GSM/GPRS Radio**

The Model 700C Pen Notepad computer has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate or SAR. Tests for SAR are conducted using standardized methods with the device transmitting at its highest certified power level.

While there may be differences between the SAR levels of various products, they are all designed to meet the relevant guidelines for exposure to the radio waves.

For residents of the European Union and other countries/regions that have adopted the International Commission on Non-Ionizing Radiation Protection (ICNIRP) SAR limit of 2W/Kg averaged over 10 grams of tissue for uncontrolled general population exposure, the highest SAR value for the Model 700C Pen Notepad computer, as tested by Compliance Certification Services, for use at the ear is 0.303W/Kg (10g).

For residents of Canada and the United States and other countries/regions that have adopted the SAR limit recommended by Industry Canada RSS-102 and Federal Communications Commission Office of Engineering and Technology (OET) Bulletin 65, which is 1.6W/kg averaged over one (1) gram of tissue for uncontrolled general population exposure, the highest SAR value for the Model 700C Pen Notepad computer, as tested by Compliance Certification Services, for use at the ear is 0.779W/kg.

For body worn operation, this radio has been tested and meets the FCC RF exposure guidelines when used with the Intermec accessories supplied or designated for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines. The highest SAR value for the Model 700C Pen Notepad computer, as tested by Compliance Certification Services, when worn on the body is 0.443 W/kg."



# Compliance Statement Insert

Device Name: Pen Notepad Computer

Model Number: Model 700C (740, 750, & 760 Configurations)

The responsible party for the compliance of this device is:

Intermec Technologies Corporation  
6001 36<sup>th</sup> Avenue West  
Everett, WA 98203 USA  
(425) 348-2600

## Radio Wave Exposure and Specific Absorption Rate (SAR) Information for Model 700C Configurations with CDMA Radio

The Model 700C Pen Notepad computer has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate or SAR. Tests for SAR are conducted using standardized methods with the device transmitting at its highest certified power level.

While there may be differences between the SAR levels of various products, they are all designed to meet the relevant guidelines for exposure to the radio waves.

For residents of Canada and the United States and other countries/regions that have adopted the SAR limit recommended by Industry Canada RSS-102 and Federal Communications Commission Office of Engineering and Technology (OET) Bulletin 65, which is 1.6W/Kg averaged over one (1) gram of tissue for uncontrolled general population exposure, the highest SAR value for the Model 700C Pen Notepad computer, as tested by Celltech Lab Inc., for use at the ear is 1.47W/kg.

For body worn operation, this radio has been tested and meets the FCC RF exposure guidelines when used with the Intermec accessories supplied or designated for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines. The highest SAR value for the Model 700C Pen Notepad computer, as tested by Celltech Lab Inc., when worn on the body is 1.0 W/kg.

## Laser Compliance and Precaution

The 700C is registered with the CDRH as a Class II Laser Product (CFR 21 Subpart J). This product has a maximum output of 1.0 mW at 630-680 nm.



### Warning

*There are no user serviceable parts inside the 700C. Use of controls or adjustments, or performance of procedures other than those specified herein, may result in hazardous laser light exposure of up to 1 mW at 630-680 nm.*

### Avertissement


*Aucune des pièces internes du modèle 700C ne peut être réparée par l'utilisateur.*

*L'utilisation d'appareils de contrôle et ajustement ainsi que l'exécution de procédures d'utilisation autres que celles qui sont indiquées dans la présente publication peuvent entraîner une exposition dangereuse à la lumière laser pouvant atteindre jusqu'à 1 mW à 630-680 nm.*

**Note:** There are no controls or adjustments provided for routine operation or maintenance of the 700C.

**Remarque:** Aucun appareil de contrôle ou d'ajustement n'est fourni pour les opérations de routine ou de maintenance de l'appareil 700C.

The label shown below is attached on the underside of the 700C devices containing a laser scanner.



# DECLARATION OF CONFORMITY

(According to ISO/IEC Guide 22 and EN 45014)

PAGE ONE OF ONE

THE PRODUCT HEREWITH COMPLIES WITH THE REQUIREMENTS OF :  
THE LOW-VOLTAGE DIRECTIVE 73/23/EEC.  
THE EMC DIRECTIVE 89/336/EEC.  
THE R&TTE DIRECTIVE 1999/05/EC.

**Manufacturer's Name:**  
**Intermec Technologies Corporation**  
**6001 36<sup>th</sup> Avenue West**  
**Everett, WA 98203**

**European Representative:**  
**Intermec International Incorporated**  
**Sovereign House, Vastern Road**  
**Reading, Berkshire**  
**RG1 8BT England**

**Declares that the product listed below:**

**Product Type:** ITE/Residential, Commercial, and Light Industrial

**Product Name:** Model 700C

**Model Number:** Model 700C

**Beginning Serial Number:** All

**Options:** All

**Date Issued:** January 5, 2005

**Conforms to the following product specifications:**

**Safety:** IEC 950 / EN 60950

**EMC:** EN 55022 : 1998 / CISPR Publication 22 : 1997, Class B Limits and Methods

EN 55024 : 1998 (CISPR 24) Information Technology Equipment – Immunity Characteristics –  
Limits and Methods of Measurement  
EN 61000-4-2 : 1995 – Electrostatic Discharge  
EN 61000-4-3 : 1995 – Radiated RF Field  
EN 61000-4-4 : 1995 – Electrical Fast Transients  
EN 61000-4-5 : 1995 – Voltage Surge  
EN 61000-4-6 : 1996 – Conducted RF Field  
EN 61000-4-8 : 1995 – Magnetic Field  
EN 61000-4-11 : 1994 – Voltage Dips, Short Interruptions, and Variations

EN61000-3-2 : 1995 + A1 : 1998 + A2 : 1998 + A14 : 2000 – Harmonic Current Emissions

EN61000-3-3 : 1994 – Voltage Fluctuation and Flicker

**Radio:** ETSI EN 300 328-2 V1.1.1 (2000-7)

**Laser:** IEC 60825-1 / EN 60825-1 – Class 2 (630-680 nm 1.0W)

**Linear Imager:** IEC 60825-1 / EN 60825-1 – Class 1 LED Product

**I, the undersigned, hereby declare that the equipment specified above conforms to the above Directive(s) and Standard(s).**

**Company Official:** Michael Abel

**Position:** Vice President

**Signature:** \_\_\_\_\_ **Signed Copy on File**

**Date:** January 5, 2005

**European Contact:** Intermec International Incorporated, Sovereign House, Vastern Road, Reading, Berkshire, RG1 8BT England;  
**Phone** INT+44 118 987 9400; **Fax** INT+44 118 987 9401

**Czech Republic Contact:** Global AmeriTech Corporation, Rytirska 10, 110 00, Prague 1, Czech Republic;  
**Phone** INT+420-224 210 493; **Fax** INT+420-224 211 729



# PROHLÁŠENÍ O DODRŽOVÁNÍ TECHNICKÝCH NAŘÍZENÍ

(V souladu se směrnicí 22 ISO/IEC a EN 45014)

STRÁNKA JEDNA Z JEDNÉ STRÁNKY

**ZDE UVEDENÝ VÝROBEK SPLŇUJE POŽADAVKY:  
SMĚRNICE 73/23/EEC PRO NÍZKONAPĚŤOVÁ ZAŘÍZENÍ  
SMĚRNICE EMC 89/336/EEC  
SMĚRNICE R&TTE 1999/05/EC**

**Jméno výrobce:**  
**Intermec Technologies Corporation**  
**6001 36<sup>th</sup> Avenue West**  
**Everett, WA 98203, USA**

**Evropský zástupce:**  
**Intermec International Incorporated**  
**Sovereign House, Vastern Road**  
**Reading, Berkshire**  
**RG1 8BT England**

prohlašuje, že níže uvedený výrobek:

**Typ výrobku:** Vybavení informační technologie/rezidenční, komerční a lehké průmyslové  
**Název výrobku:** Model 700C  
**Číslo výrobku:** Model 700C  
**Počáteční sériové číslo:** Všechna

**Varianty:** Všechny  
**Datum vydání:** Leden 5, 2005

**Splňuje následující parametry výrobku:**

**Bezpečnostní:** IEC 950 / EN 60950

**EMC:** EN 55022 : 1998 / CISPR vyhláška 22: 1997, Limity a metody třídy B

EN 55024: 1998 (CISPR 24) Vybavení informační technologie – charakteristiky odolnosti –

Limity a metody měření

EN 61000-4-2 : 1995 – Elektrostatický výboj

EN 61000-4-3 : 1995 – Vyzařované vysokofrekvenční pole

EN 61000-4-4: 1995 – Rychlé přechodové elektrické jevy

EN 61000-4-5: 1995 – Napětíový ráz

EN 61000-4-6: 1996 – Vedené vysokofrekvenční pole

EN 61000-4-8: 1995 – Magnetické pole

EN 61000-4-11: 1994 – Krátkodobé poklesy napětí, krátká přerušení a pomalé změny napětí

EN61000-3-2: 1995 + A1: 1998 + A1: 1998 + A1: 2000 – Vyzařované harmonické proudy

EN61000-3-3: 1994 – Kolísání napětí a blikání

**Radio:** ETSI EN 300 328-2 V1.1.1 (2000-7)

**Laser:** IEC 60825-1 / EN 60825-1 – Class 2 (630-680 nm 1.0W)

**Linear Imager:** IEC 60825-1 / EN 60825-1 – Class 1 LED Product

**Já, níže podepsaný, tímto potvrzuji, že výše uvedené vybavení splňuje požadavky výše uvedených nařízení a standardů.**

**Zástupce společnosti:** Michael Abel

**Pozice:** viceprezident

**Podpis:** \_\_\_\_\_ **Podepsaná kopie v evidenci**

**Datum:** Leden 5, 2005

**Evropský kontakt:** Intermec International Incorporated, Sovereign House, Vastern Road, Reading, Berkshire, RG1 8BT England;  
**Telefon:** MEZIN. +44 118 987 9400; **Fax** MEZIN.+44 118 987 9401

**Kontakt v České republice:** Global AmeriTech Corporation, Rytířská 10, 110 00, Praha 1, Česká republika;  
**Telefon:** MEZIN. +420-224 210 493; **Fax** MEZIN. +420-224 211 729

