

Page 1 of 76

# **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

# INTENTIONAL RADIATOR CERTIFICATION TO **FCC PART 15 SUBPART C REQUIREMENT**

**Product Name:** BT 4.2 Module

**Brand Name:** Raytac

Model No.: MDBT42Q, MDBT42Q-P

**Model Difference:** MDBT42Q with Chip antenna,

MDBT42Q-P with PCB antenna

FCC ID: SH6MDBT42Q

**Report No.:** ER/2016/70009

**Issue Date:** Jul. 22, 2016

**FCC Rule Part:** §15.247, Cat: DTS

**Prepared for: Raytac Corporation** 

5F, No.3, Jiankang Rd., Zhonghe Dist., New

Taipei City, 23586, Taiwan

SGS Taiwan Ltd. Prepared by:

> **Electronics & Communication Laboratory** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City,

Taiwan 24803





Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Document Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Page 2 of 76

# VERIFICATION OF COMPLIANCE

**Applicant:** Raytac Corporation

5F, No.3, Jiankang Rd., Zhonghe Dist., New Taipei City, 23586,

Taiwan

BT 4.2 Module **Product Name:** 

**Brand Name:** Raytac

Model No.: MDBT42Q, MDBT42Q-P

**Model Difference:** MDBT42Q with Chip antenna, MDBT42Q-P with PCB antenna

FCC ID: SH6MDBT42Q

**Report Number:** ER/2016/70009

Jul. 04, 2016 ~ Jul. 22, 2016 Date of test:

Date of EUT Received: Jul. 04, 2016

## We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Cooper Hsu	Date	Jul. 22, 2016
	Cooper Hsu / Engineer		
Prepared By:	Yuri Tsou	Date	Jul. 22, 2016
Approved By:	Yuri Tsai / Clerk Tim Chang	Date	Jul. 22, 2016
	Jim Chang / Asst. Manager	_	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 3 of 76

# **Revision History**

Report Number	Revision	Description	Issue Date
ER/2016/70009	Rev.00	Initial creation of document	Jul. 22, 2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKungRoad NewTaineilorialstrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com





## **Table of Contents**

1	GEN	ERAL INFORMATION	6
	1.1	Product Description	6
	1.2	Product Feature of Equipment Under Test	7
	1.3	Test Methodology of Applied Standards	
	1.4	Test Facility	8
	1.5	Special Accessories	8
	1.6	Equipment Modifications	8
2	SYST	TEM TEST CONFIGURATION	9
	2.1	EUT Configuration	9
	2.2	EUT Exercise	9
	2.3	Test Procedure	9
	2.4	Measurement Results Explanation Example	9
	2.5	Configuration of Tested System	10
3	SUMI	MARY OF TEST RESULTS	11
4	DESC	CRIPTION OF TEST MODES	11
	4.1	Operated in 2400 ~ 2483.5MHz Band	11
	4.2	The Worst Test Modes and Channel Details	12
5	MEAS	SUREMENT UNCERTAINTY	13
6	CONI	DUCTED EMISSION TEST	
	6.1	Standard Applicable:	
	6.2	Measurement Equipment Used:	
	6.3	EUT Setup:	14
	6.4	Test SET-UP (Block Diagram of Configuration)	15
	6.5	Measurement Procedure:	15
	6.6	Measurement Result:	15
7	PEA	K OUTPUT POWER MEASUREMENT	18
	7.1	Standard Applicable:	18
	7.2	Measurement Equipment Used:	18
	7.3	Test Set-up:	18
	7.4	Measurement Procedure:	19
	7.5	Measurement Result:	20
8	6dB I	BANDWIDTH MEASUREMENT	21
	8.1	Standard Applicable	21
	8.2	Measurement Equipment Used	21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCSCT always Liv\*\*

\*\*INCLUDED AND ALW With unported New Triangle Part With Unifortic New Triangle City Triangle Always and the scale of the service of the scale of SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 5 of 76

	8.3	Test Set-up:	21
	8.4	Measurement Procedure:	22
	8.5	Measurement Result:	22
9	CONE	DUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	25
	9.1	Standard Applicable	25
	9.2	Measurement Equipment Used:	25
	9.3	Test SET-UP:	25
	9.4	Measurement Procedure	26
	9.5	Measurement Result	26
10	RADI	ATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	31
	10.1	Standard Applicable	31
	10.2	Measurement Equipment Used	32
	10.3	Test SET-UP	33
	10.4	Measurement Procedure	34
	10.5	Field Strength Calculation	35
	10.6	Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz	35
	10.7	Measurement Result:	35
11	PEAK	POWER SPECTRAL DENSITY	64
	11.1	Standard Applicable:	64
	11.2	Measurement Equipment Used:	64
	11.3	Test Set-up:	64
	11.4	Measurement Procedure:	64
	11.5	Measurement Result:	65
12	ANTE	NNA REQUIREMENT	68
	12.1	Standard Applicable:	68
	12.2	Antenna Connected Construction:	68
13	MAXI	MUM PERMISSIBLE EXPOSURE (MPE)	69
	13.1	Standard Applicable	
	13.2	Maximum Permissible Exposure (MPE) Evaluation	70
РН	OTOG	RAPHS OF SET UP	71
		RAPHS OF FUT	76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKungRoad NewTaineilorialstrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 6 of 76

### **GENERAL INFORMATION**

## 1.1 Product Description

#### General:

Jeneral.	
Product Name:	BT 4.2 Module
Brand Name:	Raytac
Model No.:	MDBT42Q, MDBT42Q-P
Model Difference:	MDBT42Q with Chip antenna, MDBT42Q-P with PCB antenna
Software version:	1
Hardware version:	1
Power Supply:	3Vdc

Bluetooth Low Energy:

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V4.2 single mode
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	3.57 dBm
Antenna Designation:	Chip Antenna, Gain:-1.6dBi Model No.: MDBT42Q, Supplier: Raytac PCB Antenna, Gain:-1.61dBi Model No.: MDBT42Q-P, Supplier: Raytac

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCSCT always Liv\*\*

\*\*INCLUDED AND ALW With unported New Triangle Part With Unifortic New Triangle City Triangle Always and the scale of the service of the scale of

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page 7 of 76

### 1.2 Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is supporting Bluetooth features, and below is details of information

details of information.	
	Product Feature
Product Name:	BT 4.2 Module
Brand Name:	Raytac
Model No.:	MDBT42Q, MDBT42Q-P
Model Difference:	MDBT42Q with Chip antenna, MDBT42Q-P with PCB antenna
FCC ID:	SH6MDBT42Q
Bluetooth Version	V4.2 single mode

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wheat of the transfer of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 8 of 76

### **Test Methodology of Applied Standards**

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

### **Test Facility**

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Numbers are: 509634

IC Registration Numbers are: 4260A-5

### **Special Accessories**

There are no special accessories used while test was conducted.

### **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

This documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a h tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 9 of 76

### SYSTEM TEST CONFIGURATION

### **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### **EUT Exercise** 2.2

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 **Test Procedure**

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plan. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz.. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

#### Note:


The spectrum analyzer offset is derived from RF cable loss 1dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



# 2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission & Conducted (Antenna Port) Configuration




Fig. 2-2 Conduction



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Bluetooth Test Soft- ware	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L420	LR-7HXZA	Shielded	Un-Shielded
3.	Testing Kit	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only. 

Phys A Responsible 19 with the sample of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 11 of 76

### SUMMARY OF TEST RESULTS

FCC Rules Description Of Test		Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Peak Power Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

### **DESCRIPTION OF TEST MODES**

### 4.1 Operated in 2400 ~ 2483.5MHz Band

40 channels are provided for Bluetooth LE

TO CHAITICI	40 charmers are provided for bidetooth LL							
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY			
0	2402 MHz	14	2430 MHz	28	2458 MHz			
1	2404 MHz	15	2432 MHz	29	2460 MHz			
2	2406 MHz	16	2434 MHz	30	2462 MHz			
3	2408 MHz	17	2436 MHz	31	2464 MHz			
4	2410 MHz	18	2438 MHz	32	2466 MHz			
5	2412 MHz	19	2440 MHz	33	2468 MHz			
6	2414 MHz	20	2442 MHz	34	2470 MHz			
7	2416MHz	21	2444 MHz	35	2472 MHz			
8	2418 MHz	22	2446 MHz	36	2474 MHz			
9	2420 MHz	23	2448 MHz	37	2476 MHz			
10	2422 MHz	24	2450 MHz	38	2478 MHz			
11	2424 MHz	25	2452 MHz	39	2480 MHz			
12	2426 MHz	26	2454 MHz					
13	2428 MHz	27	2456 MHz					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 12 of 76

### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

#### **RADIATED EMISSION TEST:**

RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE AVAILABLE TESTED MODULATION DATA RATE (Mbps)					
Bluetooth LE	0 to 39	0,20,39	GFSK	1	
	RADI	ATED EMISSIC	N TEST (ABOVE 1	GHz)	
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	
Bluetooth LE	0 to 39	0,20,39	GFSK	1	

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth LE Transmitter for channel Low, Mid and High, the worst case E2 position and 2 types antenna measurement data was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	
Bluetooth LE	0 to 39	0,20,39	GFSK	1	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.





Page 13 of 76

### **MEASUREMENT UNCERTAINTY**

Test Items	Uncertainty		
AC Power Line Conducted Emission	+/- 2.586 dB		
Peak Output Power	+/- 0.84 dB		
6dB Bandwidth	+/- 51.33 Hz		
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB		
Peak Power Density	+/- 1.3 dB		
Temperature	+/- 0.65 °C		
Humidity	+/- 4.6 %		
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%		

### Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB			
Macaumanantumantaintu	30MHz - 167MHz: +/- 4.22dB			
Measurement uncertainty (Polarization : <b>Horizontal</b> )	167MHz -500MHz: +/- 3.44dB			
(Folanzation : Honzontal)	0.5GHz-1GHz: +/- 3.39dB			
	1GHz - 18GHz: +/- 4.08dB			
	18GHz - 40GHz: +/- 4.08dB			

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 14 of 76

### CONDUCTED EMISSION TEST

### Standard Applicable:

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Lim dB(t	
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

#### Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### **Measurement Equipment Used:**

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017				
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/16/2016	05/15/2017				
LISN	MESS TEC	FCC-LISN-50/250 -25-2-01	4034	05/16/2016	05/15/2017				
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2015	11/25/2016				

## 6.3 EUT Setup:


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.





6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure:

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 Measurement Result:

The initial step in collecting conducted data is a spectrum analyzer peak scan of the measurement range. Significant peaks are then marked as shown on the following data page, and these signals are then quasi-peaked.

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_end\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_end\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_end\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>.

Attention is drawn to the limitation of liability, indemnification and tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page 16 of 76

Temperature

Humidity:

26 T

### AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	BT4.2	70		Test Date:	Jul. 06, 2016
Temperature:	24	Humidity:	70%	Test By:	JJ
Model No.:	N/A	_ <b>.</b>		Phase:	L1 / N

Site ConductionRoom

Limit: FCC Class B Conduction(QP)

Mode: Operationmode

Note:


#### Conducted Emission

Phase:

Power:

LI

AC 120V/60Hz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only. 

Phys A Responsible 19 with the sample of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 17 of 76



Site ConductionRoom

Limit: FCC Class B Conduction(QP)

Mode: Operationmode


Note:

Phase: Power:

N AC 120V/60Hz Temperature

Humidity: 60%

**Conducted Emission** 



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV	dBuV	dB	Delector	Comment	
1		0.1800	48.07	0.19	48.26	64.49	-16.23	peak		
2		0.2200	38.05	0.19	38.24	62.82	-24.58	peak		
3	1	0.2900	35.07	0.20	35.27	60.52	-25.25	peak		
4		0,5400	33.57	0.19	33.76	56.00	-22.24	peak		
5		3.1800	35.13	0.28	35.41	56.00	-20.59	peak		
6		17.5200	34,68	0.53	35.21	60.00	-24.79	peak		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCSCT always Liv\*\*

\*\*INCLUDED AND ALW With unported New Triangle Part With Unifortic New Triangle City Triangle Always and the scale of the service of the scale of

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Page 18 of 76

#### PEAK OUTPUT POWER MEASUREMENT

### **Standard Applicable:**

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.


If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

7.2 Measurement Equipment Used:

	Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016					
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016					
EXA Spectrum										
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017					
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017					
Coaxial Cable	HUBER+SUHN ER	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017					
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017					
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017					
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016					
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017					

### **Test Set-up:**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 19 of 76

### 7.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

- 4. Record the max. Reading as observed from Power Meter.
- 5. Repeat above procedures until all test default channel measured was complete.

### **Duty Factor:**

	Duty Cycle (%)	Duty Factor (dB)
BLE	8.72	10.59

Duty Cycle Factor:10\*log(1/8.72/100)=10.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_end\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_end\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_end\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 20 of 76

#### 7.5 Measurement Result:

BT4.2 mode:

### RI F mode:

BLE mode.								
СН	Frequency (MHz)	Peak Power Output (dBm)	Required Limit					
0	2402	3.57	1 Watt = 30 dBm					
20	2442	3.54	1 Watt = 30 dBm					
39	2480	3.46	1 Watt = 30 dBm					

### Tune up tolerance ± dBm

СН	Frequency (MHz)	Max. Output include tune up tolerance Power (dBm)	Required Limit
0	2402	3.40	1 Watt = 30 dBm
20	2442	3.36	1 Watt = 30 dBm
39	2480	3.26	1 Watt = 30 dBm

\*Note: Measured by power meter, cable loss as 1 dB that offsets on the power meter in Peak

\*Note: Measured by power meter, as cable loss+ Duty cycle factor that offsets on the power meter

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279



Page 21 of 76

### 6dB BANDWIDTH MEASUREMENT

### 8.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

#### 8.2 **Measurement Equipment Used**

Conducted Emission Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017			
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017			
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017			

### **Test Set-up:**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 22 of 76

#### 8.4 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:

Set the spectrum analyzer as RBW=100 kHz, VBW= 3\*RBW, Span = 5MHz, Detector=Peak, Sweep=auto.

- 5. Mark the peak frequency and -6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW=3\*RBW, Span = 2MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all test default channel is completed

#### **Measurement Result:**

**BLE** mode

Frequency (MHz)	6dB Bandwidth (MHz)	Bandwidth (MHz)	Result
2402	0.6908	> 0.5	PASS
2442	0.7019	> 0.5	PASS
2480	0.6956	> 0.5	PASS

Note: Refer to next page for plots.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://www.sgs.com/terms">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





## BT4.1 mode 6dB Band Width Test Data CH-Low



### 6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com





# 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 25 of 76

### 9 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


### 9.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

9.2 Measurement Equipment Used:

Conducted Emission Test Site						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
EXA Spectrum  Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017	
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017	
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017	

#### 9.3 Test SET-UP:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 26 of 76

#### 9.4 Measurement Procedure

### **Conducted Band Edge:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

### **Conducted Spurious Emission:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW=300 kHz, Detector = Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

#### 9.5 Measurement Result

#### Note:


- 1. Refer to next page spectrum analyzer data chart and tabular data sheets.
- 2. For restricted Band Edge Limit, please refer to section 11.5 of this report for measurement result.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




BT4.1 mode





**Band Edges Test Data CH-High** 




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






# **Conducted Spurious Emission Measurement Result** CH-Low 30MHz - 3GHz



### CH-Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司



### CH-Mid 30MHz - 3GHz



# CH-Mid 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com



CH-High 30MHz – 3GHz



# CH- High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only. 

Phys A Responsible 19 with the sample of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 31 of 76

# 10 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

## 10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- Emission level (dBμV/m) = 20 log Emission level (dBμV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for elec tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page 32 of 76

# 10.2 Measurement Equipment Used

966 Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017		
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017		
Loop Antenna	ETS.LINDGREN	6502	148045	09/07/2015	09/06/2016		
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/14/2015	12/13/2016		
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/10/2015	08/09/2016		
Pre-Amplifier	Agilent 8447D		2944A07676	01/02/2016	01/01/2017		
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2016	01/01/2017		
Turn Table	HD	DT420	N/A	N.C.R	N.C.R		
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R		
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R		
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017		
3m Site NSA	SGS	966 chamber	N/A	07/01/2016	06/30/2017		
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WuKungRoad NewTaineilorialstrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Page 33 of 76

#### 10.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



### (C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only. 

Phys A Responsible 19 with the sample of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 34 of 76

#### 10.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequen-2. cy> 1GHz above ground plan.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level. 3.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the 4. highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 5. and Quasi-peak (QP) at frequency below 1 GHz.
- 6. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T 7. (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 8. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- Maximum procedure was performed on the six highest emissions to ensure EUT compli-9.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 11. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page 35 of 76

## 10.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
RA = Reading Amplitude	AG = Amplifier Gain
AF = Antenna Factor	

Actual  $FS(dB\mu V/m) = SPA$ . Reading level $(dB\mu V) + Factor(dB)$ 

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

#### Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

## 10.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

### 10.7 Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Page 36 of 76

# Radiated Band Edge Measurement Result (BT4.2 mode) Chip antenna

Operation Mode: Test Date: 07/05/2016 18:07:05 **BLE** 

Fundamental Frequency: 2402 MHz Temp. / Humi.: 22 deg\_C / 61 RH

Operation Band: Bandedge CH LOW Test Engineer: Tin

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL

Factor Margin Freq. Note Decetor Actual Spectrum Limit Reading Level FS @3m Mode QP/AV/PK MHz F/H/E/S dBµV/m dBµV/m dBuV/m dΒ dΒ 2390.00 Ε Average 28.49 30.23 -1.7454.00 -25.51 Ε 2390.00 Peak 43.10 44.84 -1.7474.00 -30.90

Operation Mode: **BLE** Test Date: 07/05/2016 18:11:48 Fundamental Frequency: 2402 MHz Temp. / Humi.: 22 deg C / 61 RH

Operation Band: Bandedge CH LOW Test Engineer: Tin

E2 Plane EUT Pol.: Measurement Antenna Pol.: HORIZONTAL

Freq.	Note	Decetor Mode	Actual Reading Level	Spectrum FS	Factor	Limit @3m	Margin	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB	
2390.00	Е	Average	27.31	29.05	-1.74	54.00	-26.69	_
2390.00	Е	Peak	43.45	45.19	-1.74	74.00	-30.55	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 37 of 76

Operation Mode: BLE Test Date: 07/05/2016 18:17:20 Fundamental Frequency: 2480 MHz Temp. / Humi.: 22 deg C / 61 RH

Operation Band: Bandedge CH HIGH Test Engineer: Tin

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBμV/m	dB	dBuV/m	dB	
2483.50	E	Average	27.09	28.71	-1.62	54.00	-26.91	
2483.50	E	Peak	48.57	50.19	-1.62	74.00	-25.43	

Operation Mode: BLE Test Date: 07/05/2016 18:21:12 Temp. / Humi.: Fundamental Frequency: 2480 MHz 22 deg\_C / 61 RH

Bandedge CH HIGH Test Engineer: Operation Band:

Measurement Antenna Pol.: HORIZONTAL EUT Pol.: E2 Plane

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB	
2483.50	E	Average	27.35	28.97	-1.62	54.00	-26.65	
2483.50	Е	Peak	53.83	55.45	-1.62	74.00	-20.17	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wheat of the transfer of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 38 of 76

**PCB Antenna** 

**Operation Band** :BLE **Test Date** :2016-07-05

Fundamental Frequency :2402 MHz Temp./Humi. :22 deg\_C / 61 RH **Operation Mode** Engineer

:Band Edge CH LOW EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
2390.00	E	Average	28.04	29.78	-1.74	54.00	-25.96
2390.00	Е	Peak	50.18	51.93	-1.74	74.00	-23.82

**Operation Band** :BLE **Test Date** :2016-07-05 Fundamental Frequency :2402 MHz Temp./Humi. :22 deg\_C / 61 RH

**Operation Mode** :Band Edge CH LOW Engineer :Tin

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	de Reading Level FS		@3m	Ü		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB	
2390.00	Е	Average	27.17	28.91	-1.74	54.00	-26.83	
2390.00	Е	Peak	53.86	55.60	-1.74	74.00	-20.14	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page 39 of 76

:BLE **Operation Band Test Date** :2016-07-05

Fundamental Frequency :2480 MHz Temp./Humi. :22 deg\_C / 61 RH Operation Mode Engineer :Band Edge CH HIGH

:VERTICAL EUT Pol. :E2 Plan Measurement Antenna Pol.

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
2483.50	E	Average	27.05	28.67	-1.62	54.00	-26.95
2483.50	Е	Peak	53.83	55.45	-1.62	74.00	-20.17

**Operation Band** :BLE Test Date :2016-07-05

Fundamental Frequency :2480 MHz Temp./Humi. :22 deg\_C / 61 RH

:Band Edge CH HIGH Operation Mode Engineer

Measurement Antenna Pol. EUT Pol. :E2 Plan :HORIZONTAL

Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
2483.50	Е	Average	27.44	29.06	-1.62	54.00	-26.56
2483.50	Е	Peak	59.88	61.50	-1.62	74.00	-14.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Page 40 of 76

## Radiated Spurious Emission Measurement Result (BT4.2 mode) For Frequency form 30MHz to 1000MHz **Chip Antenna**

Operation Mode: **BLE** Test Date: 07/05/2016 19:47:53 Fundamental Frequency: 2402 MHz Temp. / Humi.: 22 deg\_C / 61 RH

Operation Band: Tx CH LOW Test Engineer: Tin

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq	. Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	23.31	31.13	-7.82	40.00	-16.69
143.49	9 S	Peak	21.15	29.25	-8.10	43.50	-22.35
299.6	6 S	Peak	26.58	32.51	-5.93	46.00	-19.42
337.49	9 S	Peak	24.61	29.90	-5.29	46.00	-21.39
510.1	5 S	Peak	26.39	28.59	-2.20	46.00	-19.61
733.2	5 S	Peak	30.79	28.83	1.96	46.00	-15.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 41 of 76

Operation Mode: **BLE** 

Fundamental Frequency: 2402 MHz

Operation Band:


Tx CH LOW

EUT Pol.: E2 Plane Test Date: 07/05/2016 19:47:54

Temp. / Humi.: 22 deg C / 61 RH

Test Engineer:

Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
47.46	S	Peak	19.75	27.60	-7.85	40.00	-20.25
199.75	S	Peak	27.24	36.84	-9.60	43.50	-16.26
299.66	S	Peak	27.56	33.48	-5.93	46.00	-18.44
333.61	S	Peak	23.61	28.89	-5.28	46.00	-22.39
546.04	S	Peak	26.24	27.79	-1.55	46.00	-19.76
725.49	S	Peak	30.25	28.51	1.74	46.00	-15.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 42 of 76

Operation Mode: **BLE** 

Fundamental Frequency: 2442 MHz


Operation Band: Tx CH MID

EUT Pol.: E2 Plane Test Date: 07/05/2016 19:47:55

Temp. / Humi.: 22 deg C / 61 RH

Test Engineer:

Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	25.96	33.78	-7.82	40.00	-14.04
165.80	S	Peak	21.99	29.38	-7.39	43.50	-21.51
298.69	S	Peak	26.61	32.56	-5.95	46.00	-19.39
357.86	S	Peak	25.06	29.82	-4.76	46.00	-20.94
532.46	S	Peak	25.65	27.33	-1.68	46.00	-20.35
770.11	S	Peak	29.94	27.26	2.69	46.00	-16.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the full list extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 43 of 76

Operation Mode: **BLE** 

Fundamental Frequency: 2442 MHz

Operation Band:


Tx CH MID

EUT Pol.: E2 Plane Test Date: 07/05/2016 19:47:56

Temp. / Humi.: 22 deg C / 61 RH

Test Engineer:

Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	19.89	27.71	-7.82	40.00	-20.11
178.41	S	Peak	25.32	33.87	-8.55	43.50	-18.18
299.66	S	Peak	28.65	34.58	-5.93	46.00	-17.35
413.15	S	Peak	23.78	27.17	-3.39	46.00	-22.22
517.91	S	Peak	25.82	27.65	-1.83	46.00	-20.18
796.30	S	Peak	30.44	27.43	3.01	46.00	-15.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 44 of 76

Operation Mode:

**BLE** 

Test Date: 07/05/2016 19:47:57

Fundamental Frequency: 2480 MHz

22 deg C / 61 RH

Operation Band:

Tx CH HIGH


Test Engineer:

Temp. / Humi.:

EUT Pol.:

E2 Plane

Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	23.66	31.48	-7.82	40.00	-16.34
151.25	S	Peak	21.44	29.14	-7.70	43.50	-22.06
296.75	S	Peak	25.07	31.05	-5.98	46.00	-20.93
335.55	S	Peak	24.97	30.30	-5.32	46.00	-21.03
517.91	S	Peak	26.00	27.83	-1.83	46.00	-20.00
779.81	S	Peak	30.83	28.25	2.58	46.00	-15.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the full list extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 45 of 76

Operation Mode:

**BLE** 

Test Date: 07/05/2016 19:47:58

Fundamental Frequency: 2480 MHz

22 deg C / 61 RH

Operation Band:

Tx CH HIGH

Test Engineer:

Temp. / Humi.:

Measurement Antenna Pol.: HORIZONTAL


EUT Pol.: E2 Plane

> 80 FCC RSE-QP 3N 40 400 600 800 30 200 1000 Frequency [MHz]

Freq.	Note	Decetor Mode	Actual Reading Level	Spectrum FS	Factor	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
56.19	S	Peak	19.79	27.70	-7.92	40.00	-20.21
197.81	S	Peak	26.85	36.43	-9.58	43.50	-16.65
298.69	S	Peak	28.71	34.66	-5.95	46.00	-17.29
411.21	S	Peak	27.11	30.74	-3.64	46.00	-18.89
522.76	S	Peak	25.55	27.21	-1.66	46.00	-20.45
798.24	S	Peak	31.04	27.93	3.11	46.00	-14.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





**PCB** Antenna

**Operation Band** :BLE

Fundamental Frequency: 2402 MHz


Operation Mode :TX CH LOW

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg C / 61 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	23.79	31.61	-7.82	40.00	-16.21
146.40	S	Peak	19.88	27.92	-8.04	43.50	-23.62
294.81	S	Peak	26.08	32.10	-6.02	46.00	-19.92
348.16	S	Peak	25.12	30.06	-4.94	46.00	-20.88
517.91	S	Peak	26.82	28.64	-1.83	46.00	-19.18
757.50	S	Peak	29.49	26.47	3.01	46.00	-16.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Fundamental Frequency :2402 MHz Operation Mode :TX CH LOW

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg C / 61 RH

Engineer :Tin

Measurement Antenna Pol. :HORIZONTAL




Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
47.46	S	Peak	20.09	27.94	-7.85	40.00	-19.91
202.66	S	Peak	27.34	37.05	-9.71	43.50	-16.16
293.84	S	Peak	28.79	34.83	-6.05	46.00	-17.21
411.21	S	Peak	25.66	29.29	-3.64	46.00	-20.34
548.95	S	Peak	25.81	27.71	-1.90	46.00	-20.19
796.30	S	Peak	31.71	28.70	3.01	46.00	-14.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency :2442 MHz


**Operation Mode** :TX CH MID

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg\_C / 61 RH

Engineer

Measurement Antenna Pol. :VERTICAL




	Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
_	MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
	52.31	S	Peak	24.63	32.39	-7.77	40.00	-15.37
	156.10	S	Peak	20.73	28.33	-7.60	43.50	-22.77
	299.66	S	Peak	27.42	33.35	-5.93	46.00	-18.58
	342.34	S	Peak	25.28	30.38	-5.10	46.00	-20.72
	532.46	S	Peak	26.84	28.52	-1.68	46.00	-19.16
	798.24	S	Peak	30.84	27.73	3.11	46.00	-15.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency: 2442 MHz Operation Mode :TX CH MID

EUT Pol.


:E2 Plane

**Test Date** :2016-07-05

Temp./Humi. :22 deg C / 61 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
42.61	S	Peak	19.64	27.94	-8.30	40.00	-20.36
190.05	S	Peak	23.98	33.31	-9.32	43.50	-19.52
294.81	S	Peak	26.79	32.81	-6.02	46.00	-19.21
411.21	S	Peak	27.55	31.18	-3.64	46.00	-18.45
516.94	S	Peak	25.87	27.81	-1.94	46.00	-20.13
799.21	S	Peak	30.67	27.54	3.14	46.00	-15.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Page 50 of 76


**Operation Band** :BLE Fundamental Frequency :2480 MHz **Operation Mode** :TX CH HIGH

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg\_C / 61 RH

Engineer


Measurement Antenna Pol. :VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	24.92	32.74	-7.82	40.00	-15.08
144.46	S	Peak	20.41	28.49	-8.07	43.50	-23.09
294.81	S	Peak	26.51	32.53	-6.02	46.00	-19.49
338.46	S	Peak	25.67	30.88	-5.21	46.00	-20.33
546.04	S	Peak	25.50	27.05	-1.55	46.00	-20.50
757.50	S	Peak	30.28	27.26	3.01	46.00	-15.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency :2480 MHz


Operation Mode :TX CH HIGH

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg C / 61 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
54.25	S	Peak	19.09	26.91	-7.82	40.00	-20.91
190.05	S	Peak	24.96	34.28	-9.32	43.50	-18.54
296.75	S	Peak	27.93	33.91	-5.98	46.00	-18.07
393.75	S	Peak	23.99	28.16	-4.18	46.00	-22.01
532.46	S	Peak	26.74	28.42	-1.68	46.00	-19.26
750.71	S	Peak	30.34	27.58	2.76	46.00	-15.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 52 of 76


# Radiated Spurious Emission Measurement Result (BT4.2 mode) For Frequency above 1GHz **Chip Antenna**

Operation Mode: **BLE** 07/05/2016 19:27:28 Test Date:

Fundamental Frequency: 2402 MHz Temp. / Humi.: 22 deg\_C / 61 RH

Operation Band: Tx CH LOW Test Engineer: Tin

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin	
		Mode	Reading Level	FS		@3m		
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB	
4804.00	Н	Average	30.24	25.32	4.92	54.00	-23.76	_
4804.00	Н	Peak	41.80	36.88	4.92	74.00	-32.20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 53 of 76

Operation Mode: BLE

07/05/2016 19:27:40

Fundamental Frequency: 2402 MHz

22 deg C / 61 RH

Operation Band:

Tx CH LOW

Test Engineer:


Test Date:

Temp. / Humi.:

EUT Pol.:

E2 Plane

Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4804.00	Н	Average	30.11	25.19	4.92	54.00	-23.89
4804.00	Н	Peak	41.84	36.92	4.92	74.00	-32.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 54 of 76

Operation Mode:

BLE

Test Date: 07/05/2016 19:30:11

Fundamental Frequency: 2442 MHz

Temp. / Humi.:


22 deg C / 61 RH

Operation Band:

Tx CH MID

Test Engineer:

EUT Pol.: E2 Plane Measurement Antenna Pol.: VERTICAL



F	req.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
			Mode	Reading Level	FS		@3m	
N	ИHz	F/H/E/S	QP/AV/PK	dBµV/m	dΒμV/m	dB	dBuV/m	dB
488	34.00	Н	Average	29.84	24.65	5.19	54.00	-24.16
488	34.00	Н	Peak	40.42	35.22	5.19	74.00	-33.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 55 of 76

Operation Mode: BLE

Fundamental Frequency: 2442 MHz

Operation Band:

EUT Pol.:

E2 Plane


Tx CH MID

Test Date: 07/05/2016 19:30:22

Temp. / Humi.: 22 deg C / 61 RH

Test Engineer:

Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBμV/m	dB	dBuV/m	dB
4884.00	Н	Average	29.98	24.79	5.19	54.00	-24.02
4884.00	Н	Peak	40.25	35.05	5.19	74.00	-33.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page 56 of 76

Operation Mode:

BLE

Test Date: 07/05/2016 19:32:44

Fundamental Frequency: 2480 MHz

22 deg C / 61 RH

Operation Band:

Tx CH HIGH


Test Engineer:

Temp. / Humi.:

EUT Pol.:

E2 Plane

Measurement Antenna Pol.: VERTICAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4960.00	Н	Average	30.38	25.09	5.29	54.00	-23.62
4960.00	Н	Peak	40.46	35.17	5.29	74.00	-33.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 57 of 76

Operation Mode:

**BLE** 

Test Date: 07/05/2016 19:32:56

Fundamental Frequency: 2480 MHz

22 deg C / 61 RH

Operation Band:

Tx CH HIGH


Test Engineer:

Temp. / Humi.:

EUT Pol.:

E2 Plane

Measurement Antenna Pol.: HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4960.00	Н	Average	30.70	25.41	5.29	54.00	-23.30
4960.00	Н	Peak	40.16	34.87	5.29	74.00	-33.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 58 of 76

#### **PCB** Antenna

**Operation Band** :BLE

Fundamental Frequency: 2402 MHz

Operation Mode :TX CH LOW


EUT Pol. :E2 Plane

:2016-07-05 **Test Date** 

Temp./Humi. :22 deg C / 61 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL




Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4804.00	Н	Average	30.03	25.11	4.92	54.00	-23.97
4804.00	Н	Peak	40.42	35.50	4.92	74.00	-33.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency :2402 MHz

Operation Mode :TX CH LOW


EUT Pol. :E2 Plane

:2016-07-05 **Test Date** 

Temp./Humi. :22 deg C / 61 RH

Engineer :Tin

Measurement Antenna Pol. :HORIZONTAL




Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4804.00	Н	Average	30.01	25.09	4.92	54.00	-23.99
4804.00	Н	Peak	40.05	35.13	4.92	74.00	-33.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency :2442 MHz

**Operation Mode** 


:TX CH MID

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg\_C / 61 RH

Engineer

Measurement Antenna Pol. :VERTICAL




Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4884.00	Н	Average	29.86	24.67	5.19	54.00	-24.14
4884.00	Н	Peak	40.08	34.89	5.19	74.00	-33.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency: 2442 MHz


Operation Mode :TX CH MID EUT Pol. :E2 Plane

:2016-07-05 **Test Date** 

Temp./Humi. :22 deg C / 61 RH

Engineer :Tin

Measurement Antenna Pol. :HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBμV/m	dBµV/m	dB	dBuV/m	dB
4884.00	Н	Average	30.32	25.13	5.19	54.00	-23.68
4884.00	Н	Peak	41.45	36.25	5.19	74.00	-32.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Page 62 of 76

**Operation Band** :BLE


Fundamental Frequency :2480 MHz **Operation Mode** :TX CH HIGH

EUT Pol. :E2 Plane **Test Date** :2016-07-05

Temp./Humi. :22 deg\_C / 61 RH

Engineer

Measurement Antenna Pol. :VERTICAL




Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4960.00	Н	Average	30.17	24.88	5.29	54.00	-23.83
4960.00	Н	Peak	41.48	36.19	5.29	74.00	-32.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Fundamental Frequency :2480 MHz

Operation Mode :TX CH HIGH


EUT Pol. :E2 Plane

:2016-07-05 **Test Date** 

Temp./Humi. :22 deg C / 61 RH

Engineer :Tin

Measurement Antenna Pol. :HORIZONTAL



Freq.	Note	Decetor	Actual	Spectrum	Factor	Limit	Margin
		Mode	Reading Level	FS		@3m	
MHz	F/H/E/S	QP/AV/PK	dBµV/m	dBµV/m	dB	dBuV/m	dB
4960.00	Н	Average	30.27	24.98	5.29	54.00	-23.73
4960.00	Н	Peak	41.88	36.59	5.29	74.00	-32.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 64 of 76

#### 11 PEAK POWER SPECTRAL DENSITY


#### 11.1 Standard Applicable:

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

## 11.2 Measurement Equipment Used:

Conducted Emission Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
EXA Spectrum  Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				

## 11.3 Test Set-up:



#### 11.4 Measurement Procedure:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz.
- 5. Set the VBW = 10 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.
- 11. For restricted Band Edge Limit, please refer to section 11.5 of this report for measurement result.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Page 65 of 76

#### 11.5 Measurement Result:

#### BT4.2 mode

#### RI F mode

Frequency (MHz)	RF Power Density (dBm)	Maximum Limit (dBm)	Result
2402	-10.18	8	PASS
2442	-10.16	8	PASS
2480	-10.10	8	PASS

**Band Edge Limit** 

Frequency (MHz)	RF Power Density (dBm)	Bandedge Limit (dBm)	
2402	4.38	-15.62	
2480	4.33	-15.67	

NOTE: cable loss as 1dB that offsets in the spectrum

## BT4.2 mode

Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only. 

Phys A Responsible 19 with the sample of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com





**Power Spectral Density Test Plot (CH-Mid)** 



**Power Spectral Density Test Plot (CH-High)** 




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Power Spectral Density for Bandedge Limit (CH-Low)



## Power Spectral Density for Bandedge Limit (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the time of the state of the sta Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 68 of 76

#### 12 ANTENNA REQUIREMENT

### 12.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

In case of point-to-point operation, the power shall be reduced by the one dB for every 3 dB that the directional gain of antenna exceeds 6dBi.

### 12.2 Antenna Connected Construction:

An embedded-in antenna design is used.

The antenna is designed as permanently attached and has no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page 69 of 76

## 13 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

## 13.1 Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time			
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm <sup>2</sup> )	(minute)			
	Limits for General Population/Uncontrolled Exposure						
0.3-1.34	614	1.63	*(100)	30			
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30			
30-300	27.5	0.073	0.2	30			
300-1500	/	/	F/1500	30			
1500-15000	/	1	1.0	30			

F = frequency in MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com

<sup>\* =</sup> Plane-wave equipment power density



Page 70 of 76

## 13.2 Maximum Permissible Exposure (MPE) Evaluation

СН	Frequency (MHz)	Max. output power including tune-up tolerancel(dBm)	Required Limit
0	2402	3.40	1 Watt = 30 dBm
20	2442	3.36	1 Watt = 30 dBm
39	2480	3.26	1 Watt = 30 dBm

## **MPE Prediction (BT)**

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01  $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Max. output power including tune-up tolerancel:	3.40	(dBm)
Max. output power including tune-up tolerancel:	2.187761624	(mW)
Duty cycle:	100	(%)
Maximum Pav :	2.187761624	(mW)
Peak Antenna gain (Maximum):	-1.61	(dBi)
Peak Antenna gain (linear):	0.690239804	(numeric)
Prediction distance:	20	(cm)
Prediction frequency:	2402	(MHz)
MPE limit for uncontrolled exposure at prediction	1	(mW/cm2)
Power density at predication frequency at 20 (cm)	0.000	(mW/cm^2)

#### **Measurement Result**

The predicted power density level at 20 cm is 0 mW/cm2.

This is below the uncontrolled exposure limit of 1 mW/cm2 at 2402MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 71 of 76

## PHOTOGRAPHS OF SET UP

# Radiated Emission Set up Photos (Below 1GHz) (Chip Antenna)





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的牙。本根专术整本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of the less. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279





Radiated Emission Set up Photos (Above 1GHz)





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCSCT always Liv\*\*

\*\*INCLUDED AND ALW With unported New Triangle Part With Unifortiet New Triangle City Triangle Always and the scale of the service of the scale of


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com





Radiated Emission Set up Photos (Below 1GHz) (PCB Antenna)






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com





Radiated Emission Set up Photos (Above 1GHz)





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCSCT always Liv\*\*

\*\*INCLUDED AND ALW With unported New Triangle Part With Unifortiet New Triangle City Triangle Always and the scale of the service of the scale of

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 75 of 76



**AC Power-line Conducted Emission Set up Photo** 





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


\*\*SCSCT always Liv\*\*

\*\*INCLUDED AND ALW With unported New Triangle Part With Unifortiet New Triangle City Triangle Always and the scale of the service of the scale of



Page 76 of 76

## **Conducted Setup Photo (Measurement at Antenna Port)**



## **PHOTOGRAPHS OF EUT**

Please refer to the attached file(EUT Photo)

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested and such sample(s) tested and such sample(s) are retained for 90 days only. 

Phys A Responsible 19 with the sample of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279