

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 1 of 11

RF Exposure Report

Application No.:	SZCR2408003385ME
Applicant:	Ziyang Freqty Medical Equipment Co., Ltd.
Address of Applicant:	Floor 2-3, unit7, building3, No. 222, West Section3 outer ring road, Yanjiang District Ziyang China
Manufacturer:	Ziyang Freqty Medical Equipment Co., Ltd.
Address of Manufacturer:	Floor 2-3, unit7, building3, No. 222, West Section3 outer ring road, Yanjiang District Ziyang China
Factory:	Ziyang Freqty Medical Equipment Co., Ltd.
Address of Factory:	Floor 2-3, unit7, building3, No. 222, West Section3 outer ring road, Yanjiang District Ziyang China
Equipment Under Test (EU	T):
EUT Name:	Intraoral Digital Impression Instrument
Model No.:	PANDA free
FCC ID:	2BA59PANDAG
Standard(s) :	FCC Rules 47 CFR §2.1093 KDB 447498 D04 interim General RF Exposure Guidance v01
Date of Receipt:	2024-08-30
Date of Test:	2024-11-27 to 2025-02-20
Date of Issue:	2025-02-24
Test Result:	Pass*

* In the configuration tested, the EUT complied with the standards specified above.

Ceny. XM

Keny Xu EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com

No.1 Workshoy, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区W-10栋1号厂房 邮编:518057 t(86-755)26012053 f(86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 2 of 11

Revision Record								
Version	Chapter	Remark						
01		2025-02-24		Original				

Authorized for issue by:		
	Bolisonti	
	Edison Li/Project Engineer	
	Eric Fu	
	Eric Fu/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@egss.com

01 Bintan, Crit. December 2015 Crites Laboratory Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgs.group.com.cn 中国・广东・深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 3 of 11

2 Contents

		F	Page
1	COV	/ER PAGE	1
2	CON	ITENTS	3
3	GEN	IERAL INFORMATION	4
	3.1	GENERAL DESCRIPTION OF E.U.T.	4
	3.2	DETAILS OF E.U.T.	4
	3.3	TEST LOCATION	6
	3.4	TEST FACILITY	6
4	FCC	RADIOFREQUENCY RADIATION EXPOSURE LIMITS	7
	4.1	BLANKET 1 MW BLANKET EXEMPTION	7
	4.2	MPE-BASED EXEMPTION	7
	4.3	SAR-BASED EXEMPTION	8
5	MEA	SUREMENT AND CALCULATION	.10
	5.1	MAXIMUM TRANSMIT POWER	.10
	5.2	RF Exposure Calculation	.11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@esps.com

10 minute M+10, Midde Sected, Science Likebnicg/Park, Nanshan District, Shenzhen, Guargdong, Chine 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.cchina@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 4 of 11

3 General Information

3.1 General Description of E.U.T.

	☑ Portable device
Product Type:	Mobile device
	Fixed device

3.2 Details of E.U.T.

	DC 3.65V, 3500mAh rechargeable lithium battery which charged by						
Power supply:	base						
Cable(s):	DC cable:149cm unshielded						
For BLE							
Operation Frequency:	2402MHz to 2480MHz						
Bluetooth Version:	V4.2						
Modulation Type:	GFSK						
Number of Channels:	40						
Channel Spacing:	2MHz						
Data rate:	1Mbps						
Antenna Type:	PCB antenna						
Antenna Gain:	0.6dBi						
For 60GHz							
Operation Frequency:	60.160GHz-62.640GHz						
Certer Frequency:	60.160GHz, 60.480GHz, 62.320GHz, 62.640GHz						
Number of Channels:	4						
Modulation Type:	See the table below						
Data rate:	See the table below						
Antenna Type:	See the table below						
Antenna Gain: See the table below							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@esps.com

中国・广东·深圳市南山区科技园中区W-10栋1号厂房 邮编:518057 t(86-755)26012053 f(86-755)2671054 sgs.china@sgs.com

or email: CN.Doccheck@sgs.com No.1 Workshop, M-10, Midde Sedon, Science & Technicgy Park, Nanshan District, Sherzhen, Guangdong, Chine 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 5 of 11

Frequency	60.160GHz	60.480GHz	62.320GHz	62.640GHz	
Modulation Type	BPSK	QPSK	BPSK	QPSK	
Data Rate	0.476Gb/s	0.952 Gb/s	1.904 Gb/s	3.807 Gb/s	
Antenna Type	PCB Antenna	PCB Antenna	PCB Antenna	PCB Antenna	
Antenna Gain	0dBi	0dBi	0dBi	0dBi	

Separation Distance

Minimum test separation distance:

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.

5mm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, https://document.com/

No.1 Workshy, M-10, Midde Sackar, Science & Bohmogy Park, Nanshan District, Shenzhen, Guangdong, Chine 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.group.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com

Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504 Page: 6 of 11

3.3 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen,

Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC – Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.ggs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's so its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 28071443, or email: CN_Doccheck@gs.com // Kitwahal@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidt,Shanda.@itidty.Shanda.@itidt.Shanda.@itidt.Shanda.@itidt.Shanda.@itidt.Shanda.@itidty.Shanda.@itidt.Shanda.@i



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504 Page: 7 of 11

4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

RF Sou	equency	Minim	Threshold ERP							
<i>f</i> ∟ MHz	f_ MHz f_ MHz 0.3 - 1.34		λ_ / 2π λ_ / 2π		λ _Η / 2π	W				
0.3			159 m	_	35.6 m	1,920 R ²				
1.34	.34 – 30		35.6 m	_	1.6 m	3,450 R²/f ²				
30	-	300	1.6 m	_	159 mm	3.83 R ²				
300	-	1,500	159 mm	_	31.8 mm	0.0128 R ² f				
1,500	-	100,000	31.8 mm	_	0.5 mm	19.2R ²				
Subscripts L and H are low and high; λ is wavelength.										
From §1.1307(From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.									

Table B.1—Thresholds For Single RF Sources	Subject to Routine Environmental Evaluation
--	---

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are



	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print	
	available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions, Attention is drawn to the limitation	on of liability,
	indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein.	
	the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Con-	mpany's sole
	responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights an	nd obligations
	under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the C	
	unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may b	
	to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test	ted and such
	sample(s) are retained for 30 days only.	
	Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-7	55) 8307 1443,
	or email: CN.Doccheck@sgs.com	
1.	No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.s	gsgroup.com.cr
	中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t(86-755)26012053 f(86-755)26710594 sgs.ch	ina@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 8 of 11

based on the general population MPE limits with a single perfect reflection, outside of the reactive nearfield, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of \$1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in \$1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from \$2.1091(c)(1); also in \$1.1307(b)(1)(i)(B)].

$$P_{\rm th} (\rm mW) = ERP_{20 \,\rm cm} (\rm mW) = \begin{cases} 2040f & 0.3 \,\rm GHz \le f < 1.5 \,\rm GHz \\ \\ 3060 & 1.5 \,\rm GHz \le f \le 6 \,\rm GHz \end{cases}$$
(B.1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

Limit calculation								
Frequency range Frequency (MHz) $R(\lambda 2\pi)(m)$ Threshold ERP(W)								
300~1500MHz	915	0.0522	0.032					
1500~100000MHz	2480	0.0193	0.007					

4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known. The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.





SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504 Page: 9 of 11

The SAR-based exemption formula of §1.1307(b)(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold Pth (mW). This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). Pth is given by Formula (B.2).

$$P_{\rm th} (\rm mW) = \begin{cases} ERP_{20 \rm \ cm} (d/20 \rm \ cm)^x & d \le 20 \rm \ cm \\ \\ ERP_{20 \rm \ cm} & 20 \rm \ cm < d \le 40 \rm \ cm \end{cases}$$
(B.2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20}\,\mathrm{cm}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).

Example values shown in Table B.2 are for illustration only.

Table B.2—Example Power Thresholds (mW)										
Frequency					Distan	ce(mm)				
(MHz)	5	10	15	20	25	30	35	40	45	50
300	39	65	88	110	129	148	166	184	201	217
450	22	44	67	89	112	135	158	180	203	226
835	9	25	44	66	90	116	145	175	207	240
1900	3	12	26	44	66	92	122	157	195	236
2450	3	10	22	38	59	83	111	143	179	219
3600	2	8	18	32	49	71	96	125	158	195
5800	1	6	14	25	40	58	80	106	136	169

Limit calculation					
Frequency range(GHz)	Frequency(GHz)	Х	Distance(cm)	Pth (mW)	
0.3~1.5	0.915	1.474	0.5	8.133	
1.5~6	2.48	1.905	0.5	2.717	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Sherzhen, Guangdonz, Chine 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t(86-755)26012053 f(86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 10 of 11

5 Measurement and Calculation

5.1 Maximum transmit power

Standalone transmission					
Test Mode	Frequency (MHz)	Maximum Conducted power [dBm]	Maximum Conducted power (mW)	Limit(mw)	Verdict
BLE	2402	-4.76	0.33	1	Pass

Test Mode	Frequency (MHz)	Maximum EIRP power [dBm]	Maximum EIRP power (mW)	Limit(mw)	Verdict
BLE	2402	-4.16	0.38	1	Pass

Test Mode	Frequency (GHz)	Maximum EIRP power [dBm]	Maximum EIRP power (mW)	Limit(mw)	Verdict
60GHz	60.160	-2.162	0.61	1	Pass

Note

1: BLE/60GHz Power Data is based on the RF Test Report SZCR240800338502, SZCR240800338503.

Simultaneous transmission

Test Mode	BLE	60GHz	Aggregate maximum available power	Limit	Result
Ratio	0.38371	0.60786	N/A	N/A	N/A
Scenario 1	M	$\overline{\mathbf{A}}$	0.99157	1.0	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@esps.com

01 Brith Cirk Def Constant C



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800338504

Page: 11 of 11

5.2 RF Exposure Calculation

For BLE/60GHz

The Max. EIRP is 0.61mW. The best case gain of the antenna is 0.6dBi.

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

	Evaluation method	Exempt Limit(mW)	Verdict
\square	Blanket 1 mW Blanket Exemption	1mW	Yes
	MPE-based Exemption(ERP)	7mW(ERP)	N/A
	SAR-based Exemption(Pth)	2.7mW	N/A

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, Orcenail OH Decohercher Client Cl

No.1 Workshy, M-10, Midde Sackar, Science & Bohmogy Park, Nanshan District, Shenzhen, Guangdong, Chine 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.group.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com

Member of the SGS Group (SGS SA)