




Test Mode: 802.11g




Mode:802.11g Frequency:2412MHz Ant:Chain0



Mode:802.11g Frequency:2462MHz Ant:Chain0





Mode:802.11g Frequency:2412MHz Ant:Chain1





Mode:802.11g Frequency:2462MHz Ant:Chain1

Test Mode: 802.11n HT20



Mode:802.11n HT20 Frequency:2412MHz Ant:Chain0


Mode:802.11n HT20 Frequency:2462MHz Ant:Chain0




Mode:802.11n HT20 Frequency:2412MHz Ant:Chain1

Mode:802.11n HT20 Frequency:2462MHz Ant:Chain1


Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:2422MHz Ant:Chain0



Mode:802.11n HT40 Frequency:2452MHz Ant:Chain0



Mode:802.11n HT40 Frequency:2422MHz Ant:Chain1




Mode:802.11n HT40 Frequency:2452MHz Ant:Chain1

## **APPENDIX B – TEST DATA OF RADIATED EMISSION**

Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan

### **Radiated Emission Band Edge**




### **Radiated Emission Band Edge**

Channel No.:1

Test Mode: 802.11b

Polarization: V




**Radiated Emission Band Edge**

Channel No.:1

Test Mode: 802.11b

Polarization: H




**Radiated Emission Band Edge**

Channel No.:11

Test Mode: 802.11b

Polarization: V




**Radiated Emission Band Edge**

Channel No.:11

Test Mode: 802.11b

Polarization: H




**Radiated Emission Band Edge**

Channel No.:1

Test Mode: 802.11g

Polarization: V




**Radiated Emission Band Edge**

Channel No.:1

Test Mode: 802.11g

Polarization: H




**Radiated Emission Band Edge**

Channel No.:11

Test Mode: 802.11g

Polarization: V




**Radiated Emission Band Edge**

Channel No.:11

Test Mode: 802.11g

Polarization: H




**Radiated Emission Band Edge**

Channel No.:1

Test Mode: 802.11n

Polarization: V






**Radiated Emission Band Edge**

Channel No.:1

Test Mode: 802.11n

Polarization: H




**Radiated Emission Band Edge**

Channel No.:11

Test Mode: 802.11n

Polarization: V




**Radiated Emission Band Edge**

Channel No.:11

Test Mode: 802.11n

Polarization: H




**Radiated Emission Band Edge**

Channel No.:3

Test Mode: 802.11n40

Polarization: V




**Radiated Emission Band Edge**

Channel No.:3

Test Mode: 802.11n40

Polarization: H



**Radiated Emission Band Edge**

Channel No.:9

Test Mode: 802.11n40

Polarization: V



**Radiated Emission Band Edge**

Channel No.:9

Test Mode: 802.11n40

Polarization: H

## Sample Calculations

After comparison, the worst case attitude is EUT lay down.

### Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(17.08 \text{ dB}\mu\text{V/m}) = (37.08 \text{ dB}\mu\text{V}) + (-20 \text{ dB/m})$ , the corresponding frequency is 35.1895 MHz.

For 802.11b Channel No.:1

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.08          | -20       | 37.08         | Vertical | 40             | 22.93       |
| 57.1115        | 5.12           | -19.6     | 24.72         | Vertical | 40             | 34.88       |
| 104.6415       | 5.07           | -19.6     | 24.67         | Vertical | 43.5           | 38.43       |
| 207.704        | 3.96           | -19.7     | 23.66         | Vertical | 43.5           | 39.54       |
| 532.9935       | 11.15          | -11.6     | 22.75         | Vertical | 46             | 34.85       |
| 876.7615       | 15.06          | -5.9      | 20.96         | Vertical | 46             | 30.94       |

For 802.11g Channel No.:1

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.07          | -20       | 37.07         | Vertical | 40             | 22.93       |
| 59.1485        | 4.95           | -19.8     | 24.75         | Vertical | 40             | 35.05       |
| 111.189        | 4.94           | -19.8     | 24.74         | Vertical | 43.5           | 38.56       |
| 307.0805       | 6.24           | -16.9     | 23.14         | Vertical | 46             | 39.76       |
| 534.594        | 10.96          | -11.5     | 22.46         | Vertical | 46             | 35.04       |
| 955.2345       | 16             | -5        | 21            | Vertical | 46             | 30          |

For 802.11n(HT20) Channel No.:1

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 16.84          | -20       | 36.84         | Vertical | 40             | 23.16       |
| 59.0515        | 5.2            | -19.8     | 25            | Vertical | 40             | 34.8        |
| 106.3875       | 4.32           | -19.6     | 23.92         | Vertical | 43.5           | 39.18       |
| 291.124        | 6.23           | -17.4     | 23.63         | Vertical | 46             | 39.77       |
| 532.169        | 11.14          | -11.6     | 22.74         | Vertical | 46             | 34.86       |
| 914.834        | 15.86          | -5.3      | 21.16         | Vertical | 46             | 30.14       |

For 802.11b Channel No.:6

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.06          | -20       | 37.06         | Vertical | 40             | 22.94       |
| 57.742         | 5.65           | -19.6     | 25.25         | Vertical | 40             | 34.35       |

|          |       |       |       |          |      |       |
|----------|-------|-------|-------|----------|------|-------|
| 117.7365 | 4.28  | -20.3 | 24.58 | Vertical | 43.5 | 39.22 |
| 297.9625 | 6.29  | -17.2 | 23.49 | Vertical | 46   | 39.71 |
| 518.201  | 10.77 | -11.9 | 22.67 | Vertical | 46   | 35.23 |
| 925.989  | 16    | -5.2  | 21.2  | Vertical | 46   | 30    |

For 802.11g Channel No.:6

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.238         | 18.74          | -20       | 38.74         | Vertical | 40             | 21.26       |
| 58.033         | 5.65           | -19.7     | 25.35         | Vertical | 40             | 34.35       |
| 103.1865       | 4.6            | -19.5     | 24.1          | Vertical | 43.5           | 38.9        |
| 299.5145       | 6.04           | -17.1     | 23.14         | Vertical | 46             | 39.96       |
| 525.0395       | 10.94          | -11.7     | 22.64         | Vertical | 46             | 35.06       |
| 938.114        | 16.03          | -5.1      | 21.13         | Vertical | 46             | 29.97       |

For 802.11n(HT20) Channel No.:6

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.238         | 18.76          | -20       | 38.76         | Vertical | 40             | 21.24       |
| 84.805         | 3.84           | -21.1     | 24.94         | Vertical | 40             | 36.16       |
| 103.2835       | 4.69           | -19.5     | 24.19         | Vertical | 43.5           | 38.81       |
| 288.2625       | 5.7            | -17.4     | 23.1          | Vertical | 46             | 40.3        |
| 530.7625       | 11             | -11.6     | 22.6          | Vertical | 46             | 35          |
| 921.5755       | 15.88          | -5.3      | 21.18         | Vertical | 46             | 30.12       |

For 802.11b Channel No.:11

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.07          | -20       | 37.07         | Vertical | 40             | 22.93       |
| 58.2755        | 5.44           | -19.7     | 25.14         | Vertical | 40             | 34.56       |
| 98.676         | 5.65           | -19.5     | 25.15         | Vertical | 43.5           | 37.85       |
| 210.7595       | 3.89           | -19.6     | 23.49         | Vertical | 43.5           | 39.61       |
| 521.79         | 10.65          | -11.8     | 22.45         | Vertical | 46             | 35.35       |
| 957.9505       | 15.95          | -5        | 20.95         | Vertical | 46             | 30.05       |

For 802.11g Channel No.:11

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.238         | 18.74          | -20       | 38.74         | Vertical | 40             | 21.26       |
| 57.936         | 5.48           | -19.7     | 25.18         | Vertical | 40             | 34.52       |
| 110.5585       | 4.97           | -19.7     | 24.67         | Vertical | 43.5           | 38.53       |
| 308.6325       | 6.41           | -16.9     | 23.31         | Vertical | 46             | 39.59       |
| 495.891        | 9.82           | -12.3     | 22.12         | Vertical | 46             | 36.18       |
| 922.788        | 15.81          | -5.3      | 21.11         | Vertical | 46             | 30.19       |

For 802.11n(HT20) Channel No.:11

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 16.99          | -20       | 36.99         | Vertical | 40             | 23.01       |
| 71.031         | 2.79           | -22.3     | 25.09         | Vertical | 40             | 37.21       |
| 97.415         | 5.23           | -19.6     | 24.83         | Vertical | 43.5           | 38.27       |
| 301.794        | 6.13           | -17.1     | 23.23         | Vertical | 46             | 39.87       |
| 553.121        | 10.92          | -11.1     | 22.02         | Vertical | 46             | 35.08       |
| 911.827        | 15.78          | -5.4      | 21.18         | Vertical | 46             | 30.22       |

For 802.11n(HT40) Channel No.:3

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.09          | -20       | 37.09         | Vertical | 40             | 22.91       |
| 57.8875        | 5.47           | -19.7     | 25.17         | Vertical | 40             | 34.54       |
| 104.205        | 5.11           | -19.6     | 24.71         | Vertical | 43.5           | 38.39       |
| 302.6185       | 6.3            | -17       | 23.3          | Vertical | 46             | 39.7        |
| 532.848        | 11.11          | -11.6     | 22.71         | Vertical | 46             | 34.89       |
| 948.7355       | 16.02          | -5.1      | 21.12         | Vertical | 46             | 29.98       |


For 802.11n(HT40) Channel No.:6

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.07          | -20       | 37.07         | Vertical | 40             | 22.93       |
| 62.01          | 3.07           | -20.4     | 23.47         | Vertical | 40             | 36.93       |
| 100.0825       | 4.44           | -19.5     | 23.94         | Vertical | 43.5           | 39.06       |
| 283.8005       | 6.03           | -17.6     | 23.63         | Vertical | 46             | 39.97       |
| 545.167        | 11.16          | -11.3     | 22.46         | Vertical | 46             | 34.84       |
| 916.2405       | 15.86          | -5.3      | 21.16         | Vertical | 46             | 30.14       |

For 802.11n(HT40) Channel No.:9

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) | Margin (dB) |
|----------------|----------------|-----------|---------------|----------|----------------|-------------|
| 35.1895        | 17.12          | -20       | 37.12         | Vertical | 40             | 22.88       |
| 57.0145        | 5.09           | -19.6     | 24.69         | Vertical | 40             | 34.91       |
| 98.579         | 5.07           | -19.5     | 24.57         | Vertical | 43.5           | 38.43       |
| 212.554        | 4.01           | -19.5     | 23.51         | Vertical | 43.5           | 39.49       |
| 508.889        | 10.22          | -12       | 22.22         | Vertical | 46             | 35.78       |
| 928.5595       | 15.97          | -5.2      | 21.17         | Vertical | 46             | 30.03       |

Full Spectrum



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 2412

Channel No.:1

Full Spectrum



Preview Result 1-PK+    FCC PART15    Final\_Result QPK

Comment


Frequency Range 30MHz -1GHz

Detector: Av mode and PK mode

Modulation type: 802.11b




Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Preview Result 1-PK+    FCC PART15    Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Preview Result 1-PK+    FCC PART15    Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 2437  
Channel No.:6


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Preview Result 1-PK+    FCC PART15    Final\_Result QPK

Comment

Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g




Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 2462  
Channel No.:11


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g

Full Spectrum




Comment

Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)




Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 2422  
Channel No.:3


Full Spectrum



— Preview Result 1-PK+ — FCC PART15 ◆ Final\_Result QPK  
Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Carrier frequency (MHz): 2437  
Channel No.:6


Full Spectrum



— Preview Result 1-PK+    — FCC PART15    ◆ Final\_Result QPK  
Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Carrier frequency (MHz): 2452  
Channel No.:9

Full Spectrum




Preview Result 1-PK+    FCC PART15    Final\_Result QPK

Comment


Frequency Range: 30MHz -1GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

**MEASUREMENT RESULT:**

| Frequency (MHz) | QuasiPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Line | Corr. (dB) | PmeaQuasiPeak (dBμV) | Pmea Average (dBμV) |
|-----------------|------------------|----------------|--------------|-------------|------|------------|----------------------|---------------------|
| 0.154264        | 32.06            | ---            | 65.77        | 33.71       | N    | 29.7       | 2.36                 | ---                 |
| 0.354686        | ---              | 16.03          | 48.85        | 32.82       | N    | 29.7       | ---                  | -13.67              |
| 0.393064        | 21.51            | ---            | 58           | 36.49       | N    | 29.7       | -8.19                | ---                 |
| 0.862136        | ---              | 15.94          | 46           | 30.06       | L1   | 29.8       | ---                  | -13.86              |
| 1.663822        | 17.09            | ---            | 56           | 38.91       | L1   | 29.9       | -12.81               | ---                 |
| 1.774693        | ---              | 16.01          | 46           | 29.99       | N    | 29.8       | ---                  | -13.79              |
| 4.870564        | 18.66            | ---            | 56           | 37.34       | L1   | 29.9       | -11.24               | ---                 |
| 4.947322        | ---              | 18.08          | 46           | 27.92       | L1   | 29.9       | ---                  | -11.82              |
| 12.038829       | ---              | 24.32          | 50           | 25.68       | L1   | 30         | ---                  | -5.68               |
| 12.038829       | 25.62            | ---            | 60           | 34.38       | L1   | 30         | -4.38                | ---                 |
| 13.561179       | ---              | 17.25          | 50           | 32.75       | N    | 30         | ---                  | -12.75              |
| 13.561179       | 18.5             | ---            | 60           | 41.5        | N    | 30         | -11.5                | ---                 |

---End of Test Report---