
ANNEX 1 TO TEST REPORT # EMCC-040197.1D, 2020-12-08

PHOTOGRAPHS OF TEST SETUP

EQUIPMENT UNDER TEST:

Trade Name:	Torque meter
Type, Serial Number(s):	T40FH S11, none
Application:	Low Power Transceiver
FCC ID:	2ADAT-T40S10TOS11
Manufacturer:	Hottinger Brüel & Kjaer GmbH
Address:	Im Tiefen See 45 64293 Darmstadt GERMANY
Phone:	+49 6151 803-8281
E-Mail:	Jens.Dexheimer@hbkworld.com

RELEVANT STANDARD(S) :


47 CFR § 15.203, § 15.207, § 15.209
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5

MEASUREMENT PROCEDURE:☒ ANSI C63.10-2013☒ SPR-002 Issue 1


ILLUSTRATION LIST ANNEX 1

Photograph A1-1: Conducted emissions	2
Photograph A1-2: Radiated emissions 9 kHz – 30 MHz at 3 m distance at SAC and Occupied Bandwidth	2
Photograph A1-3: Radiated emissions 30 MHz - 1 GHz at 3 m distance	3
Photograph A1-4: RF exposure, position max E-field	3
Photograph A1-5: RF exposure, position max H-field	4

Test on Hottinger Brüel & Kjaer GmbH T40FH S11 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5




Photograph A1-1: Conducted emissions




Photograph A1-2: Radiated emissions 9 kHz – 30 MHz at 3 m distance at SAC and Occupied Bandwidth

Test on Hottinger Brüel & Kjaer GmbH T40FH S11 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5




Photograph A1-3: Radiated emissions 30 MHz - 1 GHz at 3 m distance



Photograph A1-4: RF exposure, position max E-field

Test on Hottinger Brüel & Kjaer GmbH T40FH S11 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A1-5: RF exposure, position max H-field