



CH40



Date: 9.FEB.2015 13:55:13

CH48




Date: 9.FEB.2015 13:55:58

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.03	0.47	5.50	17.00
CH40	5200	6.67	0.47	7.14	17.00
CH48	5240	6.37	0.47	6.84	17.00

CH36




Date: 9.FEB.2015 14:27:20

CH40



Date: 9.FEB.2015 14:28:13

CH48




Date: 9.FEB.2015 14:29:20

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.85	0.47	6.32	17.00
CH40	5200	7.66	0.47	8.13	17.00
CH48	5240	5.96	0.47	6.43	17.00

CH36




Date: 9.FEB.2015 15:00:23

CH40



Date: 9.FEB.2015 15:12:43

CH48



Date: 9.FEB.2015 15:13:26


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.70	17.00
CH40	5200	12.15	17.00
CH48	5240	11.47	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.05	0.00	0.05	17.00
CH46	5230	1.96	0.00	1.96	17.00

CH38



Date: 9.FEB.2015 14:14:08

CH46




Date: 9.FEB.2015 14:15:34

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.30	0.00	0.30	17.00
CH46	5230	2.08	0.00	2.08	17.00

CH38



Date: 9.FEB.2015 14:39:35

CH46




Date: 9.FEB.2015 14:43:57

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.41	0.00	0.41	17.00
CH46	5230	3.54	0.00	3.54	17.00

CH38



Date: 9.FEB.2015 15:36:48

CH46



Date: 9.FEB.2015 15:38:04


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.03	17.00
CH46	5230	7.36	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.33	0.10	2.43	30.00
CH157	5785	3.16	0.10	3.26	30.00
CH165	5825	3.48	0.10	3.58	30.00

TX CH149




Date: 9.FEB.2015 11:00:35

TX CH157



Date: 9.FEB.2015 11:02:35

TX CH165




Date: 9.FEB.2015 11:03:45

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.62	0.47	3.09	30.00
CH157	5785	2.82	0.47	3.29	30.00
CH165	5825	1.19	0.47	1.66	30.00

TX CH149




Date: 9.FEB.2015 13:56:50

TX CH157



Date: 9.FEB.2015 13:57:40

TX CH165




Date: 9.FEB.2015 14:00:55

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.28	0.47	2.75	30.00
CH157	5785	3.55	0.47	4.02	30.00
CH165	5825	1.26	0.47	1.73	30.00

TX CH149




Date: 9.FEB.2015 14:30:17

TX CH157



Date: 9.FEB.2015 14:31:09

TX CH165




Date: 9.FEB.2015 14:33:15

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.35	0.47	2.82	30.00
CH157	5785	3.60	0.47	4.07	30.00
CH165	5825	1.70	0.47	2.17	30.00

TX CH149




Date: 9.FEB.2015 15:14:25

TX CH157



Date: 9.FEB.2015 15:16:12

TX CH165



Date: 9.FEB.2015 15:17:05


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	7.66	0.47	7.66	30.00
CH157	5785	8.58	0.47	8.58	30.00
CH165	5825	6.63	0.47	6.63	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.01	0.00	-1.01	30.00
CH159	5795	-0.68	0.00	-0.68	30.00

TX CH151



Date: 9.FEB.2015 14:16:22

TX CH159




Date: 9.FEB.2015 14:18:41

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.38	0.00	-2.38	30.00
CH159	5795	-1.04	0.00	-1.04	30.00

TX CH151



Date: 9.FEB.2015 14:44:47

TX CH159




Date: 9.FEB.2015 14:47:39

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.07	0.00	-1.07	30.00
CH159	5795	-1.38	0.00	-1.38	30.00

TX CH151



Date: 9.FEB.2015 15:38:57

TX CH159



Date: 9.FEB.2015 15:40:50


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	3.33	30.00
CH159	5795	3.75	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.11	0.00	5.11	17.00
CH40	5200	6.18	0.00	6.18	17.00
CH48	5240	4.97	0.00	4.97	17.00

CH36




Date: 9.FEB.2015 14:02:15

CH40



Date: 9.FEB.2015 14:03:05


CH48



Date: 9.FEB.2015 14:03:52


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.04	0.00	5.04	17.00
CH40	5200	6.76	0.00	6.76	17.00
CH48	5240	6.48	0.00	6.48	17.00




Date: 9.FEB.2015 14:34:12

CH40



Date: 9.FEB.2015 14:35:04


CH48



Date: 9.FEB.2015 14:35:45


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.22	0.00	6.22	17.00
CH40	5200	7.96	0.00	7.96	17.00
CH48	5240	6.17	0.00	6.17	17.00




Date: 9.FEB.2015 15:18:44

CH40



Date: 9.FEB.2015 15:21:15

CH48



Date: 9.FEB.2015 15:27:01


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.26	17.00
CH40	5200	11.80	17.00
CH48	5240	10.69	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.99	0.38	1.37	17.00
CH46	5230	2.03	0.38	2.41	17.00

CH38



Date: 9.FEB.2015 14:19:50

CH46




Date: 9.FEB.2015 13:20:50

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.47	0.38	0.85	17.00
CH46	5230	2.15	0.38	2.53	17.00

CH38



Date: 9.FEB.2015 14:48:36

CH46




Date: 9.FEB.2015 14:49:29

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.93	0.38	1.31	17.00
CH46	5230	3.56	0.38	3.94	17.00

CH38



Date: 9.FEB.2015 15:41:52

CH46




Date: 9.FEB.2015 15:42:42

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.96	17.00
CH46	5230	7.79	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.17	0.51	-1.66	17.00



Date: 9.FEB.2015 13:25:42

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.12	0.51	-1.61	17.00



Date: 9.FEB.2015 14:52:27

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.20	0.51	-0.69	17.00



Date: 9.FEB.2015 15:46:12


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.48	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.31	0.00	2.31	30.00
CH157	5785	3.19	0.00	3.19	30.00
CH165	5825	2.02	0.00	2.02	30.00

TX CH149




Date: 9.FEB.2015 14:09:02

TX CH157



Date: 9.FEB.2015 14:09:50

TX CH165




Date: 9.FEB.2015 14:10:36

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.36	0.00	2.36	30.00
CH157	5785	3.40	0.00	3.40	30.00
CH165	5825	1.62	0.00	1.62	30.00

TX CH149




Date: 9.FEB.2015 14:36:33

TX CH157



Date: 9.FEB.2015 14:37:31

TX CH165




Date: 9.FEB.2015 14:38:18

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	3.05	0.00	3.05	30.00
CH157	5785	4.07	0.00	4.07	30.00
CH165	5825	2.81	0.00	2.81	30.00

TX CH149




Date: 9.FEB.2015 15:28:07

TX CH157



Date: 9.FEB.2015 15:33:51

TX CH165



Date: 9.FEB.2015 15:34:32


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	7.36	30.00
CH157	5785	8.34	30.00
CH165	5825	6.95	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.90	0.38	-1.52	30.00
CH159	5795	-1.11	0.38	-0.73	30.00

TX CH151



Date: 9.FEB.2015 13:21:44

TX CH159




Date: 9.FEB.2015 13:24:00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.95	0.38	-1.57	30.00
CH159	5795	-0.30	0.38	0.08	30.00

TX CH151



Date: 9.FEB.2015 14:50:21

TX CH159




Date: 9.FEB.2015 14:51:11

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.12	0.38	-1.74	30.00
CH159	5795	-1.25	0.38	-0.87	30.00

TX CH151



Date: 9.FEB.2015 15:43:40

TX CH159



Date: 9.FEB.2015 15:44:39


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	3.16	30.00
CH159	5795	4.29	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-4.97	0.51	-4.46	30.00

TX CH155




Date: 9.FEB.2015 13:29:38

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-5.92	0.51	-5.41	30.00

TX CH155




Date: 9.FEB.2015 14:53:36

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-5.24	0.51	-4.73	30.00

TX CH155



Date: 9.FEB.2015 15:48:13

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-0.07	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0690
120	5180.0650
108	5180.0610
Max. Deviation (MHz)	0.0690
Max. Deviation (ppm)	13.3205

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0470
5	5180.0430
15	5180.0490
25	5180.0440
35	5180.0450
40	5180.0420
Max. Deviation (MHz)	0.0490
Max. Deviation (ppm)	9.4595

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0960
120	5745.0890
108	5745.0830
Max. Deviation (MHz)	0.0960
Max. Deviation (ppm)	16.7102

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0780
5	5745.0570
15	5745.0560
25	5745.0560
35	5745.0540
40	5745.0590
Max. Deviation (MHz)	0.0780
Max. Deviation (ppm)	13.5770