

Page: 1 of 323

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Qualcomm Technologies, Inc.

5775 Morehouse Drive, San Diego, CA 92121-1714, United States

Manufacturer: Qualcomm Technologies, Inc.

5775 Morehouse Drive, San Diego, CA 92121-1714, United States

Tri-Radio LGA Module for IoT applications **Product Name:**

Brand Name: Qualcomm

Model No.: QCC743M-0

Report Number: TERF2411003328ER

FCC ID J9C-QCC743M0

Date of EUT Received: November 6, 2024

Date of Test: November 6, 2024~December 6, 2024

Issue Date: December 13, 2024

Approved By

Paul Chiang

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2020 and the energy emitted by the sample EUT comply with FCC rule part §15.247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 323

Revision History					
Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2411003328ER	00	Original	December 6, 2024	Karen Huang	
TERF2411003328ER	01	Update Applicant's address	December 13, 2024	Karen Huang	*

Note:

- 1. The remark "*" indicates modification of the report upon requests from certification body.
- 2 · Variant information of HW SKU is provided by the applicant, test results of this report are applicable to the sample EUT(s) received. And are assessed as electrically identical in RF characteristics, therefore, no further assessment required for the variant(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 3 of 323

Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULTS	11
4	DESCRIPTION OF TEST MODES	12
5	MEASUREMENT UNCERTAINTY	15
6	MEASUREMENT EQUIPMENT USED	16
7	CONDUCTED EMISSION TEST	18
8	PEAK OUTPUT POWER MEASUREMENT	22
9	EMISSION BANDWIDTH MEASUREMENT	35
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	54
11	BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	89
12	POWER SPECTRAL DENSITY	308
13	ANTENNA REQUIREMENT	323

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操是倚保留句子。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 4 of 323

GENERAL INFORMATION

1.1 **Product Description**

Product Name:	Tri-Radio LGA Module for IoT applications
Brand Name:	Qualcomm
Model No.:	QCC743M-0
HW SKU:	QCC743M-0U, QCC743M-0B
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	02B221846S00C8
Power Supply:	3.3Vdc
Test Software (Name/Version)	Qconn_RCT v1.8.9

1.2 **RF Specification**

HW SKU: QCC743M-0B

WLAN 2.4GHz

Wi-Fi	Frequency	Channels Rated Power (dBm)		Modulation	
VVI-1 1	Range	Charinets	Peak	Avg.	Technology
802.11b	2412~2472	13	23.46	21.16	DSSS
802.11g	2412~2472	13	27.03	20.78	OFDM
802.11n_HT20	2412~2472	13	26.98	20.47	OFDM
802.11n_HT40	2422~2462	9	25.17	15.88	OFDM
802.11ax_HE20	2412~2472	13	27.37	20.49	OFDMA
802.11ax_HE40	2422~2462	9	26.20	15.95	OFDMA
		CCK, DQPSK, DBPSK for DSSS in 802.11b			
Modulation	type:	64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11g,11n			
		1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for			
		OFDMA in 802.11ax			
		802.11b: 1/2/5.5/11 Mbps			
		802.11g: 6/9/12/18/24/36/48/54 Mbps			
Data Rate:		802.11n_HT20:up to 72.2Mbps			
		802.11n_HT40:up to 150Mbps			
		802.11ax_HE20:up to 143.4Mbps			
		802.11ax_HE4	0:up to 286.8N	1bps	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 5 of 323

HW SKU: QCC743M-0U

WLAN 2.4GHz

Wi-Fi	Frequency	Channals	Channels Rated Power (dBm) Mod		Modulation
VVI-1 1	Range	Chariners	Peak	Avg.	Technology
802.11b	2412~2472	13	22.67	20.47	DSSS
802.11g	2412~2472	13	27.03	20.78	OFDM
802.11n_HT20	2412~2472	13	26.98	20.47	OFDM
802.11n_HT40	2422~2462	9	25.17	15.88	OFDM
802.11ax_HE20	2412~2472	13	27.37	20.49	OFDMA
802.11ax_HE40	2422~2462	9	26.20	15.95	OFDMA
Modulation type:		CCK, DQPSK, DBPSK for DSSS in 802.11b 64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11g,11n 1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA in 802.11ax			n 802.11g,11n
Data Rate:		802.11b: 1/2/5 802.11g: 6/9/1 802.11n_HT20 802.11n_HT40 802.11ax_HE2 802.11ax_HE4	2/18/24/36/48/5 cup to 72.2Mbp cup to 150Mbp 0:up to 143.4M	s Mbps	

1.3 HW SKU Difference Table:

HW SKU	Antenna Type	Impedance
QCC743M-0U	3 types: PIFA, Monopole, Dipole	C21=1.86pF, C20=1.89pF
QCC743M-0B	1 type: PCB	C21=1.52pF, C20=2.05pF

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 6 of 323

1.4 Antenna Designation

Antenna Type	Antenna Part No.	Freq.	Peak Antenna Gain (dBi)
PCB Antenna	RFIQM0743010NB001		1.89
PIFA Antenna	RFPCA441010EMABY01	0.401.	3.19
Dipole Antenna	RFPCA521010EMABY01	2.4GHz	3.37
Monopole Antenna	RFPCA501010EMABY01		3.12

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留仍天。木報告未經木公司惠面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 7 of 323

Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247 FCC KDB 558074 D01 15.247 Meas Guidance v05r02 ANSI C63.10:2020

1.6 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB
SGS Taiwan Ltd.	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan.	SAC 1 SAC 2 SAC 3 Conduction 1 Conducted 1 Conducted 2 Conducted 3 Conducted 4 Conducted 5 Conducted 6	TW0027	
Central RF Lab. (TAF code 3702)	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C SAC C SAC D SAC G Conducted A Conducted B Conducted C Conducted D Conducted E Conducted F Conducted G	TW0028	TW3702

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.7 **Special Accessories**

There are no special accessories used while test was conducted.

1.8 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 8 of 323

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操是倚保留句子。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 323

Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.


2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

2.5 **Test Configuration**







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 10 of 323

2.6 Control Unit(s)

AC Power-Line Conducted Emission Test Site: Conduction 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
AC Adapter	HP	TPN-LA16	N/A	N/A	N/A
Notebook	HP	HSN-Q35C-4	5CD238GDV5	N/A	N/A
Type-C to USB Cable	Xiaomi	SJX10ZM	N/A	N/A	N/A
QCC74X Module Development Kit Board	Walsin	QCC743-DVK	N/A	N/A	N/A
Conducted Emission Test Site: Conducted 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
Notebook	HP	HSN-Q35C-4	5CD238GDV5	N/A	N/A
Type-C to USB Cable	Xiaomi	SJX10ZM	N/A	N/A	N/A
QCC74X Module Development Kit Board	Walsin	QCC743-DVK	N/A	N/A	N/A
		Radiated Emissio	n Test Site: SAC 3		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	HP	HSN-Q35C-4	5CD238GDV5	N/A	N/A
Type-C to USB Cable	Xiaomi	SJX10ZM	N/A	N/A	N/A
QCC74X Module Development Kit Board	Walsin	QCC743-DVK	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操是倚保留句子。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 11 of 323

SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	Emission Bandwidth	Compliant
§15.209	Conducted Band Edge	0
§15.247(d)	and Spurious Emission	Compliant
§15.209 §15.247(d)	Radiated Spurious Emission	Compliant
§15.205	Restricted Bands	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.



Page: 12 of 323

DESCRIPTION OF TEST MODES

4.1 **Operating Frequencies**

2400~2483.5 MHz			
ИHz			
Freq. (MHz)			
2412			
2417			
2422			
2427			
2432			
2437			
2442			
2447			
2452			
2457			
2462			
2467			
2472			

40N	40MHz			
СН	Freq. (MHz)			
3	2422			
4	2427			
5	2432			
6	2437			
7	2442			
8	2447			
9	2452			
10	2457			
11	2462			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 13 of 323

The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

								Single			
	Modulation			Tra	nsmiss	sion	Chain			Tr	ansmission
										Spatial	
٧	802.11 b	٧	Ch0		Ch1		Ch2		Ch3	٧	1TX
٧	802.11 g	٧	Ch0		Ch1		Ch2		Ch3	٧	1TX
٧	802.11 n	٧	Ch0		Ch1		Ch2		Ch3	٧	1TX
	802.11 ac		Ch0		Ch1		Ch2		Ch3		1TX
٧	802.11 ax	٧	Ch0		Ch1		Ch2		Ch3	٧	1TX
	802.11 be		Ch0		Ch1		Ch2		Ch3		1TX

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

	CONDUCTED TEST							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT			
802.11b	1 to 13	1,6,11,12,13	DSSS	1	ch0			
802.11g	1 to 13	1,2,3,4,5,6,7,8, 9,10,11,12,13	OFDM	6	ch0			
802.11n_HT20	1 to 13	1,2,3,4,5,6,7,8, 9,10,11,12,13	OFDM	MCS0	ch0			
802.11n_HT40	3 to 11	3,4,5,6,7,8,9,10	OFDM	MCS0	ch0			
802.11ax_HE20	1 to 13	1,2,3,4,5,6,7,8, 9,10,11,12,13	OFDM	MCS0	ch0			
802.11ax_HE40	3 to 11	3,4,5,6,7,8,9,10	OFDM	MCS0	ch0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 14 of 323

	CONDUCTED TEST									
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11ax_HE20	1 to 13	1,2,3,4,5,6,7,8, 9,10,11,12,13	OFDMA	242 26/0,26/8 52/37,52/40 106/53,106/54	MCS0	ch0				
802.11ax_HE40	3 to 11	3,4,5,6,7,8,9,10	OFDMA	484 242/61,242/62	MCS0	ch0				

	TRANSMIT EMISSION TEST (BELOW 1 GHz)										
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT						
802.11g	1 to 13	6	OFDM	6	ch0						

	TRANSMIT EMISSION TEST (ABOVE 1 GHz)											
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT							
802.11b	1 to 13	1,6,11,12,13	DSSS	1	ch0							
802.11g	1 to 13	1,6,11,12,13	OFDM	6	ch0							
802.11n_HT20	1 to 13	1,6,11,12,13	OFDM	MCS0	ch0							
802.11n_HT40	3 to 11	3,6,9,10,11	OFDM	MCS0	ch0							

	TRANSMIT EMISSION TEST (ABOVE 1 GHz)										
MODE	MODE AVAILABLE TESTED MODULATION CHANNEL		RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT						
802.11ax_HE20	1 to 13	1,6,11,12,13	OFDMA	26/0,26/8 52/37,52/40 106/53,106/54	MCS0	ch0					
802.11ax_HE40	3 to 11	3,6,9,10,11	OFDMA	242/61,242/62	MCS0	ch0					

Note:

- 1. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.
- 2. Radiated test was done with 50ohm terminator on antenna port.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 323

MEASUREMENT UNCERTAINTY

Test Items	Un	certain	ty
AC Power Line Conducted Emission	+/-	1.54	dB
Output Power measurement	+/-	0.97	dB
Emission Bandwidth	+/-	1.38	Hz
Conducted emission measurement	+/-	0.77	dB
Peak Power Density	+/-	0.61	dB
Temperature	+/-	0.6	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty							
	+/-	1.89	dB	9kHz~30MHz			
Polarization: Vertical	+/-	4.15	dB	30MHz - 1000MHz			
Polarization. Vertical	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	1.89	dB	9kHz~30MHz			
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz			
Polarization. Horizontal	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	2	dB	33GHz-50GHz			
	+/-	1.59	dB	50GHz-60GHz			
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz			
	+/-	1.64	dB	90GHz-140GHz			
	+/-	3.83	dB	140GHz-220GHz			

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 16 of 323

MEASUREMENT EQUIPMENT USED

6.1 **Emission from AC power line**

AC Power-Line Conducted Emission Test Site: Conduction 1									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Coaxial Cables	EMC Instruments Corp.	EMCCFD300-BM- BM-3000	161207	06/22/2024	06/21/2025				
EMI Test Receiver	R&S	ESCI 7	100759	08/28/2024	08/27/2025				
LISN	SCHWARZBECK	NSLK 8127	1040	09/07/2024	09/06/2025				
Pulse Limiter	SCHWARZBECK	VTSD 9561F-N	793	06/22/2024	06/21/2025				
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R				

6.2 **Conducted Measurement**

Conducted Emission Test Site: Conducted 2										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)					
Attenuator	Mini-Circuits	BW-S10W2+	6	12/12/2023	12/11/2024					
DC Block	Mini-Circuits	BLK-18-S+	31129	12/12/2023	12/11/2024					
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071541	07/08/2024	07/07/2025					
Power Meter	Anritsu	ML2496A	2132007	09/23/2024	09/22/2025					
Power Sensor	Anritsu	MA2411B	1911391	09/23/2024	09/22/2025					
Power Sensor	Anritsu	MA2411B	1911392	09/23/2024	09/22/2025					
Test Software	SGS	Radio Test Software	Ver. 21	N.C.R	N.C.R					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 17 of 323

Radiated Measurement

	Radiated Emission Test Site: SAC 3								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
4G High Pass Filter	WI	WHKX4.0	22	12/12/2023	12/11/2024				
Attenuator	Mini-Circuits	BW-S10W2+	16	12/12/2023	12/11/2024				
Band Reject Filter 2400-2483.5	EWT	EWT-54-0038	M2	12/12/2023	12/11/2024				
Bi-log Antenna	SCHWARZBECK	VULB9168	378	08/09/2024	08/08/2025				
Coaxial Cables	EMCI+Huber Suhner	EMC107-SM-SM- 1000 +SUCOFLEX 104PEA +EMC107-SM-SM- 1500 +SUCOFLEX 106	RX Cable 9K-18G (221110+MY4251/4 PEA+221106+76096 /6)	08/30/2024	08/29/2025				
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062/ 2	08/30/2024	08/29/2025				
EMI Test Receiver	R&S	ESCI 7	100759	08/28/2024	08/27/2025				
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY63440386	02/06/2024	02/05/2025				
Horn Antenna	RF SPIN	DRH0844	LE2D05A0844	07/10/2024	07/09/2025				
Horn Antenna	SCHWARZBECK	BBHA9120D	1441	09/23/2024	09/22/2025				
Loop Antenna	COM-POWER	AL-130R	10160104	12/04/2023	12/03/2024				
Pre-Amplifier	EMCI	EMC118A45SEE	980868	08/30/2024	08/29/2025				
Pre-Amplifier	EMCI	EMC184045SEE	9080939	08/30/2024	08/29/2025				
Pre-Amplifier	HP	8447D	2944A07676	08/30/2024	08/29/2025				
Site Cal	SGS	SAC 3	N/A	08/30/2024	08/29/2025				
SMA Termination	RF Microwave WOKEN	WTER-18S2	N/A	N/A	N/A				
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R				

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 18 of 323

CONDUCTED EMISSION TEST

7.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits (dBuV)					
MHz	Quasi-peak Average					
0.15 to 0.50	66 to 56	56 to 46				
0.50 to 5	56	46				
5 to 30	60	50				


Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz

7.2 **EUT Setup:**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2020.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 **Test Setup**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.sqs.com.tw



Page: 19 of 323

7.4 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 323


AC POWER LINE CONDUCTED EMISSION TEST DATA

Report Number :TERF2411003328ER **Test Site** :Conduction 1

Operation Mode: WLAN 2.4G Test Date :2024-11-18 :120V/60Hz Power Temp./Humi. :25.5°C/62%

Probe :L Engineer :Nick Lin

Note:



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS		
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.180	Average	23.57	10.13	33.70	54.50	-20.80
0.180	QP	37.34	10.13	47.47	64.50	-17.03
0.211	Average	21.54	10.13	31.67	53.18	-21.51
0.211	QP	35.68	10.13	45.81	63.18	-17.37
0.224	Peak	38.29	10.13	48.42	62.66	-14.23
0.242	Peak	34.20	10.14	44.33	62.04	-17.71
0.389	Peak	28.07	10.15	38.22	58.08	-19.86
6.805	Peak	29.29	10.36	39.65	60.00	-20.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 21 of 323

Report Number :TERF2411003328ER

Operation Mode :WLAN 2.4G Power :120V/60Hz


Probe :N

Note: :

Test Site :Conduction 1
Test Date :2024-11-18

Temp./Humi. :25.5°C/62%

Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS		
MHz	PK/QP/AV	dΒμV	dB	dBμV	dΒμV	dB
0.160	Average	27.56	10.12	37.68	55.47	-17.79
0.160	QP	37.52	10.12	47.64	65.47	-17.83
0.176	Average	23.56	10.12	33.68	54.68	-21.00
0.176	QP	35.27	10.12	45.39	64.68	-19.29
0.255	Peak	35.71	10.13	45.85	61.60	-15.75
0.302	Peak	32.69	10.14	42.82	60.19	-17.37
0.385	Peak	28.19	10.15	38.34	58.17	-19.83
5.683	Peak	29.82	10.36	40.19	60.00	-19.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 22 of 323

8 PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

8.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

8.1.2 FCC

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Note:


When the antenna gain is greater than 6 dBi, the power limit attenuated accordingly.

8.2 Test Setup

8.2.1 Duty Cycle



8.2.2 Output Power:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 323

Measurement Procedure

8.3.1 **Duty Cycle:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

8.3.2 **Output Power**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

* Note: The duty cycle factor and below is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 24 of 323


8.4 **Measurement Result**

8.4.1 **Duty Cycle:**

Mo	ode	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)
802	.11b	99.21	0.03	1.00
802	.11g	98.44	0.07	1.98
802.1	1n_20	98.47	0.07	1.94
802.1	1n_40	97.14	0.13	3.68
Mode	RU Config	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)
	Full	99.79	0.01	0.26
	26 RU	97.67	0.10	0.23
802.11ax_20	52 RU	98.13	0.08	0.19
	106 RU	97.65	0.10	0.23
	242	96.13	0.17	0.39
	Full	99.59	0.02	0.51
802.11ax_40	242 RU	96.13	0.17	0.39
	484	91.75	0.37	0.86

8.4.2 **Duty Cycle test plots**

802.11b_20MHz_Chain0_2412MHz



802.11g_20MHz_Chain0_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 25 of 323

802.11n_20MHz_Chain0_2412MHz



802.11n_40MHz_Chain0_2422MHz




802.11ax_20MHz_Chain0_2412MHz



802.11ax_20MHz_Chain0_2412MHz_RU26_0



802.11ax_20MHz_Chain0_2412MHz_RU52_37



802.11ax_20MHz_Chain0_2412MHz_RU106_53



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 26 of 323

802.11ax_20MHz_Chain0_2412MHz_RU242



802.11ax_40MHz_Chain0_2422MHz



802.11ax_40MHz_Chain0_2422MHz_RU242_61



802.11ax_40MHz_Chain0_2422MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報生结里僅對剛建之樣是各書,同時件樣是僅是200千。未報生主經未公司書面許可,不可架份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 27 of 323

Output Power

HW SKU: QCC743M-0B

	OILO.	(OO) +0III-0B					
802.11	lb Ch0						_
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	1	22	220.29	23.43	30.00	PASS
6	2437	1	22	219.28	23.41	30.00	PASS
11	2462	1	22	221.82	23.46	30.00	PASS
12	2467	1	15	47.32	16.75	30.00	PASS
13	2472	1	10	15.67	11.95	30.00	PASS
802.11	b Ch0					•	•
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	1	22	130.45	21.15	30.00	PASS
6	2437	1	22	129.55	21.12	30.00	PASS
11	2462	1	22	130.75	21.16	30.00	PASS
12	2467	1	15	28.15	14.49	30.00	PASS
13	2472	1	10	9.09	9.58	30.00	PASS

Note: The power levels of 802.11 g/n/ax of QCC743M-0B are same with QCC743M-0U, for the detailed, please refer to power table of QCC743M-0U from next page.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 28 of 323

HW SKU: QCC743M-0U

802.11	802.11b Ch0										
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT				
1	2412	1	21	182.81	22.62	30.00	PASS				
6	2437	1	21	179.06	22.53	30.00	PASS				
11	2462	1	21	184.93	22.67	30.00	PASS				
12	2467	1	15	47.32	16.75	30.00	PASS				
13	2472	1	10	15.67	11.95	30.00	PASS				
802.11	b Ch0										
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT				
1	2412	1	21	108.25	20.34	30.00	PASS				
6	2437	1	21	107.26	20.30	30.00	PASS				
11	2462	1	21	111.54	20.47	30.00	PASS				
12	2467	1	15	28.15	14.49	30.00	PASS				
13	2472	1	10	9.09	9.58	30.00	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测验之样只有含,同既此样只属风风风干。大规华工概太八司隶而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 29 of 323

802.1	lg Ch0						
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	16	314.77	24.98	30.00	PASS
2	2417	6	17	358.92	25.55	30.00	PASS
3	2422	6	19	432.51	26.36	30.00	PASS
4	2427	6	20	463.45	26.66	30.00	PASS
5	2432	6	21	487.53	26.88	30.00	PASS
6	2437	6	22	504.66	27.03	30.00	PASS
7	2442	6	21	477.53	26.79	30.00	PASS
8	2447	6	20	450.82	26.54	30.00	PASS
9	2452	6	19	421.70	26.25	30.00	PASS
10	2457	6	18	389.94	25.91	30.00	PASS
11	2462	6	16	308.32	24.89	30.00	PASS
12	2467	6	13	173.38	22.39	30.00	PASS
13	2472	6	11	107.65	20.32	30.00	PASS
802.1	g Ch0		•				
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	16	33.02	15.19	30.00	PASS
2	2417	6	17	40.63	16.09	30.00	PASS
2		o o		40.03	10.09	30.00	PASS
3	2422	6	19	63.51	18.03	30.00	PASS
4	2422 2427						
		6	19	63.51	18.03	30.00	PASS
4	2427	6 6	19 20	63.51 79.22	18.03 18.99	30.00 30.00	PASS PASS
4 5	2427 2432	6 6 6	19 20 21	63.51 79.22 98.82	18.03 18.99 19.95	30.00 30.00 30.00	PASS PASS PASS
4 5 6	2427 2432 2437	6 6 6	19 20 21 22	63.51 79.22 98.82 119.63	18.03 18.99 19.95 20.78	30.00 30.00 30.00 30.00	PASS PASS PASS PASS
4 5 6 7	2427 2432 2437 2442	6 6 6 6	19 20 21 22 21	63.51 79.22 98.82 119.63 97.91	18.03 18.99 19.95 20.78 19.91	30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS
4 5 6 7 8	2427 2432 2437 2442 2447	6 6 6 6 6	19 20 21 22 21 20	63.51 79.22 98.82 119.63 97.91 78.67	18.03 18.99 19.95 20.78 19.91 18.96	30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS
4 5 6 7 8 9	2427 2432 2437 2442 2447 2452	6 6 6 6 6 6	19 20 21 22 21 20 19	63.51 79.22 98.82 119.63 97.91 78.67 64.54	18.03 18.99 19.95 20.78 19.91 18.96 18.10	30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
4 5 6 7 8 9	2427 2432 2437 2442 2447 2452 2457	6 6 6 6 6 6 6	19 20 21 22 21 20 19 18	63.51 79.22 98.82 119.63 97.91 78.67 64.54 51.74	18.03 18.99 19.95 20.78 19.91 18.96 18.10 17.14	30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
4 5 6 7 8 9 10 11	2427 2432 2437 2442 2447 2452 2457 2462	6 6 6 6 6 6 6 6	19 20 21 22 21 20 19 18 16	63.51 79.22 98.82 119.63 97.91 78.67 64.54 51.74 33.48	18.03 18.99 19.95 20.78 19.91 18.96 18.10 17.14 15.25	30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 30 of 323

802.11	1n_HT_20	M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	15	304.79	24.84	30.00	PASS
2	2417	MCS0	17	382.82	25.83	30.00	PASS
3	2422	MCS0	19	451.86	26.55	30.00	PASS
4	2427	MCS0	20	474.24	26.76	30.00	PASS
5	2432	MCS0	20	473.15	26.75	30.00	PASS
6	2437	MCS0	22	498.88	26.98	30.00	PASS
7	2442	MCS0	21	484.17	26.85	30.00	PASS
8	2447	MCS0	20	461.32	26.64	30.00	PASS
9	2452	MCS0	19	441.57	26.45	30.00	PASS
10	2457	MCS0	18	414.00	26.17	30.00	PASS
11	2462	MCS0	16	349.95	25.44	30.00	PASS
12	2467	MCS0	13	209.89	23.22	30.00	PASS
13	2472	MCS0	11	130.32	21.15	30.00	PASS
802.11	ln_HT_20	M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	15	26.34	14.21	30.00	PASS
2	2417	MCS0	17	39.78	16.00	30.00	PASS
3	2422	MCS0	19	62.47	17.96	30.00	PASS
4	2427	MCS0	20	77.39	18.89	30.00	PASS
5	2432	MCS0	20	77.93	18.92	30.00	PASS
6	2437	MCS0	22	111.35	20.47	30.00	PASS
7	2442	MCS0	21	95.87	19.82	30.00	PASS
8	2447	MCS0	20	77.21	18.88	30.00	PASS
9	2452	MCS0	19	63.20	18.01	30.00	PASS
10	2457	MCS0	18	51.13	17.09	30.00	PASS
	24/2	MCCO	16	32.94	15.18	30.00	PASS
11	2462	MCS0	10	JZ. 74	15.10	30.00	17.00
11 12	2462	MCS0	13	17.29	12.38	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 31 of 323

802.11	In_HT_40	M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
3	2422	MCS0	13	129.12	21.11	30.00	PASS
4	2427	MCS0	14	165.96	22.20	30.00	PASS
5	2432	MCS0	16	292.42	24.66	30.00	PASS
6	2437	MCS0	17	311.89	24.94	30.00	PASS
8	2447	MCS0	17	328.85	25.17	30.00	PASS
9	2452	MCS0	16	257.63	24.11	30.00	PASS
10	2457	MCS0	15	226.46	23.55	30.00	PASS
11	2462	MCS0	13	141.91	21.52	30.00	PASS
802.11	In_HT_40	M Ch0				•	-
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
3	2422	MCS0	13	16.13	12.08	30.00	PASS
4	2427	MCS0	14	20.35	13.09	30.00	PASS
5	2432	MCS0	16	31.59	15.00	30.00	PASS
6	2437	MCS0	17	38.42	15.85	30.00	PASS
8	2447	MCS0	17	38.69	15.88	30.00	PASS
				04.50	44.00	20.00	DACC
9	2452	MCS0	16	31.52	14.99	30.00	PASS
	2452 2457 2462	MCS0 MCS0 MCS0	16 15 13	25.33 16.05	14.99 14.04 12.06	30.00	PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 32 of 323

СН	Freq. (MHz)	Data Rate	RU Config	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESUL
			full	15	245.47	23.90	30.00	PASS
		MCS	26/0	16	341.19	25.33	30.00	PASS
1	2412	0	52/37	15	290.40	24.63	30.00	PASS
			106/53 242	16 15	277.97 293.09	24.44	30.00 30.00	PASS PASS
			full	17	358.92	25.55	30.00	PASS
			26/0	16	356.45	25.52	30.00	PASS
2	2417	MCS 0	52/37	17	388.15	25.89	30.00	PASS
		0	106/53	18	431.52	26.35	30.00	PASS
			242	17	381.94	25.82	30.00	PASS
			full	18	399.02	26.01	30.00	PASS
3	2422	MCS	26/0 52/37	16 17	358.10 387.26	25.54 25.88	30.00 30.00	PASS PASS
J	2422	0	106/53	19	480.84	26.82	30.00	PASS
			242	18	418.79	26.22	30.00	PASS
			full	19	437.52	26.41	30.00	PASS
		MCS	26/0	15	317.69	25.02	30.00	PASS
4	2427	0	52/37	17	408.32	26.11	30.00	PASS
			106/53	20	484.17	26.85	30.00	PASS
			242	19	445.66	26.49	30.00	PASS
			full	20 15	468.81	26.71 24.95	30.00 30.00	PASS
5	2432	MCS	26/0 52/37	21	312.61 508.16	24.95	30.00	PASS PASS
J	2432	0	106/53	22	532.11	27.26	30.00	PASS
			242	21	486.41	26.87	30.00	PASS
			full	21	480.84	26.82	30.00	PASS
			26/0	22	528.45	27.23	30.00	PASS
			52/37	22	539.51	27.32	30.00	PASS
6	2437	MCS	106/53	22	545.76	27.37	30.00	PASS
Ü	2107	0	26/8	22	533.33	27.27	30.00	PASS
			52/40	22	516.42	27.13	30.00	PASS
			106/54	22	524.81	27.20	30.00	PASS
			242 full	21 20	484.17 454.99	26.85 26.58	30.00 30.00	PASS PASS
		l	26/8	15	314.77	24.98	30.00	PASS
7	2442	MCS -	52/40	19	496.59	26.96	30.00	PASS
		0	106/54	22	535.80	27.29	30.00	PASS
			242	20	461.32	26.64	30.00	PASS
			full	19	450.82	26.54	30.00	PASS
		MCS	26/8	15	318.42	25.03	30.00	PASS
8	2447	0	52/40	16	358.10	25.54	30.00	PASS
			106/54	21	515.23	27.12	30.00	PASS
			242 full	19 18	440.55 325.09	26.44 25.12	30.00 30.00	PASS PASS
			26/8	15	309.03	24.90	30.00	PASS
9	2452	MCS -	52/40	16	366.44	25.64	30.00	PASS
		0	106/54	19	465.59	26.68	30.00	PASS
			242	18	407.38	26.10	30.00	PASS
•			full	17	341.98	25.34	30.00	PASS
		MCS	26/8	15	317.69	25.02	30.00	PASS
10	2457	0	52/40	16	346.74	25.40	30.00	PASS
			106/54	18	430.53	26.34	30.00	PASS
		 	242 full	17 16	374.97	25.74	30.00 30.00	PASS PASS
		}	full 26/8	15	248.31 304.09	23.95 24.83	30.00	PASS
11	2462	MCS	52/40	15	291.07	24.64	30.00	PASS
	2.02	0	106/54	15	308.32	24.89	30.00	PASS
			242	15	293.76	24.68	30.00	PASS
			full	14	219.28	23.41	30.00	PASS
		MCS	26/8	10	102.57	20.11	30.00	PASS
12	2467	0	52/40	11	127.64	21.06	30.00	PASS
			106/54	10	103.04	20.13	30.00	PASS
			242	10	101.39	20.06	30.00	PASS
			full	11	104.23	20.18	30.00	PASS
13	2472	MCS	26/8 52/40	6	41.30 39.36	16.16 15.95	30.00 30.00	PASS PASS
ıJ	2712	0	106/54	6	41.30	16.16	30.00	PASS
	1	i	242	6	39.99	16.02	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾设海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 33 of 323

СН	Freq. (MHz)	Data Rate	RU Config	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESUL
			full	15	25.94	14.14	30.00	PASS
		MCS	26/0	16	28.26	14.51	30.00	PASS
1	2412	0	52/37	15	23.40	13.69	30.00	PASS
			106/53	16	30.93	14.90	30.00	PASS
			242 full	15 17	25.18 40.26	14.01 16.05	30.00 30.00	PASS PASS
		-	26/0	16	28.66	14.57	30.00	PASS
2	2417	MCS -	52/37	17	35.99	15.56	30.00	PASS
		0	106/53	18	47.24	16.74	30.00	PASS
			242	17	39.01	15.91	30.00	PASS
			full	18	51.16	17.09	30.00	PASS
_		MCS -	26/0	16	28.79	14.59	30.00	PASS
3	2422	0	52/37	17	35.99	15.56	30.00	PASS
		-	106/53	19	60.44	17.81	30.00	PASS
			242 full	18 19	48.54 63.52	16.86 18.03	30.00 30.00	PASS
		-	26/0	15	23.89	13.78	30.00	PASS
4	2427	MCS	52/37	17	37.08	15.69	30.00	PASS
		0	106/53	20	76.79	18.85	30.00	PASS
		<u> </u>	242	19	61.96	17.92	30.00	PASS
			full	20	80.52	19.06	30.00	PASS
		MCS -	26/0	15	24.06	13.81	30.00	PASS
5	2432	0	52/37	21	91.66	19.62	30.00	PASS
			106/53	22	112.03	20.49	30.00	PASS
			242 full	21	95.97	19.82	30.00	PASS
		-	26/0	21 22	98.38 110.72	19.93 20.44	30.00 30.00	PASS
		=	52/37	22	111.99	20.49	30.00	PASS
		MCS	106/53	22	112.03	20.49	30.00	PASS
6	2437	0	26/8	22	112.01	20.49	30.00	PASS
			52/40	22	111.48	20.47	30.00	PASS
			106/54	22	111.77	20.48	30.00	PASS
			242	21	95.53	19.80	30.00	PASS
			full	20	78.87	18.97	30.00	PASS
-	0.440	MCS -	26/8	15	24.90	13.96	30.00	PASS
7	2442	0	52/40 106/54	19 22	60.56 111.77	17.82 20.48	30.00 30.00	PASS
		-	242	20	77.12	18.87	30.00	PASS
			full	19	65.75	18.18	30.00	PASS
			26/8	15	24.79	13.94	30.00	PASS
8	2447	MCS -	52/40	16	31.35	14.96	30.00	PASS
		0	106/54	21	98.93	19.95	30.00	PASS
			242	19	63.12	18.00	30.00	PASS
_		<u> </u>	full	18	52.83	17.23	30.00	PASS
0	2450	MCS	26/8	15	24.67	13.92	30.00	PASS
9	2452	0	52/40 106/54	16 19	31.42 63.29	14.97 18.01	30.00 30.00	PASS
			242	18	50.60	17.04	30.00	PASS
			full	17	41.11	16.14	30.00	PASS
		MCC	26/8	15	24.62	13.91	30.00	PASS
10	2457	MCS -	52/40	16	31.28	14.95	30.00	PASS
		0	106/54	18	50.74	17.05	30.00	PASS
			242	17	39.92	16.01	30.00	PASS
			full	16	26.97	14.31	30.00	PASS
11	24/2	MCS -	26/8	15	24.28	13.85	30.00	PASS
11	2462	0	52/40	15	25.42	14.05	30.00	PASS
			106/54 242	15 15	26.38 25.89	14.21 14.13	30.00 30.00	PASS
		\vdash	full	14	21.42	13.31	30.00	PASS
		ļ ļ	26/8	10	8.10	9.08	30.00	PASS
12	2467	MCS -	52/40	11	10.28	10.12	30.00	PASS
		0	106/54	10	8.84	9.46	30.00	PASS
			242	10	8.79	9.44	30.00	PASS
			full	11	10.89	10.37	30.00	PASS
		MCS	26/8	6	3.23	5.09	30.00	PASS
13	2472	0	52/40	6	3.34	5.23	30.00	PASS
		1	106/54 242	6	3.56 3.57	5.51 5.52	30.00	PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 34 of 323

СН	Freq. (MHz)	Data Rate	RU Config	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
			full	14	238.23	23.77	30.00	PASS
3	2422	MCS0	242/61	15	332.66	25.22	30.00	PASS
			484	13	326.59	25.14	30.00	PASS
			full	15	295.12	24.70	30.00	PASS
4	2427	MCS0	242/61	15	366.44	25.64	30.00	PASS
			484	14	361.41	25.58	30.00	PASS
_			full	16	347.54	25.41	30.00	PASS
5	2432	MCS0	242/61	15	355.63	25.51	30.00	PASS
			484	16	416.87	26.20	30.00	PASS
			full	17	374.97	25.74	30.00	PASS
6	2437	MCS0	242/61 242/62	15 15	348.34	25.42	30.00	PASS
		l ⊦	484	15	368.13	25.66 25.91	30.00	PASS
		1	full	17	389.94 368.13	25.66	30.00 30.00	PASS PASS
7	2442	MCS0	242/62	14	328.10	25.16	30.00	PASS
,	2447	101030	484	13	328.10	25.10	30.00	PASS
		1	full	16	344.35	25.37	30.00	PASS
8	2447	MCS0	242/62	14	310.46	24.92	30.00	PASS
J	2171		484	12	291.74	24.65	30.00	PASS
		1	full	15	295.80	24.71	30.00	PASS
9	2452	MCS0	242/62	14	304.09	24.83	30.00	PASS
,	2.02	-	484	11	238.78	23.78	30.00	PASS
			full	15	292.42	24.66	30.00	PASS
10	2457	MCS0	242/62	13	263.63	24.21	30.00	PASS
			484	10	203.24	23.08	30.00	PASS
								PASS
			full	1.3	189 73	// //	30.00	I PASS
11	2462	MCS0	full 242/62	13	189.23 52.97	22.77 17.24	30.00 30.00	
11	2462	MCS0	full 242/62 484	6 9	52.97 156.68	17.24 21.95	30.00 30.00 30.00	PASS PASS
	2462 lax_HE_4		242/62	6	52.97	17.24	30.00	PASS
			242/62	6	52.97	17.24	30.00	PASS
802.1	lax_HE_4 Freq.	10M Ch0	242/62 484 RU Config	6 9 Power Setting	52.97 156.68 Avg. Output Power (mW)	17.24 21.95 Avg. Output Power (dBm)	30.00 30.00 Limit (dBm)	PASS PASS RESUL
802.1 ² CH	Freq. (MHz)	Data Rate	242/62 484 RU Config	Power Setting	52.97 156.68 Avg. Output Power (mW) 20.27	17.24 21.95 Avg. Output Power (dBm) 13.07	30.00 30.00 Limit (dBm)	PASS PASS RESUL
802.1	lax_HE_4 Freq.	10M Ch0	242/62 484 RU Config full 242/61	Power Setting 14 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89	30.00 30.00 Limit (dBm) 30.00 30.00	PASS PASS RESUL PASS PASS
802.1 ² CH	Freq. (MHz)	Data Rate	242/62 484 RU Config full 242/61 484	6 9 Power Setting 14 15 13	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05	30.00 30.00 Limit (dBm) 30.00 30.00 30.00	PASS PASS RESUL* PASS PASS PASS PASS
CH 3	Freq. (MHz)	Data Rate	242/62 484 RU Config full 242/61 484 full	6 9 Power Setting 14 15 13 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08	30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS
802.1 ² CH	Freq. (MHz)	Data Rate	242/62 484 RU Config full 242/61 484 full 242/61	Power Setting 14 15 13 15 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95	30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3	Freq. (MHz)	Data Rate	242/62 484 RU Config full 242/61 484 full 242/61 484	6 9 Power Setting 14 15 13 15 15 14	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03	30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS RESUL' PASS PASS PASS PASS PASS PASS PASS PA
3 4	Freq. (MHz) 2422 2427	Data Rate MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full	Power Setting 14 15 13 15 15 14 16	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05	30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS RESUL PASS PASS PASS PASS PASS PASS PASS PA
CH 3	Freq. (MHz)	Data Rate	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61	Power Setting 14 15 13 15 15 14 16 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01	30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS RESUL PASS PASS PASS PASS PASS PASS PASS PA
3 4	Freq. (MHz) 2422 2427	Data Rate MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484	Power Setting 14 15 13 15 15 14 16 15 16	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96	30.00 30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PA
3 4	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full	Power Setting 14 15 13 15 15 14 16 15 16 17	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93	30.00 30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4	Freq. (MHz) 2422 2427	Data Rate MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61	Power Setting 14 15 13 15 15 14 16 15 16	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96	30.00 30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PA
3 4	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full	Power Setting 14 15 13 15 15 14 16 17 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98	30.00 30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 484 full 242/61 484 484 484	Power Setting 14 15 13 15 15 14 16 15 16 17 15 15 15 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06	30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 full 242/61	Power Setting 14 15 13 15 15 14 16 15 16 17 15 15	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21	30.00 30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full	Power Setting 14 15 13 15 15 14 16 15 16 17 15 15 17	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95	30.00 30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 242/62	Power Setting 14 15 13 15 15 14 16 17 15 15 17 14	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26	30.00 30.00 Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/62 484	Power Setting 14 15 13 15 15 14 16 17 15 15 16 17 15 15 17 14 13	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13	30.00 30.00 Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	2422 2427 2432 2437 2442	MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62	6 9 Power Setting 14 15 13 15 16 16 17 15 15 15 17 14 13 16	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11	30.00 30.00 Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6	2422 2427 2432 2437 2442	MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62 484 full 242/62	Power Setting 14 15 13 15 15 16 17 15 15 17 17 14 13 16 14	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23	30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6	2422 2427 2432 2437 2442	MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62 484 full 242/62 484 full 242/62	Power Setting 14 15 13 15 15 16 17 15 15 17 14 16 17 15 16 17 14 18 18 18 18 19 19 10 11 11 11 11 11 11 11 11 11 11 11 11	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29	30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
302.1° CH 3 4 5 6	2422 2427 2432 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 2484 full 242/62 484 full 242/62 484 full 242/62 484 full	Power Setting 14 15 13 15 15 14 16 17 15 15 17 14 13 16 17 14 13 16 14 13 16 14 13 16 14 13 16 14	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47 26.17	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29	30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6	2422 2427 2432 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 2484 full 242/62 484 full 242/62 484 full 242/62 484 full 242/62	Power Setting 14 15 13 15 15 14 16 17 15 15 17 14 13 16 17 14 13 16 14 12 15 14	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47 26.17 20.47	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29 14.18 13.11	30.00 30.00 30.00 Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6	2422 2427 2432 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484	Power Setting 14 15 13 15 15 14 16 15 16 17 15 15 17 14 13 16 14 12 15 14 11	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47 26.17 20.47 10.80	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29 14.18 13.11 10.33	30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 7 8	2422 2427 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full	6 9 Power Setting 14 15 13 15 16 17 15 15 17 14 13 16 14 12 15 14 11 15 13 10	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47 20.47 10.80 25.93	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29 14.18 13.11 10.33 14.14 12.20 9.41	30.00 30.00 30.00 Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6 7 8 9 10	2422 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full	6 9 Power Setting 14 15 13 15 15 16 17 15 15 15 17 14 11 13 16 14 12 15 14 11 15 14 11 15 13 10 13	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47 26.17 20.47 10.80 25.93 16.60 8.74 16.06	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29 14.18 13.11 10.33 14.14 12.20 9.41 12.06	30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 7 8	2422 2427 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	242/62 484 RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full	6 9 Power Setting 14 15 13 15 16 17 15 15 17 14 13 16 14 12 15 14 11 15 13 10	52.97 156.68 Avg. Output Power (mW) 20.27 24.50 16.05 25.57 24.84 20.11 31.97 25.18 31.36 39.15 25.01 26.37 25.49 39.34 21.19 16.35 32.42 21.04 13.47 26.17 20.47 10.80 25.93 16.60 8.74	17.24 21.95 Avg. Output Power (dBm) 13.07 13.89 12.05 14.08 13.95 13.03 15.05 14.01 14.96 15.93 13.98 14.21 14.06 15.95 13.26 12.13 15.11 13.23 11.29 14.18 13.11 10.33 14.14 12.20 9.41	30.00 30.00 30.00 Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 35 of 323

EMISSION BANDWIDTH MEASUREMENT

9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 **Test Setup**



9.3 **Measurement Procedure:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.

9.3.1 6dB BW measurements

- 1. The testing follows the Measurement Procedure of the KDB 558074 D01.
- Set the spectrum analyzer as

RBW= 100 kHz,

VBW = 3 X RBW

Span= 2 to 5 times of the OBW,

Sweep=auto, Detector = Peak, and Max hold.

- 3. Mark the upper and lower frequencies of -6dB.
- 4. Repeat above procedures until all test default channel is completed.

99% BW measurements 9.3.2

- 3. The testing follows the Measurement Procedure of the RSS-Gen section 6.7.
- 4. Set the spectrum analyzer as

RBW= 1 % to 5% of 99%,

VBW ≥ 3 X RBW.

Span= large enough to capture all products of the modulation process Sweep=auto, Detector = Peak, and Max hold.

- 5. Mark the upper and lower frequencies of 99%.
- 6. Repeat above procedures until all test default channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 36 of 323



9.4 **Measurement Result:**

9.4.1 6dB BW measurements

802.11b Ch0

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result
2412	9189.00	≥ 500	PASS
2437	9187.00	≥ 500	PASS
2462	9177.00	≥ 500	PASS
2467	9191.00	≥ 500	PASS
2472	9180.00	≥ 500	PASS

802.11g Ch0

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	16310.00	≥ 500	PASS
2437	16110.00	≥ 500	PASS
2462	16310.00	≥ 500	PASS
2467	16300.00	≥ 500	PASS
2472	16310.00	≥ 500	PASS

802.11n_HT_20M Ch0

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	16580.00	≥ 500	PASS
2437	16350.00	≥ 500	PASS
2462	16960.00	≥ 500	PASS
2467	16970.00	≥ 500	PASS
2472	16970.00	≥ 500	PASS

802.11n_HT_40M Ch0

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2422	35220.00	≥ 500	PASS
2437	35210.00	≥ 500	PASS
2452	35220.00	≥ 500	PASS
2457	35210.00	≥ 500	PASS
2462	35210.00	≥ 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 37 of 323

802.11ax_HE_20M Ch0

Freq. (MHz)	RU Config	6dB BW (kHz)	Limit (kHz)	Result
2412	full	18830.00	≥ 500	PASS
2412	242	18970.00	≥ 500	PASS
2437	full	18900.00	≥ 500	PASS
2437	242	19010.00	≥ 500	PASS
2462	full	18890.00	≥ 500	PASS
2402	242	18970.00	≥ 500	PASS
2467	full	18860.00	≥ 500	PASS
2407	242	18980.00	≥ 500	PASS
2472	full	18880.00	≥ 500	PASS
2412	242	18960.00	≥ 500	PASS

802.11ax_HE_40M Ch0

Freq.	RU	6dB BW	Limit	Result
(MHz)	Config	(kHz)	(kHz)	
2422	full	37640.00	≥ 500	PASS
2422	484	37980.00	≥ 500	PASS
2437	full	37720.00	≥ 500	PASS
2437	484	38010.00	≥ 500	PASS
2452	full	37770.00	≥ 500	PASS
2432	484	37900.00	≥ 500	PASS
2457	full	37800.00	≥ 500	PASS
2437	484	38060.00	≥ 500	PASS
2462	full	37820.00	≥ 500	PASS
Z 1 0Z	484	38050.00	≥ 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 38 of 323


802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz



802.11b_20MHz_Chain0_2467MHz



802.11b_20MHz_Chain0_2472MHz



802.11g_20MHz_Chain0_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 39 of 323


802.11g_20MHz_Chain0_2437MHz




802.11q_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2467MHz




802.11g_20MHz_Chain0_2472MHz



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概率从同事而连可,不可如必填制。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 40 of 323


802.11n_20MHz_Chain0_2462MHz




802.11n_20MHz_Chain0_2467MHz




802.11n_20MHz_Chain0_2472MHz




802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 41 of 323


802.11n_40MHz_Chain0_2457MHz




802.11n_40MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2412MHz




802.11ax_20MHz_Chain0_2412MHz_RU242



802.11ax_20MHz_Chain0_2437MHz



802.11ax_20MHz_Chain0_2437MHz_RU242



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 42 of 323


802.11ax_20MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2462MHz_RU242




802.11ax_20MHz_Chain0_2467MHz




802.11ax_20MHz_Chain0_2467MHz_RU242



802.11ax_20MHz_Chain0_2472MHz



802.11ax_20MHz_Chain0_2472MHz_RU242



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 43 of 323


802.11ax_40MHz_Chain0_2422MHz




802.11ax_40MHz_Chain0_2422MHz_RU484




802.11ax_40MHz_Chain0_2437MHz




802.11ax_40MHz_Chain0_2437MHz_RU484



802.11ax_40MHz_Chain0_2452MHz



802.11ax_40MHz_Chain0_2452MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾设海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 44 of 323


802.11ax_40MHz_Chain0_2457MHz




802.11ax_40MHz_Chain0_2457MHz_RU484



802.11ax_40MHz_Chain0_2462MHz



802.11ax_40MHz_Chain0_2462MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報生结果僅對測試之樣具有書,同時件樣具僅果留的手。未報生主標本公司書面許可,不可架份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



99% Bandwidth

Report No.: TERF2411003328ER

Page: 45 of 323

802.11b Ch0

002.110 0110		
Freq.	99% BW	
(MHz)	(MHz)	
2412	13.339	
2437	13.449	
2462	13.309	
2467	13.354	
2472	13.306	

802.11g Ch0

Freq.	99% BW
(MHz)	(MHz)
2412	16.515
2437	17.067
2462	16.517
2467	16.510
2472	16.509

802.11n_HT20M Ch0

Freq.	99% BW
(MHz)	(MHz)
2412	17.512
2437	17.921
2462	17.529
2467	17.505
2472	17.509

802.11n_HT40M Ch0

Freq.	99% BW
(MHz)	(MHz)
2422	35.779
2437	35.780
2452	35.741
2457	35.766
2462	35.762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 46 of 323

802.11ax_HE20M Ch0

Freq. (MHz)	RU Config	99% BW (MHz)
2412	full	18.925
2412	242	18.943
2437	full	19.079
	242	19.081
2462	full	18.934
	242	18.949
2467	full	18.930
	242	18.944
2472	full	18.928
2472	242	18.947

802.11ax_HE40M Ch0

Freq.	RU	99% BW
(MHz)	Config	(MHz)
2422	full	37.732
2422	484	37.766
2437	full	37.725
2437	484	37.877
2452	full	37.669
	484	37.718
2457	full	37.708
	484	37.706
2462	full	37.718
2402	484	37.714

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 47 of 323


802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz




802.11b_20MHz_Chain0_2467MHz



802.11b_20MHz_Chain0_2472MHz



802.11g_20MHz_Chain0_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 48 of 323


802.11g_20MHz_Chain0_2437MHz




802.11q_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2467MHz




802.11g_20MHz_Chain0_2472MHz



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 49 of 323

802.11n_20MHz_Chain0_2462MHz




802.11n_20MHz_Chain0_2467MHz




802.11n_20MHz_Chain0_2472MHz




802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 50 of 323


802.11n_40MHz_Chain0_2457MHz




802.11n_40MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2412MHz




802.11ax_20MHz_Chain0_2412MHz_RU242



802.11ax_20MHz_Chain0_2437MHz



802.11ax_20MHz_Chain0_2437MHz_RU242



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 51 of 323


802.11ax_20MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2462MHz_RU242




802.11ax_20MHz_Chain0_2467MHz




802.11ax_20MHz_Chain0_2467MHz_RU242



802.11ax_20MHz_Chain0_2472MHz



802.11ax_20MHz_Chain0_2472MHz_RU242



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 52 of 323


802.11ax_40MHz_Chain0_2422MHz




802.11ax_40MHz_Chain0_2422MHz_RU484




802.11ax_40MHz_Chain0_2437MHz




802.11ax_40MHz_Chain0_2437MHz_RU484



802.11ax_40MHz_Chain0_2452MHz



802.11ax_40MHz_Chain0_2452MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 53 of 323


802.11ax_40MHz_Chain0_2457MHz




802.11ax_40MHz_Chain0_2457MHz_RU484



802.11ax_40MHz_Chain0_2462MHz



802.11ax_40MHz_Chain0_2462MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報生结果僅對測試之樣具有書,同時件樣具僅果留的手。未報生主標本公司書面許可,不可架份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 54 of 323

10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 **Test Setup**



10.3 **Measurement Procedure**

10.3.1 Reference Level of Emission Limit:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 55 of 323

Conducted Band Edge: 10.3.2

In any 100 kHz bandwidth outside the frequency band

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker of reference level measurement -20 dBm
- 8. Mark the highest readings of the emissions outside of 2400MHz~2483.5MHz.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

10.3.3 **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488

Page: 56 of 323



10.4 Measurement Result

802.11b Ch0

002.118 0110				
Reference Level of Limit				
PSD	Reference Level of Limit			
(dBm)	(dBm)			
12.50	-7.50			
12.64	-7.36			
11.41	-8.59			
4.56	-15.44			
-0.56	-20.56			
	PSD (dBm) 12.50 12.64 11.41 4.56			

802.11q Ch0

302.1.1g 3113				
Reference Level of Limit				
Freq.	PSD	Reference Level of Limit		
(MHz)	(dBm)	(dBm)		
2412	4.44	-15.56		
2437	10.36	-9.64		
2462	4.46	-15.54		
2467	1.48	-18.52		
2472	-0.54	-20.54		

802.11n_HT_20M Ch0

Reference Level of Limit			
Freq.	PSD	Reference Level of Limit	
(MHz)	(dBm)	(dBm)	
2412	3.48	-16.52	
2437	10.54	-9.46	
2462	4.41	-15.59	
2467	1.39	-18.61	
2472	-0.58	-20.58	

802.11n_HT_40M Ch0

Reference Level of Limit			
Freq.	PSD	Reference Level of Limit	
(MHz)	(dBm)	(dBm)	
2422	-1.69	-21.69	
2437	2.19	-17.81	
2452	1.36	-18.64	
2457	0.37	-19.63	
2462	-1.73	-21.73	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 57 of 323

802.11ax_HE_20M Ch0

Reference Level of Limit				
Freq.		PSD	Reference Level of Limit	
(MHz)		(dBm)	(dBm)	
2412	full	3.19	-16.81	
	26/0	10.68	-9.32	
	52/37	7.27	-12.73	
	106/53	5.66	-14.34	
	242	3.06	-16.94	
2437	full	9.15	-10.85	
	26/0	17.03	-2.97	
	52/37	14.97	-5.03	
	106/53	11.84	-8.16	
	26/8	17.27	-2.73	
	52/40	14.27	-5.73	
	106/54	11.92	-8.08	
	242	8.88	-11.12	
2462	full	4.16	-15.84	
	26/8	10.18	-9.82	
	52/40	7.52	-12.48	
	106/54	4.94	-15.06	
	242	3.06	-16.94	
	full	2.14	-17.86	
	26/8	4.90	-15.10	
2467	52/40	3.12	-16.88	
	106/54	-0.25	-20.25	
	242	-1.81	-21.81	
	full	-1.42	-21.42	
	26/8	1.51	-18.49	
	52/40	-1.52	-21.52	
	106/54	-4.25	-24.25	
	242	-5.99	-25.99	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 58 of 323

802.11ax_HE_40M Ch0

Reference Level of Limit					
Freq.		PSD	Reference Level of Limit		
(MHz)		(dBm)	(dBm)		
2422	full	-1.20	-21.20		
	242/61	2.91	-17.09		
	484	-2.08	-22.08		
2437	full	1.15	-18.85		
	242/61	2.91	-17.09		
	242/62	3.09	-16.91		
	484	0.03	-19.97		
2452	full	0.15	-19.85		
	242/62	2.00	-18.00		
	484	-3.94	-23.94		
2457	full	-0.08	-20.08		
	242/62	1.00	-19.00		
	484	-5.00	-25.00		
2462	full	-2.00	-22.00		
	242/62	-6.35	-26.35		
	484	-6.04	-26.04		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 59 of 323

802.11b_20MHz_Chain0_2412MHz



802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz



802.11b_20MHz_Chain0_2467MHz



802.11b_20MHz_Chain0_2472MHz



802.11g_20MHz_Chain0_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 60 of 323


802.11g_20MHz_Chain0_2437MHz



802.11g_20MHz_Chain0_2462MHz



802.11g_20MHz_Chain0_2467MHz



802.11g_20MHz_Chain0_2472MHz



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品台書,同時此樣品僅保留仍天。木報告未經木公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 61 of 323


802.11n_20MHz_Chain0_2462MHz




802.11n_20MHz_Chain0_2467MHz



802.11n_20MHz_Chain0_2472MHz



802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 62 of 323

802.11n_40MHz_Chain0_2457MHz




802.11n_40MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2412MHz




802.11ax_20MHz_Chain0_2412MHz_RU26_0



802.11ax_20MHz_Chain0_2412MHz_RU52_37



802.11ax_20MHz_Chain0_2412MHz_RU106_53



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 63 of 323

802.11ax_20MHz_Chain0_2412MHz_RU242




802.11ax_20MHz_Chain0_2437MHz




802.11ax_20MHz_Chain0_2437MHz_RU26_0



802.11ax_20MHz_Chain0_2437MHz_RU26_8



802.11ax_20MHz_Chain0_2437MHz_RU52_37



802.11ax_20MHz_Chain0_2437MHz_RU52_40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 64 of 323


802.11ax_20MHz_Chain0_2437MHz_RU106_53



802.11ax_20MHz_Chain0_2437MHz_RU106_54




802.11ax_20MHz_Chain0_2437MHz_RU242




802.11ax_20MHz_Chain0_2462MHz



802.11ax_20MHz_Chain0_2462MHz_RU26_8



802.11ax_20MHz_Chain0_2462MHz_RU52_40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 65 of 323

802.11ax_20MHz_Chain0_2462MHz_RU106_54




802.11ax_20MHz_Chain0_2462MHz_RU242




802.11ax_20MHz_Chain0_2467MHz




802.11ax_20MHz_Chain0_2467MHz_RU26_8



802.11ax_20MHz_Chain0_2467MHz_RU52_40



802.11ax_20MHz_Chain0_2467MHz_RU106_54



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 66 of 323

802.11ax_20MHz_Chain0_2467MHz_RU242




802.11ax_20MHz_Chain0_2472MHz




802.11ax_20MHz_Chain0_2472MHz_RU26_8



802.11ax_20MHz_Chain0_2472MHz_RU52_40



802.11ax_20MHz_Chain0_2472MHz_RU106_54



802.11ax_20MHz_Chain0_2472MHz_RU242



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 67 of 323


802.11ax_40MHz_Chain0_2422MHz




802.11ax_40MHz_Chain0_2422MHz_RU242_61




802.11ax_40MHz_Chain0_2422MHz_RU484




802.11ax_40MHz_Chain0_2437MHz



802.11ax_40MHz_Chain0_2437MHz_RU242_61



802.11ax_40MHz_Chain0_2437MHz_RU242_62



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.